Data Types

User		
Attribute	Data Type	
Email	nvarchar(30)	
Name	nvarchar(30)	
4-Digit-Pin	nvarchar(4)	
Follows	list <user></user>	

Corkboard		
Attribute	Data Type	
Title	nvarchar(30)	
Visibility	boolean	
Category	nvarchar(30)	
Owner	User	

PushPin		
Attribute	Data Type	
Date/Time	DateTime	
Owner	nvarchar(30)	
URL	nvarchar(100)	
Description	nvarchar(200)	
Tags	list <nvarchar(30)></nvarchar(30)>	
Likes	integer	
Comments	list <comments></comments>	

Comment		
Attribute	Data Type	
Date/Time	DateTime	
Text	nvarchar(100)	
User	User	

Like		
Attribute	Data Type	
User	User	
PushPin	PushPin	

Business Logic & Constraints

<u>User</u>

- 1. A user can only follow a corkboard that they do not own
- 2. A user cannot like their own PushPins
- 3. A user can only view private corkboards with a password
- 4. No user can watch a private corkboard
- 5. Must have a 4 digit pin
- 6. Must have an email address

Corkboards

- 1. A corkboard title cannot be null
- 2. A corkboard visibility cannot be null
- 3. A corkboard category cannot be null
- 4. A private corkboard password cannot be null
- 5. A corkboard is only updated when a new PushPin is added
- 6. A corkboard cannot switch between public and private access
- 7. A corkboard cannot be deleted

Login

1. A user must enter an email address and a 4 digit pin

Pushpins

- 1. The URL for a PushPin cannot be null
- 2. The Description for a PushPin cannot be null
- 3. A PushPin comment cannot be deleted
- 4. A PushPin on a private corkboard will never appear on anyone's search result

Tags

1. Tags can contain all characters except commas

Task Composition

Log In

Lock Types: Read on USER

Frequency: low

Consistency: non-critical

Schema: Single

Abstract Code

• User enters *email* and *pin*

- User clicks **<Login>** button:
 - if form is validated, then:
 - if *email* does not have a known record, login page is redisplayed with an error message
 - else if *email* is found, and *pin* does not match, then login page is redisplayed with error message
 - Else create a session with the login information and proceed to Home Screen
 - Else show an error message indicating the form was not validated

View Home Page

Lock Types: Read on USER, PERSONAL, UPDATES, CORKBOARDS

Frequency: High

Consistency: USER must be looked up first to retrieve the additional locks

Enabling Conditions: Must be successfully logged in

Schema: Multiple

Subtasks: Personal, Updates and Corkboards after a successful user lookup

Abstract Code

• Find the current USER using the *email*

- Find the Corkboards followed by the USER
- Find users followed by USER
- Display the USERs username
- Find each update to boards that are owned or watched my USER, or owned by a user followed by USER
 - Sort updates and display the 4 newest updates
 - If no updates
 - Display message "No Updates"
- Display all Corkboards Sorted alphabetically that are owned by USER
- While no buttons are pushed, do nothing
- When a button is push, then do:
 - if POPULAR TAGS, View Popular Tags
 - · if ADD CORKBOARD, Add Corkboard
 - if PUSHPIN SEARCH, Search PushPins
 - if CORKBOARD UPDATE, Write to Corkboard, View Corkboard
 - · if MY CORKBOARD, View Corkboard
 - if CORKBOARD STATS, View Stats
 - if POPULAR SITES, View Popular Sites

Add Corkboard

Lock Types: Write to USER corkboards

Frequency: Low

Consistency: non-critical

Schema: Single Subtasks: none

Abstract Code

• Display window with input forms and a dropdown containing Corkboard Categories alphabetically

- if USER selects Private
 - USER must enter password
- USER click Add
- Write to USER the new corkboard
- While no buttons are pushed, do nothing
- If a button is pushed, then do:
 - · if ADD, Write to Corkboard, View Corkboard

View Corkboard

Lock Types: Read to Corkboard for Owneraship, Category, and Images; Write for selecting

Followed

Frequency: Low

Consistency: non-critical

Schema: Single Subtasks: none

- Find the OWNER, CATEGORY, and IMAGES of the CORKBOARD
- Display OWNER, CATEGORY, and IMAGES
- If OWNER is current USER, Enable 'Add PushPin' button
- If current USER is not OWNER, display 'follow' button
- If current USER is not OWNER and CORKBOARD is public, display 'watch' button
- Display number of watchers
- While no buttons are pushed, do nothing
- If a button is pushed, then do:
 - · if FOLLOW, Write to USER, View Corkboard
 - · if ADD PUSHPIN, Write to Corkboard, Add Pushpin to Corkboard
 - · if WATCH, Write to USER, View Corkboard
 - if <image>, View PushPin

Add PushPin to CorkBoard

Lock Types: None **Frequency:** Low

Consistency: non-critical

Enabling Condition: USER must own

Schema: Single Subtasks: none

- Display window with input forms
- Display CATEGORY
- While no buttons are pushed, do nothing
- If a button is pushed, then do:
 - if ADD, Validate Form, Write to Corkboard, View Corkboard

View PushPins

Lock Types: Read OWNER of pin; Read DATE and TIME of initial pin on board; Read

COMMENTS, LIKES, TAGS of pin

Frequency: High

Consistency: non-critical

Schema: Single

Abstract Code

• Find OWNER of PushPin

- Display OWNER
- Find DATE and TIME of Pin
- Display DATE and TIME of Pin
- Find CATEGORY of Pin
- Display CATEGORY
- Find COMMENTS and LIKES
- Display LIKES
- Display COMMENTS sorted by date/time
- Find TAGS of Pin
- Display TAGS sorted alphabetically
- While no buttons are pushed, do nothing
- If a button is pushed, then do:
 - if FOLLOW, Write to USER, View PushPin
 - if <hyperlinked Category>, View Corkboard
 - if <image>, GOTO Hyperlinked Site
 - if POST COMMENT, Write to PushPin, View PushPin
 - if THUMBS UP, Write to PushPin, View PushPin

Search PushPins

Lock Types: Read PUSHPINS

Frequency: Low

Consistency: Lookup PushPins before looking up other attributes. Otherwise NULL

Schema: Single

Abstract Code

• Find related PushPins

• For Each PushPin in related PushPins:

- Find OWNER, and CORKBOARD the Pin is on
- If CORKBOARD is public
 - Display alphabetically PUSHPIN {hyperlink}, CORKBOARD, OWNER
- While not button is pushed, do nothing
- When button is pushed, then do:
 - if PUSHPIN DESCRIPTION, View PushPin

View Popular Tags

Lock Types: Read POPULAR TAGS

Frequency: Low

Consistency: Successful POPULAR TAGS needs to be done before other queries

Schema: Single

- Find Popular Tags
- For Each Tag in related Popular Tags:
 - Find #PUSHPINS, and #CORKBOARD the Tag is on
 - Display TAG{hyperlink}, #PUSHPINS, and #CORKBOARDs sorted by most Pushpins followed by most Corkboards
- While not button is pushed, do nothing
- When button is pushed, then do:
 - if TAG, Search Tags

View Popular Sites

Lock Types: Read POPULAR SITES

Frequency: Low

Consistency: Successful POPULAR SITES needs to be done before other queries

Schema: Single

Abstract Code

• Find Popular Sites

- For Each Site in related Popular Sites:
- Find #PUSHPINS the Site is on
- Display SITE, #PUSHPINS sorted by most PushPins
- While not button is pushed, do nothing
- When button is pushed, then do:
 - if TAG, Search Tags

View Stats

Lock Types: Read USERS

Frequency: High

Consistency: Successful Read of all users before Read of Stats

Schema: Single

- Find all USERS
- For Each USER within USERS
 - Find PUBLIC CORKBOARDS
 - Find PUBLIC PUSHPINS
 - Find PRIVATE CORKBOARDS
 - Find PRIVATE PUSHPINS
 - Display number of PUBLIC CORKBOARDS→ {Sorted by most: Wt=1}
 - Display number of PUBLIC PUSHPINS
 - Display number of PRIVATE CORKBOARDS \rightarrow {Sorted by most: Wt=2}
 - Display number of PRIVATE PUSHPINS