
Starting and ending π
π_j
j
x 10^4
l(θ)=46301.7964
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
2098 runs in 667.5886s, n=49799
% change
Trial


Starting and ending π
π_j
j
l(θ)=9234.5198
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
592 runs in 37.5135s, n=9969
% change
Trial


Starting and ending π
π_j
j
x 10^4
l(θ)=41486.8235
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
1821 runs in 582.9811s, n=49607
% change
Trial


Starting and ending π
π_j
j
l(θ)=45229.1754
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
950 runs in 301.1852s, n=49838
% change
Trial


Starting and ending π
π_j
j
l(θ)=34163.4875
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
3354 runs in 1059.9s, n=49512
% change
Trial


Starting and ending π
π_j
j
l(θ)=48472.0444
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
1945 runs in 620.6746s, n=49725
% change
Trial


Starting and ending π
π_j
j
l(θ)=37887.5772
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
1256 runs in 399.0769s, n=49581
% change
Trial


Starting and ending π
π_j
j
l(θ)=15681.8982
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
1071 runs in 115.5169s, n=17058
% change
Trial


Starting and ending π
π_j
j
l(θ)=34217.6415
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
3091 runs in 1012.0949s, n=49777
% change
Trial


Starting and ending π
π_j
j
l(θ)=36185.2834
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
2110 runs in 676.4862s, n=49552
% change
Trial


Starting and ending π
π_j
j
l(θ)=40708.8054
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
2596 runs in 817.2974s, n=49688
% change
Trial


Starting and ending π
π_j
j
l(θ)=43700.9285
x 10^4
l(π|x,y)
Trial
Weights over time
π_j
Trial
Δ v true
Δ
j
Roll 999999999 % Δπ over last π
% Δ
Trial
2331 runs in 731.8219s, n=49590
% change
Trial