# **Spockbots**

Release 1.0

**Spockbots** 

# **CONTENTS**

	1 1	
	1.1	Python
	1.2	Design
	1.3	Menu
		City Runs
		Spockbots API
	1.6	Spockbots Code
	1.7	lego
2 Indices and tables		
Pyt	hon I	Module Index
Ind	ex	

**CHAPTER** 

**ONE** 

# SPOCKBOTS API

# 1.1 Python

### 1.1.1 Variables

Variables allow storing of data values. This is the same as the EV3 GUI variable

Example:

```
\begin{array}{l}
\mathbf{x} = 5 \\
\mathbf{y} = 10
\end{array}
```

### 1.1.2 Lists

This is the same as the array in EV3 GUI.

Lists store multiple data values:

```
vector = [x, y]
vector = [5, 10]
```

### 1.1.3 Functions

A function is a block of code which only runs when it is called. It may return a value and can have parameters. This is the same as a myblock, but easier to write and modify:

```
def add(a,b):
    return a + b

def PRINT(message):
    print("Message", message)
```

# 1.1.4 Classes

With classes we can group functions and variables conveniently into an object. an object is just like a variable that uses the class as template. we can call all variables and functions on this object. Functions in a class are called methods. A special method is \_\_init\_\_ which is called once when we declare an object from the template:

```
class Person:

def __init__(name, age, weight):
    self.name = name
    self.age = age
    self.height = height

def grow(amount):
    self.height = height + amount

def how_tall():
    return self.height

seric = Person("Seric", 14, 150)
seric.grow(1)
print (seric.height)  # 151
print (seric.how_tall())  # 151
```

### 1.1.5 Conditions

Conditions allow is to react if a value is tru or false. It is the same as in EV3 GUI but easier to write:

```
if seric.height > 180:
    print("He is tall")
elif seric.height < 180:
    print("He is still growing")
else:
    print("he is exactly 180cm")</pre>
```

## **1.1.6 Loops**

We used while and for loops the repeat an indented block of code. While loops can also loop over elements in a list easily.

### **Loop forever**

```
while True:
    print("I loop forever")
```

### Loop with condition

```
counter = 1
while counter <= 3:
    print (counter)
    counter = counter + 1

# 1
# 2
# 3</pre>
```

### Loop with break

```
counter = 1
while True:
    print (counter)
    counter = counter + 1
    if counter > 3:
        break # break leaves the loop
# 1
# 2
# 3
```

### Loop through a list

```
for counter in [1,2,3]: print (counter) # 1 # 2 # 3
```

## **1.1.7 Import**

When we create code in separate files they can be made known within a program while importing the functions, classes, or variables. This allows us to organize the code while grouping topical code into a file.

```
from spockbots.motor import SpockbotsMotor
from time import sleep
```

# 1.1.8 Program

A program can be executed in a terminal on teh EV3 brick. It must be executable. Let us assume the following core it in the file *run\_led.py*. we make it executable with:

```
chmod a+x run_led.py
```

### Here an example:

```
#!/usr/bin/env pybricks-micropython
from spockbots.output import flash
import time

def run_led():
    """
    Flashes the LEDs on the brick
    """
    flash()

if __name__ == "__main__":
    run_led()
```

The first line tells us to use python to run the program.

The if \_\_name\_\_ line tells us to run the next lines (e.g. the function) as functions are not run when we define them.

1.1. Python 3

# 1.2 Design

# 1.2.1 Goals for using Python

Our main goal this year was to learn Python.

Previously we used Mindstorms GUI and developed a sophisticated library with many myblocks.

### Questions

- 1. Can we convert this library into python?
- 2. Would python easier than the mindstrom GUI?
- 3. Would it be easier to define missions with Python?
- 4. Would the robot perform well with the Python program?
- 5. What general reasons are there for and against Python or Mindstorm?

### Previous Mindstorm GUI programs

- We had an library developed in Mindstorm GUI with many myBlocks that we used previously to develop code. Can they be redeveloped in Python?
- We had some issues with using Bluetooth between Mac and the robot in Mindstorm. Is this improved in Python
- In contrast to Windows, the GUI on Mac seems slower. Is the development in python faster?
- We often ran out of screen space as the programs were long. Does using python help?
- We had some issues with the Gyro and light sensors in the mindstor GUI. Do these issues occur also in python?

Task Winner Mindstorm Python Bluetooth on Mac Python Connection could often not be done No issues easily MyBlocks defini-Python Complicated to define, if you make an With functions easy to define and cortion error in the parameters one needs to start over. Gyro Drift Neither Gyro needs to be plugged in and out Gyro needs to be plugged in and out to avoid drift to avoid drift Gyro Reset Neither Reset requires a time delay Reset requires a time delay. Color Sensor Python Sometimes the color sensor has no Easy to fix in python while using the value. We did not have a fix for that. value previous value. Comes back quickly Color Sensor reset Not available Python We implemented this so that all color with mor than one sensors return always values between sensor 0 -100, this helps line following. Editor Equal GUI is intuitive to understand but has Visual code is easy but a bit mor comissues with myblock. Limited space, plex to understand, but once you know myblocks do not have names under it writing programs is easy. Upload them but just icons and run code with F5 is convenient Mindstorm This can easily be done in mindstorm This does not work in python. Interrupting a need to add code for that wrong program with the backspace button Younger Kids Mindstorm Mindstorm GUI is intuitive, but best Python is a more difficult to learn by for small programs younger kids Older Kids Python Mindostom GUI becomes cumber-Python is easy to learn by older kids

Table 1: Mindtsorm GUI Issues

### Overall winner:

### Python

What should be added to Python:

Color Sensor calibration and value code we developed that returns values between 0-100 for all sensors

some when we develop more complex

- A test to see if the gyro is drifting
- A solution to avoid the unplugging of the gyro sensor

#### Observations and answers:

### Gyro:

1. The gyro needs to be plugged in and out at the beginning to avoid drifting.

programs

This could not be solved in Python but we implemented a function that detects better if the Gyro drifts.

2. We need to have a wait till the Gyro is calm

We reimplemented this not with time delay, but a counter to see if the angle has changed. This could also be implemented in mindstorm GUI

### Light Sensor:

1. sometimes the light sensor did not return a result

1.2. Design 5

2. We developed a calibration that drove over a line to calibrate our sensors. However, the reset block is only designed to use one Gyro and not 2

# 1.2.2 Mechanical Design

• TBD




Fig. 1: Robot 1a. Crane setup does not have to be precise



Fig. 2: Robot 2a. Crane setup still works well when the peg points to the line.



Fig. 3: Robot 3. The robot is too likght as there is no weight on the back wjeels

# 1.3 Menu

We named it 0\_menu.py so it shows up on the top in the brick program:

```
Crane
>>> Swing
Calibrate
....
```

Displays a menu in which we muve with the UP DOWN keys up and down. We leave with the left key and select a program with the right key.

# 1.4 City Runs

# 1.4.1 run.red\_circle

```
run.red_circle.run_red_circle()
    TBD
```




Fig. 4: Red Circle 1. Setup is on 30 degree line it does not have to be that precise.




Fig. 5: Red Circle 2. Setup form the other side



Fig. 6: Red Cricle 3. The placement is veri precise as we follow the line and stop when we find the tan color.

```
#!/usr/bin/env pybricks-micropython
from spockbots.motor import SpockbotsMotor
from spockbots.gyro import SpockbotsGyro as Gyro
from time import sleep
from spockbots.output import led, PRINT
def run_red_circle():
    TBD
   robot = SpockbotsMotor()
   robot.debug = True
   robot.setup()
   robot.color.read()
   print (robot)
    # setup gyro
   gyro = Gyro(robot)
    # gyro.connect()
   gyro.reset()
   if gyro.still():
        PRINT("ROBOT STILL")
    else:
        PRINT("ROBOT DRIFT")
        led("RED")
        robot.beep()
        robot.beep()
        robot.beep()
```

(continues on next page)

1.4. City Runs 7

```
#followline(10, port=3, stop_color_sensor=2, stop_values=[7], stop_color_mode=
    "color")

# go forward overthe curve in line
    robot.forward(25, 35)

# find the white lien so we can start with line following
    robot.turntowhite(25, direction="right", port=3)

robot.followline(10, distance=30, port=3, right=False)
    robot.gotocolor(10, 2, colors=[7])
    robot.turn(10,-62)
    robot.forward(25,-10)
    robot.turn(50,45)
    robot.forward(100,-80)

if __name__ == "__main__":
    run_red_circle()
```

# 1.4.2 run.tan\_circle

```
run.tan_circle.run_tan_circle()
    TBD
```



```
#!/usr/bin/env pybricks-micropython
from spockbots.motor import SpockbotsMotor
from spockbots.gyro import SpockbotsGyro as Gyro
from time import sleep
from spockbots.output import led, PRINT
def run_tan_circle():
   TBD
   robot = SpockbotsMotor()
   robot.debug = True
   robot.setup()
   robot.color.read()
   print (robot)
    # setup gyro
   gyro = Gyro(robot)
    # gyro.connect()
   gyro.reset()
   if gyro.still():
```

```
PRINT("ROBOT STILL")
    else:
        PRINT("ROBOT DRIFT")
        led("RED")
        robot.beep()
        robot.beep()
        robot.beep()
    # move a long distance
   robot.forward(30,85)
    # trun towards the white line
   robot.turn(25, -45)
    # move a bit forward so we are not in the red circle as it colld be interpreted_
→as white
   robot.forward(25,23)
    # back up and leave the building
   robot.forward(25, -15)
    # turn to home
   robot.turn(25, 15)
    # go back to base
   robot.forward(100, -100)
if __name__ == "__main__":
    run_tan_circle()
```

# 1.4.3 run.black\_circle

run.black\_circle.run\_black\_circle()
 TBD




Fig. 7: Black Circle 1. Setup is on 30 degree line it does not have to be that precise.




Fig. 8: Black Circle 2. Setup from the other side



Fig. 9: Black Circle 3. Run



Fig. 10: Black Circle 4. Run

```
#!/usr/bin/env pybricks-micropython
from spockbots.motor import SpockbotsMotor
```

(continues on next page)

1.4. City Runs 9

```
from time import sleep

def run_black_circle():
    """
    TBD
    """
    robot = SpockbotsMotor()
    robot.debug = True

    robot.setup()
    robot.color.read()

    print(robot)

    robot.forward(30,48)
    robot.forward(10,-15)
    robot.forward(50, -30)

if __name__ == "__main__":
    run_black_circle()
```

### 1.4.4 run.crane

run.crane.run\_crane()
 TBD




Fig. 11: Crane 1. Crane setup does not have to be precise



Fig. 12: Crane 2. Crane setup still works well when the peg points to the line.



Fig. 13: Crane 4. Successful placement

### Reliability:

**Setup** The setup for the crane mission is important, but it does not have to be precise. There is a balck line that we can allign the blue peg with.

Run We use the balck line to align the robot so that the attachment is working well.

**Mechanical** We have an attachment designed that pushes the block and activates the blue levers at the righ time. The drive must not be fast into the crane. The crane block must not swing whe we start.

Mission Order To avoid the swinging of the line (by other teams moving the table), this is our first mission.

```
#!/usr/bin/env pybricks-micropython
from spockbots.motor import SpockbotsMotor
from time import sleep
def run_crane():
    TBD
   robot = SpockbotsMotor()
   robot.debug = True
   robot.setup()
   robot.color.read()
   print (robot)
   robot.forward(50, 10)
   robot.turn(25, 45)
   robot.forward(50, 30)
   robot.turn(25, −45)
   robot.gotowhite(25, 3)
    robot.gotoblack(10, 3)
    robot.gotowhite(10, 3)
    #robot.forward(5, 2)
    \#robot.forward(-20, 20)
    #robot.right(20, 45)
    #robot.forward(-75, 60)
   dt = 0.0
   robot.forward(50, 20)
   robot.gotowhite(25, 3)
   robot.turntoblack(25, direction="right", port=3)
   robot.forward(50, 5)
   robot.turntowhite(15, direction="left", port=2)
    robot.followline(speed=10, distance=13,
                     port=2, right=True,
                     delta=-35, factor=0.4)
    robot.forward(50, -5)
```

(continues on next page)

1.4. City Runs 11

```
robot.gotowhite(10, 3)
robot.gotoblack(10, 3)
robot.gotowhite(10, 3)

robot.forward(2, 4)
robot.forward(10, 1)

# sleep(0.2)

# back to base

robot.forward(5, -5) # backup slowly
robot.forward(75, -20)
robot.turn(25, 45)
robot.forward(75, -30)
robot.turn(25, 45)
robot.forward(75, -20)

if __name__ == "__main__":
run_crane()
```

# 1.4.5 run.ramp

```
run.ramp.run_ramp()
    TBD
```



Fig. 14: Ramp 1. Setup is on 30 degree line it does not have to be that precise.



Fig. 15: Ramp 2. Setup from the other side



Fig. 16: Ramp 3. Run



Fig. 17: Ramp 4. Run



Fig. 18: Ramp 5. Run

```
#!/usr/bin/env pybricks-micropython

from spockbots.motor import SpockbotsMotor
from time import sleep

def run_black_circle():
    """
    TBD
    """
    robot = SpockbotsMotor()
    robot.debug = True

    robot.setup()
    robot.color.read()
```

(continues on next page)

1.4. City Runs 13

```
print(robot)

robot.forward(30,48)
robot.forward(10,-15)
robot.forward(50, -30)

if __name__ == "__main__":
    run_black_circle()
```

# 1.4.6 run.swing

```
run.swing.run_swing()
TBD
```

```
#!/usr/bin/env pybricks-micropython
from spockbots.motor import SpockbotsMotor
from time import sleep
def run_crane():
    TBD
    n n n
   robot = SpockbotsMotor()
   robot.debug = True
   robot.setup()
   robot.color.read()
   print (robot)
    robot.forward(50, 10)
    robot.turn(25, 45)
    robot.forward(50, 30)
   robot.turn(25, -45)
   robot.gotowhite(25, 3)
   robot.gotoblack(10, 3)
    robot.gotowhite(10, 3)
    #robot.forward(5, 2)
    #robot.forward(-20, 20)
    #robot.right(20, 45)
    #robot.forward(-75, 60)
    dt = 0.0
    robot.forward(50, 20)
```

```
robot.gotowhite(25, 3)
    robot.turntoblack(25, direction="right", port=3)
   robot.forward(50, 5)
   robot.turntowhite(15, direction="left", port=2)
   robot.followline(speed=10, distance=13,
                     port=2, right=True,
                     delta=-35, factor=0.4)
   robot.forward(50, -5)
   robot.gotowhite(10, 3)
   robot.gotoblack(10, 3)
   robot.gotowhite(10, 3)
   robot.forward(2, 4)
   robot.forward(10, 1)
    # sleep(0.2)
    # back to base
   robot.forward(5, -5) # backup slowly
   robot.forward (75, -20)
   robot.turn(25, 45)
   robot.forward(75, -30)
   robot.turn(25, 45)
    robot.forward(75, -20)
if __name__ == "__main__":
    run_crane()
```

### Reliability:

**Setup** To help the setup we are using a jig.

**Run** We use the balck lines and that allow us to be more precise.

**Mechanical** We have an attachment designed that pushes the house block, a lever that starts the swing, a lever that allows us to flip a blue stand and a lever tu turn the elevator.

**Mission Order** This mission would be best to be strarte at the beginning as it is mor complex to set up the the crane, but the crane may swing so we decided to run the swing first.

### 1.4.7 run.led

```
run.led.run_led()
    TBD
```

1.4. City Runs 15

### 1.4.8 run.turn to black module

```
run.turn_to_black.run_turn_to_black()
    TBD
```

### 1.4.9 run.calibrate

```
run.calibrate.run_calibrate()
```

Run the calibration

**Returns** a file called calibrate.txt that contains the minimum black and the maximum white value for the sensors

### 1.4.10 run.check

```
run.check.run_check()
```

Checks the robot by driving the large and medium motors and flashing the color sensors

### Order:

- · Large Motor left
- · Large Motor left
- · Medium Motor left
- · Medium Motor left
- Color Sensor left
- · Color Sensor right
- · Color Sensor back

# 1.5 Spockbots API

# 1.5.1 spockbots.output

```
spockbots.output.PRINT(*args, x=None, y=None)
```

prints message on screen at x and y and on the console. if x and y are missing prints on next position on lcd screen this message prints test messages.

The sceensize is maximum x=177, y=127)

### **Parameters**

- args multible strings to be printed in between them
- $\mathbf{x} \mathbf{x}$  value
- **y** y value

```
spockbots.output.beep()
```

The robot will make a beep

```
spockbots.output.clear()
    clears display
```

```
spockbots.output.flash(colors=['RED', 'BLACK', 'RED', 'BLACK', 'GREEN'], delay=0.1)
The robot will flash the LEDs and beep twice
```

 $\verb|spockbots.output.led| (color)$ 

changes color of led light

### **Parameters**

- color light color
- brightness light brightness

### Returns

```
spockbots.output.readfile(name)
```

Reads the file with the name and returns it as a string.

**Parameters** name – The file name

**Returns** The data in teh file as string

spockbots.output.sound(pitch=1500, duration=300)
plays a sound

### **Parameters**

- pitch sound pitch
- duration how long the sound plays

#### Returns

```
spockbots.output.voltage()
    prints voltage of battery
spockbots.output.writefile(name, msg)
    Writes a new file with the name. If it exists the old file will be deleted.
```

### **Parameters**

- name The name of the file
- msg The message to be placed in the file

### Returns

# 1.5.2 spockbots.check

```
spockbots.check.check(speed=100, angle=360) do a robot check by
```

- a) turning on the large motors one at a time
- b) turning on the medium motors one at a time
- c) turning on the light sensors one at a time

### **Parameters**

- speed -
- angle -

### Returns

### 1.5.3 spockbots.motor

```
class spockbots.motor.SpockbotsMotor(direction=None)
     Bases: object
     aligntoblack (speed, port_left, port_right, black=10)
          aligns with black line while driving each motor.
               Parameters
                   • speed – speed of robot
                   • port_left - port of left color sensor
                   • port_right – port of right color sensor
                   • black - value of black
     aligntowhite (speed, port_left, port_right, white=80)
          aligns with white line while driving each motor.
               Parameters
                   • speed – speed of robot
                   • port_left - port of left color sensor
                   • port_right – port of right color sensor
                   • white - value of white
     angle_to_distance (angle)
          calculation to return the distance in cm given an angle.
               Parameters angle – the angle
               Returns distance in cm for turning an angle
     beep()
          robot will beep.
     calibrate (speed, distance=15, ports=[2, 3, 4], direction='front')
          calibrates color sensors by driving over black and white line.
               Parameters
                   • speed – speed of robot
                   • distance – distance that robot travels
                   • ports – ports of color sensors
                   • direction – direction of calibration
     check_kill_button()
     distance_to_angle (distance)
          calculation to convert the distance from cm into angle.
               Parameters distance - The distance in cm
               Returns The degrees traveled for the given distance
```

distance\_to\_rotation(distance)

calculation to convert the distance from cm into rotations.

Parameters distance – The distance in cm

**Returns** The rotations to be traveled for the given distance

**followline** (*speed=25*, *distance=None*, *t=None*, *port=3*, *right=True*, *stop\_color\_sensor=None*, *stop\_values=None*, *stop\_color\_mode=None*, *delta=-35*, *factor=0.4*) follows line for either a distance or for time.

#### **Parameters**

- speed speed of robot
- distance distance that robot follows line
- t time that robot follows line for
- port port of color sensor
- right whether the robot is following the right or left side of line
- black black value
- white white value
- **delta** adjustment value to convert from color sensor values (0 to 100) to motor steering (-100 to 100)
- **factor** factor of adjustment, controls smoothness

**followline\_pid** (debug=False, distance=None, t=None, right=True, stop\_color\_sensor=None, stop\_values=None, stop\_color\_mode=None, port=3, speed=25, black=0, white=100, kp=0.3, ki=0.0, kd=0.0)

forward(speed, distance, brake=None)

the robot drives forward for a given distance.

### **Parameters**

- speed speed of robot
- **distance** distance that robot goes forward (in cm)
- brake one of the values brake, hold, coast

gotoblack (speed, port, black=10)

robot moves to the black line while using the sensor on the given port.

#### **Parameters**

- **speed** speed of robot
- port port of color sensor
- black value of black

gotocolor (speed, port, colors=[0])

robot moves to the black line while using the sensor on the given port.

### **Parameters**

- speed speed of robot
- port port of color sensor
- black value of black

gotowhite (speed, port, white=90)

robot moves to the white line while using the sensor on the given port.

### **Parameters**

- **speed** speed of robot
- port port of color sensor
- white value of white

### light (port)

return the reflective color sensor value.

**Parameters** port – the port number of the color sensor

Returns the reflective color value

on (speed, steering=0)

turns the large motors on while using steering.

### **Parameters**

- **speed** the speed of the robot
- **steering** an angle for the steering

### on\_forever (speed\_left, speed\_right)

turns motors on with left and right speed.

#### **Parameters**

- speed\_left speed of left motor
- **speed\_right** speed of the right motor

### reset()

resets the angle in the large motors to 0.

```
setup (direction=None)
```

setup the direction, the motors, and the tank with the appropriate direction.

**Parameters direction** – if the direction is 'forward' the robot moves forward, otherwise backwards.

**Returns** left, right motors and tank

### still()

waits till the motors are no longer turning.

### stop (brake=None)

stops all motors on all different drive modes.

Parameters brake - None, brake, coast, hold

 $\verb"turn"\,(speed,\,angle)$ 

takes the radius of the robot and dives on it for a distance based on the angle.

### **Parameters**

- speed speed of turn
- angle angle of turn

turntoblack (speed, direction='left', port=3, black=10)

turns the robot to the black line.

### **Parameters**

- speed speed of turn
- direction left or right

```
• port – port of color sensor
```

• black - value of black

turntowhite (speed, direction='left', port=3, white=80)

turns the robot to the white line.

### **Parameters**

- **speed** speed of turn
- direction left or right
- port port of color sensor
- white value of white

# 1.5.4 spockbots.gyro

```
class spockbots.gyro.SpockbotsGyro(robot, port=1)
     Bases: object
     improved gyro class
     angle()
          Gets the angle
               Returns The angle in degrees
     drift()
          tests if robot drifts and waits until its still
     forward (speed=25, distance=None, t=None, port=1, delta=-35, factor=0.4)
           Moves forward
               Parameters
                   • speed – The speed
                   • distance – If set the distance to travle
                   • t - If set the time to travel
                   • port – The port number of the Gyro sensor
                   • delta – controlling the smoothness of the line
                   • factor – controlling the smoothness of the line
               Returns
     left (speed=25, degrees=90, offset=0)
           The robot turns left with the given number of degrees
```

## **Parameters**

- speed The speed
- **degrees** The degrees
- offset -

### Returns

```
reset()
     safely resets the gyro
```

```
right (speed=25, degrees=90, offset=0)
           The robot turns right with the given number of degrees
               Parameters
                   • speed – The speed
                   • degrees – The degrees
                   • offset -
               Returns
     status(count=10)
           tests count times if robot is still and returns if its still or drifts :param count: number of times tested if its
           still :return: still,drift which are true/false
     still()
          tests if robot dosent move :return: True if robot dosent move
     turn (speed=25, degrees=90)
           uses gyro to turn positive to right negative to left :param speed: speed it turns at :param degrees: degrees
          it turns :return:
     zero()
           set the gyro angle to 0 :return:
1.5.5 spockbots.colorsensor
class spockbots.colorsensor.SpockbotsColorSensor(port=3)
     Bases: object
     defines
     color()
               Returns
     flash()
          flashes the color sensor by switching between color and reflective mode
     info()
           prints the black and white value read form the sensor
     light()
               Returns
     read()
           reads the color sensor data form the file :return:
     reflection()
               Returns
     set_black()
          sets the current value to black
     set white()
          sets the current value to white :return:
     value()
           reads the current value mapped between 0 and 100 :return:
```

```
write()
           append the black and white value to a file
class spockbots.colorsensor.SpockbotsColorSensors(ports=[2, 3, 4], speed=5)
      Bases: object
      This is how we create the sensors:
           colorsensor = SpockbotsColorSensors(ports=[2,3,4]) colorsensor.read()
      Now you can use
           colorsensor[i].value()
      to get the reflective value of the colorsensor on port i. To get the color value we can use
           colorsensor[i].color()
      clear()
           removes the file calibrate.txt
      color(i)
           returns the color value between 0-100 after calibration on the port i
                Parameters i – number of the port
                Returns The color value, blue = 2
      flash (ports=[2, 3, 4])
           Flashes the light sensor on teh ports one after another
                Parameters ports – the list of ports to flash
      info (ports=[2, 3, 4])
           prints the information for each port, e.g. the minimal black and maximum while values :param ports: the
           list of ports to flash
      read (ports=[2, 3, 4])
           reads the black and white values to the file calibrate.txt
           The values must be written previously. If the file does not exists a default is used.
                2: 0, 100 3: 0, 100 4: 4, 40 # because it is higher up so white does
                    not read that well
      test_color (ports=[2, 3, 4])
           prints the color value of all senors between 0-100
                Parameters ports – the list of ports
      test_reflective(ports=[2, 3, 4])
           prints the reflective value of all senors between 0-100
                Parameters ports – the list of ports
      value(i)
           returns the reflective value between 0-100 after calibration on the port i
                Parameters i – number of the port
                Returns the reflective color value
      write (ports=[2, 3, 4])
           writes the black and white values to the file calibrate.txt
                Parameters ports – the ports used to write
```

# 1.6 Spockbots Code

# 1.6.1 Spockbots Output

```
#!/usr/bin/env pybricks-micropython
import os
from time import sleep
from pybricks import ev3brick as brick
from pybricks.parameters import Color
# READ AND WRITE FILES
debug = True
# READ AND WRITE FILES
def readfile(name):
  Reads the file with the name and returns it as a string.
  :param name: The file name
  :return: The data in teh file as string
  try:
      # print ("READ", name)
      f = open(name)
      data = f.read().strip()
      f.close()
      return data
   except:
      return None
def writefile(name, msg):
   Writes a new file with the name. If it exists the
  old file will be deleted.
  :param name: The name of the file
   :param msg: The message to be placed in the file
   :return:
   # print ("WRITE", name, msg)
   # try:
      f = open(name)
      f.write(msg)
      f.close()
   # except Exception as e:
     print("FILE WRITE ERROR")
      print(e)
```

```
command = 'echo \''' + msg + '\'' > ' + name
   # print("COMMNAD:", command)
   os.system(command)
def beep():
   The robot will make a beep
  brick.sound.beep()
def sound(pitch=1500, duration=300):
   plays a sound
   :param pitch: sound pitch
   :param duration: how long the sound plays
   :return:
   brick.sound.beep(pitch, duration)
# T.F.D
def led(color):
   m m m
   changes color of led light
   :param color: light color
   :param brightness: light brightness
  :return:
   if color == "RED":
      led_color = Color.RED
   elif color == "GREEN":
      led_color = Color.GREEN
   elif color == "YELLOW":
      led_color = Color.YELLOW
   elif color == "BLACK":
      led_color = Color.BLACK
   elif color == "ORANGE":
      led_color = Color.ORANGE
   else:
      led_color = None
   brick.light(led_color)
def flash(colors=["RED", "BLACK", "RED", "BLACK", "GREEN"],
       delay=0.1):
```

```
The robot will flash the LEDs and beep twice
   beep()
   for color in colors:
      led(color)
      sleep(delay)
   beep()
# LCD
def clear():
   m m m
   clears display
   brick.display.clear()
def PRINT(*args, x=None, y=None):
  prints message on screen at x and y and on the console.
   if x and y are missing prints on next position on lcd screen
   this message prints test messages.
   The sceensize is maximum x=177, y=127)
   :param args: multible strings to be printed in between them
   :param x: x value
   :param y: y value
   text = ""
   for a in args:
      if a is not None:
         text = text + str(a) + " "
   if x is not None and y is not None:
      brick.display.text(text, (x, y))
   else:
      brick.display.text(text)
      print(text)
# Voltage
def voltage():
  prints voltage of battery
   value = brick.battery.voltage() / 1000
   PRINT("Voltage: " + str(value) + " V", 80, 10)
```

# 1.6.2 Spockbots Check

```
from spockbots.motor import SpockbotsMotor
from spockbots.output import PRINT, led
def check(speed=100, angle=360):
   do a robot check by
   a) turning on the large motors one at a time
   b) turning on the medium motors one at a time
    c) turning on the light sensors one at a time
    :param speed:
    :param angle:
    :return:
   robot = SpockbotsMotor()
   robot.debug = True
   robot.setup()
   speed = speed * 10
   print (robot)
   robot.beep()
   PRINT('Light')
   PRINT('Left')
   led("RED")
   robot.colorsensor[2].flash()
   PRINT('Right')
   led("GREEN")
   robot.colorsensor[3].flash()
   PRINT('Back')
    led("YELLOW")
   robot.colorsensor[4].flash()
   led("GREEN")
   PRINT('Large Motors')
   PRINT('Left')
   led("RED")
   robot.left.run_angle(speed, angle)
   PRINT('Right')
    led("GREEN")
   robot.right.run_angle(speed, angle)
   PRINT('Medium Motors')
```

```
PRINT('Left')
led("RED")
robot.left_medium.run_angle(speed, angle)

PRINT('Right')
led("GREEN")
robot.right_medium.run_angle(speed, angle)

PRINT('finished')
```

# 1.6.3 Spockbots Colorsensor

```
#!/usr/bin/env micropython
from time import sleep
from pybricks import ev3brick as brick
from pybricks.ev3devices import ColorSensor
from pybricks.parameters import Port
class SpockbotsColorSensor:
   defines
   def __init__(self, port=3):
        :param port: the port
        :param speed: teh speed for calibration
        n n n
        :param: number number of color sensor on ev3
        if port == 1:
           self.sensor = ColorSensor(Port.S1)
        elif port == 2:
           self.sensor = ColorSensor(Port.S2)
        elif port == 3:
           self.sensor = ColorSensor(Port.S3)
        elif port == 4:
           self.sensor = ColorSensor(Port.S4)
       self.port = port
       self.black = 100
       self.white = 0
   def set_white(self):
       sets the current value to white
        :return:
       value = self.sensor.reflection()
```

```
if value > self.white:
        self.white = value
def set_black(self):
    sets the current value to black
    value = self.sensor.reflection()
    if value < self.black:</pre>
       self.black = value
def reflection(self):
    :return:
    m m m
    return self.sensor.reflection()
def light(self):
    m m m
    :return:
    return self.value()
def color(self):
    n n n
    :return:
    m m m
    return self.sensor.color()
def value(self):
    reads the current value mapped between 0 and 100
    :return:
    val = self.sensor.reflection()
    b = self.black
    t1 = val - b
    t2 = self.white - self.black
    ratio = t1 / t2
    c = ratio * 100
    if c < 0:
       c = 0
    if c > 100:
       c = 100
    return int(c)
def flash(self):
    flashes the color sensor by switching between
    color and reflective mode
    m m m
    brick.sound.beep()
    light = self.sensor.rgb()
```

```
sleep(0.3)
        light = self.sensor.reflection()
        sleep(0.3)
    def write(self):
        append the black and white value to a file
        f = open("/home/robot/calibrate.txt", "w+")
        f.write(str(self.sensor.black) + "\n")
        f.write(str(self.sensor.white) + "\n")
        f.close()
    def info(self):
        n n n
        prints the black and white value read form the
        sensor
        print("colorsensor",
              self.port,
              self.black,
              self.white)
   def read(self):
        reads the color sensor data form the file
        :return:
        11 11 11
        try:
            f = open("/home/robot/calibrate.txt", "r")
            self.colorsensor[port].black = int(f.readline())
            self.colorsensor[port].white = int(f.readline())
            f.close()
        except:
            print("we can not find the calibration file")
class SpockbotsColorSensors:
    This is how we create the sensors:
        colorsensor = SpockbotsColorSensors(ports=[2,3,4])
        colorsensor.read()
    Now you can use
        colorsensor[i].value()
    to get the reflective value of the colorsensor on port i.
    To get the color value we can use
        colorsensor[i].color()
    11 11 11
    def __init__(self, ports=[2, 3, 4], speed=5):
```

```
n n n
    Creates the color sensors for our robot.
    Once calibrated, the sensor values always return 0-100,
    where 0 is black and 100 is white
    :param ports: the list of ports we use on the robot for color sensors
    :param speed: The speed for the calibration run
    self.ports = ports
    self.speed = speed
    self.colorsensor = [0, 0, 0, 0, 0]
        # in python lists start from 0 not 1
        # so we simply do not use the firts element in the list
    # our robot uses only
    # colorsensor[2]
    # colorsensor[3]
    # colorsensor[4]
    # the ports are passed along as a list [2,3,4]
    self.ports = ports
    for i in ports:
        self.colorsensor[i] = SpockbotsColorSensor(port=i)
def value(self, i):
    returns the reflective value between 0-100 after
    calibration on the port i
    :param i: number of the port
    :return: the reflective color value
    return self.colorsensor[i].value()
def color(self, i):
    returns the color value between 0-100 after
    calibration on the port i
    :param i: number of the port
    :return: The color value, blue = 2
    return self.colorsensor[i].color()
def write(self, ports=[2, 3, 4]):
    writes the black and white values to the file
    calibrate.txt
    :param ports: the ports used to write
    f = open("/home/robot/calibrate.txt", "w")
    for i in ports:
        f.write(str(self.colorsensor[i].black) + "\n")
        f.write(str(self.colorsensor[i].white) + "\n")
    f.close()
def clear(self):
```

```
removes the file calibrate.txt
    f = open("/home/robot/calibrate.txt", "w")
    f.close()
def read(self, ports=[2, 3, 4]):
    reads the black and white values to the file
    calibrate.txt
    The values must be written previously. If the file
    does not exists a default is used.
        2: 0, 100
        3: 0, 100
        4: 4, 40
                    # because it is higher up so white does
                      not read that well
    n n n
    try:
        f = open("/home/robot/calibrate.txt", "r")
        for i in ports:
            self.colorsensor[i].black = int(f.readline())
            self.colorsensor[i].white = int(f.readline())
        f.close()
    except:
        print("we can not find the calibration file")
        self.colorsensor[2].black = 9
        self.colorsensor[2].white = 100
        self.colorsensor[3].black = 10
        self.colorsensor[3].white = 100
        self.colorsensor[4].black = 4
        self.colorsensor[4].white = 48
        print("Using the following defaults")
        self.info()
def flash(self, ports=[2, 3, 4]):
    Flashes the light sensor on teh ports one after another
    :param ports: the list of ports to flash
    m m m
    for port in ports:
        self.colorsensor[port].flash()
def info(self, ports=[2, 3, 4]):
    prints the information for each port, e.g.
    the minimal black and maximum while values
    :param ports: the list of ports to flash
    print("")
    print("Color sensor black and white values")
    print("")
    for port in ports:
        self.colorsensor[port].info()
    print()
```

```
def test_reflective(self, ports=[2, 3, 4]):
    prints the reflective value of all senors between 0-100
    :param ports: the list of ports
    print("")
    print("Color sensor tests")
    print("")
    for port in ports:
        v = self.colorsensor[port].value()
        print("Color sensor", port, v)
    print()
def test_color(self, ports=[2, 3, 4]):
    prints the color value of all senors between 0-100
    :param ports: the list of ports
    n n n
    print("")
    print("Color sensor tests")
    print("")
    for port in ports:
        v = self.colorsensor[port].value()
        print("Color sensor", port, v)
    print()
```

#### 1.6.4 Spockbots Gyro

```
# in python we have three issues
# sensor value is not 0 after reset
# sensor value drifts after reset as it takes time
        to settle down
# sensor value is not returned as no value is available
        from the sensor
# This code fixes it.
def __init__(self, robot, port=1):
    Initializes the Gyro Sensor
    :param robot: robot varible
    :param port: port number for gyro sensor 1,2,3,4
    :param direction: if front if we drive forward
                      otherwise backwards
    self.robot = robot
    if self.robot.direction == "forward":
        sensor_direction = Direction.CLOCKWISE
    else:
        sensor_direction = Direction.COUNTERCLOCKWISE
    found = False
    while not found:
       print("FINDING GYRO")
        try:
            if port == 1:
                self.sensor = GyroSensor(Port.S1,
                                         sensor_direction)
            elif port == 2:
                self.sensor = GyroSensor(Port.S2,
                                         sensor_direction)
            elif port == 3:
                self.sensor = GyroSensor(Port.S3,
                                         sensor_direction)
            elif port == 4:
                self.sensor = GyroSensor(Port.S4,
                                         sensor_direction)
            print("SENSOR:", self.sensor)
            sleep(0.1)
            self.sensor.reset_angle(0)
            found = True
        except Exception as e:
            print(e)
            if "No such sensor on Port" in str(e):
                print()
                print("ERROR: THe Gyro Sensor is disconnected")
                print()
                sys.exit()
    # bug should be = 0
    self.last_angle = -1000 # just set the current value
```

```
# to get us started
    print ("GYRO INITIALIZED")
def angle(self):
    Gets the angle
    :return: The angle in degrees
    try:
        s = self.sensor.speed()
        a = self.sensor.angle()
        print("AS", a, s)
        self.last_angle = a
    except:
        print("Gyro read error")
        a = self.last_angle
    return a
def zero(self):
    n n n
    set the gyro angle to 0
    :return:
    self.sensor.reset_angle(0)
    angle = 1000
    while angle != 0:
        # sleep(0.1)
        angle = self.angle()
def still(self):
    tests if robot dosent move
    :return: True if robot dosent move
    return not self.drift()
def drift(self):
    tests if robot drifts and waits until its still
    # loop in case we get a read error from the gyro speed
    while True:
        try:
            speed = self.sensor.speed()
            if speed == 0:
                return False # no drift if the speed is 0
            else:
                return True # DRIFT IF THE SPEED IS NOT 0
            print ("ERROR: DRIFT no value found")
            # No speed value found, so repeat
def status(self, count=10):
```

```
n n n
    tests count times if robot is still and returns if its still or drifts
    :param count: number of times tested if its still
    :return: still, drift which are true/false
    last = self.angle()
    i = 0
    still = 0
    drift = 0
    while i <= count:</pre>
        angle = self.angle()
        if angle == last:
            still = still + 1
            drift = 0
        else:
            drift = drift + 1
        i = i + 1
    print("GYRO STATUS", i, still, drift)
    return still >= count, drift >= count
def reset(self):
    m m m
    safely resets the gyro
    self.sensor.reset_angle(0)
    try:
        self.last_angle = angle = self.sensor.angle()
    except:
        print("Gyro read error")
        self.last\_angle = angle = -1000
    count = 10
    while count >= 0:
        # sleep(0.1)
        try:
            angle = self.sensor.angle()
        except:
            print("Gyro read error", angle)
        print(count, "Gyro Angle: ", angle)
        if abs(angle) <= 2:</pre>
            count = count - 1
    self.last_angle = angle
   print("Gyro Angle, final: ", angle)
def turn(self, speed=25, degrees=90):
    m m m
    uses gyro to turn positive to right negative to left
    :param speed: speed it turns at
    :param degrees: degrees it turns
    :return:
    if degrees < 0:</pre>
        self.left(speed=speed, degrees=abs(degrees))
    elif degrees > 0:
        self.right(speed=speed, degrees=abs(degrees))
```

```
def left(self, speed=25, degrees=90, offset=0):
    The robot turns left with the given number of degrees
    :param speed: The speed
    :param degrees: The degrees
    :param offset:
    :return:
    m m m
    self.reset()
    if speed == 25:
        offset = 8
    # self.zero()
    self.robot.on_forever(speed, -speed)
    angle = self.angle()
    print(angle, -degrees + offset)
    while angle > -degrees + offset:
        # print(angle, -degrees + offset)
        angle = self.angle()
    self.robot.stop()
def right(self, speed=25, degrees=90, offset=0):
    The robot turns right with the given number of degrees
    :param speed: The speed
    :param degrees: The degrees
    :param offset:
    :return:
    n n n
    self.reset()
    if speed == 25:
       offset = 8
    # self.zero()
    self.robot.on_forever(-speed, speed)
    angle = self.angle()
    print(angle, degrees - offset)
    while angle < degrees - offset:</pre>
        # print(angle, degrees - offset)
        angle = self.angle()
    self.robot.stop()
def forward(self,
            speed=25, # speed 0 - 100
            distance=None, # distance in cm
            t=None,
                     # the port number we use to follow the line
            port=1,
            delta=-35, # control smoothness
            factor=0.4): # parameters to control smoothness
```

```
n n n
Moves forward
:param speed: The speed
:param distance: If set the distance to travle
:param t: If set the time to travel
:param port: The port number of the Gyro sensor
:param delta: controlling the smoothness of the line
:param factor: controlling the smoothness of the line
:return:
n n n
if right:
   f = 1.0
else:
   f = -1.0
if distance is not None:
   distance = 10 * distance
current = time.time() # the current time
if t is not None:
    end_time = current + t # the end time
self.reset()
while True:
    value = self.angle() # get the Gyro angle value
    # correction = delta + (factor * value)
    # calculate the correction for steering
    correction = f * factor * (value + delta)
    self.on(speed, correction) # switch the steering on
                   # with the given correction and speed
    # if the time is used we set run to false once
          the end time is reached
    # if the distance is greater than the
         position than the leave the
    distance_angle = self.left.angle()
   traveled = self.angle_to_distance(distance_angle)
    current = time.time() # measure the current time
    if t is not None and current > end_time:
        break # leave the loopK
    if distance is not None and distance < traveled:</pre>
        break # leave the loop
self.stop() # stop the robot
```

#### 1.6.5 Spockbots Motor Code

```
import math
import time
from pybricks import ev3brick as brick
from pybricks.ev3devices import Motor
from pybricks.parameters import Port, Button
from pybricks.parameters import Stop, Direction
from pybricks.robotics import DriveBase
# from pybricks.ev3devices import ColorSensor
# from spockbots.colorsensor import SpockbotsColorSensor
from spockbots.colorsensor import SpockbotsColorSensors
from spockbots.output import PRINT
from threading import Thread
import sys
class SpockbotsMotor(object):
   def check_kill_button(self):
       if Button.LEFT in brick.buttons():
          print("KILL")
           self.beep()
           self.beep()
           self.beep()
           self.beep()
           self.stop()
           self.left_medium.stop(Stop.BRAKE)
           self.right_medium.stop(Stop.BRAKE)
           sys.exit()
   def __init__(self, direction=None):
       0.00
       defines the large motors (left and right),
       the tank move, and the medium motors.
       :param direction: if the direction is 'forward'
                        the robot moves forward, otherwise
                        backwards.
       self.diameter = round(62.4, 3) # mm
       self.width = 20.0 # mm
       self.circumference = round(self.diameter * math.pi, 3)
       \# self.axle_track = round(8.0 * 14, 3)
       self.axle_track = 140.0
       self.direction = "forward"
       self.left, self.right, self.tank = \
```

```
self.setup(direction=direction)
       self.color = SpockbotsColorSensors(ports=[2, 3, 4])
       self.colorsensor = [None, None, None, None, None]
       for port in [2, 3, 4]:
           self.colorsensor[port] = self.color.colorsensor[port]
   def beep(self):
       robot will beep.
       brick.sound.beep()
   def __str__(self):
       PRINT()
       PRINT("Robot Info")
       PRINT("======"")
       PRINT("Tire Diameter:", self.diameter)
       PRINT("Circumference:", self.circumference)
       PRINT("Tire Width: ", self.width)
                            ", self.axle_track)
       PRINT("Axle Track:
       PRINT("Angle Left: ", self.left.angle())
       PRINT("Angle Right: ", self.right.angle())
                           ", self.direction)
       PRINT ("Direction:
       PRINT()
       return ""
   def setup(self, direction=None):
       setup the direction, the motors, and the tank with the appropriate direction.
       :param direction: if the direction is 'forward' the robot moves forward,
⇔otherwise backwards.
       :return: left, right motors and tank
       self.check_kill_button()
       if direction is None:
           self.direction = "forward"
       else:
           self.direction = direction
       if self.direction == "forward":
           self.left = Motor(Port.A, Direction.COUNTERCLOCKWISE)
           self.right = Motor(Port.B, Direction.COUNTERCLOCKWISE)
       else:
           self.left = Motor(Port.A, Direction.CLOCKWISE)
           self.right = Motor(Port.B, Direction.CLOCKWISE)
       self.tank = DriveBase(self.left, self.right,
                             self.diameter, self.axle_track)
```

```
self.left_medium = Motor(Port.D, Direction.CLOCKWISE)
    self.right_medium = Motor(Port.C, Direction.CLOCKWISE)
    return self.left, self.right, self.tank
def light(self, port):
    m m m
    return the reflective color sensor value.
    :param port: the port number of the color sensor
    :return: the reflective color value
   return self.colorsensor[port].light()
def reset(self):
    n n n
    resets the angle in the large motors to 0.
   self.left.reset_angle(0)
   self.right.reset_angle(0)
def on(self, speed, steering=0):
    turns the large motors on while using steering.
    :param speed: the speed of the robot
    :param steering: an angle for the steering
    self.tank.drive(speed * 10, steering)
def distance_to_rotation(self, distance):
    calculation to convert the distance from cm into rotations.
    :param distance: The distance in cm
    :return: The rotations to be traveled for the given distance
    n n n
    rotation = distance / self.circumference
    return rotation
def distance_to_angle(self, distance):
    calculation to convert the distance from cm into angle.
    :param distance: The distance in cm
    :return: The degrees traveled for the given distance
    rotation = self.distance_to_rotation(distance) * 360.0
```

```
return rotation
def angle_to_distance(self, angle):
    calculation to return the distance in cm given an angle.
    :param angle: the angle
    :return: distance in cm for turning an angle
    d = self.circumference / 360.0 * angle
    return d
def stop(self, brake=None):
    m m m
    stops all motors on all different drive modes.
    :param brake: None, brake, coast, hold
    if not brake or brake == "brake":
        self.left.stop(Stop.BRAKE)
        self.right.stop(Stop.BRAKE)
        self.tank.stop(Stop.BRAKE)
    elif brake == "coast":
        self.left.stop(Stop.COAST)
        self.right.stop(Stop.COAST)
        self.tank.stop(Stop.COAST)
    elif brake == "hold":
        self.left.stop(Stop.HOLD)
        self.right.stop(Stop.HOLD)
        self.tank.stop(Stop.HOLD)
    self.still()
def still(self):
    waits till the motors are no longer turning.
    PRINT("Still Start")
    count = 10
    angle_left_old = self.left.angle()
    angle_right_old = self.right.angle()
    while count > 0:
        angle_left_current = self.left.angle()
        angle_right_current = self.right.angle()
        if angle_left_current == angle_left_old and \
                angle_right_current == angle_right_old:
            count = count - 1
        else:
            angle_left_old = angle_left_current
            angle_right_old = angle_right_current
```

```
PRINT("Still Stop")
def forward(self, speed, distance, brake=None):
    the robot drives forward for a given distance.
    :param speed: speed of robot
    :param distance: distance that robot goes forward (in cm)
    :param brake: one of the values brake, hold, coast
    self.check_kill_button()
    PRINT("Forward", speed, distance, brake)
    if distance < 0:</pre>
        speed = -speed
        distance = -distance
    self.reset()
    angle = abs(self.distance_to_angle(10 * distance))
    self.on(speed)
    run = True
    while run:
        current = abs(self.left.angle())
        run = current < angle
    self.stop(brake=brake)
    PRINT ("Forward Stop")
def on_forever(self, speed_left, speed_right):
    turns motors on with left and right speed.
    :param speed_left: speed of left motor
    :param speed_right: speed of the right motor
    self.check_kill_button()
    PRINT("on_forever", speed_left, speed_right)
    self.reset()
    self.left.run(speed_left * 10)
    self.right.run(speed_right * 10)
def turn(self, speed, angle):
    takes the radius of the robot and dives on it
    for a distance based on the angle.
    :param speed: speed of turn
    :param angle: angle of turn
    0.00
```

```
self.check_kill_button()
    PRINT("Turn", speed, angle)
    self.reset()
    c = self.axle_track * math.pi
    fraction = 360.0 / angle
    d = c / fraction
    a = self.distance_to_angle(d)
    self.left.run_angle(speed * 10, -a, Stop.BRAKE, False)
    self.right.run_angle(speed * 10, a, Stop.BRAKE, False)
    count = 10
    old = abs(self.left.angle())
    while abs(self.left.angle()) < abs(a) or \</pre>
            abs(self.right.angle()) < abs(a):</pre>
        PRINT ("TURN CHECK", count, old,
              abs(self.left.angle()),
              abs(self.right.angle()))
        if old == abs(self.left.angle()):
            count = count - 1
        else:
            old = abs(self.left.angle())
        if count < 0:</pre>
            PRINT ("FORCED STOP IN TURN")
            self.beep()
            break
    self.stop()
    PRINT ("Turn Stop")
def turntoblack (self,
                speed,
                direction="left",
                port=3,
                black=10):
    n n n
    turns the robot to the black line.
    :param speed: speed of turn
    :param direction: left or right
    :param port: port of color sensor
    :param black: value of black
    11 11 II
    self.check_kill_button()
    PRINT("turntoblack", speed, direction, port, black)
    if direction == "left":
        self.left.run(speed * 10)
    else:
        self.right.run(speed * 10)
```

```
while self.light(port) > black:
        pass
    self.stop()
def turntowhite(self,
                speed,
                direction="left",
                port=3,
                white=80):
    0 0 0
    turns the robot to the white line.
    :param speed: speed of turn
    :param direction: left or right
    :param port: port of color sensor
    :param white: value of white
    self.check_kill_button()
    PRINT("turntowhite", speed, direction, port, white)
    if direction == "left":
        self.left.run(speed * 10)
    else:
        self.right.run(speed * 10)
    while self.light(port) < white:</pre>
        pass
    self.stop()
def aligntoblack(self, speed, port_left, port_right, black=10):
    aligns with black line while driving each motor.
    :param speed: speed of robot
    :param port_left: port of left color sensor
    :param port_right: port of right color sensor
    :param black: value of black
    0.00
    self.check_kill_button()
    PRINT("aligntoblack", speed, port_left, port_right, black)
    self.on_forever(speed, speed)
    left_finished = False
    right_finished = False
    while not (left_finished and right_finished):
        left_light = self.light(port_left)
        right_light = self.light(port_right)
        PRINT("Light", left_light, right_light)
        if left_light < black:</pre>
            self.left.stop(Stop.BRAKE)
            left_finished = True
```

```
if right_light < black:</pre>
            self.right.stop(Stop.BRAKE)
            right_finished = True
    self.stop()
    PRINT("aligntoblack Stop")
def aligntowhite(self, speed, port_left, port_right, white=80):
    aligns with white line while driving each motor.
    :param speed: speed of robot
    :param port_left: port of left color sensor
    :param port_right: port of right color sensor
    :param white: value of white
    .....
    self.check_kill_button()
    PRINT("aligntoblack", speed, port_left, port_right, white)
    self.on_forever(speed, speed)
    left_finished = False
    right_finished = False
    while not (left_finished and right_finished):
        left_light = self.light(port_left)
        right_light = self.light(port_right)
        PRINT("Light", left_light, right_light)
        if left_light > white:
            self.left.stop(Stop.BRAKE)
            left_finished = True
        if right_light > white:
            self.right.stop(Stop.BRAKE)
            right_finished = True
    self.stop()
    PRINT ("aligntowhite Stop")
def gotoblack(self, speed, port, black=10):
    11 11 11
    robot moves to the black line while using the
    sensor on the given port.
    :param speed: speed of robot
    :param port: port of color sensor
    :param black: value of black
    .....
    self.check_kill_button()
    PRINT("gotoblack", speed, port, black)
    # self.left.run_angle(speed * 10, -a, Stop.BRAKE, False)
    # self.right.run_angle(speed * 10, a, Stop.BRAKE, False)
    self.on(speed, 0)
```

```
while self.light(port) > black:
        pass
    self.stop()
    PRINT ("gotoblack Stop")
def gotowhite(self, speed, port, white=90):
    robot moves to the white line while using
    the sensor on the given port.
    :param speed: speed of robot
    :param port: port of color sensor
    :param white: value of white
    0.00
    self.check_kill_button()
    PRINT("gotowhite", speed, port, white)
    self.on(speed, 0)
    while self.light(port) < white:</pre>
       pass
    self.stop()
    PRINT("gotowhite Stop")
def gotocolor(self, speed, port, colors=[0]):
    robot moves to the black line while using the
    sensor on the given port.
    :param speed: speed of robot
    :param port: port of color sensor
    :param black: value of black
    self.check_kill_button()
    PRINT("gotocolor", speed, port, colors)
    self.on(speed, 0)
    run = True
    while run:
        value = self.colorsensor[port].sensor.color()
        print("COLOR", value)
        run = value not in colors
    self.stop()
    PRINT("gotocolor Stop")
def followline(self,
               speed=25, # speed 0 - 100
               distance=None, # distance in cm
               t=None,
                        # the port number we use to follow the line
               port=3,
               right=True, # the side on which to follow the line
```

```
stop_color_sensor=None,
           stop_values=None, # [4,5]
           stop_color_mode=None, # color, reflective
           delta=-35, # control smoothness
           factor=0.4): # parameters to control smoothness
follows line for either a distance or for time.
:param speed: speed of robot
:param distance: distance that robot follows line
:param t: time that robot follows line for
:param port: port of color sensor
:param right: whether the robot is following
              the right or left side of line
:param black: black value
:param white: white value
:param delta: adjustment value to convert from color
              sensor values (0 to 100) to motor
              steering (-100 to 100)
:param factor: factor of adjustment, controls smoothness
self.check_kill_button()
if right:
   f = 1.0
else:
   f = -1.0
if distance is not None:
   distance = 10 * distance
current = time.time() # the current time
if t is not None:
   end_time = current + t # the end time
self.reset()
while True:
   self.check kill button()
   value = self.light(port) # get the light value
    # correction = delta + (factor * value)
    # calculate the correction for steering
    correction = f * factor * (value + delta)
    # correction = f * correction
    # if we drive backwards negate the correction
    self.on(speed, correction)
    # switch the steering on with the given correction and speed
    # if the time is used we set run to
            false once the end time is reached
    # if the distance is greater than the
            position than the leave the
    angle = self.left.angle()
```

```
traveled = self.angle_to_distance(angle)
           current = time.time() # measure the current time
           if t is not None and current > end_time:
                break # leave the loopK
            if distance is not None and distance < traveled:</pre>
                break # leave the loop
           if stop_color_sensor is not None:
                if stop_color_mode == "color":
                    value = self.colorsensor[port].sensor.color()
                    # value = self.colorsensor[port].sensor.rgb()
                elif stop_color_mode == "reflective":
                    value = self.colorsensor[port].light()
                print("VALUE", value)
                if value in stop_values:
                   break # leave the loop
       self.stop() # stop the robot
   def calibrate(self, speed, distance=15, ports=[2, 3, 4], direction='front'):
       calibrates color sensors by driving over black and white line.
       :param speed: speed of robot
        :param distance: distance that robot travels
        :param ports: ports of color sensors
        :param direction: direction of calibration
       self.check_kill_button()
       self.reset()
       self.on(speed, 0)
       distance = self.distance_to_angle(distance * 10)
       while self.left.angle() < distance:</pre>
           for i in ports:
                self.colorsensor[i].set_white()
                self.colorsensor[i].set_black()
                      self.colorsensor[i].black,
                      self.colorsensor[i].white)
       self.stop()
       for i in ports:
           PRINT(i,
                  self.colorsensor[i].black,
                  self.colorsensor[i].white)
   # followline_pid(distance=45, port=3, speed=20, black=0, white=100, kp=0.3, ki=0.
\rightarrow 01, kd=0.0)
   def followline_pid(self,
                       debug=False,
                                       # distance in cm
                       distance=None,
```

```
t=None,
               right=True, # the side on which to follow the line
               stop_color_sensor=None,
               stop_values=None, # [4,5]
               stop_color_mode=None, # color, reflective
               port=3, speed=25, black=0, white=100, kp=0.3, ki=0.0, kd=0.0):
self.check_kill_button()
if right:
   f = 1.0
else:
   f = -1.0
if distance is not None:
    distance = 10 * distance
current = time.time() # the current time
if t is not None:
    end_time = current + t # the end time
self.reset()
integral = 0
midpoint = (white - black) / 2 + black
lasterror = 0.0
loop_start_time = current = time.time()
print("kp=", kp, "ki=", ki, "kd=", kd)
while True:
    self.check_kill_button()
    try:
        value = self.light(port) # get the light value
        error = midpoint - value
        integral = error + integral
        derivative = error - lasterror
        correction = f * kp * error + ki * integral + kd * derivative
        lasterror = error
        self.on(speed, correction)
        # switch the steering on with the given correction and speed
        # if the time is used we set run to
                 false once the end time is reached
        # if the distance is greater than the
               position than the leave the
        angle = self.left.angle()
        traveled = self.angle_to_distance(angle)
        current = time.time() # measure the current time
        if debug:
            if correction > 0.0:
                bar = str(30 * ' ') + str('#' * int(correction))
```

```
elif correction < 0.0:</pre>
                        bar = ' ' * int(30 + correction) + '#' * int(abs(correction))
                    else:
                        bar = 60 * ' '
                   print("{:4.2f} {:4.2f} {:4.2f} {:3d} {}".format(correction,__
→traveled, current - loop_start_time,
                                                                     value, bar))
               if t is not None and current > end_time:
                   break # leave the loopK
               if distance is not None and distance < traveled:</pre>
                   break # leave the loop
               if stop_color_sensor is not None:
                    if stop_color_mode == "color":
                       value = self.colorsensor[port].sensor.color()
                        # value = self.colorsensor[port].sensor.rgb()
                    elif stop_color_mode == "reflective":
                        value = self.colorsensor[port].light()
                   print("VALUE", value)
                    if value in stop_values:
                       break # leave the loop
           except Exception as e:
               print(e)
               break
       self.stop() # stop the robot
```

## **1.7 lego**

1.7. lego 51

### **CHAPTER**

# TWO

# **INDICES AND TABLES**

- genindex
- modindex
- search

### **PYTHON MODULE INDEX**

### r run.black\_circle,9 run.calibrate, 16 run.check, 16 run.crane, 10 run.led, 15 run.ramp, 12 run.red\_circle,6 run.swing, 14 run.tan\_circle,8 run.turn\_to\_black, 16 S spockbots.check, 17 spockbots.colorsensor,22 spockbots.gyro,21 spockbots.motor, 18 spockbots.output, 16

56 Python Module Index

## **INDEX**

A	followline_pid() (spock-
aligntoblack() (spockbots.motor.SpockbotsMotor method), 18	bots.motor.SpockbotsMotor method), 19 forward() (spockbots.gyro.SpockbotsGyro method),
aligntowhite() (spockbots.motor.SpockbotsMotor method), 18	forward() (spockbots.motor.SpockbotsMotor method),  19
<pre>angle() (spockbots.gyro.SpockbotsGyro method), 21 angle_to_distance() (spock- bots.motor.SpockbotsMotor method), 18</pre>	G
В	<pre>gotoblack()</pre>
beep() (in module spockbots.output), 16 beep() (spockbots.motor.SpockbotsMotor method), 18	gotocolor() (spockbots.motor.SpockbotsMotor method), 19
C	gotowhite() (spockbots.motor.SpockbotsMotor method), 19
calibrate() (spockbots.motor.SpockbotsMotor	1
method), 18  check() (in module spockbots.check), 17  check_kill_button() (spock- bots.motor.SpockbotsMotor method), 18  clear() (in module spockbots.output), 16  clear() (spockbots.colorsensor.SpockbotsColorSensors	<pre>info() (spockbots.colorsensor.SpockbotsColorSensor</pre>
method), 23 color() (spockbots.colorsensor.SpockbotsColorSensor method), 22 color() (spockbots.colorsensor.SpockbotsColorSensors method), 23	<pre>led() (in module spockbots.output), 17 left() (spockbots.gyro.SpockbotsGyro method), 21 light() (spockbots.colorsensor.SpockbotsColorSensor method), 22 light() (spockbots.motor.SpockbotsMotor method), 20</pre>
D  distance_to_angle() (spock- bots.motor.SpockbotsMotor method), 18  distance_to_rotation() (spock- bots.motor.SpockbotsMotor method), 18  drift() (spockbots.gyro.SpockbotsGyro method), 21	O on() (spockbots.motor.SpockbotsMotor method), 20 on_forever() (spockbots.motor.SpockbotsMotor method), 20  P
F	PRINT() (in module spockbots.output), 16
<pre>flash() (in module spockbots.output), 16 flash() (spockbots.colorsensor.SpockbotsColorSensor</pre>	R read() (spockbots.colorsensor.SpockbotsColorSensor method), 22 read() (spockbots.colorsensor.SpockbotsColorSensors method), 23 readfile() (in module spockbots.output), 17
<i>incinou</i> ), 17	ECACETEC () (in mounic spockoots.oniput), 17

reflection()	(spock-	
bots.colorsensor.SpockbotsColorSensor	r	test_color() (spock-
method), 22		bots.colorsensor.SpockbotsColorSensors
reset() ( <i>spockbots.gyro.SpockbotsGyro metho</i>	(d), 21	method), 23
reset()( <i>spockbots.motor.SpockbotsMotor met</i>	test_reflective() (spock-	
right () (spockbots.gyro.SpockbotsGyro metho	(d), 21	bots.colorsensor.SpockbotsColorSensors
run.black_circle( <i>module</i> ),9		method), 23
run.calibrate ( <i>module</i> ), 16		turn() (spockbots.gyro.SpockbotsGyro method), 22
run.check ( <i>module</i> ), 16	turn() (spockbots.motor.SpockbotsMotor method), 20 turntoblack() (spockbots.motor.SpockbotsMotor	
run.crane ( <i>module</i> ), 10		
run.led( <i>module</i> ), 15		method), 20
run.ramp ( <i>module</i> ), 12		turntowhite() (spockbots.motor.SpockbotsMotor
run.red_circle( <i>module</i> ),6		method), 21
run.swing ( <i>module</i> ), 14		
run.tan_circle( <i>module</i> ),8		V
run.turn_to_black( <i>module</i> ), 16		Table () (speekhats colorsenser Speekhats Color Senser
run_black_circle() (in module run.black	value() (spockbots.colorsensor.SpockbotsColorSensor method), 22	
run_calibrate() (in module run.calibrate),	value() (spockbots.colorsensor.SpockbotsColorSensor.method), 23	
run_check() (in module run.check), 16		voltage() (in module spockbots.output), 17
run_crane() (in module run.crane), 10		
run_led() (in module run.led), 15	W write() (spockbots.colorsensor.SpockbotsColorSensor	
run_ramp() (in module run.ramp), 12		
run_red_circle() (in module run.red_circl	method), 22	
run_swing() (in module run.swing), 14		write() (spockbots.colorsensor.SpockbotsColorSensor.
run_tan_circle() (in module run.tan_circl		method), 23
run_turn_to_black() (in	module	writefile() (in module spockbots.output), 17
run.turn_to_black), 16		
S		Z
set_black()	(spock-	zero() (spockbots.gyro.SpockbotsGyro method), 22
bots.colorsensor.SpockbotsColorSensor	· •	
method), 22		
set_white()	(spock-	
bots.colorsensor.SpockbotsColorSensor	r	
method), 22		
setup() ( <i>spockbots.motor.SpockbotsMotor met</i> sound() ( <i>in module spockbots.output</i> ), 17	thod), 20	
spockbots.check (module), 17		
spockbots.colorsensor(module),22		
spockbots.gyro( <i>module</i> ),21		
spockbots.motor( <i>module</i> ), 18		
spockbots.output (module), 16		
SpockbotsColorSensor (class in	spock-	
bots.colorsensor), 22		
SpockbotsColorSensors (class in	spock-	
bots.colorsensor), 23		
SpockbotsGyro (class in spockbots.gyro), 21		
SpockbotsMotor (class in spockbots.motor),	18	
status() (spockbots.gyro.SpockbotsGyro meth	<i>hod</i> ), 22	
still() (spockbots.gyro.Spockbots $G$ yro metho	(d), 22	
still()( <i>spockbots.motor.SpockbotsMotor met</i>	thod), 20	
stop () (spockhots.motor.SpockhotsMotor meth	od), 20	

58 Index