

School of Electronic Engineering

CB54: Machine Learning Algorithms for EM Wave Scattering Problems

Appendix D: Project Design & Implementation

Anthony James McElwee

ID Number: 20211330

August 2023

MEng in Electronic and Computer Engineering

Supervised by Dr Conor Brennan

Contents


Project Design & Implementation	
Code Validation	
Model Architecture Description	
SovlerEMF2 Infusion	
Bibliography	

Project Design & Implementation


Code Validation

The Python code was validated in the same manner as the MATLAB code was validated in [1]. This code is called using the function EmsctCircle in the file custom_functions_EM.py found in the folder lib found in the project GitHub repository "https://github.com/spookworm/CB54". Details of the validation code and lengthy derivation are covered in Section 3.A.1.3 of [1] and the main points with plots are briefly described below. In the code ForwardBICGSTABFFTwE.py code, by changing the variable "validation" to equal "'True'" the validation code will be reproduced. Ensure that the other two variables "guess_validation_answer" and "guess_model" are both set to 'False'.

• The parameters of the simulations are loaded using the initEM function with the custom "bessel" argument enabled to indicate that the programme returns the base scatterer geometry.




• The receiver and source emitter have their co-ordinates transformed from cartesian to polar form.





- The Bessel-Function series are calculated in a manner to reduce the required algebraic steps using a for loop with a higher number of terms originally found in [1] due to experimentation with initEM parameters during the development process. Coefficients A and B are used in determining the reflected electric field at the receivers as denoted in equations (3.A.15-16) in [1].
- The reflected electric field and incident fields are transformed from polar co-ordinates back into cartesian co-ordinates.

• The absolute difference between the magnitudes of the analytical Bessel-Function Approach and the fields produced by the Contrast-Integral Approach is calculated and printed to the plotted diagrams below.




The validation used in [1] is that of a 2D electric dipole line source so that comparison can be made more easily with the 3D case. Aside from validating the solver against an analytical solution, by reproducing this MATLAB code in Python, the code itself is validated for the input parameters.






In coding the scalar code problem in Chapter 1 of [1], the student used the Python library "fn_graph" to create an illustration of the complexity of the code. While the scalar problem described is simpler the problem tackled in this project, the code flow is included below for the Bessel-Approach and the full integral solver approach.



Model Architecture Description

The deep learning model was built using the TensorFlow and Keras libraries in Python. Details of the installation versions are found in the conda environment files on the project GitHub repository at https://github.com/spookworm/CB54.

A simple visualisation of the layer dimensions is captured using the visualkeras Python library below. This diagram does not feature the skip connections between the encoder and decoder sides of the model.



The full detailed model architecture is visualised using the TensorFlow plot_model library below. This can be used, aside from the code itself, to reconstruct the model architecture in future experimentation. The student recognises that the image resolution suffers within the pdf format and recommends that the reader refer directly to the source "model_plot_EM.png" file located in the subfolder "doc\Project_Design_Implementation" in the GitHub repository.

Topics (applications) Carrie de Carrier de Addition de Carrier de Tariff de Grandelle | MARTIN ALC: | Hald to the first term of the control to the contro Treate de Constant (Constant St. 1997) | Table 2012 | Right | Chap 22 22 20 | Chap 22 20 | Ch NEXT PART OF EACH SE EMPERIOR SERVICE SERVI POLICE PROPERTY AND PROPERTY AN | CONTROL | April | 2500, 6 0.40 | CONTROL | CONTROL | 2500, 6 0.40 | CONTROL | CONTROL | 2500, 6 0.40 HICKORD OF COLUMN MALEONANIA RE PRESCHO Controlled and Properties | 1884 | 1784 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | 1884 | BOAT OUT BOOKED tericonatales agai discussos Administrativo card discussos CONTROL BOAR STREET, CONTROL CAN FOR MARKET STREET, CONTROL CAN FOR CONTROL CA Control is the State of the Control Conditional of the control of the co THE COLUMN COLUM Crement | get | Diverse to 10 does not 100 | Diverse to 10 does not 100 | See Company to condition to the con | The state of the control of the co Tarill New Open (New Model)

Seen Copen (New Model) medificações de comercial de force de la comercial de force de la comercial de force de la comercial de la com

The initial input shape for the model was the batch size of the data followed by the height and width of the array with the channels given in the last position. This required transformation of the NumPy arrays the the time of training preparation using the function prescient2DL_data. The first channel consisted of the real component of the scatter geometry. If complex dielectric materials were to be used this would have to be adjusted and a second channel to hold the imaginary component of the scatterer would need to be included in the input. The rest of the channels consisted of the real, imaginary and absolute components of the relevant incident electric fields in the required direction. No information regarding the ZH field was used as this was considered constant for both fields where the carrier frequency was a constant. If the carrier frequency was to vary, the inclusion of the ZH incident wave would add information that may help in the training of the model.

The output of the model is a 128x128x2 tensor where the channels are the real and imaginary component of the scattered electric fields in the pertenaint directions. The student had coded, with code remaining in the files commented out, and considered using the custom loss functions for the Helmholtz-Hodge decomposition as well as training on a target field where just the absolute values of the fields were considered, however, time limitations and the usefulness of predicting this information to the SolverEMF2 workflow led to their deprioritisation.

The architecture used for both sub-models of Prescient2DL is called "DL_model" in the code for ease of adjustment. Other model architectures and variations remain as relics in the custom_architectures_EM.py for future reference and inspiration. The model is a Unnet style architecture that uses "Elu" activation functions at every convolution and transposed convolution layer, as suggested in [2]. All layers also include a bias term that can be learned, rather than explicitly included, as in [3].

Each stage of the encoder/decoder configuration has a batch normalisation layer. Combined with the properties of the 'Elu' activation function, these layers reduce the probability of vanishing gradients during training [4]. Although this layer should also help the model with standardisation of inputs, the student found that it was nessecary to perform pre-processing standardisation of the inputs to ensure the model begins learning straigt-away during training. Since the standardisation proceedure can be estimated from a small batch of sample solutions, the student preferred to employ this method rather than rely purely on the model to adapt over time. The use of batch normalisation layers also makes the model more rebust to weight initialisation issues [4]. As a result, the student did not employ weight initialisation parameters in the layers as they may be prone to bad/good seeding starting points, thus moving the model development into the "seed hacking" zone. Each batch normalisation layer will also add some noise to the model, thus providing some regularization.

On the encoder side, convolution layers with stride equal to two step the height/width dimension down and increase the channel count. This is followed by a max pooling layer with pool size of 1. This essentially has no impact on the model performance as a minimum pool size is required to share information in local regions. The student left the layer in as a reminder of what the original U-net architecture employs when developing segmentation models. After the convolutions, the batch normalisation layer is again employed to skip connect layers from the encoder to the decoder side. This encoding is carried out until a bottleneck layer is reached where the tensor

dimensions are 2x2x256. A seeded dropout layer with a small value is included after the first stage of upscaling on the decoder side to add regularisation to the model.

The upscaling operations are achieved by using transposed convolution layers with stride

2. Upsampling layers were also tried but this led to stronger grid-like lines on the output predictions. Transposed convolution layers also have more trainable parameters with increases the model capacity for complexity.

At the penultimate stage of the decoder, two linear convolution layers of kernal size 3 are included in the model. Since there is a certain smoothness to the predicted fields, they are included with the aim of adding some blurring effect to the output. The student expects that this reduces some of the speckled noise that appears in the predicted versus final solution comparison graphs that could cause a sharp deteriation in the performance of the prediction as an initial guess in the SolverEMF2 workflow.

SovlerEMF2 Infusion

The manner in which Prescient2DL can be used as a stand-alone emulator is obvious: the model is provided with similar information available to the Krylov Iterative Solver and produces a prediction for the target fields with a comparable or lower error that the Krylov solver provides after one iteration. Infusing the predictions into a Method-of-Moments workflow is a more open question. The student decided to go with the simplest approach of using the predicted outputs from Prescient2DL as the initial guess for the Krylov solver. There may be more complex ways to infuse deep learning into conventional methods and the reader is referred to the recent [5] for inspiration for more entry points.

Bibliography

- [1] P. M. van den Berg, Forward and inverse scattering algorithms based on contrast source integral equations. Hoboken, NJ: Wiley, 2020. [Online]. Available: https://onlinelibrary.wiley.com/doi/book/10.1002/9781119741602
- [2] Q. Ren, Y. Wang, Y. Li, and S. Qi, *Sophisticated Electromagnetic Forward Scattering Solver via Deep Learning*. Singapore: Springer, 2022. doi: 10.1007/978-981-16-6261-4.
- [3] C. Brennan and K. McGuinness, "Site-specific Deep Learning Path Loss Models based on the Method of Moments." arXiv, Feb. 02, 2023. doi: 10.48550/arXiv.2302.01052.
- [4] A. Géron, Hands-on machine learning with Scikit-Learn, Keras, and TensorFlow: concepts, tools, and techniques to build intelligent systems, Second edition. Beijing [China]; Sebastopol, CA: O'Reilly Media, Inc, 2019.
- [5] P. Hennig, M. A. Osborne, and H. Kersting, *Probabilistic numerics: computation as machine learning*. Cambridge New York, NY Melbourne New Delhi Singapore: Cambridge University Press, 2022.