

NUMERIC FUNCTIONS:

ROUND()

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT * FROM Student;
```

```
SELECT Student_Name,
```

```
Marks,
```

```
ROUND(Marks * 1.25) AS Bonus_Marks
```

```
FROM Student;
```

OUTPUT:

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admissio
101	Spoorthi	BCA	50	50000.00	2007-12-12	2025-01-
102	Manya	BSE	55	60000.00	2007-09-06	2025-06-
103	Navya	Btech	60	55000.00	2007-02-13	2025-07-
104	Neha	BBA	66	65000.00	2007-11-24	2025-03-
Student_Name	Marks	Bonus_Marks				
Spoorthi	50	63				
Manya	55	69				
Navya	60	75				
Neha	66	83				

CEIL()

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT * FROM Student;
```

```
SELECT Student_Name,  
  Marks / 10 AS Marks_Value,
```

```
  CEIL(Marks / 10) AS Rounded_Up
```

```
FROM Student;
```

OUTPUT:

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admissio
101	Spoorthi	BCA	50	50000.00	2007-12-12	2025-01-
102	Manya	BSE	55	60000.00	2007-09-06	2025-06-
103	Navya	Btech	60	55000.00	2007-02-13	2025-07-
104	Neha	BBA	66	65000.00	2007-11-24	2025-03-
Student_Name	Marks_Value	Rounded_Up				
Spoorthi	5.0000	5				
Manya	5.5000	6				
Navya	6.0000	6				
Neha	6.6000	7				

FLOOR()

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
  
Marks / 10.0 AS Marks_Value,  
FLOOR(Marks / 10.0) AS Rounded_Down  
  
FROM Student;
```

OUTPUT:

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admissio
101	Spoorthi	BCA	50	50000.00	2007-12-12	2025-01-
102	Manya	BSE	55	60000.00	2007-09-06	2025-06-
103	Navya	Btech	60	55000.00	2007-02-13	2025-07-
104	Neha	BBA	66	65000.00	2007-11-24	2025-03-

Student_Name	Marks_Value	Rounded_Down
Spoorthi	5.0000	5
Manya	5.5000	5
Navya	6.0000	6
Neha	6.6000	6

MOD()

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
  
Marks,  
MOD(Marks, 10) AS Remainder  
  
FROM Student;
```

OUTPUT:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admissio
101	Spoorthi	BCA	50	50000.00	2007-12-12	2025-01-
102	Manya	BSE	55	60000.00	2007-09-06	2025-06-
103	Navya	Btech	60	55000.00	2007-02-13	2025-07-
104	Neha	BBA	66	65000.00	2007-11-24	2025-03-

Student_Name	Marks	Remainder
Spoorthi	50	0
Manya	55	5
Navya	60	0
Neha	66	6

ABS()

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01')  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
  
Marks,  
ABS(Marks - 65) AS Difference_From_65  
  
FROM Student;
```

OUTPUT:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admissio
101	Spoorthi	BCA	50	50000.00	2007-12-12	2025-01-
102	Manya	BSE	55	60000.00	2007-09-06	2025-06-
103	Navya	Btech	60	55000.00	2007-02-13	2025-07-
104	Neha	BBA	66	65000.00	2007-11-24	2025-03-

Student_Name	Marks	Difference_From_65
Spoorthi	50	15
Manya	55	10
Navya	60	5
Neha	66	1