

Using IN Parameter:

```
CREATE DATABASE IF NOT EXISTS CollegeDB;  
USE CollegeDB;
```

```
CREATE TABLE IF NOT EXISTS Student (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Course VARCHAR(50),  
    Marks INT  
);
```

```
TRUNCATE TABLE Student;
```

```
INSERT INTO Student VALUES (101, 'neha', 'BCA', 85);  
INSERT INTO Student VALUES (102, 'spoorthi', 'BCA', 92);  
INSERT INTO Student VALUES (103, 'navya', 'BCA', 76);  
INSERT INTO Student VALUES (104, 'manya', 'BCA', 88);
```

```
DROP PROCEDURE IF EXISTS GetStudentDetails;
```

```
DELIMITER //  
CREATE PROCEDURE GetStudentDetails(IN p_student_id INT)  
BEGIN  
    SELECT * FROM Student WHERE Student_ID = p_student_id;  
END //  
DELIMITER ;
```

```
CALL GetStudentDetails(102);
```

Result Grid				
Filter Rows:		Export:		
Wrap Cell Content:				
Student_ID	Student_Name	Course	Marks	
102	spoorthi	BCA	92	

Result 2 x				
Output				
Action Output				
#	Time	Action	Message	
✓ 18	12:43:14	INSERT INTO Student VALUES (102, 'spoorthi', 'BCA', 92)	1 row(s) affected	
✓ 19	12:43:14	INSERT INTO Student VALUES (103, 'navya', 'BCA', 76)	1 row(s) affected	
✓ 20	12:43:14	INSERT INTO Student VALUES (104, 'manya', 'BCA', 88)	1 row(s) affected	
✓ 21	12:43:14	DROP PROCEDURE IF EXISTS GetStudentDetails	0 row(s) affected	
✓ 22	12:43:14	CREATE PROCEDURE GetStudentDetails(IN p_student_id INT) BEGIN SELECT * FROM Student WHERE...	0 row(s) affected	
✓ 23	12:43:14	CALL GetStudentDetails(102)	1 row(s) returned	

Using IN and OUT:

```
CREATE DATABASE IF NOT EXISTS ResultDB;
USE ResultDB;
```

```
DROP PROCEDURE IF EXISTS CalculateResult;
```

```
DELIMITER //
```

```
CREATE PROCEDURE CalculateResult(
    IN p_dbms INT,
    IN p_ai INT,
    IN p_python INT,
    OUT p_total INT,
    OUT p_average DECIMAL(5,2)
)
BEGIN
```

```
    SET p_total = p_dbms + p_ai + p_python;
```

```
SET p_average = p_total / 3;
END //
```

```
DELIMITER ;
```

```
CALL CalculateResult(85, 90, 78, @total_marks, @avg_marks);
```

```
SELECT @total_marks AS Total_Marks, @avg_marks AS Average_Marks;
```

Result Grid			
	Total_Marks	Average_Marks	
▶	253	84.33	

Result 1 x			
Output			
Action Output			
#	Time	Action	Message
✓ 24	12:47:02	CREATE DATABASE IF NOT EXISTS ResultDB	1 row(s) affected
✓ 25	12:47:02	USE ResultDB	0 row(s) affected
⚠ 26	12:47:02	DROP PROCEDURE IF EXISTS CalculateResult	0 row(s) affected, 1 warning(s): 1305 PROCEDURE does not exist
✓ 27	12:47:02	CREATE PROCEDURE CalculateResult(IN p_dbms INT, IN p_ai INT, IN p_python INT, OUT p_tot...	0 row(s) affected
⚠ 28	12:47:02	-- ===== -- HOW TO EXECUTE AND VIEW THE RESULT...	0 row(s) affected, 1 warning(s): 1265 Data truncated for column 'p_tot...' at row 1
✓ 29	12:47:02	SELECT @total_marks AS Total_Marks, @avg_marks AS Average_Marks LIMIT 0, 1000	1 row(s) returned

Using INOUT :

```
CREATE DATABASE IF NOT EXISTS CompanyDB;
USE CompanyDB;
```

```
CREATE TABLE IF NOT EXISTS Employee (
    Emp_ID INT PRIMARY KEY,
    Emp_Name VARCHAR(50),
    Salary DECIMAL(10,2)
);
```

```
TRUNCATE TABLE Employee;
```

```
INSERT INTO Employee VALUES (101, 'spoorthii', 50000.00);
INSERT INTO Employee VALUES (102, 'neha', 60000.00);
```

```
DROP PROCEDURE IF EXISTS IncreaseSalary;
```

```
DELIMITER //
```

```
CREATE PROCEDURE IncreaseSalary(  
    IN p_increment_percent DECIMAL(5,2),  
    INOUT p_salary DECIMAL(10,2)  
)  
BEGIN
```

```
    SET p_salary = p_salary + (p_salary * p_increment_percent / 100);  
END //
```

```
DELIMITER ;
```

```
SET @emp_salary = 60000.00;
```

```
CALL IncreaseSalary(10.00, @emp_salary);
```

```
SELECT @emp_salary AS Updated_Salary;
```

Result Grid				
		Filter Rows:	Export:	
				Wrap Cell Content:
Updated_Salary				
▶ 66000.00				

Result 1 x				
Output				
Action Output				
#	Time	Action	Message	
✓ 35	12:58:21	INSERT INTO Employee VALUES (102, 'neha', 60000.00)	1 row(s) affected	
⚠ 36	12:58:21	DROP PROCEDURE IF EXISTS IncreaseSalary	0 row(s) affected, 1 warning(s)	
✓ 37	12:58:21	CREATE PROCEDURE IncreaseSalary(IN p_increment_percent DECIMAL(5,2), INOUT p_salary DECIM...	0 row(s) affected	
✓ 38	12:58:21	SET @emp_salary = 60000.00	0 row(s) affected	
✓ 39	12:58:21	CALL IncreaseSalary(10.00, @emp_salary)	0 row(s) affected	
✓ 40	12:58:21	SELECT @emp_salary AS Updated_Salary LIMIT 0, 1000	1 row(s) returned	