

## DATE FUNCTIONS:

### Extracting the year

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
  
Date_of_Birth,  
YEAR(Date_of_Birth) AS Birth_Year  
  
FROM Student;
```

### OUTPUT:

| Studnt_ID | Student_Name | Class | Marks | Fee_Paid | Date_of_Birth | Admission_Date |
|-----------|--------------|-------|-------|----------|---------------|----------------|
| 101       | Spoorthi     | BCA   | 50    | 50000.00 | 2007-12-12    | 2025-01-01     |
| 102       | Manya        | BSE   | 55    | 60000.00 | 2007-09-06    | 2025-06-01     |
| 103       | Navya        | Btech | 60    | 55000.00 | 2007-02-13    | 2025-07-03     |
| 104       | Neha         | BBA   | 66    | 65000.00 | 2007-11-24    | 2025-03-04     |

  

| Student_Name | Date_of_Birth | Birth_Year |
|--------------|---------------|------------|
| Spoorthi     | 2007-12-12    | 2007       |
| Manya        | 2007-09-06    | 2007       |
| Navya        | 2007-02-13    | 2007       |
| Neha         | 2007-11-24    | 2007       |

## Extracting the month

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT * FROM Student;
```

```
SELECT Student_Name,
```

```
Date_of_Birth,
```

```
MONTH(Date_of_Birth) AS Birth_Month
```

```
FROM Student;
```

## OUTPUT:

| Studnt_ID | Student_Name | Class | Marks | Fee_Paid | Date_of_Birth | Admission_Date |
|-----------|--------------|-------|-------|----------|---------------|----------------|
| 101       | Spoorthi     | BCA   | 50    | 50000.00 | 2007-12-12    | 2025-01-01     |
| 102       | Manya        | BSE   | 55    | 60000.00 | 2007-09-06    | 2025-06-01     |
| 103       | Navya        | Btech | 60    | 55000.00 | 2007-02-13    | 2025-07-03     |
| 104       | Neha         | BBA   | 66    | 65000.00 | 2007-11-24    | 2025-03-04     |

| Student_Name | Date_of_Birth | Birth_Month |
|--------------|---------------|-------------|
| Spoorthi     | 2007-12-12    | 12          |
| Manya        | 2007-09-06    | 9           |
| Navya        | 2007-02-13    | 2           |
| Neha         | 2007-11-24    | 11          |

## Extracting the day

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01')  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
  
Date_of_Birth,  
DAY(Date_of_Birth) AS Birth_Day  
  
FROM Student;
```

## OUTPUT:

| Studnt_ID | Student_Name | Class | Marks | Fee_Paid | Date_of_Birth | Admissio |
|-----------|--------------|-------|-------|----------|---------------|----------|
| 101       | Spoorthi     | BCA   | 50    | 50000.00 | 2007-12-12    | 2025-01- |
| 102       | Manya        | BSE   | 55    | 60000.00 | 2007-09-06    | 2025-06- |
| 103       | Navya        | Btech | 60    | 55000.00 | 2007-02-13    | 2025-07- |
| 104       | Neha         | BBA   | 66    | 65000.00 | 2007-11-24    | 2025-03- |

  

| Student_Name | Date_of_Birth | Birth_Day |
|--------------|---------------|-----------|
| Spoorthi     | 2007-12-12    | 12        |
| Manya        | 2007-09-06    | 6         |
| Navya        | 2007-02-13    | 13        |
| Neha         | 2007-11-24    | 24        |

## Calculating current age

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
  
Date_of_Birth,  
TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age  
  
FROM Student;
```

## OUTPUT:

| Studnt_ID | Student_Name | Class | Marks | Fee_Paid | Date_of_Birth | Admissio |
|-----------|--------------|-------|-------|----------|---------------|----------|
| 101       | Spoorthi     | BCA   | 50    | 50000.00 | 2007-12-12    | 2025-01- |
| 102       | Manya        | BSE   | 55    | 60000.00 | 2007-09-06    | 2025-06- |
| 103       | Navya        | Btech | 60    | 55000.00 | 2007-02-13    | 2025-07- |
| 104       | Neha         | BBA   | 66    | 65000.00 | 2007-11-24    | 2025-03- |

  

| Student_Name | Date_of_Birth | Age |
|--------------|---------------|-----|
| Spoorthi     | 2007-12-12    | 18  |
| Manya        | 2007-09-06    | 18  |
| Navya        | 2007-02-13    | 19  |
| Neha         | 2007-11-24    | 18  |

## COUNT()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT COUNT(*) AS Total_Student  
FROM Student;
```

Output:

```
+-----+  
| Total_Student |  
+-----+  
|              4 |  
+-----+
```

output

## SUM()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT SUM(Marks) AS Total_Marks  
FROM Student;
```

Output:

```
+-----+  
| Total_Marks |  
+-----+  
|          231 |  
+-----+
```

output

## AVG()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT AVG(Marks) AS Average_Marks  
FROM Student;
```

Output:

```
+-----+  
| Average_Marks |  
+-----+  
|          57.7500 |  
+-----+
```

OUTPUT

## MAX()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT MAX(Marks) AS Maximum_Marks  
FROM Student;
```

Output:

```
+-----+  
| Maximum_Marks |  
+-----+  
|              66 |  
+-----+
```

OUTPUT

## MIN()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT MIN(Marks) AS Minimum_Marks  
FROM Student;
```

Output:

```
+-----+  
| Minimum_Marks |  
+-----+  
|           50 |  
+-----+
```

## OUTPUT