

DML: INSERT

OneCompiler Upgrade AI MySQL Run Save Login

queries.sql x +

```
1 CREATE TABLE Student (  
2 student_id INT PRIMARY KEY,  
3 student_name VARCHAR(50) NOT NULL,  
4 email VARCHAR(20) UNIQUE,  
5 phone_number VARCHAR(12),  
6 date_of_birth DATE,  
7 gender VARCHAR(10),  
8 department_id INT  
9 );  
10  
11 INSERT INTO Student VALUES (1, 'SPOORTHY', 'spoorthi12@email.com', '12345', '2007-12-12', 'female', 101);  
12 INSERT INTO Student VALUES (2, 'NEHA', 'neha2@email.com', '57464', '2007-1-12', 'female', 102);  
13 INSERT INTO Student VALUES (3, 'NAVYA', 'navya2@email.com', '73964', '2007-1-1', 'female', 103);  
14 INSERT INTO Student VALUES (4, 'MANYA', 'manya2@email.com', '97538', '2007-10-1', 'female', 104);  
15 INSERT INTO Student VALUES (5, 'TANISHA', 'tanisha3@email.com', '45726', '2007-11-7', 'female', 105);  
16 INSERT INTO Student VALUES (6, 'VARSHITHA', 'varshitha@email.com', '27489', '2007-5-5', 'female', 106);  
17 SELECT * FROM Student;
```

I/O AI Agent 80 ms ✓

STDIN
Input for the program (Optional)

Output:

student_id	student_name	email	phone_number
1	SPOORTHY	spoorthi12@email.com	12345
2	NEHA	neha2@email.com	57464
3	NAVYA	navya2@email.com	73964
4	MANYA	manya2@email.com	97538
5	TANISHA	tanisha3@email.com	45726
6	VARSHITHA	varshitha@email.com	27489

OneCompiler Upgrade AI MySQL Run Save Login

queries.sql x +

```
1  
2 :Y,  
3 NOT NULL,  
4 ,  
5 ,  
6  
7  
8  
9  
10  
11 :S (1, 'SPOORTHY', 'spoorthi12@email.com', '12345', '2007-12-12', 'female', 101);  
12 :S (2, 'NEHA', 'neha2@email.com', '57464', '2007-1-12', 'female', 102);  
13 :S (3, 'NAVYA', 'navya2@email.com', '73964', '2007-1-1', 'female', 103);  
14 :S (4, 'MANYA', 'manya2@email.com', '97538', '2007-10-1', 'female', 104);  
15 :S (5, 'TANISHA', 'tanisha3@email.com', '45726', '2007-11-7', 'female', 105);  
16 :S (6, 'VARSHITHA', 'varshitha@email.com', '27489', '2007-5-5', 'female', 106);  
17
```

I/O AI Agent 80 ms ✓

STDIN
Input for the program (Optional)

Output:

phone_number	date_of_birth	gender	department_id
12345	2007-12-12	female	101
57464	2007-01-12	female	102
73964	2007-01-01	female	103
97538	2007-10-01	female	104
45726	2007-11-07	female	105
27489	2007-05-05	female	106

CODE:

```
CREATE TABLE Student (  
student_id INT PRIMARY KEY,  
student_name VARCHAR(50) NOT NULL,  
email VARCHAR(20) UNIQUE,  
phone_number VARCHAR(12),  
date_of_birth DATE,  
gender VARCHAR(10),  
department_id INT  
);
```

```
INSERT INTO Student VALUES (1, 'SPOORTHY', 'spoorthi12@email.com',  
'12345', '2007-12-12', 'female', 101);  
INSERT INTO Student VALUES (2, 'NEHA', 'neha2@email.com', '57464',  
'2007-1-12', 'female', 102);
```

```

INSERT INTO Student VALUES (3, 'NAVYA', 'navya2@email.com', '73964',
'2007-1-1', 'female', 103);
INSERT INTO Student VALUES (4, 'MANYA', 'manya2@email.com', '97538',
'2007-10-1', 'female', 104);
INSERT INTO Student VALUES (5, 'TANISHA', 'tanisha3@email.com', '45726',
'2007-11-7', 'female', 105);
INSERT INTO Student VALUES (6, 'VARSHITHA', 'varshitha@email.com',
'27489', '2007-5-5', 'female', 106);
SELECT * FROM Student;

```

UPDATE:

OneCompiler
Upgrade
AI
MySQL
Run
Save
Login

queries.sql

```

1 CREATE TABLE Student (
2     student_id INT PRIMARY KEY,
3     student_name VARCHAR(50) NOT NULL,
4     email VARCHAR(20) UNIQUE,
5     phone_number VARCHAR(12),
6     date_of_birth DATE,
7     gender VARCHAR(10),
8     department_id INT
9 );
10
11 INSERT INTO Student VALUES (1, 'SPOORTHY', 'spoorthi12@email.com', '12345', '2007-12-1', 'female', 101);
12 INSERT INTO Student VALUES (2, 'NEHA', 'neha2@email.com', '57464', '2007-1-12', 'female', 102);
13 INSERT INTO Student VALUES (3, 'NAVYA', 'navya2@email.com', '73964', '2007-1-1', 'female', 103);
14 INSERT INTO Student VALUES (4, 'MANYA', 'manya2@email.com', '97538', '2007-10-1', 'female', 104);
15 INSERT INTO Student VALUES (5, 'TANISHA', 'tanisha3@email.com', '45726', '2007-11-7', 'female', 105);
16 INSERT INTO Student VALUES (6, 'VARSHITHA', 'varshitha@email.com', '27489', '2007-5-5', 'female', 106);
17
18 UPDATE Student
19 SET phone_number = '9876543210'
20 WHERE student_id = 1;
21
22 SELECT * FROM Student;

```

I/O AI Agent 95 ms

STDIN
Input for the program (Optional)

Output:

student_id	student_name	email	phone_number
1	SPOORTHY	spoorthi12@email.com	9876543210
2	NEHA	neha2@email.com	57464
3	NAVYA	navya2@email.com	73964
4	MANYA	manya2@email.com	97538
5	TANISHA	tanisha3@email.com	45726
6	VARSHITHA	varshitha@email.com	27489

OneCompiler
Upgrade
AI
MySQL
Run
Save
Login

queries.sql

```

1 CREATE TABLE Student (
2     student_id INT PRIMARY KEY,
3     student_name VARCHAR(50) NOT NULL,
4     email VARCHAR(20) UNIQUE,
5     phone_number VARCHAR(12),
6     date_of_birth DATE,
7     gender VARCHAR(10),
8     department_id INT
9 );
10
11 INSERT INTO Student VALUES (1, 'SPOORTHY', 'spoorthi12@email.com', '12345', '2007-12-12', 'female', 101);
12 INSERT INTO Student VALUES (2, 'NEHA', 'neha2@email.com', '57464', '2007-01-12', 'female', 102);
13 INSERT INTO Student VALUES (3, 'NAVYA', 'navya2@email.com', '73964', '2007-01-01', 'female', 103);
14 INSERT INTO Student VALUES (4, 'MANYA', 'manya2@email.com', '97538', '2007-10-01', 'female', 104);
15 INSERT INTO Student VALUES (5, 'TANISHA', 'tanisha3@email.com', '45726', '2007-11-07', 'female', 105);
16 INSERT INTO Student VALUES (6, 'VARSHITHA', 'varshitha@email.com', '27489', '2007-05-05', 'female', 106);
17
18 UPDATE Student
19 SET phone_number = '9876543210'
20 WHERE student_id = 1;
21
22 SELECT * FROM Student;

```

I/O AI Agent 95 ms

STDIN
Input for the program (Optional)

Output:

student_id	student_name	email	phone_number	date_of_birth	gender	department_id
1	SPOORTHY	spoorthi12@email.com	9876543210	2007-12-12	female	101
2	NEHA	neha2@email.com	57464	2007-01-12	female	102
3	NAVYA	navya2@email.com	73964	2007-01-01	female	103
4	MANYA	manya2@email.com	97538	2007-10-01	female	104
5	TANISHA	tanisha3@email.com	45726	2007-11-07	female	105
6	VARSHITHA	varshitha@email.com	27489	2007-05-05	female	106

CODE:

```

CREATE TABLE Student (
    student_id INT PRIMARY KEY,

```

```

    student_name VARCHAR(50) NOT NULL,
    email VARCHAR(20) UNIQUE,
    phone_number VARCHAR(12),
    date_of_birth DATE,
    gender VARCHAR(10),
    department_id INT
);

INSERT INTO Student VALUES (1, 'SPOORTHY', 'spoorthy12@email.com',
'12345', '2007-12-12', 'female', 101);
INSERT INTO Student VALUES (2, 'NEHA', 'neha2@email.com', '57464',
'2007-1-12', 'female', 102);
INSERT INTO Student VALUES (3, 'NAVYA', 'navya2@email.com', '73964',
'2007-1-1', 'female', 103);
INSERT INTO Student VALUES (4, 'MANYA', 'manya2@email.com', '97538',
'2007-10-1', 'female', 104);
INSERT INTO Student VALUES (5, 'TANISHA', 'tanisha3@email.com', '45726',
'2007-11-7', 'female', 105);
INSERT INTO Student VALUES (6, 'VARSHITHA', 'varshitha@email.com',
'27489', '2007-5-5', 'female', 106);

UPDATE Student
SET phone_number = '9876543210'
WHERE student_id = 1;

SELECT * FROM Student;

```

DELETE:

OneCompiler

Upgrade

AI

MySQL

Run

I/O

AI Agent

89 ms

queries.sql

+

```

1 CREATE TABLE Student (
2     student_id INT PRIMARY KEY,
3     student_name VARCHAR(50) NOT NULL,
4     email VARCHAR(20) UNIQUE,
5     phone_number VARCHAR(12),
6     date_of_birth DATE,
7     gender VARCHAR(10),
8     department_id INT
9 );
10
11 INSERT INTO Student VALUES (1, 'SPOORTHY', 'spoorthi12@email.com', '12345', '2007-12-12', 'female', 101);
12 INSERT INTO Student VALUES (2, 'NEHA', 'neha2@email.com', '57464', '2007-1-12', 'female', 102);
13 INSERT INTO Student VALUES (3, 'NAVYA', 'navya2@email.com', '73964', '2007-1-1', 'female', 103);
14 INSERT INTO Student VALUES (4, 'MANYA', 'manya2@email.com', '97538', '2007-10-1', 'female', 104);
15 INSERT INTO Student VALUES (5, 'TANISHA', 'tanisha3@email.com', '45726', '2007-11-7', 'female', 105);
16 INSERT INTO Student VALUES (6, 'VARSHITHA', 'varshitha@email.com', '27489', '2007-5-5', 'female', 106);
17
18 DELETE FROM Student
19 WHERE student_id = 6;
20
21 SELECT * FROM Student;

```

STDIN

Input for the program (Optional)

Output:

student_id	student_name	email	phone_number
1	SPOORTHY	spoorthi12@email.com	12345
2	NEHA	neha2@email.com	57464
3	NAVYA	navya2@email.com	73964
4	MANYA	manya2@email.com	97538
5	TANISHA	tanisha3@email.com	45726

OneCompiler

Upgrade

AI

MySQL

Run

I/O

AI Agent

89 ms

queries.sql

+

```

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

```

STDIN

Input for the program (Optional)

Output:

phone_number	date_of_birth	gender	department_id
12345	2007-12-12	female	101
57464	2007-01-12	female	102
73964	2007-01-01	female	103
97538	2007-10-01	female	104
45726	2007-11-07	female	105

```

CREATE TABLE Student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(50) NOT NULL,
    email VARCHAR(20) UNIQUE,
    phone_number VARCHAR(12),
    date_of_birth DATE,
    gender VARCHAR(10),
    department_id INT
);

INSERT INTO Student VALUES (1, 'SPOORTHY', 'spoorthi12@email.com', '12345', '2007-12-12', 'female', 101);
INSERT INTO Student VALUES (2, 'NEHA', 'neha2@email.com', '57464', '2007-1-12', 'female', 102);
INSERT INTO Student VALUES (3, 'NAVYA', 'navya2@email.com', '73964', '2007-1-1', 'female', 103);

```

```
INSERT INTO Student VALUES (4, 'MANYA', 'many2@email.com', '97538',  
'2007-10-1', 'female', 104);  
INSERT INTO Student VALUES (5, 'TANISHA', 'tanisha3@email.com', '45726',  
'2007-11-7', 'female', 105);  
INSERT INTO Student VALUES (6, 'VARSHITHA', 'varshitha@email.com',  
'27489', '2007-5-5', 'female', 106);  
  
DELETE FROM Student  
WHERE student_id = 6;  
  
SELECT * FROM Student;
```