

AGGREGATE FUNCTION: GROUP BY

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT Class,  
COUNT(*) AS Total_Student,  
AVG(Marks) AS Average_marks  
FROM Student  
GROUP BY Class;
```

OUTPUT:

Output:

Class	Total_Student	Average_marks
BCA	2	58.0000
BSE	1	55.0000
Btech	1	60.0000

CLAUSe:

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT Class,  
COUNT(*) AS Total_Student,  
AVG(Marks) AS Average_marks  
FROM Student  
GROUP BY Class  
HAVING COUNT(*) > 1;
```

OUTPUT:

Output:

Class	Total_Student	Average_marks
BCA	2	58.0000

ORDER BY:

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Spoorthi', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Manya', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Navya', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Neha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT *  
FROM Student  
ORDER BY Student_Name ASC;
```

OUTPUT:

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth
102	Manya	BSE	55	60000.00	2007-09-06
103	Navya	Btech	60	55000.00	2007-02-13
104	Neha	BCA	66	65000.00	2007-11-24
101	Spoorthi	BCA	50	50000.00	2007-12-12