OpenAPI definition

AUTHORIZATION Bearer Token

Token	{{bearerToken}}

api

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

v1

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

review

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT review

http://localhost:8080/api/v1/subscriptions/:id/review

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
{
  "decision": "string",
  "rejectionReason": "string",
  "riskScore": 2708,
  "coverageAmount": 1620.07320792793,
  "tenureMonths": 2524,
  "underwriterNotes": "string",
  "fixedPremium": 6610.488069637173,
  "policyLimit": 6744.22655326591,
  "deductible": 8493.171113642524,
  "exclusions": "string"
}
```

pay

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST pay Subscription

http://localhost:8080/api/v1/subscriptions/:id/pay

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

PATH VARIABLES

id	2361

my

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get My Subscriptions

http://localhost:8080/api/v1/subscriptions/my

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

assigned-to-me

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get My Assigned

http://localhost:8080/api/v1/subscriptions/assigned-to-me

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

GET get All Subscriptions

http://localhost:8080/api/v1/subscriptions

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

POST subscribe

http://localhost:8080/api/v1/subscriptions

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

```
 json

{
  "policyId": 1729
}
```

policies

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT update Policy

http://localhost:8080/api/v1/policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
{
  "basePremium": 2296.5871534498583,
  "coverageLimit": 2094.751564352526,
  "durationMonths": 4228,
  "policyName": "string",
  "sector": "string",
  "description": "string",
  "benefits": [
    "string",
    "string"
  ],
  "applicableTo": [
    "string",
    "string"
  ]
}
```

DELETE delete Policy

http://localhost:8080/api/v1/policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

id	2361

GET get All Policies

http://localhost:8080/api/v1/policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

POST create Policy

http://localhost:8080/api/v1/policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

Body raw (json)

```
{
  "basePremium": 2296.5871534498583,
  "coverageLimit": 2094.751564352526,
  "durationMonths": 4228,
  "policyName": "string",
  "sector": "string",
  "description": "string",
  "benefits": [
    "string",
    "string"
  ],
  "applicableTo": [
    "string",
    "string"
  ]
}
```

claims

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

settle

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT settle Claim

http://localhost:8080/api/v1/claims/:id/settle

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
json

{
  "key_0": {}
}
```

review

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT review Claim

http://localhost:8080/api/v1/claims/:id/review

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
json

{
  "decision": "string",
  "rejectionReason": "string"
}
```

assessment

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Claim Assessment

http://localhost:8080/api/v1/claims/:id/assessment

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

PATH VARIABLES

id	2361

GET get Claim

http://localhost:8080/api/v1/claims/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

PATH VARIABLES

id	2361

pending

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Pending Claims

http://localhost:8080/api/v1/claims/pending

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

my

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get My Claims

http://localhost:8080/api/v1/claims/my

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

assigned-to-me

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Assigned Claims

http://localhost:8080/api/v1/claims/assigned-to-me

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

active

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Active Claims

http://localhost:8080/api/v1/claims/active

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

GET get All Claims

http://localhost:8080/api/v1/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

POST file Claim

http://localhost:8080/api/v1/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

```
json

{
  "claimAmount": 8263.043939796493,
  "incidentId": 3908,
  "bankAccountNumber": "string",
  "bankIfscCode": "string",
  "policeReportFiled": false,
  "policeReportNumber": "string",
  "claimDescription": "string"
}
```

admin

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

assign

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT assign Underwriter

http://localhost:8080/api/v1/admin/subscriptions/:id/assign

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
json

{
  "key_0": {}
}
```

staff

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

deactivate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT deactivate Staff

http://localhost:8080/api/v1/admin/staff/:id/deactivate

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

id	2361

PUT update Staff

http://localhost:8080/api/v1/admin/staff/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
json

{
  "email": "string",
  "fullName": "string",
  "roleName": "string",
  "password": "string"
}
```

GET get Staff

http://localhost:8080/api/v1/admin/staff

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

cyber-policies

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT update Cyber Policy

http://localhost:8080/api/v1/admin/cyber-policies/:id

http://localhost:8080/api/v1/admin/cyber-policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
json

{
  "basePremium": 2296.5871534498583,
  "coverageLimit": 2094.751564352526,
  "durationMonths": 4228,
  "policyName": "string",
  "sector": "string",
  "description": "string",
  "benefits": [
    "string",
    "string"
  ],
  "applicableTo": [
    "string",
    "string"
  ]
}
```

DELETE delete Cyber Policy

http://localhost:8080/api/v1/admin/cyber-policies/:id

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

id	2361

GET get All Cyber Policies

http://localhost:8080/api/v1/admin/cyber-policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

POST create Cyber Policy

http://localhost:8080/api/v1/admin/cyber-policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

```
{
```

```
  "basePremium": 2296.5871534498583,
  "coverageLimit": 2094.751564352526,
  "durationMonths": 4228,

  "policyName": "string",
  "sector": "string",
  "description": "string",
  "benefits": [
    "string",
    "string"
  ],
  "applicableTo": [
    "string",
    "string"
  ]
}
```


claims

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

assign

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT assign Claims Officer

http://localhost:8080/api/v1/admin/claims/:id/assign

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

PATH VARIABLES

id	2361

Body raw (json)

```
 json

{
  "key_0": {}
}
```

GET get Claims

http://localhost:8080/api/v1/admin/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

create-staff

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST create Staff

http://localhost:8080/api/v1/admin/create-staff

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

```
json

{
  "email": "string",
  "fullName": "string",
  "roleName": "string",
  "password": "string"
}
```

users

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Users

http://localhost:8080/api/v1/admin/users

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

underwriters

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Underwriters

http://localhost:8080/api/v1/admin/underwriters

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

risk-monitoring

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Risk Monitoring

http://localhost:8080/api/v1/admin/risk-monitoring

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

policies

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Policies

http://localhost:8080/api/v1/admin/policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

dashboard

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Dashboard Stats 1

http://localhost:8080/api/v1/admin/dashboard

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

customers

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Customers

http://localhost:8080/api/v1/admin/customers

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

claims-officers

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Claims Officers

http://localhost:8080/api/v1/admin/claims-officers

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

analytics

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Analytics

http://localhost:8080/api/v1/admin/analytics

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

risk

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get All Risk Assessments

http://localhost:8080/api/v1/risk

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

POST submit Risk

http://localhost:8080/api/v1/risk

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

```
json

{
  "firewallEnabled": false,
  "encryptionEnabled": false,
  "backupAvailable": true,
  "mfaEnabled": false,
  "previousIncidentCount": 6975,
  "employeeCount": 3710,
  "annualRevenue": 3381.17486855972
}
```

incidents

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

my

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get My Incidents

http://localhost:8080/api/v1/incidents/my

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

GET get All Incidents

http://localhost:8080/api/v1/incidents

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

POST report Incident

http://localhost:8080/api/v1/incidents

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	multipart/form-data
Accept	*/*

Body formdata

data	string
files	string,string

customer

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

apply

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST apply For Policy

http://localhost:8080/api/v1/customer/apply

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	multipart/form-data
Accept	*/*

Body formdata

data	string
proofFiles	string,string

recommended-policies

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Recommended Policies

http://localhost:8080/api/v1/customer/recommended-policies

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

profile

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Profile

http://localhost:8080/api/v1/customer/profile

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

dashboard

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Dashboard Stats

http://localhost:8080/api/v1/customer/dashboard

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

auth

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

register

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST register

http://localhost:8080/api/v1/auth/register

http://localhost:8080/api/v1/auth/register

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

```
{
  "email": "string",
  "fullName": "string",
  "password": "string",
  "companyName": "string",
  "industry": "string",
  "companySize": "string",
  "companyAddress": "string",
  "companyWebsite": "string",
  "registrationNumber": "string",
  "annualRevenue": "string",
  "phoneNumber": "string"
}
```

login

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST login

http://localhost:8080/api/v1/auth/login

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	*/*

Body raw (json)

```
json

{
  "email": "string",
  "password": "string"
}
```

files

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

proof

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{userId}

{userId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{filename}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET serve Proof

http://localhost:8080/api/v1/files/proof/:userId/:filename

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

PATH VARIABLES

userId	string
filename	string

download

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET download File

http://localhost:8080/api/v1/files/download?path=string

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	*/*

PARAMS

path	string