

hoopR — Codebase Index Report

Auto-derived from the understand-anything knowledge graph (`commit 1f6b71a`).

SportsDataverse R package for mens college basketball and NBA play-by-play, schedule, roster, and stats data (ESPN + NBA Stats API).

1. At a glance

Metric	Value
Files indexed	205
Total nodes	205 (3 pipeline, 14 document, 7 config, 181 file)
Total edges	124 (70 related, 41 depends_on, 13 documents)
Layers	10
Guided-tour steps	12
Circular dependencies	none 

2. Architectural layers

Layer	Files	Functions	Classes	Public exports
ESPN MBB	22	0	0	0
ESPN NBA	25	0	0	0
ESPN Shared Helpers	25	0	0	0
NBA Stats API	28	0	0	0
College Basketball Data API	14	0	0	0
Basketball-Reference, RealGM & Aux Sources	42	0	0	0
Data Loaders	4	0	0	0
Utilities & Crosswalks	4	0	0	0
Vignettes & Docs	26	0	0	0
CI/CD & Config	15	0	0	0

3. Dependency hotspots

Keystones (highest fan-in):


File	Fan-in	Layer
<code>R/cbbd_api_key.R</code>	13	College Basketball Data API
<code>R/bref_utils.R</code>	7	Basketball-Reference, RealGM & Aux Sources
<code>R/realgm_utils.R</code>	7	Basketball-Reference, RealGM & Aux Sources

File	Fan-in	Layer
R/torvik_utils.R	6	Basketball-Reference, RealGM & Aux Sources
R/crosswalk_basketball.R	2	Utilities & Crosswalks
data-raw/pull_team_page.R	1	Vignettes & Docs
R/espn_basketball_athlete_helpers.R	1	ESPN Shared Helpers
R/espn_mbb_data.R	1	ESPN MBB
R/nba_metrics.R	1	NBA Stats API
R/nba_stats_pbp.R	1	NBA Stats API
R/salary_draft_utils.R	1	Basketball-Reference, RealGM & Aux Sources

Orchestrators (highest fan-out):

File	Fan-out	Layer
data-raw/team_page_calls.R	1	Vignettes & Docs
R/bref_injuries.R	1	Basketball-Reference, RealGM & Aux Sources
R/bref_player_bios.R	1	Basketball-Reference, RealGM & Aux Sources
R/bref_player_game_log.R	1	Basketball-Reference, RealGM & Aux Sources
R/bref_players_stats.R	1	Basketball-Reference, RealGM & Aux Sources
R/bref_standings.R	1	Basketball-Reference, RealGM & Aux Sources
R/bref_team_roster.R	1	Basketball-Reference, RealGM & Aux Sources
R/bref_teams_stats.R	1	Basketball-Reference, RealGM & Aux Sources
R/cbbd_conferences.R	1	College Basketball Data API
R/cbbd_draft.R	1	College Basketball Data API

4. Layer dependency map



(cross-layer file dependencies, threshold ≥ 2)

5. Guided tour


1. **Project Overview** — Start with the README to understand what hoopR is: a SportsDataverse R package that delivers tidy men's basketball data across NBA (2002-2026) and college (2006-2026) from ESPN, the NBA Stats API, the College Basketball Data API, and auxiliary sources.
2. **Shared ESPN Basketball Helpers** — Before the per-league scrapers, hoopR factors the ESPN logic shared by NBA and MBB into one internal backend.
3. **ESPN Men's College Basketball** — `espn_mbb_data.R` is the heart of the MBB ESPN surface: play-by-play, team/player box scores, rosters, scoreboard, schedule, rankings, standings, and the parsers that flatten ESPN summary payloads.
4. **ESPN NBA** — The NBA ESPN surface mirrors the MBB one structurally — `espn_nba_data.R` provides play-by-play, box scores, rosters, schedules, and standings from ESPN Site v2, while the athlete and team-detail wrappers are direct counterparts to their MBB siblings.
5. **NBA Stats API** — Beyond ESPN, hoopR wraps the official stats.nba.com endpoints for richer data.
6. **College Basketball Data API** — The `cbbd_*` family wraps the third-party College Basketball Data API.
7. **Auxiliary Sources & Web Scrapers** — hoopR also scrapes sources without clean APIs.
8. **Pre-Processed Data Loaders** — Scraping live endpoints is slow; for whole-season analysis hoopR ships loaders that pull pre-scraped parquet/RDS assets from SportsDataverse-data releases.
9. **Utilities & Cross-Source Crosswalks** — `utils.R` is the package-wide backbone — KenPom credential handling, cached URL loaders, season/year helpers, team-name normalization, and the `hoopR_data S3` class with its print method.
10. **Package Manifest & Namespace** — Two generated/authored config files define hoopR as an installable R package.
11. **Worked Examples: Vignettes** — Vignettes are hoopR's runnable tutorials and the best end-to-end view of how the layers combine.
12. **CI/CD & Docs Pipeline** — Finally, the automation that keeps hoopR healthy.

Companion reports: [health-tech-debt.md](#), [api-surface-catalog.md](#), [diagrams.md](#), [deep-dives/](#).


hoopR — Diagrams

Mermaid diagrams derived from the knowledge graph.

Layer dependency map



Foundation hub (top keystones and how many files depend on them)



Sport families → shared foundation (one-way fan-in)

ESPN MBB

ESPN NBA

ESPN Shared Helpers

College Basketball Data API

Basketball-Reference, RealGM & Aux Sources

2

NBA Stats API

2

Utilities & Crosswalks

Data Loaders

Vignettes & Docs

2

CI/CD & Config

hoopR — Health & Tech-Debt Report

Coupling, centrality, and risk signals derived from the knowledge graph.

Circular dependencies

None.  The file-level import graph is a DAG — every dependency flows one way.

Coupling — most-depended-upon (afferent) files

File	Afferent (Ca)	Efferent (Ce)	Instability I=Ce/(Ca+Ce)
R/cbbd_api_key.R	13	0	0.00
R/bref_utils.R	7	0	0.00
R/realgm_utils.R	7	0	0.00
R/torvik_utils.R	6	0	0.00
R/crosswalk_basketball.R	2	0	0.00
data-raw/pull_team_page.R	1	0	0.00
R/espn_basketball_athlete_helpers.R	1	0	0.00
R/espn_mbb_data.R	1	0	0.00
R/nba_metrics.R	1	0	0.00
R/nba_stats_pbp.R	1	0	0.00
R/salary_draft_utils.R	1	0	0.00
data-raw/get_exported_functions.R	0	0	—

God-file candidates (most members in one file)

File	Members	Layer
------	---------	-------

Generated / boilerplate & deprecated surface

- **2 files tagged** `generated` — codegen wrapper modules; edit templates, not these.
- **1 deprecated files** (e.g. legacy alias namespaces).

Orphans (no graph edges)

48 file(s): `get_exported_functions.R`, `markdown_man_table_helper.R`, `mbb_teams.R`, `pull_nba_teams.R`, `sdv_author_helpers.R`, `data.R`, `espn_basketball_athlete_career_helpers.R`, `espn_basketball_awards_helpers.R`, `espn_basketball_coach_helpers.R`, `espn_basketball_draft_helpers.R`, `espn_basketball_franchise_helpers.R`, `espn_basketball_injuries_helpers.R`, `espn_basketball_news_helpers.R`, `espn_basketball_position_helpers.R`, `espn_basketball_tournaments_helpers.R`, `espn_mbb_coach.R`,

espn_mbb_franchise.R, espn_mbb_futures.R, espn_mbb_injuries.R, espn_mbb_news.R, espn_mbb_positions.R, espn_mbb_powerindex.R, espn_mbb_tournaments.R, espn_nba_calendar.R, espn_nba_coach.R, espn_nba_franchise.R, espn_nba_futures.R, espn_nba_injuries.R, espn_nba_news.R, espn_nba_positions.R, espn_nba_powerindex.R, espn_nba_tournaments.R, espn_nba_transactions.R, fox_basketball.R, hoopshype_salaries.R, nba_data_pbp.R, nba_stats_cume.R, nba_stats_draft.R, nba_stats_franchise.R, nba_stats_roster.R, nba_stats_scoreboard.R, nba_stats_shotchart.R, nba_stats_video.R, nbadraft_mock_draft.R, ncaa_mbb_data.R, rotowire_injuries.R, cbbd-college-basketball-data.Rmd, espn-endpoints.Rmd .

High-complexity units (58)

CLAUDE.md, NEWS.md, pull_team_page.R, cbbd_games.R, cbbd_plays.R, cbbd_recruiting.R, cbbd_stats.R, crosswalk_basketball.R, espn_basketball_athlete_career_helpers.R, espn_basketball_athlete_helpers.R, espn_basketball_draft_helpers.R, espn_basketball_event_competitor_helpers.R, espn_basketball_event_helpers.R, espn_basketball_league_helpers.R, espn_basketball_season_meta_helpers.R, espn_basketball_team_deep_helpers.R, espn_basketball_team_helpers.R, espn_mbb_athletes.R, espn_mbb_data.R, espn_mbb_event_detail.R

hoopR — Public API Surface Catalog

Exported functions & classes (**0 public callables**) per layer (from `exports` edges).

Per-Layer Deep Dives

Per-layer deep-dive index

10 layers:

- [ESPN MBB](#) — 22 files
- [ESPN NBA](#) — 25 files
- [ESPN Shared Helpers](#) — 25 files
- [NBA Stats API](#) — 28 files
- [College Basketball Data API](#) — 14 files
- [Basketball-Reference, RealGM & Aux Sources](#) — 42 files
- [Data Loaders](#) — 4 files
- [Utilities & Crosswalks](#) — 4 files
- [Vignettes & Docs](#) — 26 files
- [CI/CD & Config](#) — 15 files

Layer deep-dive — Basketball-Reference, RealGM & Aux Sources

Auxiliary data-source scrapers: Basketball-Reference (*bref_*), *RealGM* (*realgm_*), KenPom (*kp_*), *Torvik*, *NBA G-League* (*nbagl_*), salary/cap (*hoopshype*, *spotrac*, *RotoWire*, *draft*), and NCAA/Fox feeds.

42 files · 0 functions/classes

Dependencies

Depends on: NBA Stats API (2)

Depended on by: Vignettes & Docs (1)

Files

`R/bref_awards.R` (*data-loader, basketball-reference, web-scraping, awards*)

Exports `bref_awards()`, scraping end-of-season NBA award voting (MVP, ROY, DPOY, etc.) from Basketball-Reference into a tidy `hoopR_data` tibble with one row per candidate.

`R/bref_draft.R` (*data-loader, basketball-reference, web-scraping, draft*)

Exports `bref_draft()`, scraping NBA draft results with career totals and advanced metrics from Basketball-Reference into a tidy `hoopR_data` tibble, one row per pick.

`R/bref_injuries.R` (*web-scrapers, basketball-reference, nba, injuries*)

Scrapes the current NBA injury report from Basketball-Reference and returns it as a tidy data frame via the shared `bref` helper layer.

`R/bref_player_bios.R` (*web-scrapers, basketball-reference, player-bio, rvest*)

Scrapes player biographical information (height, weight, birth date, college, etc.) from a player's Basketball-Reference page.

`R/bref_player_game_log.R` (*web-scrapers, basketball-reference, game-log, player-stats*)

Scrapes a player's per-game game log for a given season from Basketball-Reference and returns the box-score rows as a tidy frame.

`R/bref_players_stats.R` (*web-scrapers, basketball-reference, player-stats, season-stats*)

Scrapes season-level player statistics tables (per-game, totals, advanced, etc.) from Basketball-Reference league pages.

`R/bref_standings.R` (*web-scrapers, basketball-reference, standings, nba*)

Scrapes NBA conference/division standings for a season from Basketball-Reference and returns them as a tidy frame.

R/bref_team_roster.R (*web-scraper, basketball-reference, roster, team*)

Scrapes a team's season roster from Basketball-Reference and returns player listings as a tidy data frame.

R/bref_teams_stats.R (*web-scraper, basketball-reference, team-stats, season-stats*)

Scrapes team-level season statistics tables (per-game, opponent, advanced) from Basketball-Reference league pages.

R/bref_utils.R (*utility, basketball-reference, http, html-parsing*)

Shared internal helper layer for the Basketball-Reference scrapers: `.bref_text` fetches a page body, `.bref_table` parses an HTML table, and `.bref_type_convert` coerces column types.

R/realgm_draft.R (*realgm, web-scraper, draft, data-model*)

Scrapes basketball.realgm.com draft pages for historical draft results (`realgm_draft`) and early-entry candidate lists (`realgm_early_entry`), returning tidy draft data frames.

R/realgm_players.R (*realgm, web-scraper, players, data-model*)

Scrapes basketball.realgm.com player pages for the player directory (`realgm_players`), players abroad (`realgm_players_abroad`), and future free agents (`realgm_future_free_agents`).

R/realgm_salaries.R (*realgm, web-scraper, salaries, data-model*)

Scrapes basketball.realgm.com salary-cap pages for the league salary cap history (`realgm_salary_cap`) and the rookie scale tables (`realgm_rookie_scale`).

R/realgm_staff.R (*realgm, web-scraper, staff, data-model*)

Scrapes basketball.realgm.com staff pages for coaching staff (`realgm_coaches`) and general manager (`realgm_gms`) directories, returning tidy personnel tables.

R/realgm_standings.R (*realgm, web-scraper, standings, teams*)

Scrapes basketball.realgm.com for league standings (`realgm_standings`) and the team directory (`realgm_teams`), returning tidy standings and team-lookup data frames.

R/realgm_stats.R (*realgm, web-scraper, stats, data-model*)

Largest RealGM scraper: pulls player and team season stats, individual season/game logs, and draft-prospect stats (`realgm_player_stats`, `realgm_team_stats`, `realgm_individual_seasons`, `realgm_individual_games`, `realgm_draft_prospects`) from basketball.realgm.com.

R/realgm_transactions.R (*realgm, web-scraper, transactions, data-model*)

Scrapes basketball.realgm.com transaction pages via `rvest` (`realgm_transactions`), returning a tidy table of player signings, trades, and roster moves.

`R/realgm_utils.R` (*realgm, utility, web-scraper, shared-helpers*)

Shared internal helpers for the RealGM scrapers, providing chromote-driven page rendering, URL building, and rvest/janitor table-cleaning utilities consumed across the `realgm_*` modules.

`R/kp_box_tables.R` (*kenpom, mbb, box-score, web-scraping*)

KenPom game-level scrapers parsing box scores and in-game win-probability tables from the (subscriber-gated) `kenpom.com` HTML pages.

`R/kp_historical_tables.R` (*kenpom, mbb, ratings, web-scraping*)

KenPom historical-data scrapers for team/coach efficiency history, program ratings, the Pomeroy archive ratings, and conference statistics tables.

`R/kp_misc_stats.R` (*kenpom, web-scraper, college-basketball, api-handler*)

Authenticated KenPom scrapers for miscellaneous men's college-basketball pages — trends, officials/referee, home-court advantage, arenas, game attributes, and FanMatch projections. Uses an `httr2` cookie-jar session plus `rvest` CSS-selector parsing.

`R/kp_ratings_tables.R` (*kenpom, web-scraper, ratings, college-basketball*)

Authenticated KenPom scrapers for season ratings tables — Pomeroy ratings, efficiency, four-factors, point distribution, height/experience, foul trouble, team/player stats, and KPOY award tracking.

`R/kp_team_tables.R` (*kenpom, web-scraper, college-basketball, team-data*)

Authenticated KenPom scrapers for team-level detail pages — schedule, game plan, opponent tracker, roster/players, player career, minutes matrix, per-player stats, depth chart, and lineups. The largest KenPom module in the package.

`R/kp.R` (*kenpom, documentation, overview, barrel*)

Documentation-only overview hub for the KenPom scraper family, cataloguing the `kp_*` functions and describing the `httr2` cookie-jar `login()` auth flow that reads `KP_USER/KP_PW` credentials.

`R/fox_basketball.R` (*fox-sports, nba, mbb, play-by-play*)

Fox Sports basketball scrapers exposing parallel NBA and MBB functions for play-by-play, box scores, odds, rosters, team stats, and game logs.

`R/hoopshype_salaries.R` (*hoopshype, nba, salaries, web-scraping*)

Scrapes HoopsHype player salary tables, returning multi-season NBA player salary figures as a tidy data frame.

`R/nbadraft_mock_draft.R` (*web-scraper, draft, rvest, data-model*)

Scrapes NBADraft.net mock-draft tables via `rvest` and returns a tidy data frame of projected draft picks for a given draft year.

`R/nbagl_pbp.R` (*g-league, play-by-play, api-handler, live-data*)

Retrieves NBA G-League play-by-play (nbagl_pbp) and live feeds (nbagl_live_pbp, nbagl_live_boxscore) by reusing the NBA Stats play-by-play pipeline against G-League game IDs.

R/nbagl_players.R (*g-league, api-handler, player-index, data-model*)

Retrieves the NBA G-League player index (nbagl_players) via the NBA Stats playerindex endpoint scoped to gleague.nba.com, returning a tidy player directory.

R/nbagl_schedule.R (*g-league, api-handler, schedule, data-model*)

Retrieves the NBA G-League schedule (nbagl_schedule) from the data.nba.com schedule feed, returning a tidy season schedule with game dates and matchups.

R/nbagl_standings.R (*g-league, api-handler, standings, data-model*)

Retrieves current NBA G-League standings (nbagl_standings) via the NBA Stats standings feed on s.data.nba.com, returning a tidy team standings table.

R/ncaa_mbb_data.R (*ncaa, web-scraper, rankings, teams*)

Scrapes NCAA.com / stats.ncaa.org for men's college basketball NET rankings (ncaa_mbb_NET_rankings) and the Division I/II/III team directory (ncaa_mbb_teams) by year and division.

R/rotowire_injuries.R (*data-loader, injuries, nba, json*)

Exports rotowire_injuries(), which pulls the current NBA injury report from RotoWire's public JSON feed and returns a tidy tibble of player injury statuses.

R/salary_draft_utils.R (*utility, scraper, salary, html-parsing*)

Internal shared HTML-scraping helpers (ext_html, parse_currency, next_data) used by the HoopsHype salaries, Spotrac team-cap, and NBADraft.net mock-draft wrappers; all sources are public HTML requiring no API key.

R/spotrac_team_cap.R (*data-loader, salary, nba, scraper*)

Exports spotrac_team_cap(), scraping Spotrac's public team salary-cap pages into a tibble of per-team cap and contract figures.

R/torvik_game_schedule.R (*data-loader, torvik, mbb, schedule*)

Exports torvik_game_schedule(), retrieving Bart Torvik's men's college basketball game schedule data as a tidy tibble.

R/torvik_game_stats.R (*data-loader, torvik, mbb, box-score*)

Exports torvik_game_stats(), fetching per-game advanced statistics from barttorvik.com for men's college basketball games.

R/torvik_ncaa_results.R (*data-loader, torvik, mbb, tournament*)

Exports torvik_ncaa_results(), scraping Bart Torvik's historical NCAA tournament results tables into a tidy tibble.

`R/torvik_player_stats.R` (*data-loader, torvik, mbb, player-stats*)

Exports `torvik_player_stats()`, pulling Bart Torvik player-level season statistics for men's college basketball.

`R/torvik_ratings.R` (*data-loader, torvik, mbb, ratings*)

Exports `torvik_ratings()`, retrieving Bart Torvik's team efficiency ratings for men's college basketball as a tibble.

`R/torvik_team_factors.R` (*data-loader, torvik, mbb, four-factors*)

Exports `torvik_team_factors()`, fetching Bart Torvik four-factors and tempo-free team metrics for men's college basketball.

`R/torvik_utils.R` (*utility, torvik, http, internal*)

Internal shared HTTP layer (`torvik_text`) for the family of `torvik_*`() scrapers, centralizing requests to `barttorvik.com` which needs no account or API key.

Layer deep-dive — CI/CD & Config

GitHub Actions workflows (R-CMD-check, pkgdown, rhub), issue/PR templates, and R package configuration (DESCRIPTION, NAMESPACE, _pkgdown.yml, Rproj, build/git settings).

15 files · 0 functions/classes

Dependencies

Depends on: Vignettes & Docs (1)

Depended on by: Vignettes & Docs (2)

Files

`.github/workflows/pkgdown.yml` (*ci-cd, deployment, documentation, pkgdown*)

GitHub Actions workflow that builds the hoopR pkgdown documentation site on pushes to main/master (or manual dispatch) and deploys it via pkgdown::deploy_to_branch, installing SportsDataverse companion packages and KenPom (KP_USER/KP_PW) credentials needed to render vignettes.

`.github/workflows/R-CMD-check.yml` (*ci-cd, testing, r-cmd-check, cross-platform*)

Primary CI workflow running R CMD check across a macOS/Windows/Ubuntu matrix (R release) on push, pull request, and a weekly Friday cron, with optional live-API test toggles (NBA Stats, NBA G-League, ESPN, NCAA MBB) supplied via secrets.

`.github/workflows/rhub.yml` (*ci-cd, r-hub, cran, testing*)

Manually-dispatched R-hub v2 workflow that fans out R CMD check across user-selected R-hub platforms (linux containers + windows/macOS) for CRAN-submission validation, with a setup job emitting the platform/container matrix consumed by the downstream check jobs.

`.github/copilot-instructions.md` (*documentation, ai-instructions, contributor-guide, conventions*)

GitHub Copilot guidance for the hoopR package covering project context, repository workflow, code style, the http2 HTTP/proxy layer, cli messaging, function naming, roxygen documentation, and testing conventions.

`.github/ISSUE_TEMPLATE/bug_report.md` (*documentation, issue-template, github, bug-report*)

GitHub issue template for reporting bugs in hoopR, prompting for the affected function/parameters, a repro, expected behavior, error output, and session info.

`.github/ISSUE_TEMPLATE/feature_request.md` (*documentation, issue-template, github, feature-request*)

GitHub issue template for proposing a new function, endpoint, or improvement, with prompts for the desired solution, NBA Stats API endpoint details, and alternatives considered.

.github/PULL_REQUEST_TEMPLATE.md (*documentation, pull-request, github, contributor-guide*)

Pull request template structuring contributions with summary, type-of-change, related issues, changes made, submission/testing checklists, and reviewer checklist sections.

_pkgdown.yml (*configuration, pkgdown, documentation-site, build-system*)

pkgdown site configuration for hoopR.sportsdataverse.org defining the Bootstrap template, navbar, authors, home metadata, and the full reference index grouping all exported functions by data-source family (hoopR loaders, crosswalks, ESPN, NBA Stats, NCAA, KenPom, CBD, Torvik, injury reports).

.gitattributes (*configuration, git, line-endings, build-system*)

Git attributes file normalizing all text/source files to LF line endings cross-platform and marking binary asset types (png, rds, rda, qs) so they are never normalized.

.Rbuildignore (*configuration, r-package, build-system*)

R CMD build ignore list excluding non-package files (data-raw, vignettes source, docs, CI config, CLAUDE.md, tooling, and dev artifacts) from the built tarball.

DESCRIPTION (*configuration, r-package, dependencies, metadata*)

R package manifest for hoopR 3.1.0 declaring metadata, authors, MIT license, R >= 4.1 dependency, and Imports/Suggests (httr2, dplyr, rvest, data.table, etc.) for ESPN/NBA Stats/KenPom access.

hoopR.Rproj (*configuration, rstudio, r-package, build-system*)

RStudio project configuration for the hoopR package setting build type, devtools usage, roxygenize outputs, and two-space-tab editing conventions.

NAMESPACE (*configuration, r-package, exports, namespace*)

Roxygen2-generated package namespace exporting 270+ hoopR functions (bref_, cbbd_, espn_, kp_, nba_, load_, torvik_, realgm_ families) and registering the print.hoopR_data S3 method.

README.Rmd (*documentation, readme, entry-point, rmarkdown*)

Source R Markdown for the package README rendered to README.md, covering hoopR's purpose, installation, quick-start usage, and documentation links.

.understand-anything/.understandignore (*configuration, knowledge-graph, tooling*)

Scoping config for the understand-anything knowledge-graph indexer that keeps R source, data-raw generators, vignettes, and CI while excluding tests, generated man pages, bundled data, and binary artifacts.

Layer deep-dive — College Basketball Data API

College Basketball Data API wrappers (cbbd_*) for games, lines, rankings, stats, and team/player data.

14 files · 0 functions/classes

Dependencies

Depends on: — (leaf)

Depended on by: — (none)

Files

`R/cbbd_api_key.R` (*api-client, authentication, config, collegebasketballdata*)

Manages the CollegeBasketballData API key (cbbd_key/has_cbbd_key/check_cbbd_key) and provides the shared authenticated .cbbd_get request helper used by every cbbd_* endpoint wrapper.

`R/cbbd_conferences.R` (*api-client, collegebasketballdata, conferences, mbb*)

Wraps the CollegeBasketballData conferences endpoints (cbbd_conferences and cbbd_conferences_history) returning conference metadata as tidy frames.

`R/cbbd_draft.R` (*api-client, collegebasketballdata, draft, mbb*)

Wraps the CollegeBasketballData NBA-draft endpoints (cbbd_draft_teams, cbbd_draft_positions, cbbd_draft_picks) for draft-pick and prospect data.

`R/cbbd_games.R` (*api-client, collegebasketballdata, games, box-score*)

Wraps the CollegeBasketballData games surface (cbbd_games, cbbd_games_media, cbbd_games_teams, cbbd_games_players, cbbd_scoreboard) returning schedule, box-score, and scoreboard frames.

`R/cbbd_lines.R` (*api-client, collegebasketballdata, betting-lines, odds*)

Wraps the CollegeBasketballData betting-lines endpoints (cbbd_lines and cbbd_lines_providers) returning game odds and provider metadata.

`R/cbbd_lineups.R` (*api-client, collegebasketballdata, lineups, advanced-stats*)

Wraps the CollegeBasketballData lineup-statistics endpoints (cbbd_lineups_team and cbbd_lineups_game) returning five-man lineup metrics.

`R/cbbd_plays.R` (*api-client, collegebasketballdata, play-by-play, pbp*)

Wraps the CollegeBasketballData play-by-play surface (by game, player, team, date, and tournament, plus cbbd_play_types) returning detailed PBP event frames.

`R/cbbd_rankings.R` (*api-client, collegebasketballdata, rankings, polls*)

Wraps the CollegeBasketballData poll-rankings endpoint (cbbd_rankings) returning AP and Coaches poll standings.

R/cbbd_ratings.R (*api-client, collegebasketballdata, ratings, advanced-stats*)

Wraps the CollegeBasketballData team-ratings endpoints (cbbd_ratings_srs, cbbd_ratings_adjusted, cbbd_ratings_elo) returning SRS, adjusted-efficiency, and Elo ratings.

R/cbbd_recruiting.R (*api-client, collegebasketballdata, recruiting, transfer-portal*)

Wraps the CollegeBasketballData recruiting endpoints (cbbd_recruiting_players, cbbd_recruiting_teams, cbbd_recruiting_portal) returning prospect rankings and transfer-portal data.

R/cbbd_stats.R (*api-client, collegebasketballdata, statistics, shooting*)

Wraps the CollegeBasketballData statistics surface (team-season, team-leaderboard, team/player shooting, player-season) returning aggregate and shooting-split stat frames.

R/cbbd_substitutions.R (*api-client, collegebasketballdata, substitutions, lineups*)

Wraps the CollegeBasketballData substitution endpoints (by game, player, and team) returning on/off substitution event data.

R/cbbd_teams.R (*api-client, collegebasketballdata, teams, roster*)

Wraps the CollegeBasketballData teams endpoints (cbbd_teams and cbbd_teams_roster) returning team metadata and season rosters.

R/cbbd_venues.R (*api-client, collegebasketballdata, venues, mbb*)

Wraps the CollegeBasketballData venues endpoint (cbbd_venues) returning arena/venue metadata as a tidy frame.

Layer deep-dive — Data Loaders

Pre-processed data loaders (`load_mbb_`/`load_nba_`/`load_hoopR`/`load_crosswalk`) that pull cached SportsDataverse release parquet/RDS assets.

4 files · 0 functions/classes

Dependencies

Depends on: NBA Stats API (1), Utilities & Crosswalks (1)

Depended on by: — (none)

Files

`R/load_crosswalk.R` (***loader, crosswalk, data-loader, nba***)

Loaders that download pre-built cross-source crosswalk tables (team / schedule / player) for NBA and MBB from the sportsdataverse-data releases, validating seasons and tagging results.

`R/load_hoopR.R` (***documentation, overview, loader, barrel***)

Documentation-only overview hub for the hoopR data loaders, cataloguing the `load_nba_*` and `load_mbb_*` season loaders that pull pre-scraped data from the hoopR-{nba,mbb}-data releases.

`R/load_mbb.R` (***loader, data-loader, college-basketball, play-by-play***)

Season-level MBB data loaders pulling pre-scraped play-by-play, box scores, schedules, rosters, stats, standings, and officials from sportsdataverse-data releases, with parallel download, optional progressr progress, and DBI database build/update helpers.

`R/load_nba.R` (***loader, data-loader, nba, play-by-play***)

Season-level NBA data loaders pulling pre-scraped play-by-play, box scores, schedules, rosters, stats, standings, draft, and officials from sportsdataverse-data releases, with parallel download and DBI database build/update helpers.

Layer deep-dive — ESPN MBB

ESPN men's college basketball scrapers (`espn_mbb_*`) for play-by-play, schedules, rosters, box scores, and team/standings data.

22 files · 0 functions/classes

Dependencies

Depends on: ESPN NBA (2), ESPN Shared Helpers (1)

Depended on by: — (none)

Files

`R/espn_mbb_athlete_career.R` (*api-handler, espn, mbb, athlete*)

Public MBB athlete-career loaders: `espn_mbb_player_seasons`, `espn_mbb_player_career_stats`, and `espn_mbb_player_eventlog_v2` — exported thin wrappers that surface ESPN men's college basketball athlete career data as tibbles.

`R/espn_mbb_athletes.R` (*api-handler, espn, mbb, athlete*)

ESPN men's college basketball athlete endpoint wrappers (`espn_mbb_player_info`, `_overview`, `_stats_v3`, `_gamelog`, etc.), returning per-player bio, overview, V3 stats and game-log frames from ESPN's web/core athlete APIs.

`R/espn_mbb_awards.R` (*api-handler, espn, mbb, awards*)

ESPN MBB awards wrappers (`espn_mbb_season_awards`, `espn_mbb_award`) that fetch season award lists and single-award detail from ESPN's core awards endpoints.

`R/espn_mbb_calendar.R` (*api-handler, espn, mbb, calendar*)

Single-function wrapper (`espn_mbb_calendar`) returning the ESPN MBB season calendar of date ranges and season types for a given season.

`R/espn_mbb_coach.R` (*api-handler, espn, mbb, coach*)

ESPN MBB coach wrappers (`espn_mbb_coach`, `espn_mbb_coach_record`) that fetch a coach's profile and win/loss record from ESPN's core coach endpoints.

`R/espn_mbb_data.R` (*api-handler, espn, mbb, play-by-play*)

Core ESPN men's college basketball data module: play-by-play, team/player box scores, game rosters, scoreboard, schedule, teams, conferences, rankings, standings, betting and team/player stats, plus the helper parsers that flatten ESPN summary payloads.

`R/espn_mbb_event_detail.R` (*api-handler, espn, mbb, event*)

ESPN MBB per-event (game) detail wrappers (odds, win probabilities, officials, broadcasts, and other event sub-resources) drawn from ESPN's core event endpoints.

`R/espn_mbb_franchise.R` *(api-handler, espn, mbb, franchise)*

ESPN MBB franchise wrappers (`espn_mbb_franchises`, `espn_mbb_franchise`) listing all program franchises and fetching a single franchise's detail.

`R/espn_mbb_futures.R` *(api-handler, espn, mbb, futures)*

Single-function wrapper (`espn_mbb_futures`) returning ESPN MBB season futures betting markets for a given season.

`R/espn_mbb_groups_v2.R` *(api-handler, espn, mbb, groups)*

ESPN MBB v2 group/conference wrappers (`espn_mbb_season_groups`, `espn_mbb_season_group`, and children) resolving conference and grouping hierarchies for a season.

`R/espn_mbb_injuries.R` *(api-handler, espn, mbb, injuries)*

ESPN MBB injury wrappers (`espn_mbb_injuries`, `espn_mbb_team_injuries`) returning league-wide and per-team injury reports.

`R/espn_mbb_league.R` *(api-handler, espn, mbb, league)*

ESPN MBB league-level index wrappers (`espn_mbb_leaders`, `espn_mbb_venues`, `espn_mbb_coaches`, `espn_mbb_athletes_index`, and more) exposing season-wide leaders, venues and entity directories.

`R/espn_mbb_news.R` *(api-handler, espn, mbb, news)*

ESPN MBB news wrappers (`espn_mbb_news`, `espn_mbb_team_news`) returning league and team headline feeds.

`R/espn_mbb_positions.R` *(api-handler, espn, mbb, positions)*

ESPN MBB position wrappers (`espn_mbb_positions`, `espn_mbb_position`) listing roster positions and fetching a single position's detail.

`R/espn_mbb_powerindex.R` *(api-handler, espn, mbb, powerindex)*

Single-function wrapper (`espn_mbb_powerindex`) returning ESPN's MBB power index team ratings for a season.

`R/espn_mbb_season_meta.R` *(api-handler, espn, mbb, season)*

ESPN MBB season metadata wrappers (`espn_mbb_season_types`, `espn_mbb_season_type`, and children) describing a season's structure, types and associated sub-resources.

`R/espn_mbb_team_deep.R` *(api-handler, espn, mbb, team)*

ESPN MBB deep team-resource wrappers (`espn_mbb_team_odds_records`, `espn_mbb_team_season_roster`, and more) exposing season-scoped team odds records and rosters from core team endpoints.

`R/espn_mbb_team_detail.R` (*api-handler, espn, mbb, team*)

ESPN MBB team detail wrappers (`espn_mbb_team`, `espn_mbb_team_roster`, `espn_mbb_team_schedule`, `espn_mbb_team_leaders`, etc.) returning a single team's profile, roster, schedule and statistical leaders.

`R/espn_mbb_team_record.R` (*api-handler, espn, mbb, team*)

Single-function wrapper (`espn_mbb_team_record`) returning a team's season win/loss record splits from ESPN's core team record endpoint.

`R/espn_mbb_tournaments.R` (*api-handler, espn, mbb, tournament*)

ESPN MBB tournament wrappers (`espn_mbb_tournaments`, `espn_mbb_tournament`, and `children`) listing postseason tournaments and resolving a single tournament's bracket/detail.

`R/espn_mbb_weeks.R` (*api-handler, espn, mbb, weeks*)

ESPN MBB scheduling-week wrappers (`espn_mbb_season_weeks`, `espn_mbb_season_week`, and `children`) enumerating a season's weeks and per-week sub-resources.

`R/espn_mbb_wp.R` (*api-handler, espn, mbb, win-probability*)

Single-function wrapper (`espn_mbb_wp`) that extracts ESPN's per-game win-probability time series for a men's college basketball game.

Layer deep-dive — ESPN NBA

ESPN NBA scrapers (espn_nba_*) for play-by-play, schedules, rosters, box scores, and team/standings data.

25 files · 0 functions/classes

Dependencies

Depends on: — (leaf)

Depended on by: ESPN MBB (2)

Files

`R/espn_nba_athlete_career.R` (*api-handler, espn, nba, athlete*)

ESPN NBA athlete career wrappers (espn_nba_player_seasons, espn_nba_player_career_stats, and more) returning a player's season list and career statistical history.

`R/espn_nba_athlete_contracts.R` (*api-handler, espn, nba, contracts*)

ESPN NBA athlete contract wrappers (espn_nba_player_contracts, espn_nba_player_contract) returning a player's contract list and single-contract detail.

`R/espn_nba_athletes.R` (*api-handler, espn, nba, athlete*)

ESPN NBA athlete endpoint wrappers (espn_nba_player_info, _overview, _stats_v3, _gamelog, etc.) returning per-player bio, overview, V3 stats and game-log frames; NBA mirror of espn_mbb_athletes.R.

`R/espn_nba_awards.R` (*api-handler, espn, nba, awards*)

ESPN NBA awards wrappers (espn_nba_season_awards, espn_nba_award) that fetch season award lists and single-award detail; NBA mirror of espn_mbb_awards.R.

`R/espn_nba_calendar.R` (*espn, nba, api-handler, calendar*)

Wraps the ESPN NBA calendar endpoint, returning the league's season calendar (date ranges and season types) as a tidy tibble.

`R/espn_nba_coach.R` (*espn, nba, api-handler, coach*)

Fetches single-coach detail and per-coach win/loss records from ESPN's NBA Core v2 coach endpoints.

`R/espn_nba_data.R` (*espn, nba, play-by-play, box-score*)

Core ESPN NBA game-data module providing play-by-play, team/player box scores, rosters, schedules, scoreboard, standings, betting, and team/player stats from ESPN Site v2 game summaries.

`R/espn_nba_event_detail.R` (*espn, nba, api-handler, event-detail*)

Per-event (game) detail scrapers covering ESPN NBA odds, win probabilities, officials, broadcasts, predictors, prop bets, linescores, leaders, rosters, and team statistics.

`R/esp_nba_franchise.R` (*espn, nba, api-handler, franchise*)

Retrieves the ESPN NBA franchises index and single-franchise detail records (franchise identity, venue, colors) from Core v2 endpoints.

`R/esp_nba_futures.R` (*espn, nba, api-handler, futures*)

Returns ESPN NBA season futures betting markets in long format from the Core v2 futures endpoint.

`R/esp_nba_groups_v2.R` (*espn, nba, api-handler, groups*)

Season-scoped group hierarchy scrapers for ESPN NBA: groups index, single group, child groups, and group team membership.

`R/esp_nba_groups.R` (*espn, nba, api-handler, conferences*)

Fetches the ESPN NBA conferences listing (Eastern/Western and their groupings) as a tidy tibble.

`R/esp_nba_injuries.R` (*espn, nba, api-handler, injuries*)

Provides league-wide and per-team ESPN NBA injury reports resolved from Core v2 injury reference endpoints.

`R/esp_nba_league.R` (*espn, nba, api-handler, league*)

League-level ESPN NBA reference scrapers: league leaders, venues, coaches index, athletes index, seasons list, and per-season info.

`R/esp_nba_news.R` (*espn, nba, api-handler, news*)

Retrieves league-wide and team-specific ESPN NBA news articles from the Site v2 news endpoint.

`R/esp_nba_positions.R` (*espn, nba, api-handler, positions*)

Returns the ESPN NBA positions index and single-position detail from Core v2 position reference endpoints.

`R/esp_nba_powerindex.R` (*espn, nba, api-handler, power-index*)

Fetches ESPN NBA season Basketball Power Index (BPI) ratings in long format from the Core v2 powerindex endpoint.

`R/esp_nba_season_meta.R` (*espn, nba, api-handler, season-meta*)

Season metadata scrapers for ESPN NBA: season types index/detail, season leaders, and season rankings index/detail.

`R/esp_nba_team_deep.R` (*espn, nba, api-handler, team*)

Deep per-team ESPN NBA scrapers covering odds records, depth charts, season rosters, coach-by-season, and detailed records.

`R/espn_nba_team_detail.R` (*espn, nba, api-handler, team*)

Per-team ESPN NBA detail scrapers: team identity, roster, schedule, leaders, season profile, and season statistics.

`R/espn_nba_team_record.R` (*espn, nba, api-handler, team*)

Returns an ESPN NBA team's win/loss record broken out per season type from the Core v2 record endpoint.

`R/espn_nba_tournaments.R` (*espn, nba, api-handler, tournaments*)

Scrapes ESPN NBA tournament metadata: tournaments index, single tournament, and per-tournament season listings (e.g., In-Season Tournament).

`R/espn_nba_transactions.R` (*espn, nba, api-handler, transactions*)

Provides ESPN NBA draft picks, free-agent listings, and roster transaction feeds parsed from Core v2 transaction endpoints.

`R/espn_nba_weeks.R` (*espn, nba, api-handler, weeks*)

Season-week scrapers for ESPN NBA: weeks index, single week, and per-week rankings index/detail.

`R/espn_nba_wp.R` (*espn, nba, win-probability, play-by-play*)

Builds NBA win-probability chart data per play from ESPN's game-summary win-probability feed.

Layer deep-dive — ESPN Shared Helpers

Cross-league ESPN Core v2 helper functions (`espn_basketball_*_helpers`) shared by both the MBB and NBA ESPN scrapers for athletes, events, betting, franchises, and league metadata.

25 files · 0 functions/classes

Dependencies

Depends on: — (leaf)

Depended on by: ESPN MBB (1)

Files

`R/espn_basketball_athlete_career_helpers.R` (*api-client, espn, athlete-career, internal*)

Internal ESPN basketball helpers for career-level athlete endpoints (athlete seasons index, career statistics, and v2 event log) shared across the league-specific athlete wrappers.

`R/espn_basketball_athlete_helpers.R` (*api-handler, espn, athlete, utility*)

Internal, cross-league ESPN basketball athlete backend: ~14 helpers (info, overview, stats, gamelog, splits, eventlog) that fetch core-v2 / site-v2 athlete resources and tidy them into tibbles, shared by both `espn_nba_*` and `espn_mbb_*` wrappers.

`R/espn_basketball_awards_helpers.R` (*api-handler, espn, awards, utility*)

Internal ESPN basketball season-awards helper that fetches the paginated per-season award index from the core-v2 API and returns a tidy long-format tibble of award winners.

`R/espn_basketball_calendar_helpers.R` (*api-handler, espn, calendar, schedule*)

Internal ESPN basketball calendar helper that fetches the schedule calendar for a league and returns a tidy tibble of calendar entries/date ranges.

`R/espn_basketball_coach_helpers.R` (*api-handler, espn, coach, utility*)

Internal ESPN basketball coach helper that fetches a single coach detail resource (core-v2 `coaches/{coach_id}`) and returns a one-row tibble of coach attributes.

`R/espn_basketball_draft_helpers.R` (*api-handler, espn, draft, utility*)

Internal ESPN basketball draft backend: ~7 helpers covering draft pick detail, rounds index, draftable athletes, draft status, and the season-draft roll-up, each tidying core-v2 draft resources into tibbles.

`R/espn_basketball_event_betting_helpers.R` (*api-handler, espn, betting, odds*)

Internal ESPN basketball event-odds/betting helper that fetches per-event odds-market data from the core-v2 API and returns a tidy long-format betting tibble.

`R/espn_basketball_event_competitor_helpers.R` (*api-handler, espn, event, box-score*)

Internal ESPN basketball per-competitor event backend: ~8 helpers (linescores, leaders, roster, statistics, records, player box, score) that tidy a single competitor's nested event resources into tibbles.

`R/espn_basketball_event_helpers.R` (*api-handler, espn, event, win-probability*)

Internal ESPN basketball event-level backend: ~9 helpers (win probabilities, officials, broadcasts, situation, predictor, powerindex) that fetch and tidy nested competition resources for a single game.

`R/espn_basketball_event_play_helpers.R` (*api-handler, espn, play-by-play, event*)

Internal ESPN basketball single-play helper wrapping events/{eid}/competitions/{cid}/plays/{pid}, returning a one-row tibble of play-by-play detail.

`R/espn_basketball_franchise_helpers.R` (*api-handler, espn, franchise, team*)

Internal ESPN basketball franchise helper that fetches the core-v2 franchise resource and returns a tidy tibble of franchise metadata.

`R/espn_basketball_futures_helpers.R` (*api-handler, espn, futures, betting*)

Internal ESPN basketball season-futures helper that fetches the per-season futures-market index from the core-v2 API and returns a tidy long-format tibble.

`R/espn_basketball_group_helpers.R` (*api-handler, espn, groups, conference*)

Internal ESPN basketball season-groups (conference/division) helper that fetches the per-season groups index across season types and returns a tidy tibble of group hierarchy.

`R/espn_basketball_injuries_helpers.R` (*api-handler, espn, injuries, utility*)

Internal ESPN basketball injuries helper that fetches the league-wide injuries array and returns a tidy tibble of player injury statuses.

`R/espn_basketball_league_helpers.R` (*api-handler, espn, league, leaders*)

Internal ESPN basketball league-wide backend: ~9 helpers (statistical leaders by athlete, venues, coaches, athletes index, seasons, season info) plus league-validation and \$ref-parsing utilities, each tidying league-scoped API resources.

`R/espn_basketball_news_helpers.R` (*api-handler, espn, news, utility*)

Internal ESPN basketball news helper that fetches the league-level news feed and returns a tidy tibble of articles/headlines.

`R/espn_basketball_position_helpers.R` (*api-handler, espn, positions, reference*)

Internal ESPN basketball positions helper that fetches the position dictionary resource and returns a tidy reference tibble of position codes.

`R/espn_basketball_powerindex_helpers.R` (*api-handler, espn, power-index, metrics*)

Internal ESPN basketball power-index helper that fetches the per-season BPI/powerindex resource and returns a tidy long-format tibble of team metrics.

`R/espn_basketball_record_helpers.R` (*api-handler, espn, records, team*)

Internal ESPN basketball team-record helper that fetches the per-season-type team record resource and returns a tidy long-format tibble of W/L and category records.

`R/espn_basketball_season_meta_helpers.R` (*api-handler, espn, season, rankings*)

Internal ESPN basketball season-metadata backend: ~6 helpers (season-types index/detail, season leaders, season rankings/ranking) that tidy per-season core-v2 metadata resources into tibbles.

`R/espn_basketball_team_deep_helpers.R` (*api-handler, espn, team, roster*)

Internal ESPN basketball deep-team backend: ~6 helpers (odds-records, depth chart, season roster, coach-by-season, season statistics) that tidy team-scoped per-season resources into long-format tibbles.

`R/espn_basketball_team_helpers.R` (*api-handler, espn, team, schedule*)

Internal ESPN basketball team backend: ~6 helpers (team detail, roster, schedule, leaders, season profile) plus league validation, tidying site-v2 team resources into tibbles shared by NBA and MBB wrappers.

`R/espn_basketball_tournaments_helpers.R` (*api-handler, espn, tournaments, utility*)

Internal ESPN basketball tournaments helper that fetches the league tournament index and returns a tidy tibble of tournament/bracket metadata.

`R/espn_basketball_week_helpers.R` (*api-handler, espn, weeks, schedule*)

Internal ESPN basketball season-weeks helper that fetches the per-season weeks index across season types and returns a tidy tibble of week boundaries.

`R/espn_basketball.R` (*documentation, espn, barrel, overview*)

Roxygen documentation landing page (@name espn_basketball) giving the cross-league ESPN Basketball endpoint overview that ties together the `espn_nba_*` and `espn_mbb_*` wrapper surfaces; contains no executable code.

Layer deep-dive — NBA Stats API

NBA Stats API endpoint wrappers (nba_*) plus their shared request/parse utilities covering box scores, tracking, leaders, and synergy data.

28 files · 0 functions/classes

Dependencies

Depends on: Utilities & Crosswalks (2)

Depended on by: Basketball-Reference, RealGM & Aux Sources (2), Data Loaders (1), Vignettes & Docs (1)

Files

`R/nba_crosswalk.R` (*crosswalk, nba, data-reconciliation, fuzzy-match*)

Builds NBA cross-source crosswalks (team / schedule / player) reconciling ESPN, NBA Stats, and Fox identities via the shared .bb_* normalization and fuzzy-matching engine.

`R/nba_data_pbp.R` (*nba, play-by-play, data-loader, api-handler*)

Provides nba_data_pbp(), a loader for tidy NBA play-by-play data scraped from the data.nba.com feed for a given game id.

`R/nba_datasets.R` (*nba, data-transformation, serialization, utility*)

Tidy reshaping helpers that flatten raw NBA Stats payloads into analysis-ready frames — franchise history, player box scores with team context, and nested player profiles.

`R/nba_dictionaries.R` (*nba, reference-data, utility, data-model*)

Reference-data helpers exposing NBA player/team dictionaries and URL builders for player headshots and team logos.

`R/nba_metrics.R` (*nba, analytics, metrics, utility*)

Vectorized basketball analytics primitives — true shooting, eFG%, free-throw rate, game score, assist/turnover ratios, possessions, pace, offensive/defensive/net ratings, usage, and the four factors.

`R/nba_reduce.R` (*nba, data-transformation, utility, reduce*)

Set-combination utilities for multi-table NBA Stats results — bind, join, and nest lists of named data frames into a single structure.

`R/nba_scaling.R` (*nba, analytics, scaling, utility*)

Box-score scaling helpers that rescale counting stats to per-N-minutes or per-N-possession and append advanced metrics, with a private column-finder helper.

`R/nba_stats_boxscore_v3.R` (*nba, nba-stats-api, boxscore, api-handler*)

Wrappers for the NBA Stats v3 boxscore endpoints — traditional, advanced, misc, scoring, usage, four-factors, player-track, matchups, hustle, defensive, game rotation, and summary. The largest boxscore module in the package.

`R/nba_stats_boxscore.R` (*nba, nba-stats-api, boxscore, api-handler*)

Wrappers for the NBA Stats v2/legacy boxscore endpoints — traditional, advanced, defensive, four-factors, misc, scoring, usage, summary, matchups, player-track, hustle, and similarity scores.

`R/nba_stats_cume.R` (*nba, nba-stats-api, cumulative-stats, api-handler*)

Wrappers for the NBA Stats cumulative-stats endpoints covering player and team cumulative totals and per-game cumulative breakdowns.

`R/nba_stats_draft.R` (*nba, nba-stats-api, draft, api-handler*)

Wrappers for the NBA Stats draft endpoints — draft board, draft history, and the full draft-combine suite (measurements, drills, shooting, anthro).

`R/nba_stats_franchise.R` (*nba, nba-stats-api, franchise, api-handler*)

Wrappers for the NBA Stats franchise endpoints — franchise leaders (with and without rank), franchise players, and franchise history.

`R/nba_stats_hustle.R` (*nba, nba-stats-api, hustle-stats, api-handler*)

Wrappers for the NBA Stats league hustle-stats endpoints covering player and team hustle stats plus their leaderboards.

`R/nba_stats_leaders.R` (*nba, nba-stats-api, leaderboard, api-handler*)

Wrappers for the NBA Stats leaders/leaderboard endpoints — all-time grids, assist leaders/tracker, homepage leaders, leader tiles, defense hub, league leaders, and dunk/gravity score leaders.

`R/nba_stats_league_dash.R` (*nba, nba-stats-api, league-dashboard, api-handler*)

Wrappers for the NBA Stats leaguedash endpoints — player/team stats, clutch, bio, shot dashboards (opponent, point, shot locations), and tracking defend/stats. One of the largest endpoint modules.

`R/nba_stats_league.R` (*nba, nba-stats-api, standings, schedule*)

Wrappers for league-wide NBA Stats endpoints — game log, standings (legacy + v3), playoff picture, game finder, and in-season tournament standings.

`R/nba_stats_lineups.R` (*nba-stats-api, api-handler, lineups, matchups*)

Wraps the NBA Stats API lineup and matchup endpoints (leaguedashlineups, league lineupviz, leagueplayerondetails, leagueseasonmatchups, matchupsrollup, fantasywidget), returning tidy data frames of five-man lineup and head-to-head matchup statistics.

`R/nba_stats_pbp.R` (*nba-stats-api, play-by-play, api-handler, live-data*)

Core NBA play-by-play retrieval module exposing `nba_playbyplayv3`, `nba_pbp/nba_pbps` (multi-game), and the live `cdn.nba.com` feeds `nba_live_pbp` and `nba_live_boxscore`; assembles enriched per-event play-by-play frames.

`R/nba_stats_player_dash.R` (*nba-stats-api, api-handler, player-stats, dashboard*)

Wraps the NBA Stats player-dashboard family (by clutch, game splits, general splits, last-N games, opponent, shooting splits, team performance, year-over-year) plus the player-tracking dashboards (pt pass/reb/shots/shotdefend), returning split player statistics.

`R/nba_stats_player.R` (*nba-stats-api, api-handler, player-stats, data-model*)

Largest player-data module: wraps NBA Stats player endpoints including `playerindex`, career stats, game logs, awards, fantasy profiles, estimated metrics, and the `cdn.nba.com` player headshot helper; several legacy endpoints are lifecycle-deprecated.

`R/nba_stats_roster.R` (*nba-stats-api, api-handler, roster, metadata*)

Wraps the NBA Stats common-info endpoints (`commonallplayers`, `commonplayerinfo`, `commonplayoffseries`, `commonteamroster`, `commonteamyears`), providing league player directories, individual bios, playoff series, and team roster tables.

`R/nba_stats_scoreboard.R` (*nba-stats-api, api-handler, schedule, scoreboard*)

Provides NBA schedule and scoreboard access (`nba_schedule`, `scoreboard/scoreboardv2/scoreboardv3`, `today_scoreboard`, `winprobabilitypbp`, `scheduleleaguev2int`) drawing on both the `cdn.nba.com` schedule feed and the `stats.nba.com` scoreboard endpoints.

`R/nba_stats_shotchart.R` (*nba-stats-api, api-handler, shot-chart, spatial-data*)

Wraps the NBA Stats shot-chart endpoints (`shotchartdetail`, `shotchartleaguewide`, `shotchartlineupdetail`), returning per-shot location and make/miss data for players, the league, and lineups.

`R/nba_stats_team_dash.R` (*nba-stats-api, api-handler, team-stats, dashboard*)

Team-side counterpart to the player dashboards: wraps the NBA Stats team-dashboard family (clutch, game/general/last-N/opponent/shooting splits, team performance, year-over-year) plus team lineups and player-tracking dashboards.

`R/nba_stats_team.R` (*nba-stats-api, api-handler, team-stats, data-model*)

Largest team-data module: wraps NBA Stats team endpoints including `teams`, `teamdetails`, estimated metrics, game logs, historical leaders, info-common, player on/off details, year-by-year stats, and team-vs-player splits.

`R/nba_stats_video.R` (*nba-stats-api, api-handler, video, media-metadata*)

Wraps the NBA Stats video endpoints (`videodetails/videodetailsasset`, `videoevents/videoeventsasset`, `videostatus`), returning play video metadata and asset URLs tied to game events.

`R/nba_stats.R` (*nba-stats-api, documentation, overview, entry-point*)

Overview/index module for the NBA Stats API surface, documenting the stats.nba.com endpoint families and serving as the conceptual entry point for the nba_stats_* wrapper modules.

`R/Utils_nba_stats.R` (*utility, nba, http, api-client*)

Internal HTTP and result-parsing layer for the NBA Stats / G-League APIs: builds endpoint requests (with proxy support), maps stats.nba.com resultSets into tibbles, and provides id/time padding plus schedule-rejoin helpers.

Layer deep-dive — Utilities & Crosswalks

Shared package utilities (utils.R, data.R) and ID crosswalk builders (crosswalk_basketball, mbb_crosswalk) used across the scraping and loader surfaces.

4 files · 0 functions/classes

Dependencies

Depends on: — (leaf)

Depended on by: NBA Stats API (2), Vignettes & Docs (2), Data Loaders (1)

Files

R/crosswalk_basketball.R (*utility, crosswalk, normalization, fuzzy-matching*)

Internal, deterministic normalization engine for NBA/MBB cross-source crosswalks: name/team normalizers, timezone conversion, and fuzzy matching used to reproduce cached crosswalk artifacts exactly.

R/mbb_crosswalk.R (*crosswalk, college-basketball, data-reconciliation, fuzzy-match*)

Builds MBB cross-source crosswalks (team / schedule / player) by reconciling ESPN, Fox, Barttorvik, and KenPom identities through normalization, alias tables, and fuzzy matching atop the shared .bb_* crosswalk engine.

R/utils.R (*utility, core, season-helpers, data-loader*)

Package-wide utility module: KenPom login/credential handling, cached CSV/RDS loaders from URLs, season/year helpers (most_recent_mbb_season, year_to_season), team-name normalization, progress messaging, and the hoopR_data S3 class with its print method.

R/data.R (*data-documentation, kenpom, mbb, reference-data*)

Roxygen dataset documentation for teams_links, the men's college basketball KenPom team-link reference dictionary (357 rows, 6 variables) bundled with the package.

Layer deep-dive — Vignettes & Docs

Package documentation: Rmd vignettes, root README/NEWS/CONTRIBUTING/LICENSE markdown, and data-raw authoring/analysis scripts and notes.

26 files · 0 functions/classes

Dependencies

Depends on: CI/CD & Config (2), Utilities & Crosswalks (2), NBA Stats API (1), Basketball-Reference, RealGM & Aux Sources (1)

Depended on by: CI/CD & Config (1)

Files

[vignettes/cbbd-college-basketball-data.Rmd](#) ([documentation](#), [vignette](#), [cbbd](#), [mbb](#))

Vignette documenting the CollegeBasketballData (CBD/CBBD) endpoints in hoopR, including API-key registration and worked examples for conferences, teams, venues, and other reference data.

[vignettes/espn-endpoints.Rmd](#) ([documentation](#), [vignette](#), [espn](#), [nba](#))

Comprehensive vignette walking through hoopR's ESPN NBA and MBB endpoint surface, organized by use case with worked examples (news, scores, schedules, rosters, and more).

[vignettes/getting-started-hoopR.Rmd](#) ([documentation](#), [vignette](#), [getting-started](#), [tutorial](#))

Getting-started vignette covering hoopR installation, a quick-start example, and credits to authors and contributors.

[vignettes/kenpom-example-functions.Rmd](#) ([documentation](#), [vignette](#), [kenpom](#), [mbb](#))

Vignette demonstrating the KenPom (kp_*) ratings, team, and historical table functions in hoopR with example calls.

[vignettes/mbb-cookbook.Rmd](#) ([documentation](#), [vignette](#), [cookbook](#), [mbb](#))

Recipe-style men's college basketball cookbook vignette stitching together hoopR loaders (schedule, PBP, KenPom tempo-free metrics) into end-to-end analysis workflows.

[vignettes/nba-cookbook.Rmd](#) ([documentation](#), [vignette](#), [cookbook](#), [nba](#))

Recipe-style NBA cookbook vignette showing how to combine hoopR's ESPN and NBA Stats loaders at different levels of detail (game summary, box scores, play-by-play) into worked analysis examples.

[CLAUDE.md](#) ([documentation](#), [development](#), [conventions](#), [ai-guide](#))

AI/contributor development guide for hoopR documenting the package overview (270+ functions across nba_/espn_/kp_* families), branching/PR workflow, NBA Stats API function pattern, V2-vs-V3 differences, null-

safety and return-value initialization conventions, the httr2 HTTP layer with proxy support, testing gates, and the NEWS/cran-comments/_pkgdown release triad.

`CODE_OF_CONDUCT.md` (*documentation, community, governance, code-of-conduct*)

Standard Contributor Covenant code of conduct defining community pledge, behavioral standards, enforcement responsibilities, scope, and a four-tier enforcement guideline (correction through permanent ban).

`CONTRIBUTING.md` (*documentation, development, contributing, conventions*)

Contributor onboarding guide covering development setup, the devel-branch workflow, the step-by-step recipe for adding a new NBA Stats API endpoint, function naming conventions, roxygen documentation rules, testing gates with environment variables, CI/GitHub Actions, and commit-message standards.

`LICENSE.md` (*documentation, license, mit, legal*)

MIT license text for the hoopR package.

`NEWS.md` (*documentation, changelog, release-notes, versioning*)

Full release changelog from v0.0.0.9 through v3.1.0, documenting new exported functions, behavior changes, deprecations, and internals per version — including the 3.1.0 cross-source crosswalks, Fox Sports / CBD / Torvik / Basketball-Reference / RealGM wrappers, and the 3.0.0 httr-to-httr2 and usethis-to-cli migrations.

`README.md` (*documentation, entry-point, overview, quick-start*)

Project landing page (rendered from README.Rmd) with badges, installation instructions, quick-start examples for loading full NBA (2002–2026) and men's college basketball (2006–2026) play-by-play seasons, documentation links, breaking-change notes, authors, contributors, and citations.

`cran-comments.md` (*documentation, cran, release, submission-notes*)

CRAN submission notes for v3.1.0 summarizing the release themes (NBA schedule CDN migration, proxy-support regression fix, three-column @return table upgrade), per-source wrapper additions, R CMD check results, and revdepcheck results.

`data-raw/gap_analysis.md` (*documentation, gap-analysis, nba-stats, api-coverage*)

Coverage gap analysis comparing the Python nba_api endpoints (146) against hoopR's nba_* exports (184), listing missing endpoints by priority, deprecation candidates, and hoopR-only extras.

`data-raw/get_exported_functions.R` (*script, data-prep, introspection, code-generation*)

Developer data-prep script using pkgapi to map the package, extract exported function definitions and their parameters, and write CSV manifests of exported functions and nba_stats parameters.

`data-raw/intro-to-hoopR.Rmd` (*documentation, tutorial, kenpom, getting-started*)

R Markdown tutorial walking new users through acquiring KenPom men's college basketball data with hoopR, including configuring KP_USER/KP_PW credentials and the kp_scraping functions.

`data-raw/markdown_man_table_helper.R` (*script, documentation-helper, roxygen, code-generation*)

Authoring helper snippets that emit column-name/type markdown tables and roxygen documentation blocks for NBA Stats data frames, easing manual @return table maintenance.

`data-raw/mbb_teams.R` (*script, data-prep, team-crosswalk, mbb*)

Short exploratory script joining NCAA men's basketball team listings with ESPN MBB teams to reconcile team-name keys across sources.

`data-raw/PR_devel.md` (*documentation, pull-request, changelog, development*)

Drafted pull-request writeup documenting a development PR's new functions, bug fixes, documentation, infrastructure changes, and testing notes for the devel branch.

`data-raw/pull_coach_links.R` (*script, web-scraping, kenpom, data-prep*)

KenPom scraping script that logs in and parses a team page to extract coach names and profile link references, building a coaches reference table.

`data-raw/pull_nba_teams.R` (*script, data-prep, nba-stats, dataset-builder*)

Data generator that pulls NBA league standings via nba_leaguestandingsv3, joins to ESPN NBA teams, and writes the bundled nba_teams dataset with usethis::use_data.

`data-raw/pull_team_links.R` (*script, web-scraping, kenpom, dataset-builder*)

KenPom scraping loop spanning seasons that harvests team and conference page links per year, joins against ncaahoopR dictionaries, and persists the bundled teams_links dataset.

`data-raw/pull_team_page.R` (*script, web-scraping, kenpom, data-prep*)

Large KenPom team-page harvester defining gather_team_pages() to scrape coaches, schedules, depth charts, and player stats per team and year into bundled data frames.

`data-raw/sdv_author_helpers.R` (*script, utility, introspection, metadata*)

Small helper script that summarizes installed-package authorship/maintainer fields to support SportsDataverse author/credit tabulation.

`data-raw/selenium try.R` (*script, web-scraping, selenium, experimental*)

Experimental RSelenium scratch script launching headless Chrome to render and scrape the KenPom rankings table as an alternative to the rvest session approach.

`data-raw/team_page_calls.R` (*script, web-scraping, kenpom, driver*)

Driver script that sources pull_team_page.R and invokes gather_team_pages() season-by-season (most calls commented out) against an authenticated KenPom session.