



wehoop :: CHEAT SHEET

wehoop is the SportsDataverse R package for women's basketball: the WNBA and NCAA women's college basketball (WBB). It covers play-by-play, box scores, schedules, rosters, standings and season stats from ESPN, the WNBA Stats API (stats.wnba.com), Fox Sports, Basketball-Reference and Bart Torvik, plus pre-built release datasets. Men's sibling: [hoopR](#); Python mirror: [sportsdataverse.wbb](#) / [sportsdataverse.wnba](#). Page 1 of 2: loaders, ESPN live, other sources.

v3.0.0

R ≥ 4.1.0 · 434 exports · MIT
[wehoop.sportsdataverse.org](#)

GET STARTED

```
install.packages("wehoop")          # CRAN
pak::pak("sportsdataverse/wehoop")  # dev
library(wehoop)
progressr::with_progress({ # progress bars
  pbp <- load_wbb_pbp(seasons = 2024)
})
```

Four families: `load_*` release-dataset loaders (fast, no scraping), `espn_wbb_*` / `espn_wnba_*` live ESPN, `wnba_*` stats.wnba.com (page 2), and other sources (`fox_*`, `bref_wnba_*`, `bart_wbb_*`, `hhs_*`, `ncaa_wbb_*`). Everything returns a tibble or a named list of tibbles.

SEASONS & HELPERS

Helper	Meaning
<code>most_recent_wbb_season()</code>	WBB season = end year; rolls over Oct 1 (2025 = 2024-25)
<code>most_recent_wnba_season()</code>	WNBA season = calendar year; rolls over May 1
<code>most_recent_wnba_stats_season()</code>	same as WNBA (stats.wnba.com loaders)
<code>year_to_season(2023)</code>	"2023-24" span string

Loader season floors: WBB pbp 2004, boxes 2006, schedule 2002; WNBA pbp/boxes 2002-03; `load_wnba_stats_*` 1997.

DATA LOADERS · WBB

Read from the `sportsdataverse/sportsdataverse-data-releases` (tags `espn_womens_college_basketball_*`), built by the `wehoop-wbb-data` pipeline. `seasons` = vector of end-years, or `TRUE` for all.

```
load_wbb_pbp(seasons = 2022:2025)
load_wbb_team_box(seasons = TRUE)
load_wbb_{player_box,schedule,rosters}(2025)
load_wbb_{player_stats,team_stats}(2025)
load_wbb_{standings,shots,game_rosters}(2025)
load_wbb_{officials,player_core}(2025)
load_wbb_{ratings,player_value}(2025)
```

Each non-core dataset has a `load_wbb<dataset>_manifest()` twin (season/asset/build inventory).

DATA LOADERS · WNBA

Same datasets as WBB (tags `espn_wnba_*`, built by `wehoop-wnba-data`) plus `load_wnba_draft()`:

```
load_wnba_pbp(seasons = 2024:2025)
load_wnba_{team_box,player_box}(2025)
load_wnba_{schedule,draft}(2025)
load_wnba_player_impact(2025) # 1997+
```

WNBA Stats API datasets (wehoop-wnba-stats-data)

stats.wnba.com artifacts, 1997+, one release tag each — `load_wnba_stats<dataset>()` for schedule pbp `player_game_logs` rosters coaches standings draft shots officials `game_rosters` leaguedash possessions:

```
load_wnba_stats_{pbp,schedule}(2025)
load_wnba_stats_player_game_logs(2025)
# deprecated shims over the leaguedash cube:
load_wnba_stats_{player_stats,lineups}(2025)
```

LOCAL DATABASE

```
update_wbb_db(dbdir = ".", # RSQLite
  dbname = "wehoop_db",
  tblname = "wehoop_wbb_pbp")
update_wbb_db(datasets = c("rosters","shots"),
  seasons = 2022:2025) # one table each
update_wnba_db()
update_wnba_stats_db(datasets = "pbp")
# every loader can write to a DBI connection
load_wnba_pbp(2025, dbConnection = con,
  tablename = "pbp")
```

datasets values: pbp team_box player_box schedule rosters player_stats team_stats standings shots game_rosters officials; tables named `wbb<dataset>` / `wnba<dataset>`.

CROSSWALKS

Link ESPN, WNBA Stats, Fox and Torvik ids:

```
{wnba,wbb}_{team,schedule,player}_crosswalk()
builders + load_*_crosswalk() cached twins. Keys:
espn_team_id / espn_game_id.
```

ESPN LIVE · GAME DATA

Identical surface for both leagues: `swap espn_wbb_ for espn_wnba_`.

```
espn_wbb_game_all(401276115) # pbp + boxes
espn_wbb_pbp(401498717) # pbp tibble
espn_wbb_team_box(401276115)
espn_wbb_player_box(401276115)
espn_wbb_game_rosters(401276115)
espn_wnba_pbp(401455681)
espn_wnba_game_all(401455681)
```

Schedules, teams & league

```
espn_wbb_scoreboard("20230225") # YYYYMMDD
espn_wbb_teams(year = 2025); espn_wnba_teams()
espn_wbb_standings(2021)
espn_wnba_standings(2024)
espn_wbb_rankings(); espn_wbb_conferences()
espn_wbb_leaders(2025, season_type = 2)
espn_wbb_injuries(2025)
espn_wbb_powerindex(2025) # BPI
espn_wnba_draft(2025)
espn_wnba_freeagents(2025)
```

Also `espn*_calendar*_news_`.
`espn_wnba_transactions*_futures_`.

ESPN LIVE · TEAM & PLAYER

```
espn_wbb_team_roster(52, season = 2025)
espn_wbb_team_schedule(52, season = 2025,
  season_type = 2)
espn_wbb_team_stats(2509, year = 2020,
  season_type = "regular", total = FALSE)
espn_wbb_player_stats(2984250, year = 2022)
espn_wbb_player_gamelog(2984250, 2022)
espn_wbb_athletes_index(2025, active = TRUE)
espn_wnba_team_record(5, season = 2025)
espn_wnba_player_career_stats(athlete_id)
```

Core-v2 expansion (~100 per league): `espn*_player_info` / `_splits` / `_awards`, `_season_*_game_*_coach*` / `_franchise*`, `_position*` `_venues` `_tournament*` (WBB), `_draft_*` (WNBA).
`helper_espn*_pbp/team_box/player_box` parse a raw payroll.

OTHER SOURCES

Fox Sports (Bifrost)

```
fox_wnba_pbp("2215")
fox_wbb_boxscore(game_id)
fox_wbb_teams("11"); fox_wbb_teams_all()
fox_wnba_team_roster(team_id)
fox_wbb_team_gamelog(team_id)
fox_wbb_standings(team_id)
fox_wnba_odds(game_id)
fox_wbb_league_leaders(category = "scoring",
  who = "player")
```

Basketball-Reference · Torvik · NCAA · HHS

```
bref_wnba_player_stats(2025, "per_game")
bref_wnba_team_stats(2025)
bref_wnba_standings(2025)
bart_wbb_ratings(2025)
bart_wbb_game_schedule(2025)
ncaa_wbb_NET_rankings()
ncaa_wbb_teams(2025, division = 1)
Sys.setenv(HERHOOPSTATS_EMAIL = "...",
  HERHOOPSTATS_PW = "...")
hhs_teams(2024, 2025) # min, max season
hhs_team_roster(team_link)
hhs_team_stats(team_link)
```

HHS is a subscription site: pass `email` / `password` or set the env vars.

TYPICAL PIPELINE

```
library(dplyr)
box <- load_wnba_player_box(2025)
box |> filter(!did_not_play) |>
  group_by(athlete_id,
    athlete_display_name) |>
  summarise(pts = sum(points), g = n(),
    .groups = "drop") |>
  arrange(desc(pts))
```

SPORTSDATAVERSE LINKS

hoopR	men's twin (NBA + MBB), same function shapes
wbigballR	stats.ncaa.org WBB pbp / lineups (port in <code>sdv-py</code> <code>ncaa_wbb_*</code>)
sportsdataverse.wnba	Python: <code>load_wnba_pbp</code> , <code>espn_wnba_pbp</code> , <code>wnba_stats_*</code> (95 wrappers)
sportsdataverse.wbb	Python: <code>load_wbb_*</code> , <code>espn_wbb_*</code> , <code>ncaa_wbb_*</code>
data repos	<code>wehoop-wbb-data</code> · <code>wehoop-wnba-data</code> · <code>wehoop-wnba-stats-data</code> (+ <code>-raw</code>)



STATS.WNBA.COM · WNBA_*

CONVENTIONS

Argument	Default / values
league_id	'10' (WNBA)
season	most_recent_wnba_season() (or -1), 4-digit year
season_type	'Regular Season' · 'Playoffs'
per_mode	'Totals' · 'PerGame' · 'Per100Possessions'
measure_type	'Base' · 'Advanced' · 'Misc' · 'Scoring' · 'Usage'
player_id / team_id	stats.wnba.com ids as strings, e.g. '1628932' / '1611661317'
game_id	10-char zero-padded, e.g. '1022400003'

Every wrapper returns a named list of tibbles (one per result set). The ids differ from ESPN's: bridge with `wnba_team_crosswalk()` / `wnba_player_crosswalk()`.

PLAY-BY-PLAY & LIVE

<code>wnba_pbp("1022400003", on_court = TRUE, version = "v3")</code> # players on court
<code>wnba_pbps(c("1022400003", "1022400004"))</code>
<code>wnba_playbyplayv3(game_id, start_period = 0, end_period = 0)</code>
<code>wnba_live_pbp(game_id)</code>
<code>wnba_live_boxscore(game_id)</code>
<code>wnba_data_pbp(game_id)</code> # data.wnba.com feed
<code>wnba_gamerotation(game_id, rotation_stat = "PLAYER PTS")</code>

BOX SCORES (GAME_ID)

v3 (current)	v2 (legacy)
<code>wnba_boxscore_traditionalv3</code>	<code>wnba_boxscore_traditionalv2</code>
<code>wnba_boxscore_advancedv3</code>	<code>wnba_boxscore_advancedv2</code>
<code>wnba_boxscore_fourfactorsv3</code>	<code>wnba_boxscore_fourfactorsv2</code>
<code>wnba_boxscoremiscv3</code>	<code>wnba_boxscoremiscv2</code>
<code>wnba_boxscore_scoringv3</code>	<code>wnba_boxscorescoringv2</code>
<code>wnba_boxscoreusagev3</code>	<code>wnba_boxscoreusagev2</code>
<code>wnba_boxscore_playertrackv3</code>	<code>wnba_boxscore_playertrackv2</code>
<code>wnba_boxscore_summaryv3</code>	<code>wnba_boxscoresummaryv2</code>
<code>wnba_boxscorehustlev2</code>	<code>wnba_hustlestats_boxscore</code>
<code>wnba_boxscoretraditionalv3("1022200034", start_period = 0, end_period = 14)</code>	

LEAGUE DASHBOARDS

<code>wnba_leaguedashplayerstats(season = 2025, per_mode = "PerGame", measure_type = "Advanced")</code>
<code>wnba_leaguedashteamstats(season = 2025)</code>
<code>wnba_leaguedashplayerbiostats(season = 2025)</code>
<code>wnba_leaguedash{player, team}clutch()</code>
<code>wnba_leaguedashplayershotlocations()</code>
<code>wnba_leaguedashteamshotlocations(distance_range = "By Zone")</code>
<code>wnba_leaguegamealog(2025, player_or_team = "T")</code>
<code>wnba_leaguegamefinder(2025, ...)</code> # 100+ args
<code>wnba_leaguestandingsv3(season = 2025)</code>
<code>wnba_leagueleaders(season = 2025, stat_category = "PTS", per_mode = "Totals", scope = "S")</code>

Hustle

<code>wnba_leaguehustlestatsplayer</code>
<code>wnba_leaguehustlestatsplayerleaders</code>
<code>wnba_leaguehustlestatsteam</code>
<code>wnba_leaguehustlestatsteamleaders(season, per_mode)</code>

LINEUPS & ON/OFF

<code>wnba_leaguedashlineups(season = 2025, group_quantity = 5)</code>
<code>wnba_teamdashlineups(team_id, season = 2025)</code>
<code>wnba_leaguelineupviz()</code>
<code>wnba_leagueseasonmatchups()</code>
<code>wnba_leagueplayerondetails(team_id)</code>
<code>wnba_teamplayeronoff{summary, details}(team_id)</code>
<code>wnba_fantasywidget()</code>
<code>wnba_playerestimatedmetrics(2025)</code>
<code>wnba_teamestimatedmetrics(season = 2025)</code>

LEADERS, FRANCHISE & CUME

<code>wnba_alltimeleadersgrids(per_mode = "PerGame", top_x = 10)</code>
<code>wnba_assistleaders()</code> ; <code>wnba_assisttracker()</code>
<code>wnba_homepage{leaders, v2, widget}()</code>
<code>wnba_leaderstiles()</code>
<code>wnba_franchisehistory()</code>
<code>wnba_franchiseplayers(team_id)</code>
<code>wnba_franchiseleaders(team_id = "1611661324")</code>
<code>wnba_franchiseleaderswrnk(team_id)</code>
<code>wnba_cumestatstatsplayer(game_ids = "1022200018", player_id = "204319", season = "2021-22")</code>
<code>wnba_cumestatstatsteam(game_ids, team_id)</code>
<code>wnba_cumestats{player, team}games(...)</code>

PLAYERS

<code>wnba_playerindex(2025, historical = 1)</code>
<code>wnba_commonallplayers(is_only_current_season = 1)</code>
<code>wnba_commonplayerinfo(player_id = "1628932")</code>
<code>wnba_playercareerstats(player_id = "1628932", per_mode = "PerGame")</code>
<code>wnba_playerprofilev2(player_id = "1628932")</code>
<code>wnba_playergamealog("1628932", season = 2025)</code>
<code>wnba_playergamealogs(2025)</code> # all players
<code>wnba_player{awards, headshot}(player_id)</code>
<code>wnba_playervsplayer(player_id, vs_player_id)</code>
<code>wnba_playercompare()</code>
<code>wnba_playernextngames(player_id)</code>
<code>wnba_playergamestreakfinder(...)</code>
<code>wnba_playercareerbycollege(college = "...")</code>
<code>wnba_playercareerbycollege-rollup()</code>
<code>wnba_playerfantasyprofile(player_id)</code>
<code>wnba_playerfantasyprofilebargraph(player_id)</code>
<code>wnba_infographicfanduelplayer(game_id)</code>

Player dashboards (player_id, season, measure_type)

<code>wnba_playerdashboardby + generalsplits · clutch · gamesplits · lastngames · opponent · shootingsplits · teamperformance · yearoveryear.</code>
--

<code>wnba_playerdashboardbygeneralsplits(player_id = "1628932", season = 2025, measure_type = "Base")</code>

TEAMS

<code>wnba_teams()</code> # id / slug directory
<code>wnba_teaminfocommon(team_id, season = 2025)</code>
<code>wnba_teamdetails(team_id)</code>
<code>wnba_commonteamroster(team_id, season = 2025)</code>
<code>wnba_teamgamealog(team_id, season = 2025)</code>
<code>wnba_teamgamealogs(2025)</code> # all teams
<code>wnba_teamyearbyyearstats(team_id, per_mode = "Totals")</code>
<code>wnba_teamhistoricalleaders(team_id)</code>
<code>wnba_teamplayerdashboard(team_id, 2025)</code>
<code>wnba_teamvsplayer(team_id, vs_player_id)</code>
<code>wnba_teamgamestreakfinder(...)</code>

Team dashboards (team_id, season, measure_type)

<code>wnba_teamdashboardby + generalsplits · clutch · gamesplits · lastngames · opponent · shootingsplits · teamperformance · yearoveryear.</code>
--

OFFICIATING DEV

<code>wnba_referee_assignments("2025-06-26")</code>
official.nba.com crews · dev version only

SCHEDULE & SCOREBOARD

<code>wnba_schedule(season = 2025)</code> # full season
<code>wnba_scoreboardv3(game_date = "2025-06-26")</code>
<code>wnba_scoreboardv2("2025-06-26")</code> # day_offset
<code>wnba_scoreboard(game_date = "2025-06-26")</code>
<code>wnba_todays_scoreboard()</code>
<code>wnba_commonplayoffseries(season = 2024)</code>

DRAFT

<code>wnba_drafthistory(season = 2025)</code>
<code>wnba_draftboard(season = 2025)</code>
<code>wnba_draftcombinestats(season_year = 2025)</code>
<code>wnba_draftcombinedrillresults()</code>
<code>wnba_draftcombineplayeranthro()</code>
<code>wnba_draftcombinespotshooting()</code>
<code>wnba_draftcombinenonstationaryshooting()</code>

SHOT CHARTS & VIDEO

<code>wnba_shotchartdetail(player_id = "1628932", season = 2025, context_measure = "FGA")</code>
^ team_id = 0 → all teams
<code>wnba_shotchartleaguewide(season = 2025)</code>
<code>wnba_shotchartlineupdetail(...)</code>
<code>wnba_shot_zones("1022400003")</code> # zone-tagged
<code>wnba_videoevents(game_id = "1022200075", game_event_id = "10")</code>
<code>wnba_videodetails(...)</code>
<code>wnba_videodetailsasset(...)</code>
<code>wnba_videostatus(...)</code>

POSSESSIONS & RAPM

<code>poss <- wnba_possession_lineups("1022400003")</code>
per possession: off/def_player_1..5, points
<code>poss <- dplyr::bind_rows(lapply(game_ids, wnba_possession_lineups))</code>
<code>rapm <- wnba_rapm(poss)</code> # glmnet ridge

Season-scale inputs without scraping:

<code>load_wnba_stats_pbp()</code> / <code>load_wnba_stats_lineups()</code> (page 1).

NCAA (STATS.NCAA.ORG)

<code>ncaa_wbb_NET_rankings()</code> # current NET
<code>ncaa_wbb_teams(year = 2025, division = 1)</code>
<code>load_ncaa_wbb_{pbp, possessions, lineups, shots, rapm, team_box, player_box, rosters, ...}()</code>
^ pre-built release datasets

Scrape-side: `wbigballR` or the Python port `sportsdataverse.wbb.ncaa_wbb_*`; the `load_ncaa_wbb_*` loaders read the pre-built releases (incl. `rapm / rapm_within_team`).



wehoop :: CHEAT SHEET

wehoop is the SportsDataverse R package for women's basketball: the WNBA and NCAA women's college basketball (WBB). It covers play-by-play, box scores, schedules, rosters, standings and season stats from ESPN, the WNBA Stats API (stats.wnba.com), Fox Sports, Basketball-Reference and Bart Torvik, plus pre-built release datasets. Men's sibling: [hoopR](#); Python mirror: [sportsdataverse.wbb](#) / [sportsdataverse.wnba](#). Page 1 of 2: loaders, ESPN live, other sources.

v3.0.0

R ≥ 4.1.0 · 434 exports · MIT
wehoop.sportsdataverse.org

GET STARTED

```
install.packages("wehoop")          # CRAN
pak::pak("sportsdataverse/wehoop")  # dev
library(wehoop)
progressr::with_progress({          # progress bars
  pbp <- load_wbb_pbp(seasons = 2024)
})
```

Four families: `load_*` release-dataset loaders (fast, no scraping), `espn_wbb_*` / `espn_wnba_*` live ESPN, `wnba_*` stats.wnba.com (page 2), and other sources (`fox_*`, `bref_wnba_*`, `bart_wbb_*`, `hhs_*`, `ncaa_wbb_*`). Everything returns a tibble or a named list of tibbles.

SEASONS & HELPERS

Helper	Meaning
<code>most_recent_wbb_season()</code>	WBB season = end year; rolls over Oct 1 (2025 = 2024-25)
<code>most_recent_wnba_season()</code>	WNBA season = calendar year; rolls over May 1
<code>most_recent_wnba_stats_season()</code>	same as WNBA (stats.wnba.com loaders)
<code>year_to_season(2023)</code>	"2023-24" span string

Loader season floors: WBB pbp 2004, boxes 2006, schedule 2002; WNBA pbp/boxes 2002-03; `load_wnba_stats_*` 1997.

DATA LOADERS · WBB

Read from the `sportsdataverse/sportsdataverse-data` releases (tags `espn_womens_college_basketball_*`), built by the `wehoop-wbb-data` pipeline. `seasons` = vector of end-years, or `TRUE` for all.

```
load_wbb_pbp(seasons = 2022:2025)
load_wbb_team_box(seasons = TRUE)
load_wbb_{player_box,schedule,rosters}(2025)
load_wbb_{player_stats,team_stats}(2025)
load_wbb_{standings,shots,game_rosters}(2025)
load_wbb_{officials,player_core}(2025)
load_wbb_{ratings,player_value}(2025)
```

Each non-core dataset has a `load_wbb_<dataset>_manifest()` twin (season/asset/build inventory).

DATA LOADERS · WNBA

Same datasets as WBB (tags `espn_wnba_*`, built by `wehoop-wnba-data`) plus `load_wnba_draft()`:

```
load_wnba_pbp(seasons = 2024:2025)
load_wnba_{team_box,player_box}(2025)
load_wnba_{schedule,draft}(2025)
load_wnba_player_impact(2025)      # 1997+
```

WNBA Stats API datasets (wehoop-wnba-stats-data)

stats.wnba.com artifacts, 1997+, one release tag each — `load_wnba_stats_<dataset>()` for schedule pbp `player_game_logs` rosters coaches standings draft shots officials `game_rosters` `leaguedash` possessions:

```
load_wnba_stats_{pbp,schedule}(2025)
load_wnba_stats_player_game_logs(2025)
# deprecated shims over the leaguedash cube:
load_wnba_stats_{player_stats,lineups}(2025)
```

LOCAL DATABASE

```
update_wbb_db(dbdir = ".",      # RSQLite
              dbname = "wehoop_db",
              tblname = "wehoop_wbb_pbp")
update_wbb_db(datasets = c("rosters","shots"),
              seasons = 2022:2025)  # one table each
update_wnba_db()
update_wnba_stats_db(datasets = "pbp")
# every loader can write to a DBI connection
load_wnba_pbp(2025, dbConnection = con,
              tablename = "pbp")
```

datasets values: pbp team_box player_box schedule rosters player_stats team_stats standings shots `game_rosters` officials; tables named `wbb_<dataset>` / `wnba_<dataset>`.

CROSSWALKS

Link ESPN, WNBA Stats, Fox and Torvik ids: `{wnba,wbb}_ {team,schedule,player}_crosswalk()` builders + `load_*` `crosswalk()` cached twins. Keys: `espn_team_id` / `espn_game_id`.

ESPN LIVE · GAME DATA

Identical surface for both leagues: `swap_espn_wbb_` for `espn_wnba_`.

```
espn_wbb_game_all(401276115)      # pbp + boxes
espn_wbb_pbp(401498717)           # pbp tibble
espn_wbb_team_box(401276115)
espn_wbb_player_box(401276115)
espn_wbb_game_rosters(401276115)
espn_wnba_pbp(401455681)
espn_wnba_game_all(401455681)
```

Schedules, teams & league

```
espn_wbb_scoreboard("20230225")  # YYYYMMDD
espn_wbb_teams(year = 2025); espn_wnba_teams()
espn_wbb_standings(2021)
espn_wnba_standings(2024)
espn_wbb_rankings(); espn_wbb_conferences()
espn_wbb_leaders(2025, season_type = 2)
espn_wbb_injuries(2025)
espn_wbb_powerindex(2025)        # BPI
espn_wnba_draft(2025)
espn_wnba_freeagents(2025)
```

Also `espn_*` `calendar` · `_news` · `espn_wnba_transactions` · `_futures`.

ESPN LIVE · TEAM & PLAYER

```
espn_wbb_team_roster(52, season = 2025)
espn_wbb_team_schedule(52, season = 2025,
                      season_type = 2)
espn_wbb_team_stats(2509, year = 2020,
                  season_type = "regular", total = FALSE)
espn_wbb_player_stats(2984250, year = 2022)
espn_wbb_player_game_log(2984250, 2022)
espn_wbb_athletes_index(2025, active = TRUE)
espn_wnba_team_record(5, season = 2025)
espn_wnba_player_career_stats(athlete_id)
```

Core-v2 expansion (~100 per league): `espn_*` `_player_info` / `_splits` / `_awards`, `_season_*` `_game_*` `_coach_*` `_franchise_*`, `_position_*` `_venues` `_tournament_*` (WBB), `_draft_*` (WNBA). `helper_espn_*` `pbp/team_box/player_box` parse a raw payload.

OTHER SOURCES

Fox Sports (Bifrost)

```
fox_wnba_pbp("2215")
fox_wbb_boxscore(game_id)
fox_wbb_teams("11"); fox_wbb_teams_all()
fox_wnba_team_roster(team_id)
fox_wbb_team_game_log(team_id)
fox_wbb_standings(team_id)
fox_wnba_odds(game_id)
fox_wbb_league_leaders(category = "scoring",
                      who = "player")
```

Basketball-Reference · Torvik · NCAA · HHS

```
bref_wnba_player_stats(2025, "per_game")
bref_wnba_team_stats(2025)
bref_wnba_standings(2025)
bart_wbb_ratings(2025)
bart_wbb_game_schedule(2025)
ncaa_wbb_NET_rankings()
ncaa_wbb_teams(2025, division = 1)
Sys.setenv(HERHOOPSTATS_EMAIL = "...",
           HERHOOPSTATS_PW = "...")
hhs_teams(2024, 2025)  # min, max season
hhs_team_roster(team_link)
hhs_team_stats(team_link)
```

HHS is a subscription site: pass `email` / `password` or set the env vars.

TYPICAL PIPELINE

```
library(dplyr)
box <- load_wnba_player_box(2025)
box |> filter(!did_not_play) |>
  group_by(athlete_id,
           athlete_display_name) |>
  summarise(pts = sum(points), g = n(),
            ,groups = "drop") |>
  arrange(desc(pts))
```

SPORTSDATVERSE LINKS

hoopR	men's twin (NBA + MBB), same function shapes
wbigballR	stats.ncaa.org WBB pbp / lineups (port in <code>sdv-py</code> <code>ncaa_wbb_*</code>)
sportsdataverse.wnba	Python: <code>load_wnba_pbp</code> , <code>espn_wnba_pbp</code> , <code>wnba_stats_*</code> (95 wrappers)
sportsdataverse.wbb	Python: <code>load_wbb_*</code> , <code>espn_wbb_*</code> , <code>ncaa_wbb_*</code>
data repos	<code>wehoop-wbb-data</code> · <code>wehoop-wnba-data</code> · <code>wehoop-wnba-stats-data</code> (+ <code>-raw</code>)



STATS.WNBA.COM · WNBA_*

CONVENTIONS

Argument	Default / values
league_id	'10' (WNBA)
season	most_recent_wnba_season() (or -1), 4-digit year
season_type	'Regular Season' · 'Playoffs'
per_mode	'Totals' · 'PerGame' · 'Per100Possessions'
measure_type	'Base' · 'Advanced' · 'Misc' · 'Scoring' · 'Usage'
player_id / team_id	stats.wnba.com ids as strings, e.g. '1628932' / '1611661317'
game_id	10-char zero-padded, e.g. "1022400003"

Every wrapper returns a named list of tibbles (one per result set). The ids differ from ESPN's: bridge with `wnba_team_crosswalk()` / `wnba_player_crosswalk()`.

PLAY-BY-PLAY & LIVE

<code>wnba_pbp("1022400003", on_court = TRUE, version = "v3")</code> # players on court
<code>wnba_pbps(c("1022400003", "1022400004"))</code>
<code>wnba_playbyplayv3(game_id, start_period = 0, end_period = 0)</code>
<code>wnba_live_pbp(game_id)</code>
<code>wnba_live_boxscore(game_id)</code>
<code>wnba_data_pbp(game_id)</code> # data.wnba.com feed
<code>wnba_gamerotation(game_id, rotation_stat = "PLAYER_PTS")</code>

BOX SCORES (GAME_ID)

v3 (current)	v2 (legacy)
<code>wnba_boxscore</code>	<code>wnba_boxscore</code>
<code>traditionalv3</code>	<code>traditionalv2</code>
<code>wnba_boxscore</code>	<code>wnba_boxscoreadvancedv2</code>
<code>advancedv3</code>	
<code>wnba_boxscore</code>	<code>wnba_boxscore</code>
<code>fourfactorsv3</code>	<code>fourfactorsv2</code>
<code>wnba_boxscoremiscv3</code>	<code>wnba_boxscoremiscv2</code>
<code>wnba_boxscorescoringv3</code>	<code>wnba_boxscorescoringv2</code>
<code>wnba_boxscoreusagev3</code>	<code>wnba_boxscoreusagev2</code>
<code>wnba_boxscore</code>	<code>wnba_boxscore</code>
<code>playertrackv3</code>	<code>playertrackv2</code>
<code>wnba_boxscoresummaryv3</code>	<code>wnba_boxscoresummaryv2</code>
<code>wnba_boxscorehustlev2</code>	<code>wnba_hustlestats</code>
<code>boxscore</code>	
<code>wnba_boxscoretraditionalv3("1022200034", start_period = 0, end_period = 14)</code>	

LEAGUE DASHBOARDS

```
wnba_leaguedashplayerstats(season = 2025,
  per_mode = "PerGame",
  measure_type = "Advanced")
wnba_leaguedashteamstats(season = 2025)
wnba_leaguedashplayerbiostats(season = 2025)
wnba_leaguedash{player, team}clutch()
wnba_leaguedashplayershotlocations()
wnba_leaguedashteamshotlocations(
  distance_range = "By Zone")
wnba_leaguegamelog(2025, player_or_team = "T")
wnba_leaguegamefinder(2025, ...) # 100+ args
wnba_leaguestandingsv3(season = 2025)
wnba_leagueleaders(season = 2025,
  stat_category = "PTS", per_mode = "Totals",
  scope = "S")
```

Hustle

```
wnba_leaguehustlestatsplayer ·
wnba_leaguehustlestatsplayerleaders ·
wnba_leaguehustlestatsteam ·
wnba_leaguehustlestatsteamleaders(season,
  per_mode).
```

LINEUPS & ON/OFF

```
wnba_leaguedashlineups(season = 2025,
  group_quantity = 5)
wnba_teamdashlineups(team_id, season = 2025)
wnba_leaguelineupviz()
wnba_leagueseasonmatchups()
wnba_leagueplayerondetails(team_id)
wnba_teamplayeronoff{summary, details}(team_id)
wnba_fantasywidget()
wnba_playerestimatedmetrics(2025)
wnba_teamestimatedmetrics(season = 2025)
```

LEADERS, FRANCHISE & CUME

```
wnba_alltimeleadersgrids(per_mode = "PerGame",
  top_x = 10)
wnba_assistleaders(); wnba_assisttracker()
wnba_homepage{leaders, v2, widget}()
wnba_leaderstyles()
wnba_franchisehistory()
wnba_franchiseplayers(team_id)
wnba_franchiseleaders(team_id = "1611661324")
wnba_franchiseleaderswrnk(team_id)
wnba_cumestatsplayer(game_ids = "1022200018",
  player_id = "204319", season = "2021-22")
wnba_cumestatsteam(game_ids, team_id)
wnba_cumestats{player, team}games(...)
```

PLAYERS

```
wnba_playerindex(2025, historical = 1)
wnba_commonallplayers(
  is_only_current_season = 1)
wnba_commonplayerinfo(player_id = "1628932")
wnba_playercareerstats(player_id = "1628932",
  per_mode = "PerGame")
wnba_playerprofilev2(player_id = "1628932")
wnba_playergamelog("1628932", season = 2025)
wnba_playergamelogs(2025) # all players
wnba_player{awards, headshot}(player_id)
wnba_playervsplayer(player_id, vs_player_id)
wnba_playercompare()
wnba_playernextngames(player_id)
wnba_playergamestreakfinder(...)
wnba_playercareerbycollege(college = "...")
wnba_playercareerbycollegerollup()
wnba_playerfantasyprofile(player_id)
wnba_playerfantasyprofilebargraph(player_id)
wnba_infographicfanduelplayer(game_id)
```

Player dashboards (player_id, season, measure_type)

```
wnba_playerdashboardby + generalsplits · clutch ·
gamesplits · lastngames · opponent · shootingsplits ·
teamperformance · yearoveryear.
```

```
wnba_playerdashboardbygeneralsplits(
  player_id = "1628932", season = 2025,
  measure_type = "Base")
```

TEAMS

```
wnba_teams() # id / slug directory
wnba_teaminfocommon(team_id, season = 2025)
wnba_teamdetails(team_id)
wnba_commonteamroster(team_id, season = 2025)
wnba_teamgamelog(team_id, season = 2025)
wnba_teamgamelogs(2025) # all teams
wnba_teamyearbyyearstats(team_id,
  per_mode = "Totals")
```

```
wnba_teamhistoricalleaders(team_id)
wnba_teamplayerdashboard(team_id, 2025)
wnba_teamvsplayer(team_id, vs_player_id)
wnba_teamgamestreakfinder(...)
```

Team dashboards (team_id, season, measure_type)

```
wnba_teamdashboardby + generalsplits · clutch ·
gamesplits · lastngames · opponent · shootingsplits ·
teamperformance · yearoveryear.
```

OFFICIATING DEV

```
wnba_referee_assignments("2025-06-26")
# official.nba.com crews · dev version only
```

SCHEDULE & SCOREBOARD

```
wnba_schedule(season = 2025) # full season
wnba_scoreboardv3(game_date = "2025-06-26")
wnba_scoreboardv2("2025-06-26") # day_offset
wnba_scoreboard(game_date = "2025-06-26")
wnba_todays_scoreboard()
wnba_commonplayoffseries(season = 2024)
```

DRAFT

```
wnba_drafthistory(season = 2025)
wnba_draftboard(season = 2025)
wnba_draftcombinestats(season_year = 2025)
wnba_draftcombinedrillresults()
wnba_draftcombineplayeranthro()
wnba_draftcombinespotshooting()
wnba_draftcombinenonstationaryshooting()
```

SHOT CHARTS & VIDEO

```
wnba_shotchartdetail(player_id = "1628932",
  season = 2025, context_measure = "FGA")
# ^ team_id = 0 → all teams
wnba_shotchartleaguewide(season = 2025)
wnba_shotchartlineupdetail(...)
wnba_shot_zones("1022400003") # zone-tagged
wnba_videoevents(game_id = "1022200075",
  game_event_id = "10")
wnba_videodetails(...)
wnba_videodetailssaset(...)
wnba_videostatus(...)
```

POSSESSIONS & RAPM

```
poss <- wnba_possession_lineups("1022400003")
# per possession: off/def, player_1..5, points
poss <- dplyr::bind_rows(
  lapply(game_ids, wnba_possession_lineups))
rapm <- wnba_rapm(poss) # glmnet ridge
```

Season-scale inputs without scraping:

```
load_wnba_stats_pbp() / load_wnba_stats_lineups()
(page 1).
```

NCAA (STATS.NCAA.ORG)

```
ncaa_wbb_NET_rankings() # current NET
ncaa_wbb_teams(year = 2025, division = 1)
load_ncaa_wbb_{pbp, possessions, lineups, shots,
  rapm, team_box, player_box, rosters, ...}()
# ^ pre-built release datasets
```

Scrape-side: **wbigballR** or the Python port `sportsdataverse.wbb.ncaa_wbb_*`; the `load_ncaa_wbb_*` loaders read the pre-built releases (incl. `rapm` / `rapm_within_team`).