wehoop :: CHEAT SHEET

wehoop is the SportsDataverse R package for women's basketball: the WNBA and NCAA women's college basketball (WBB). It covers play-by-play, box scores, schedules, rosters, standings and season stats from ESPN, the WNBA Stats API (stats.wnba.com), Fox Sports, Basketball-Reference, Bart Torvik and Her Hoop Stats, eight international women's league families (FIBA, Genius Sports, Sportradar Atrium, WNBL, DBBL, FEB, TBF, W League), plus pre-built release datasets. Men's sibling: **hoopR**; Python mirror: **sportsdataverse.wbb** / **sportsdataverse.wnba**. Page 1 of 2: loaders, ESPN live, other and international sources.

v3.1.0
R ≥ 4.1.0 · 750 exports · MIT
wehoop.sportsdataverse.org

GET STARTED

```
install.packages("wehoop")            # CRAN
pak::pak("sportsdataverse/wehoop")    # dev
library(wehoop)
progressr::with_progress({    # progress bars
  pbp <- load_wbb_pbp(seasons = 2024)
})
```

Five families: `load_*` release-dataset loaders (fast, no scraping), `espn_wbb_*` / `espn_wnba_*` live ESPN, `wnba_*` stats.wnba.com (page 2), and other sources (`fox_*` , `bref_wnba_*` , `bart_wbb_*` , `hhs_*` , `ncaa_wbb_*`), and international leagues (`fiba_*` , `genius_*` , `atrium_*` and five more). Everything returns a tibble or a named list of tibbles.

SEASONS & HELPERS

Helper	Meaning
`most_recent_wbb_season()`	WBB season = end year; rolls over Oct 1 (2025 = 2024-25)
`most_recent_wnba_season()`	WNBA season = calendar year; rolls over May 1
`most_recent_wnba_stats_season()`	same as WNBA (stats.wnba.com loaders)
`year_to_season(2023)`	`"2023-24"` span string

Loader season floors: WBB pbp 2004, boxes 2006, schedule 2002; WNBA pbp/boxes 2002-03; `load_wnba_stats_*` 1997.

International wrappers raise classed errors under `wehoop_error` : `wehoop_no_data` (nothing there), `wehoop_asset_fetch` (fetch failed; see `$transient`), `wehoop_bad_request` (HTTP 400/422).

DATA LOADERS · WBB

Read from the `sportsdataverse/sportsdataverse-data` releases (tags `espn_womens_college_basketball_*`), built by the `wehoop-wbb-data` pipeline. `seasons` = vector of end-years, or `TRUE` for all.

```
load_wbb_pbp(seasons = 2022:2025)
load_wbb_team_box(seasons = TRUE)
load_wbb_{player_box,schedule,rosters}(2025)
load_wbb_{player_stats,team_stats}(2025)
load_wbb_{standings,shots,game_rosters}(2025)
load_wbb_{officials,player_core}(2025)
load_wbb_{ratings,player_value}(2025)
```

Each non-core dataset has a `load_wbb_<dataset>_manifest()` twin (season/asset/build inventory).

DATA LOADERS · WNBA

Same datasets as WBB (tags `espn_wnba_*` , built by `wehoop-wnba-data`) plus `load_wnba_draft()` :

```
load_wnba_pbp(seasons = 2024:2025)
load_wnba_{team_box,player_box}(2025)
load_wnba_{schedule,draft}(2025)
load_wnba_player_impact(2025)   # 1997+
```

WNBA Stats API datasets (wehoop-wnba-stats-data)

stats.wnba.com artifacts, 1997+, one release tag each — `load_wnba_stats_<dataset>()` for `schedule pbp player_game_logs rosters coaches standings draft shots officials game_rosters leaguedash possessions` :

```
load_wnba_stats_{pbp,schedule}(2025)
load_wnba_stats_player_game_logs(2025)
# deprecated shims over the leaguedash cube:
load_wnba_stats_{player_stats,lineups}(2025)
```

LOCAL DATABASE

```
update_wbb_db(dbdir = ".",    # RSQLite
              dbname = "wehoop_db",
              tblname = "wehoop_wbb_pbp")
update_wbb_db(datasets = c("rosters","shots"),
  seasons = 2022:2025)   # one table each
update_wnba_db()
update_wnba_stats_db(datasets = "pbp")
# every loader can write to a DBI connection
load_wnba_pbp(2025, dbConnection = con,
              tablename = "pbp")
```

`datasets` values: `pbp team_box player_box schedule rosters player_stats team_stats standings shots game_rosters officials` ; tables named `wbb_<dataset>` / `wnba_<dataset>` .

CROSSWALKS

Link ESPN, WNBA Stats, Fox and Torvik ids: `{wnba,wbb}_{team,schedule,player}_crosswalk()` builders + `load_*_crosswalk()` cached twins. Keys: `espn_team_id` / `espn_game_id` .

CONFERENCE & DIVISION GROUPS

```
load_wbb_groups()   # one row per lineage
load_wbb_{group_seasons,group_aliases}()
load_wbb_team_group_seasons(2025)   # 2002+
load_wnba_team_group_seasons(2025)  # 1997+
```

Membership as it was each season, one `group_id` kept across renames; `load_wnba_*` twins for all four. Aliases list the ESPN, NCAA and WNBA Stats names and ids.

ESPN LIVE · GAME DATA

Identical surface for both leagues: swap `espn_wbb_` for `espn_wnba_` .

```
espn_wbb_game_all(401276115)   # pbp + boxes
espn_wbb_pbp(401498717)   # + score_source
espn_wbb_team_box(401276115)
espn_wbb_player_box(401276115)
espn_wbb_game_rosters(401276115)
espn_wnba_pbp(401455681)
```

Schedules, teams & league

```
espn_wbb_scoreboard("20230225")   # YYYYMMDD
espn_wbb_teams(year = 2025); espn_wnba_teams()
espn_wbb_standings(2021)
espn_wnba_standings(2024)
espn_wbb_rankings(); espn_wbb_conferences()
espn_wbb_leaders(2025, season_type = 2)
espn_wbb_injuries(2025)
espn_wbb_powerindex(2025)   # BPI
espn_wnba_draft(2025)
espn_wnba_freeagents(2025)
```

Also `espn_*_calendar` · `_news` · `espn_wnba_transactions` · `_futures` .

ESPN LIVE · TEAM & PLAYER

```
espn_wbb_team_roster(52, season = 2025)
espn_wbb_team_schedule(52, season = 2025,
                       season_type = 2)
espn_wbb_team_stats(2509, year = 2020,
  season_type = "regular", total = FALSE)
espn_wbb_player_stats(2984250, year = 2022)
espn_wbb_player_gamelog(2984250, 2022)
espn_wbb_athletes_index(2025, active = TRUE)
espn_wnba_team_record(5, season = 2025)
espn_wnba_player_career_stats(athlete_id)
```

Core-v2 expansion (88 WBB / 92 WNBA `espn_*` in all): `espn_*_player_info / _splits / _awards` , `_season_* _game_* _coach* _franchise*` , `_position* _venues _tournament*` (WBB), `_draft_*` (WNBA). `helper_espn_*_pbp/team_box/player_box` parse a raw payload.

INTERNATIONAL BASKETBALL

8 families + per-competition aliases (289 exports) at parity with sportsdataverse-py; `season` = end year.

```
fiba_wwc_schedule(season = 2026)   # FIBA
fiba_{woly,elw,ecw}_pbp(game_id)
wbbl_schedule(2026)   # Genius: wbbl, lfb
lnbp_schedule(2025)   # Atrium: + nbl1 lmb lpb
nbl_rosetta_matches(2026)   # WNBL
scb_games(season = 2026)   # DBBL
feb_schedule(season = 2026)   # LF Endesa
tbf_schedule(2026); wjbl_schedule(2026)
```

OTHER SOURCES

Fox Sports (Bifrost)

```
fox_wnba_pbp("2215")
fox_wbb_boxscore(game_id)
fox_wbb_teams("11"); fox_wbb_teams_all()
fox_wnba_team_roster(team_id)
fox_wbb_team_gamelog(team_id)
fox_wbb_standings(team_id)
fox_wnba_odds(game_id)
fox_wbb_league_leaders(category = "scoring",
                       who = "player")
```

Basketball-Reference · Torvik · NCAA · HHS

```
bref_wnba_player_stats(2025, "per_game")
bref_wnba_team_stats(2025)
bref_wnba_standings(2025)
bart_wbb_ratings(2025)
bart_wbb_game_schedule(2025)
ncaa_wbb_NET_rankings()
ncaa_wbb_teams(2025, division = 1)
Sys.setenv(HERHOOPSTATS_EMAIL = "...",
           HERHOOPSTATS_PW = "...")
hhs_teams(2024, 2025)   # min, max season
hhs_team_roster(team_link)
hhs_team_stats(team_link)
```

HHS is a subscription site: pass `email` / `password` or set the env vars.

TYPICAL PIPELINE

```
library(dplyr)
box <- load_wnba_player_box(2025)
box |> filter(!did_not_play) |>
  group_by(athlete_id,
           athlete_display_name) |>
  summarise(pts = sum(points), g = n(),
            .groups = "drop") |>
  arrange(desc(pts))
```

SPORTSDATAVERSE LINKS

hoopR	men's twin (NBA + MBB), same function shapes
wbigballR	stats.ncaa.org WBB pbp / lineups (port in sdv-py `ncaa_wbb_*`)
sportsdataverse.wnba	Python: `load_wnba_pbp` , `espn_wnba_pbp` , `wnba_stats_*` (111 wrappers)
sportsdataverse.wbb	Python: `load_wbb_*` , `espn_wbb_*` , `ncaa_wbb_*`
data repos	`wehoop-wbb-data` · `wehoop-wnba-data` · `wehoop-wnba-stats-data` (+ `-raw`)

WNBA Stats API :: wnba_* family & analytics

stats.wnba.com wrappers (129) · same shapes as **hoopR** `nba_*` · Python: **sportsdataverse.wnba.wnba_stats** · **nba_api**

STATS.WNBA.COM · WNBA_*

CONVENTIONS

Argument	Default / values
`league_id`	`'10'` (WNBA)
`season`	`most_recent_wnba_season() - 1` (last season), 4-digit year
`season_type`	`'Regular Season'` · `'Playoffs'`
`per_mode`	`'Totals'` · `'PerGame'` · `'Per100Possessions'`
`measure_type`	`'Base'` · `'Advanced'` · `'Misc'` · `'Scoring'` · `'Usage'`
`player_id` / `team_id`	stats.wnba.com ids as strings, e.g. `'1628932'` / `'1611661317'`
`game_id`	10-char zero-padded, e.g. `"1022400003"`

Every wrapper returns a named list of tibbles (one per result set). The ids differ from ESPN's: bridge with `wnba_team_crosswalk()` / `wnba_player_crosswalk()`.

PLAY-BY-PLAY & LIVE

```
wnba_pbp("1022400003", on_court = TRUE,
         version = "v3")   # players on court
wnba_pbps(c("1022400003", "1022400004"))
wnba_playbyplayv3(game_id, start_period = 0,
                  end_period = 0)
wnba_live_pbp(game_id)
wnba_live_boxscore(game_id)
wnba_data_pbp(game_id)   # data.wnba.com feed
wnba_gamerotation(game_id,
  rotation_stat = "PLAYER_PTS")
```

BOX SCORES (GAME_ID)

v3 (current)	v2 (legacy)
`wnba_boxscore traditionalv3`	`wnba_boxscore traditionalv2`
`wnba_boxscore advancedv3`	`wnba_boxscore advancedv2`
`wnba_boxscore fourfactorsv3`	`wnba_boxscore fourfactorsv2`
`wnba_boxscoremiscv3`	`wnba_boxscoremiscv2`
`wnba_boxscore scoringv3`	`wnba_boxscorescoringv2`
`wnba_boxscoreusagev3`	`wnba_boxscoreusagev2`
`wnba_boxscore playertrackv3`	`wnba_boxscore playertrackv2`
`wnba_boxscore summaryv3`	`wnba_boxscoresummaryv2`
`wnba_boxscorehustlev2`	`wnba_hustlestats boxscore`

```
wnba_boxscoretraditionalv3("1022200034",
  start_period = 0, end_period = 14)
```

LEAGUE DASHBOARDS

```
wnba_leaguedashplayerstats(season = 2025,
  per_mode = "PerGame",
  measure_type = "Advanced")
wnba_leaguedashteamstats(season = 2025)
wnba_leaguedashplayerbiostats(season = 2025)
wnba_leaguedash{player,team}clutch()
wnba_leaguedashplayershotlocations()
wnba_leaguedashteamshotlocations(
  distance_range = "By Zone")
wnba_leaguegamelog(2025, player_or_team = "T")
wnba_leaguegamefinder(2025, ...)   # 100+ args
wnba_leaguestandingsv3(season = 2025)
wnba_leagueleaders(season = 2025,
  stat_category = "PTS", per_mode = "Totals",
  scope = "S")
```

Hustle

`wnba_leaguehustlestatsplayer` · `wnba_leaguehustlestatsplayerleaders` · `wnba_leaguehustlestatsteam` · `wnba_leaguehustlestatsteamleaders` (season, per_mode).

LINEUPS & ON/OFF

```
wnba_leaguedashlineups(season = 2025,
  group_quantity = 5)
wnba_teamdashlineups(team_id, season = 2025)
wnba_leaguelineupviz()
wnba_leagueseasonmatchups()
wnba_leagueplayerondetails(team_id)
wnba_teamplayeronoff{summary,details}(team_id)
wnba_fantasywidget()
wnba_playerestimatedmetrics(2025)
wnba_teamestimatedmetrics(season = 2025)
```

LEADERS, FRANCHISE & CUME

```
wnba_alltimeleadersgrids(per_mode = "PerGame",
                         top_x = 10)
wnba_assistleaders(); wnba_assisttracker()
wnba_homepage{leaders,v2,widget}()
wnba_leaderstiles()
wnba_franchisehistory()
wnba_franchiseplayers(team_id)
wnba_franchiseleaders(team_id = "1611661324")
wnba_franchiseleaderswrank(team_id)
wnba_cumestatsplayer(game_ids = "1022200018",
  player_id = "204319", season = "2021-22")
wnba_cumestatsteam(game_ids, team_id)
wnba_cumestats{player,team}games(...)
```

PLAYERS

```
wnba_playerindex(2025, historical = 1)
wnba_commonallplayers(
  is_only_current_season = 1)
wnba_commonplayerinfo(player_id = "1628932")
wnba_playercareerstats(player_id = "1628932",
                       per_mode = "PerGame")
wnba_playerprofilev2(player_id = "1628932")
wnba_playergamelog("1628932", season = 2025)
wnba_playergamelogs(2025)   # all players
wnba_player{awards,headshot}(player_id)
wnba_playervsplayer(player_id, vs_player_id)
wnba_playercompare()
wnba_playernextngames(player_id)
wnba_playergamestreakfinder(...)
wnba_playercareerbycollege(college = "...")
wnba_playercareerbycollegerollup()
wnba_playerfantasyprofile(player_id)
wnba_playerfantasyprofilebargraph(player_id)
wnba_infographicfanduelplayer(game_id)
```

Player dashboards (player_id, season, measure_type)

`wnba_playerdashboardby` + `generalsplits` · `clutch` · `gamesplits` · `lastngames` · `opponent` · `shootingsplits` · `teamperformance` · `yearoveryear`.

```
wnba_playerdashboardbygeneralsplits(
  player_id = "1628932", season = 2025,
  measure_type = "Base")
```

TEAMS

```
wnba_teams()   # id / slug directory
wnba_teaminfocommon(team_id, season = 2025)
wnba_teamdetails(team_id)
wnba_commonteamroster(team_id, season = 2025)
wnba_teamgamelog(team_id, season = 2025)
wnba_teamgamelogs(2025)   # all teams
wnba_teamyearbyyearstats(team_id,
                         per_mode = "Totals")
wnba_teamhistoricalleaders(team_id)
wnba_teamplayerdashboard(team_id, 2025)
wnba_teamvsplayer(team_id, vs_player_id)
wnba_teamgamestreakfinder(...)
```

Team dashboards (team_id, season, measure_type)

`wnba_teamdashboardby` + `generalsplits` · `clutch` · `gamesplits` · `lastngames` · `opponent` · `shootingsplits` · `teamperformance` · `yearoveryear`.

OFFICIATING

```
wnba_referee_assignments("2025-06-26")
# official.nba.com: officials, replay_center
```

SCHEDULE & SCOREBOARD

```
wnba_schedule(season = 2025)   # full season
wnba_scoreboardv3(game_date = "2025-06-26")
wnba_scoreboardv2("2025-06-26")   # day_offset
wnba_scoreboard(game_date = "2025-06-26")
wnba_todays_scoreboard()
wnba_commonplayoffseries(season = 2024)
```

DRAFT

```
wnba_drafthistory(season = 2025)
wnba_draftboard(season = 2025)
wnba_draftcombinestats(season_year = 2025)
wnba_draftcombinedrillresults()
wnba_draftcombineplayeranthro()
wnba_draftcombinespotshooting()
wnba_draftcombinenonstationaryshooting()
```

SHOT CHARTS & VIDEO

```
wnba_shotchartdetail(player_id = "1628932",
  season = 2025, context_measure = "FGA")
# ^ team_id = 0 → all teams
wnba_shotchartleaguewide(season = 2025)
wnba_shotchartlineupdetail(...)
wnba_shot_zones("1022400003")   # zone-tagged
wnba_videoevents(game_id = "1022200075",
                 game_event_id = "10")
wnba_videodetails(...)
wnba_videodetailsasset(...)
wnba_videostatus(...)
```

POSSESSIONS & RAPM

```
poss <- wnba_possession_lineups("1022400003")
# per possession: off/def_player_1..5, points
poss <- dplyr::bind_rows(
  lapply(game_ids, wnba_possession_lineups))
rapm <- wnba_rapm(poss)   # glmnet ridge
```

Season-scale inputs without scraping: `load_wnba_stats_pbp()` / `load_wnba_stats_lineups()` (page 1).

NCAA (STATS.NCAA.ORG)

```
ncaa_wbb_NET_rankings()   # current NET
ncaa_wbb_teams(year = 2025, division = 1)
load_ncaa_wbb_{pbp,possessions,lineups,shots,
  rapm,team_box,player_box,rosters,...}()
# ^ pre-built release datasets
```

Scrape-side: **wbigballR** or the Python port `sportsdataverse.wbb.ncaa_wbb_*`; the `load_ncaa_wbb_*` loaders read the pre-built releases (incl. `rapm` / `rapm_within_team`).

wehoop :: CHEAT SHEET

wehoop is the SportsDataverse R package for women's basketball: the WNBA and NCAA women's college basketball (WBB). It covers play-by-play, box scores, schedules, rosters, standings and season stats from ESPN, the WNBA Stats API (stats.wnba.com), Fox Sports, Basketball-Reference, Bart Torvik and Her Hoop Stats, eight international women's league families (FIBA, Genius Sports, Sportradar Atrium, WNBL, DBBL, FEB, TBF, W League), plus pre-built release datasets. Men's sibling: **hoopR**; Python mirror: **sportsdataverse.wbb** / **sportsdataverse.wnba**. Page 1 of 2: loaders, ESPN live, other and international sources.

v3.1.0

R ≥ 4.1.0 · 750 exports · MIT
wehoop.sportsdataverse.org

GET STARTED

```
install.packages("wehoop")            # CRAN
pak::pak("sportsdataverse/wehoop")    # dev
library(wehoop)
progressr::with_progress({    # progress bars
  pbp <- load_wbb_pbp(seasons = 2024)
})
```

Five families: `load_*` release-dataset loaders (fast, no scraping), `espn_wbb_*` / `espn_wnba_*` live ESPN, `wnba_*` stats.wnba.com (page 2), and other sources (`fox_*` , `bref_wnba_*` , `bart_wbb_*` , `hhs_*` , `ncaa_wbb_*`), and international leagues (`fiba_*` , `genius_*` , `atrium_*` and five more). Everything returns a tibble or a named list of tibbles.

SEASONS & HELPERS

Helper	Meaning
`most_recent_wbb_season()`	WBB season = end year; rolls over Oct 1 (2025 = 2024-25)
`most_recent_wnba_season()`	WNBA season = calendar year; rolls over May 1
`most_recent_wnba_stats_season()`	same as WNBA (stats.wnba.com loaders)
`year_to_season(2023)`	`"2023-24"` span string

Loader season floors: WBB pbp 2004, boxes 2006, schedule 2002; WNBA pbp/boxes 2002-03; `load_wnba_stats_*` 1997.

International wrappers raise classed errors under `wehoop_error` : `wehoop_no_data` (nothing there), `wehoop_asset_fetch` (fetch failed; see `$transient`), `wehoop_bad_request` (HTTP 400/422).

DATA LOADERS · WBB

Read from the `sportsdataverse/sportsdataverse-data` releases (tags `espn_womens_college_basketball_*`), built by the `wehoop-wbb-data` pipeline. `seasons` = vector of end-years, or `TRUE` for all.

```
load_wbb_pbp(seasons = 2022:2025)
load_wbb_team_box(seasons = TRUE)
load_wbb_{player_box,schedule,rosters}(2025)
load_wbb_{player_stats,team_stats}(2025)
load_wbb_{standings,shots,game_rosters}(2025)
load_wbb_{officials,player_core}(2025)
load_wbb_{ratings,player_value}(2025)
```

Each non-core dataset has a `load_wbb_<dataset>_manifest()` twin (season/asset/build inventory).

DATA LOADERS · WNBA

Same datasets as WBB (tags `espn_wnba_*` , built by `wehoop-wnba-data`) plus `load_wnba_draft()` :

```
load_wnba_pbp(seasons = 2024:2025)
load_wnba_{team_box,player_box}(2025)
load_wnba_{schedule,draft}(2025)
load_wnba_player_impact(2025)   # 1997+
```

WNBA Stats API datasets (wehoop-wnba-stats-data)

stats.wnba.com artifacts, 1997+, one release tag each — `load_wnba_stats_<dataset>()` for `schedule pbp player_game_logs rosters coaches standings draft shots officials game_rosters leaguedash possessions` :

```
load_wnba_stats_{pbp,schedule}(2025)
load_wnba_stats_player_game_logs(2025)
# deprecated shims over the leaguedash cube:
load_wnba_stats_{player_stats,lineups}(2025)
```

LOCAL DATABASE

```
update_wbb_db(dbdir = ".",    # RSQLite
              dbname = "wehoop_db",
              tblname = "wehoop_wbb_pbp")
update_wbb_db(datasets = c("rosters","shots"),
  seasons = 2022:2025)   # one table each
update_wnba_db()
update_wnba_stats_db(datasets = "pbp")
# every loader can write to a DBI connection
load_wnba_pbp(2025, dbConnection = con,
              tablename = "pbp")
```

`datasets` values: `pbp team_box player_box schedule rosters player_stats team_stats standings shots game_rosters officials` ; tables named `wbb_<dataset>` / `wnba_<dataset>` .

CROSSWALKS

Link ESPN, WNBA Stats, Fox and Torvik ids: `{wnba,wbb}_{team,schedule,player}_crosswalk()` builders + `load_*_crosswalk()` cached twins. Keys: `espn_team_id` / `espn_game_id` .

CONFERENCE & DIVISION GROUPS

```
load_wbb_groups()   # one row per lineage
load_wbb_{group_seasons,group_aliases}()
load_wbb_team_group_seasons(2025)   # 2002+
load_wnba_team_group_seasons(2025)  # 1997+
```

Membership as it was each season, one `group_id` kept across renames; `load_wnba_*` twins for all four. Aliases list the ESPN, NCAA and WNBA Stats names and ids.

ESPN LIVE · GAME DATA

Identical surface for both leagues: swap `espn_wbb_` for `espn_wnba_` .

```
espn_wbb_game_all(401276115)   # pbp + boxes
espn_wbb_pbp(401498717)   # + score_source
espn_wbb_team_box(401276115)
espn_wbb_player_box(401276115)
espn_wbb_game_rosters(401276115)
espn_wnba_pbp(401455681)
```

Schedules, teams & league

```
espn_wbb_scoreboard("20230225")   # YYYYMMDD
espn_wbb_teams(year = 2025); espn_wnba_teams()
espn_wbb_standings(2021)
espn_wnba_standings(2024)
espn_wbb_rankings(); espn_wbb_conferences()
espn_wbb_leaders(2025, season_type = 2)
espn_wbb_injuries(2025)
espn_wbb_powerindex(2025)   # BPI
espn_wnba_draft(2025)
espn_wnba_freeagents(2025)
```

Also `espn_*_calendar` · `_news` · `espn_wnba_transactions` · `_futures` .

ESPN LIVE · TEAM & PLAYER

```
espn_wbb_team_roster(52, season = 2025)
espn_wbb_team_schedule(52, season = 2025,
                       season_type = 2)
espn_wbb_team_stats(2509, year = 2020,
  season_type = "regular", total = FALSE)
espn_wbb_player_stats(2984250, year = 2022)
espn_wbb_player_gamelog(2984250, 2022)
espn_wbb_athletes_index(2025, active = TRUE)
espn_wnba_team_record(5, season = 2025)
espn_wnba_player_career_stats(athlete_id)
```

Core-v2 expansion (88 WBB / 92 WNBA `espn_*` in all): `espn_*_player_info / _splits / _awards` , `_season_* _game_* _coach* _franchise*` , `_position* _venues _tournament*` (WBB), `_draft_*` (WNBA). `helper_espn_*_pbp/team_box/player_box` parse a raw payload.

INTERNATIONAL BASKETBALL

8 families + per-competition aliases (289 exports) at parity with sportsdataverse-py; `season` = end year.

```
fiba_wwc_schedule(season = 2026)   # FIBA
fiba_{woly,elw,ecw}_pbp(game_id)
wbbl_schedule(2026)   # Genius: wbbl, lfb
lnbp_schedule(2025)   # Atrium: + nbl1 lmb lpb
nbl_rosetta_matches(2026)   # WNBL
scb_games(season = 2026)   # DBBL
feb_schedule(season = 2026)   # LF Endesa
tbf_schedule(2026); wjbl_schedule(2026)
```

OTHER SOURCES

Fox Sports (Bifrost)

```
fox_wnba_pbp("2215")
fox_wbb_boxscore(game_id)
fox_wbb_teams("11"); fox_wbb_teams_all()
fox_wnba_team_roster(team_id)
fox_wbb_team_gamelog(team_id)
fox_wbb_standings(team_id)
fox_wnba_odds(game_id)
fox_wbb_league_leaders(category = "scoring",
                       who = "player")
```

Basketball-Reference · Torvik · NCAA · HHS

```
bref_wnba_player_stats(2025, "per_game")
bref_wnba_team_stats(2025)
bref_wnba_standings(2025)
bart_wbb_ratings(2025)
bart_wbb_game_schedule(2025)
ncaa_wbb_NET_rankings()
ncaa_wbb_teams(2025, division = 1)
Sys.setenv(HERHOOPSTATS_EMAIL = "...",
           HERHOOPSTATS_PW = "...")
hhs_teams(2024, 2025)   # min, max season
hhs_team_roster(team_link)
hhs_team_stats(team_link)
```

HHS is a subscription site: pass `email` / `password` or set the env vars.

TYPICAL PIPELINE

```
library(dplyr)
box <- load_wnba_player_box(2025)
box |> filter(!did_not_play) |>
  group_by(athlete_id,
           athlete_display_name) |>
  summarise(pts = sum(points), g = n(),
            .groups = "drop") |>
  arrange(desc(pts))
```

SPORTSDATAVERSE LINKS

hoopR	men's twin (NBA + MBB), same function shapes
wbigballR	stats.ncaa.org WBB pbp / lineups (port in sdv-py `ncaa_wbb_*`)
sportsdataverse.wnba	Python: `load_wnba_pbp` , `espn_wnba_pbp` , `wnba_stats_*` (111 wrappers)
sportsdataverse.wbb	Python: `load_wbb_*` , `espn_wbb_*` , `ncaa_wbb_*`
data repos	`wehoop-wbb-data` · `wehoop-wnba-data` · `wehoop-wnba-stats-data` (+ `-raw`)

WNBA Stats API :: wnba_* family & analytics

stats.wnba.com wrappers (129) · same shapes as **hoopR** `nba_*` · Python: **sportsdataverse.wnba.wnba_stats** · **nba_api**

STATS.WNBA.COM · WNBA_*

CONVENTIONS

Argument	Default / values
`league_id`	`'10'` (WNBA)
`season`	`most_recent_wnba_season() - 1` (last season), 4-digit year
`season_type`	`'Regular Season'` · `'Playoffs'`
`per_mode`	`'Totals'` · `'PerGame'` · `'Per100Possessions'`
`measure_type`	`'Base'` · `'Advanced'` · `'Misc'` · `'Scoring'` · `'Usage'`
`player_id` / `team_id`	stats.wnba.com ids as strings, e.g. `'1628932'` / `'1611661317'`
`game_id`	10-char zero-padded, e.g. `"1022400003"`

Every wrapper returns a named list of tibbles (one per result set). The ids differ from ESPN's: bridge with `wnba_team_crosswalk()` / `wnba_player_crosswalk()`.

PLAY-BY-PLAY & LIVE

```
wnba_pbp("1022400003", on_court = TRUE,
         version = "v3")   # players on court
wnba_pbps(c("1022400003", "1022400004"))
wnba_playbyplayv3(game_id, start_period = 0,
                  end_period = 0)
wnba_live_pbp(game_id)
wnba_live_boxscore(game_id)
wnba_data_pbp(game_id)   # data.wnba.com feed
wnba_gamerotation(game_id,
  rotation_stat = "PLAYER_PTS")
```

BOX SCORES (GAME_ID)

v3 (current)	v2 (legacy)
`wnba_boxscore traditionalv3`	`wnba_boxscore traditionalv2`
`wnba_boxscore advancedv3`	`wnba_boxscoreadvancedv2`
`wnba_boxscore fourfactorsv3`	`wnba_boxscore fourfactorsv2`
`wnba_boxscoremiscv3`	`wnba_boxscoremiscv2`
`wnba_boxscorescoringv3`	`wnba_boxscorescoringv2`
`wnba_boxscoreusagev3`	`wnba_boxscoreusagev2`
`wnba_boxscore playertrackv3`	`wnba_boxscore playertrackv2`
`wnba_boxscoresummaryv3`	`wnba_boxscoresummaryv2`
`wnba_boxscorehustlev2`	`wnba_hustlestats boxscore`

```
wnba_boxscoretraditionalv3("1022200034",
  start_period = 0, end_period = 14)
```

LEAGUE DASHBOARDS

```
wnba_leaguedashplayerstats(season = 2025,
  per_mode = "PerGame",
  measure_type = "Advanced")
wnba_leaguedashteamstats(season = 2025)
wnba_leaguedashplayerbiostats(season = 2025)
wnba_leaguedash{player,team}clutch()
wnba_leaguedashplayershotlocations()
wnba_leaguedashteamshotlocations(
  distance_range = "By Zone")
wnba_leaguegamelog(2025, player_or_team = "T")
wnba_leaguegamefinder(2025, ...)   # 100+ args
wnba_leaguestandingsv3(season = 2025)
wnba_leagueleaders(season = 2025,
  stat_category = "PTS", per_mode = "Totals",
  scope = "S")
```

Hustle

`wnba_leaguehustlestatsplayer` · `wnba_leaguehustlestatsplayerleaders` · `wnba_leaguehustlestatsteam` · `wnba_leaguehustlestatsteamleaders` (season, per_mode).

LINEUPS & ON/OFF

```
wnba_leaguedashlineups(season = 2025,
  group_quantity = 5)
wnba_teamdashlineups(team_id, season = 2025)
wnba_leaguelineupviz()
wnba_leagueseasonmatchups()
wnba_leagueplayerondetails(team_id)
wnba_teamplayeronoff{summary,details}(team_id)
wnba_fantasywidget()
wnba_playerestimatedmetrics(2025)
wnba_teamestimatedmetrics(season = 2025)
```

LEADERS, FRANCHISE & CUME

```
wnba_alltimeleadersgrids(per_mode = "PerGame",
                         top_x = 10)
wnba_assistleaders(); wnba_assisttracker()
wnba_homepage{leaders,v2,widget}()
wnba_leaderstiles()
wnba_franchisehistory()
wnba_franchiseplayers(team_id)
wnba_franchiseleaders(team_id = "1611661324")
wnba_franchiseleaderswrank(team_id)
wnba_cumestatsplayer(game_ids = "1022200018",
  player_id = "204319", season = "2021-22")
wnba_cumestatsteam(game_ids, team_id)
wnba_cumestats{player,team}games(...)
```

PLAYERS

```
wnba_playerindex(2025, historical = 1)
wnba_commonallplayers(
  is_only_current_season = 1)
wnba_commonplayerinfo(player_id = "1628932")
wnba_playercareerstats(player_id = "1628932",
                       per_mode = "PerGame")
wnba_playerprofilev2(player_id = "1628932")
wnba_playergamelog("1628932", season = 2025)
wnba_playergamelogs(2025)   # all players
wnba_player{awards,headshot}(player_id)
wnba_playervsplayer(player_id, vs_player_id)
wnba_playercompare()
wnba_playernextngames(player_id)
wnba_playergamestreakfinder(...)
wnba_playercareerbycollege(college = "...")
wnba_playercareerbycollegerollup()
wnba_playerfantasyprofile(player_id)
wnba_playerfantasyprofilebargraph(player_id)
wnba_infographicfanduelplayer(game_id)
```

Player dashboards (player_id, season, measure_type)

`wnba_playerdashboardby` + `generalsplits` · `clutch` · `gamesplits` · `lastngames` · `opponent` · `shootingsplits` · `teamperformance` · `yearoveryear`.

```
wnba_playerdashboardbygeneralsplits(
  player_id = "1628932", season = 2025,
  measure_type = "Base")
```

TEAMS

```
wnba_teams()   # id / slug directory
wnba_teaminfocommon(team_id, season = 2025)
wnba_teamdetails(team_id)
wnba_commonteamroster(team_id, season = 2025)
wnba_teamgamelog(team_id, season = 2025)
wnba_teamgamelogs(2025)   # all teams
wnba_teamyearbyyearstats(team_id,
                         per_mode = "Totals")
wnba_teamhistoricalleaders(team_id)
wnba_teamplayerdashboard(team_id, 2025)
wnba_teamvsplayer(team_id, vs_player_id)
wnba_teamgamestreakfinder(...)
```

Team dashboards (team_id, season, measure_type)

`wnba_teamdashboardby` + `generalsplits` · `clutch` · `gamesplits` · `lastngames` · `opponent` · `shootingsplits` · `teamperformance` · `yearoveryear`.

OFFICIATING

```
wnba_referee_assignments("2025-06-26")
# official.nba.com: officials, replay_center
```

SCHEDULE & SCOREBOARD

```
wnba_schedule(season = 2025)   # full season
wnba_scoreboardv3(game_date = "2025-06-26")
wnba_scoreboardv2("2025-06-26")   # day_offset
wnba_scoreboard(game_date = "2025-06-26")
wnba_todays_scoreboard()
wnba_commonplayoffseries(season = 2024)
```

DRAFT

```
wnba_drafthistory(season = 2025)
wnba_draftboard(season = 2025)
wnba_draftcombinestats(season_year = 2025)
wnba_draftcombinedrillresults()
wnba_draftcombineplayeranthro()
wnba_draftcombinespotshooting()
wnba_draftcombinenonstationaryshooting()
```

SHOT CHARTS & VIDEO

```
wnba_shotchartdetail(player_id = "1628932",
  season = 2025, context_measure = "FGA")
# ^ team_id = 0 → all teams
wnba_shotchartleaguewide(season = 2025)
wnba_shotchartlineupdetail(...)
wnba_shot_zones("1022400003")   # zone-tagged
wnba_videoevents(game_id = "1022200075",
                 game_event_id = "10")
wnba_videodetails(...)
wnba_videodetailsasset(...)
wnba_videostatus(...)
```

POSSESSIONS & RAPM

```
poss <- wnba_possession_lineups("1022400003")
# per possession: off/def_player_1..5, points
poss <- dplyr::bind_rows(
  lapply(game_ids, wnba_possession_lineups))
rapm <- wnba_rapm(poss)   # glmnet ridge
```

Season-scale inputs without scraping: `load_wnba_stats_pbp()` / `load_wnba_stats_lineups()` (page 1).

NCAA (STATS.NCAA.ORG)

```
ncaa_wbb_NET_rankings()   # current NET
ncaa_wbb_teams(year = 2025, division = 1)
load_ncaa_wbb_{pbp,possessions,lineups,shots,
  rapm,team_box,player_box,rosters,...}()
# ^ pre-built release datasets
```

Scrape-side: **wbigballR** or the Python port `sportsdataverse.wbb.ncaa_wbb_*`; the `load_ncaa_wbb_*` loaders read the pre-built releases (incl. `rapm` / `rapm_within_team`).