



SITEPILOT

Illustrative Use Guide

From opportunity intake to a decision-ready spatial study

URBAN DESIGNER'S WORKING PRINCIPLE

Use SitePilot to structure a study, compare options, and expose uncertainty. Treat the geometry and metrics as a working decision model - not as a cadastral survey, planning approval, or investment recommendation.

START HERE

What a good study needs before the app

A clean SitePilot result begins with disciplined inputs and an explicit decision question.

1. A decision question

Example: Which development envelope best preserves an active ground floor while staying within the supplied height, FAR, KDB, KDH, and setback assumptions?

2. A parcel basis

Bring site area, frontage, depth or survey geometry, street edge, access constraints, and a clear note on what is surveyed versus approximate.

3. A verification trail

Separate confirmed evidence, user-provided facts, calculated figures, and design assumptions. Record document names and dates when available.

Recommended journey

- 1

Frame
Name the opportunity and state the decision the study must support.
- 2

Input
Record parcel, existing asset, planning, and commercial facts.
- 3


Verify
Review sources, assumptions, and every working value before generation.
- 4

Compare
Read A, B, and C through the same GFA, FAR, height, coverage, and setback lens.
- 5

Shape
Use 2D for envelope discipline and 3D for massing, fit, and spatial character.
- 6

Export
Issue the brief, scenario data, and model only with the unresolved checks attached.


STOP RULE
Do not convert 'within supplied limits' into 'approved' or 'compliant' without verified statutory evidence.



STEP 1

Frame the opportunity

Start with the decision, then enter only facts you can explain and defend.



- 1 Name the study**
Use a specific title. Add 'Synthetic Study' when the parcel or controls are illustrative.
- 2 Define the parcel**
Enter address, city, country, site area, frontage, and depth. Use the street override if the frontage edge is ambiguous.
- 3 Write the design intent**
Describe a spatial and decision objective: public realm, active frontage, retention, phasing, access, or development envelope.
- 4 Check the provisional panel**
Read the working area, permissible GFA, expansion headroom, and input-basis warning before moving on.

- 1 Urban designer prompt**
State what success looks like in place-making terms, then add the measurable planning and investment question.

STEP 2

Establish the existing-asset baseline

Brownfield work begins by protecting what is already there - physically, operationally, and economically.

sitepivot-hackathon.vercel.app

1. Opportunity

2. Existing Asset

3. Planning Limits

4. Commercials

1

Existing Asset / Brownfield Structure Baseline

1. Existing Building GFA (m²) (e.g. 3,760 m²)

Existing Stores / Floors (Optional - leave blank if unknown)

Existing Asset Description

Current Operational Status

3

Current Site & Financial Figures

Site Area Basis

Max Permissible GFA

Expansion Headroom

Derived Land Price

Next: Planning Limits →

Cancel

Review Opportunity & 3 Schemes

- 1

Record existing GFA

Use measured or documented floor area; do not infer it from footprint alone.
- 2

Record floors and use

Describe the asset clearly and set the operational status. Leave unknown fields blank rather than inventing precision.
- 3

Define the baseline

Scenario A should preserve the stated asset unless demolition or replacement is explicitly part of the brief.
- 4

Read expansion headroom

Treat the displayed headroom as a study calculation, then reconcile it with retained GFA and operational continuity.

2


Brownfield check

Before comparing yield, ask: what must remain open, what may be replaced, and what cannot be disturbed?

STEP 3

Enter the planning envelope carefully

Every control should carry a source status. A supplied limit is not automatically a confirmed statutory limit.




- 1 Identify the control**
Enter zoning code and subzone name exactly as they appear in the source.
- 2 Enter FAR, KDB, KDH, and height**
Keep ratio, percentage, and metre units straight. Leave unknown height blank.
- 3 Demonstrate KDH explicitly**
Enter landscaped or permeable area only when measured. Unbuilt area is not a substitute.
- 4 Set all setbacks**
Front, rear, and side setbacks define the buildable envelope used by plans, checks, and exports.

3 Evidence rule
Mark a control as confirmed only when the relevant authority, document, parcel, date, and interpretation are traceable.

STEP 4

Add commercial context, then review

Commercial figures should inform comparison without silently turning a spatial study into a valuation opinion.



- 1 Enter price and currency**
Use the stated asking price; keep taxes, transaction costs, and other adjustments separate.
- 2 Add a benchmark**
NJOP or another benchmark needs its year, basis, and reliability noted in the valuation notes.
- 3 Read the derived figures**
Check the land-price and GFA-basis calculations for scale and unit errors.
- 4 Use Review Opportunity & 3 Schemes**
Pause at the review stage. Confirm every input and how model-generated versus template proposals are labelled.

4 Decision discipline
A lower land-cost-per-GFA figure is not automatically a better urban outcome or a feasible investment.

STEP 5

Verify sources before trusting the numbers

The Sources & Assumptions panel is the study's chain of custody.

1 Choose the working basis

2 Filter by evidence type

3 Trace every derived figure

4 Carry unresolved items forward

5 Reliability test

For any number that changes a decision, ask: who supplied it, what proves it, and which outputs depend on it?

1 Choose the working basis

Confirm which site area and geometry basis drives the study.

2 Filter by evidence type

Review confirmed, provided, calculated, and assumed items separately.

3 Trace every derived figure

Check its source, date, reliability, calculation, and every downstream output it affects.

4 Carry unresolved items forward

Do not hide uncertainty. Keep it visible in readiness, comparison, brief, and exports.

SP

SitePilot

DECISION ROOM

Menteng Heritage Quarter

DEMO

+ New Opportunity

Edit Inputs

Spatial Lab

CONDITIONAL PROCEED

Site Readiness

68%

Check status: REVIEW ADVISED

Executive Brief

Sources & Assumptions

STUDY BASIS / 02

12

ITEMS / 9 SOURCES

Sources & Assumptions

See where each working figure came from and what still needs confirmation.

Working site

16,849.8 M² / CURRENT WORKING VALUE

area basis

Search sources and assumptions

All items

Confirmed

Provided

Assumptions

SHOWING 5 OF 5

Confirmed → provided → assumed

How each figure was derived

Inputs and the study figures they affect

+ Add source or assumption

Street frontage / lot width

Provided by user

110 m

Opportunity inputs · 2026-08-18T08:00:00Z · Provided by user · used for: 2D plan; 3D parcel; setbacks; coverage; all scenarios; exports

ASSUMPTION

Lot depth

Calculated

153.18 m

Parcel calculation · 2026-08-18T08:00:00Z · Calculated from study inputs · used for: 2D plan; 3D parcel; setbacks; all scenarios; exports

ASSUMPTION

Calculated as: site area + street frontage

Rectangular study area

Provided by user

16,850 m²

PROVIDED

LEGAL TITLE

2D Site Plan (Illustrative)

3D Spatial Model

Within supplied study envelope · Statutory status not yet confirmed

2

1

3

JL. TEUKU UMAR · FRONTAGE 110M

3

1 [1] Podium: 80m × 72.5m · 2 FL (11,600 m²)

2 [2] West Wing: 35m × 68.6m · 6 FL (14,400 m²)

3 [3] East Wing: 35m × 68.6m · 6 FL (14,400 m²)

Development Scenarios

CSV

PDF

Compare

</>

A: Low-Rise H...

4 FL · 24,000 m²

B: Mid-Rise Ml...

8 FL · 40,400 m²

C: Speculative ...

12 FL · 50,400 m²

Scenario B: Mid-Rise Mixed-Use (Preferred)

Reset

[BASE CONCEPT]

8-storey residential study atop a 2-storey boutique retail and dining podium. Within supplied study envelope; statutory status not yet confirmed.

Base Concept: 8 Storeys (40,400 m² GFA)

Active Baseline

4

Scenario Parameters (Scenario B)

Independent

Tower storeys

6 FL · 21.0 m

Editable study range: 1-12 FL · supplied planning limit: 6 FL

Podium storeys

2 FL · 9.0 m

Editable study range: 1-14 FL · supplied planning limit: 7 FL

Front setback

10 m

0 m · frontage line

147 m · parcel-derived range

Side setback

5 m each side

0 m · Default for new opportunities: 4 m

55 m

READ IN THIS ORDER

1 status and study basis | 2 parcel, street, setbacks, and mass labels | 3 dimensions and area legend | 4 exact scenario parameters and containment

sitepilot-hackathon.vercel.app

Open WebUIZoom HDAZoom AIMZoom AIM ProjectZoom Meet AIMZoom DodyMontyBardKompas.idFree Markdow...L ConverterCopy and Paste Monty(Secret) Pre...hatGPT Users

Scenario Comparison Matrix (Menteng Heritage Quarter)
Side-by-side evaluation of development figures, supplied planning limits, verification status, and investment economics.

1

STUDY
Scenario A: Low-Rise Heritage Villas
METRICS / SCHEMES
Site: 16,849.8 m²
Switch to Scheme →

PREFERRED ✓ ACTIVE
Scenario B: Mid-Rise Mixed-Use (Preferred)
Current View

STUDY
Scenario C: Speculative High-Density (12 Storeys)
Switch to Scheme →

2

Total Gross Floor Area (GFA)	24,000 m ²	40,400 m ²	50,400 m ²
Strategy Target Reconciliation Target · deterministic result · variance	No separate target recorded	No separate target recorded	No separate target recorded
Floor Area Ratio (KLB) (Supplied cap: 3.20x)	1.42x	2.40x	2.99x
Building Floors & Height	4 Floors (15.2m total)	8 Floors (30.0m total)	12 Floors (43.2m total)
Site Coverage (KDB) (Supplied limit: 55%)	35.6% (6,000 m² footprint)	34.4% (5,800 m² footprint)	24.9% (4,200 m² footprint)
Unbuilt site area (Supplied minimum: ≥20%)	64.4% (10,849.8 m² unbuilt) KDH not demonstrated	65.6% (11,049.8 m² unbuilt) KDH not demonstrated	75.1% (12,649.8 m² unbuilt) KDH not demonstrated
Setbacks Front · sides · rear	10 m · 5 m · 6 m	10 m · 5 m · 6 m	10 m · 5 m · 6 m

3

Land Cost Allocation / GFA (At Rp 450.00 asking price)	Rp 18.8M / m ² per buildable m²	Rp 11.1M / m ² per buildable m²	Rp 8.9M / m ² per buildable m²
Planning check	⦿ WITHIN SUPPLIED LIMITS	⦿ WITHIN SUPPLIED LIMITS	⚠ OUTSIDE SUPPLIED LIMITS

COMPARISON QUESTIONS

Does each option meet the stated intent? Is the target reconciled to deterministic GFA? Are height, FAR, KDB, KDH, and setbacks inside the supplied envelope? What uncertainty changes the recommendation?

The screenshot displays the SitePilot Decision Room interface for the 'Menteng Heritage Quarter' project. The interface is divided into several sections:

- Top Bar:** Includes the SitePilot logo, project name 'Menteng Heritage Quarter', and buttons for '+ New Opportunity', 'Edit Inputs', 'Spatial Lab', and 'CONDITIONAL PROCEED'. A 'Site Readiness' progress bar is at 68%.
- Left Panel:** Contains an 'Executive Brief' section with project details (Jl. Teuku Umar No. 42-48, Menteng, Central Jakarta) and a table of area, frontage, and depth. Below this are 'Options A, B & C' with their respective specifications and a 'Decision statement'.
- Center Panel:** Features a '2D Site Plan (Illustrative)' and a '3D Spatial Model'. A yellow box highlights the '3D Spatial Model' section, which includes a 'Select' menu with options like 'Move', 'Resize', and 'Floors'. A yellow box also highlights the 'VIEW' dropdown menu.
- Right Panel:** Displays 'Development Scenarios' (A: Low-Rise H..., B: Mid-Rise Mi..., C: Speculative ...) and a 'Scenario B: Mid-Rise Mixed-Use (Preferred)' section. This section includes a 'Base Concept' (8 Storeys (40,400 m² GFA)) and 'Scenario Parameters (Scenario B)' with sliders for 'Tower storeys' (6 FL - 21.0 m), 'Podium storeys' (2 FL - 9.0 m), 'Front setback' (10 m), and 'Side setback' (5 m each side).


SAFE EDIT LOOP

Select a mass -> choose Move, Resize, or Floors -> work with the 0.5 m snap and exact values -> Fit parcel or proposal -> turn on planning checks -> verify GFA, FAR, coverage, setbacks, and containment.

STEP 9

Export a decision package, not just an image

Each export should state the active case, scenario, study version, evidence status, and unresolved checks.



- Executive Brief PDF**
Use for the decision statement, readiness, recommended due diligence, risks, and action queue.
- Scenario PDF and CSV**
Use PDF for human comparison and CSV for independent checking of A, B, and C figures.
- COLLADA DAE**
Use for downstream spatial coordination. Confirm the active scenario and study version before export.
- Final human check**
Open every downloaded file. Confirm names, units, values, labels, page layout, and visible assumptions.

9 Issue note
Write 'illustrative study' on every package until municipal controls, survey geometry, and title information are verified.

CLOSE-OUT

Urban designer's decision checklist

A recommendation is ready only when the spatial proposition, metrics, evidence, and uncertainty tell the same story.

**Decision**

The brief states what decision is being made and for whom.

**Scenarios**

A, B, and C differ in a meaningful strategy, not density alone.

**Parcel**

Area, frontage, depth, street edge, and geometry basis are explicit.

**Geometry**

2D and 3D come from the same active scenario and show no hidden overlap.

**Existing asset**

Retention, demolition, phasing, and operational continuity are reconciled.

**Metrics**

GFA, FAR, coverage, height, floors, and setbacks update together.

**Controls**

FAR/KLB, KDB, KDH, height, and setbacks have traceable status.

**Evidence**

Confirmed, provided, calculated, and assumed items remain distinct.

**KDH**

Landscaped/permeable area is measured; unbuilt area is reported separately.

**Exports**

Downloaded brief, PDF, CSV, and DAE match the visible active study.

FINAL WORD

SitePilot is most valuable when it helps a team see the same parcel, the same assumptions, the same geometry, and the same unresolved questions. Use it to improve the quality of the decision - never to hide the uncertainty behind it.