

Bookit

Generated by Doxygen 1.8.14

Contents

1	README	1
2	Namespace Index	3
2.1	Packages	3
3	Hierarchical Index	5
3.1	Class Hierarchy	5
4	Class Index	9
4.1	Class List	9
5	File Index	11
5.1	File List	11
6	Namespace Documentation	15
6.1	Package com	15
6.2	Package com.deusto	15
6.3	Package com.deusto.builders	15
6.4	Package com.deusto.builders.mail	16
6.5	Package com.deusto.controllers	16
6.6	Package com.deusto.dtos	16
6.7	Package com.deusto.forms	16
6.8	Package com.deusto.forms.email	17
6.9	Package com.deusto.integration	17
6.10	Package com.deusto.integration.test	17
6.11	Package com.deusto.integration.test.common	17

6.12	Package com.deusto.models	17
6.13	Package com.deusto.repositories	18
6.14	Package com.deusto.security	18
6.15	Package com.deusto.services	18
6.16	Package com.deusto.services.mail	18
6.17	Package com.deusto.services.template	18
6.18	Package com.deusto.unit	19
6.19	Package com.deusto.unit.test	19
6.20	Package com.deusto.unit.test.builders	19
6.21	Package com.deusto.unit.test.common	19
6.22	Package com.deusto.unit.test.dtos	19
6.23	Package com.deusto.unit.test.forms	20
6.24	Package com.deusto.unit.test.repositories	20
6.25	Package com.deusto.unit.test.services	20
6.26	Package org	20
6.27	Package org.ClientP	20
6.28	Package org.dtos	21
6.29	Package org.GUI	21
6.30	Package org.models	21
6.31	Package org.security	21
6.32	Package org.test	21
6.33	Package org.test.common	22

7 Class Documentation	23
7.1 org.test.common.AbstractIt Class Reference	23
7.1.1 Member Data Documentation	23
7.1.1.1 env	23
7.1.1.2 mvc	23
7.1.1.3 remoteMongoDbRule	24
7.2 com.deusto.integration.test.common.AbstractIT Class Reference	24
7.2.1 Member Data Documentation	24
7.2.1.1 env	24
7.2.1.2 mvc	24
7.2.1.3 remoteMongoDbRule	25
7.3 com.deusto.unit.test.common.AbstractUT Class Reference	25
7.3.1 Member Function Documentation	26
7.3.1.1 setup()	26
7.3.1.2 validate()	26
7.3.2 Member Data Documentation	26
7.3.2.1 authenticationService	27
7.3.2.2 bookRepository	27
7.3.2.3 bookService	27
7.3.2.4 env	27
7.3.2.5 registrRepository	27
7.3.2.6 registrService	27
7.3.2.7 remoteMongoDbRule	27
7.3.2.8 userRepository	28
7.3.2.9 userService	28
7.3.2.10 validator	28
7.4 com.deusto.models.Address Class Reference	28
7.4.1 Detailed Description	28
7.4.2 Member Function Documentation	28
7.4.2.1 getApartamentNumber()	29

7.4.2.2	getCity()	29
7.4.2.3	getCountry()	29
7.4.2.4	getHouseNumber()	29
7.4.2.5	getId()	30
7.4.2.6	getPostalCode()	30
7.4.2.7	getStreet()	30
7.4.2.8	setApartamentNumber()	30
7.4.2.9	setCity()	31
7.4.2.10	setCountry()	31
7.4.2.11	setHouseNumber()	31
7.4.2.12	setId()	31
7.4.2.13	setPostalCode()	32
7.4.2.14	setStreet()	32
7.5	org.models.Address Class Reference	32
7.5.1	Constructor & Destructor Documentation	33
7.5.1.1	Address() [1/2]	33
7.5.1.2	Address() [2/2]	33
7.5.2	Member Function Documentation	33
7.5.2.1	getApartamentNumber()	33
7.5.2.2	getCity()	33
7.5.2.3	getCountry()	34
7.5.2.4	getHouseNumber()	34
7.5.2.5	getId()	34
7.5.2.6	getPostalCode()	34
7.5.2.7	getStreet()	34
7.5.2.8	setApartamentNumber()	34
7.5.2.9	setCity()	34
7.5.2.10	setCountry()	35
7.5.2.11	setHouseNumber()	35
7.5.2.12	setId()	35

7.5.2.13	setPostalCode()	35
7.5.2.14	setStreet()	35
7.6	com.deusto.builders.AddressBuilder Class Reference	35
7.6.1	Detailed Description	36
7.6.2	Member Function Documentation	36
7.6.2.1	apartamentoNumber()	36
7.6.2.2	build()	36
7.6.2.3	builder()	36
7.6.2.4	city()	37
7.6.2.5	country()	37
7.6.2.6	get()	37
7.6.2.7	houseNumber()	38
7.6.2.8	postalCode()	38
7.6.2.9	street()	38
7.7	com.deusto.unit.test.builders.AddressBuilderUTest Class Reference	39
7.7.1	Member Function Documentation	39
7.7.1.1	validAddressBuilder()	39
7.7.1.2	validAddressBuilderMethodStyle()	39
7.8	com.deusto.dtos.AddressDTO Class Reference	40
7.8.1	Detailed Description	40
7.8.2	Member Function Documentation	40
7.8.2.1	getApartamentoNumber()	40
7.8.2.2	getCity()	40
7.8.2.3	getCountry()	41
7.8.2.4	getHouseNumber()	41
7.8.2.5	getPostalCode()	41
7.8.2.6	getStreet()	41
7.8.2.7	setApartamentoNumber()	41
7.8.2.8	setCity()	42
7.8.2.9	setCountry()	42

7.8.2.10	setHouseNumber()	42
7.8.2.11	setPostalCode()	43
7.8.2.12	setStreet()	43
7.9	org.dtos.AddressDTO Class Reference	43
7.9.1	Member Function Documentation	43
7.9.1.1	getApartamentNumber()	44
7.9.1.2	getCity()	44
7.9.1.3	getCountry()	44
7.9.1.4	getHouseNumber()	44
7.9.1.5	getPostalCode()	44
7.9.1.6	getStreet()	44
7.9.1.7	setApartamentNumber()	44
7.9.1.8	setCity()	45
7.9.1.9	setCountry()	45
7.9.1.10	setHouseNumber()	45
7.9.1.11	setPostalCode()	45
7.9.1.12	setStreet()	45
7.10	com.deusto.unit.test.dtos.AddressDTOUTest Class Reference	45
7.10.1	Member Function Documentation	46
7.10.1.1	validBookDTO()	46
7.11	com.deusto.repositories.AddressRepository Interface Reference	46
7.11.1	Detailed Description	46
7.12	org.ClientP.Application Class Reference	46
7.12.1	Member Function Documentation	47
7.12.1.1	getBooks()	47
7.12.1.2	getBooksFilter()	47
7.12.1.3	getToken()	47
7.12.1.4	login()	47
7.12.1.5	main()	47
7.12.1.6	registr1()	48

7.12.1.7	registr2()	48
7.12.1.8	reserve()	48
7.12.1.9	startConnectionGet()	48
7.13	org.test.AppTest Class Reference	48
7.13.1	Member Function Documentation	48
7.13.1.1	findAll()	48
7.13.1.2	getAllBooksFilter()	49
7.14	com.deusto.security.AuthenticationService Class Reference	49
7.14.1	Member Function Documentation	49
7.14.1.1	authentication()	49
7.14.1.2	getUserFromRequest()	49
7.15	com.deusto.unit.test.services.AuthenticationServiceUTest Class Reference	49
7.15.1	Member Function Documentation	50
7.15.1.1	authenticate()	50
7.16	org.security.AuthenticationTokenFilter Class Reference	50
7.16.1	Member Function Documentation	50
7.16.1.1	doFilter()	50
7.17	com.deusto.security.AuthenticationTokenFilter Class Reference	51
7.17.1	Member Function Documentation	51
7.17.1.1	doFilter()	51
7.18	com.deusto.models.Book Class Reference	51
7.18.1	Detailed Description	52
7.18.2	Member Function Documentation	52
7.18.2.1	decrementCount()	52
7.18.2.2	getAgeLimit()	52
7.18.2.3	getAuthorFirstName()	52
7.18.2.4	getAuthorLastName()	53
7.18.2.5	getCount()	53
7.18.2.6	getDescription()	53
7.18.2.7	getGenre()	53

7.18.2.8	getId()	54
7.18.2.9	getPages()	54
7.18.2.10	getPublishDate()	54
7.18.2.11	getTags()	54
7.18.2.12	getTitle()	55
7.18.2.13	setAgeLimit()	55
7.18.2.14	setAuthorFirstName()	56
7.18.2.15	setAuthorLastName()	56
7.18.2.16	setCount()	56
7.18.2.17	setDescription()	57
7.18.2.18	setGenre()	57
7.18.2.19	setId()	57
7.18.2.20	setPages()	57
7.18.2.21	setPublishDate()	58
7.18.2.22	setTags()	58
7.18.2.23	setTitle()	58
7.19	org.models.Book Class Reference	59
7.19.1	Member Function Documentation	59
7.19.1.1	decrementCount()	59
7.19.1.2	getAgeLimit()	59
7.19.1.3	getAuthorFirstName()	59
7.19.1.4	getAuthorLastName()	60
7.19.1.5	getCount()	60
7.19.1.6	getDescription()	60
7.19.1.7	getGenre()	60
7.19.1.8	getId()	60
7.19.1.9	getPages()	60
7.19.1.10	getPublishDate()	60
7.19.1.11	getTags()	60
7.19.1.12	getTitle()	61

7.19.1.13 setAgeLimit()	61
7.19.1.14 setAuthorFirstName()	61
7.19.1.15 setAuthorLastName()	61
7.19.1.16 setCount()	61
7.19.1.17 setDescription()	61
7.19.1.18 setGenre()	61
7.19.1.19 setId()	62
7.19.1.20 setPages()	62
7.19.1.21 setPublishDate()	62
7.19.1.22 setTags()	62
7.19.1.23 setTitle()	62
7.20 com.deusto.builders.BookBuilder Class Reference	62
7.20.1 Detailed Description	63
7.20.2 Member Function Documentation	63
7.20.2.1 ageLimit()	63
7.20.2.2 authorFirstName()	63
7.20.2.3 authorLastName()	64
7.20.2.4 build()	64
7.20.2.5 builder()	64
7.20.2.6 count()	64
7.20.2.7 description()	65
7.20.2.8 genre()	65
7.20.2.9 get()	65
7.20.2.10 pages()	67
7.20.2.11 publishDate()	67
7.20.2.12 tags()	67
7.20.2.13 title()	69
7.21 com.deusto.unit.test.builders.BookBuilderUTest Class Reference	69
7.21.1 Member Function Documentation	70
7.21.1.1 validBookBuilderMethodStyle()	70

7.21.1.2	validBookBuilderUtest()	70
7.22	com.deusto.controllers.BookController Class Reference	70
7.22.1	Detailed Description	70
7.22.2	Member Function Documentation	70
7.22.2.1	createBook()	70
7.22.2.2	getAllBooks()	71
7.22.2.3	getAllBooksFilter1()	71
7.22.2.4	getBookById()	71
7.23	com.deusto.integration.test.BookControllerITest Class Reference	72
7.23.1	Member Function Documentation	72
7.23.1.1	findAll()	72
7.23.1.2	getAllBooksFilter()	72
7.24	com.deusto.dtos.BookDTO Class Reference	73
7.24.1	Detailed Description	73
7.24.2	Member Function Documentation	73
7.24.2.1	getAgeLimit()	73
7.24.2.2	getAuthorFirstName()	74
7.24.2.3	getAuthorLastName()	74
7.24.2.4	getCount()	74
7.24.2.5	getDescription()	74
7.24.2.6	getGenre()	75
7.24.2.7	getPages()	75
7.24.2.8	getPublishDate()	75
7.24.2.9	getTags()	75
7.24.2.10	getTitle()	76
7.24.2.11	setAgeLimit()	76
7.24.2.12	setAuthorFirstName()	77
7.24.2.13	setAuthorLastName()	77
7.24.2.14	setCount()	77
7.24.2.15	setDescription()	78

7.24.2.16 setGenre()	78
7.24.2.17 setPages()	78
7.24.2.18 setPublishDate()	78
7.24.2.19 setTags()	79
7.24.2.20 setTitle()	79
7.25 org.dtos.BookDTO Class Reference	79
7.25.1 Member Function Documentation	80
7.25.1.1 getAgeLimit()	80
7.25.1.2 getAuthorFirstName()	80
7.25.1.3 getAuthorLastName()	80
7.25.1.4 getCount()	80
7.25.1.5 getDescription()	80
7.25.1.6 getGenre()	81
7.25.1.7 getPages()	81
7.25.1.8 getPublishDate()	81
7.25.1.9 getTags()	81
7.25.1.10 getTitle()	81
7.25.1.11 setAgeLimit()	81
7.25.1.12 setAuthorFirstName()	81
7.25.1.13 setAuthorLastName()	82
7.25.1.14 setCount()	82
7.25.1.15 setDescription()	82
7.25.1.16 setGenre()	82
7.25.1.17 setPages()	82
7.25.1.18 setPublishDate()	82
7.25.1.19 setTags()	82
7.25.1.20 setTitle()	83
7.26 com.deusto.unit.test.dtos.BookDTOUTest Class Reference	83
7.26.1 Member Function Documentation	83
7.26.1.1 validBookDTO()	83

7.27 org.GUI.Booking Class Reference	83
7.27.1 Constructor & Destructor Documentation	84
7.27.1.1 Booking()	84
7.27.2 Member Function Documentation	84
7.27.2.1 actionPerformed()	84
7.27.2.2 main()	84
7.27.3 Member Data Documentation	84
7.27.3.1 j	85
7.27.3.2 newUser	85
7.28 com.deusto.BookitApplication Class Reference	85
7.28.1 Detailed Description	85
7.28.2 Member Function Documentation	85
7.28.2.1 main()	85
7.29 com.deusto.repositories.BookRepository Interface Reference	85
7.29.1 Detailed Description	86
7.29.2 Member Function Documentation	86
7.29.2.1 findAll()	86
7.29.2.2 findAllByAuthorFirstName()	86
7.29.2.3 findAllByAuthorLastName()	86
7.29.2.4 findAllByGenre()	86
7.29.2.5 findAllById()	87
7.29.2.6 findBookById()	87
7.29.2.7 findByTitle()	87
7.30 com.deusto.unit.test.repositories.BookRepositoryUTest Class Reference	87
7.30.1 Member Function Documentation	87
7.30.1.1 findAllBooksTest()	88
7.30.1.2 findAllByAuthorFirstNameTest()	88
7.30.1.3 findAllByAuthorLastNameTest()	88
7.30.1.4 findAllByGenreTest()	88
7.30.1.5 findAllByIdTest()	88

7.30.1.6	findByTitleTest()	88
7.31	com.deusto.services.BookService Class Reference	89
7.31.1	Detailed Description	89
7.31.2	Member Function Documentation	89
7.31.2.1	findAll()	89
7.31.2.2	findAllByAuthorFirstName()	89
7.31.2.3	findByAuthorLastName()	89
7.31.2.4	findByGenre()	89
7.31.2.5	findById()	90
7.31.2.6	findByTitle()	90
7.31.2.7	insert()	90
7.31.2.8	update()	90
7.32	com.deusto.unit.test.services.BookServiceUtest Class Reference	90
7.33	com.deusto.builders.mail.Email Class Reference	91
7.33.1	Member Function Documentation	91
7.33.1.1	build()	91
7.33.1.2	builder()	91
7.33.1.3	from()	91
7.33.1.4	messagePreparator()	91
7.33.1.5	subject()	92
7.33.1.6	text()	92
7.33.1.7	to()	92
7.34	com.deusto.forms.email.EmailField Interface Reference	92
7.34.1	Member Function Documentation	92
7.34.1.1	getEmail()	93
7.35	com.deusto.services.mail.EmailService Class Reference	93
7.35.1	Detailed Description	93
7.36	org.security.EntryPointUnauthorizedHandler Class Reference	93
7.36.1	Member Function Documentation	93
7.36.1.1	commence()	94

7.37	com.deusto.security.EntryPointUnauthorizedHandler Class Reference	94
7.37.1	Member Function Documentation	94
7.37.1.1	commence()	94
7.38	org.dtos.FilterDTO Class Reference	95
7.38.1	Detailed Description	95
7.38.2	Member Function Documentation	95
7.38.2.1	getGenre()	95
7.38.2.2	getReserveDate()	95
7.38.2.3	getReserveExpire()	95
7.38.2.4	getTitle()	96
7.38.2.5	setGenre()	96
7.38.2.6	setReserveDate()	96
7.38.2.7	setReserveExpire()	96
7.38.2.8	setTitle()	96
7.38.3	Member Data Documentation	96
7.38.3.1	genre	96
7.39	com.deusto.dtos.FilterDTO Class Reference	97
7.39.1	Detailed Description	97
7.39.2	Member Function Documentation	97
7.39.2.1	getGenre()	97
7.39.2.2	getReserveDate()	97
7.39.2.3	getReserveExpire()	98
7.39.2.4	getTitle()	98
7.39.2.5	setGenre()	98
7.39.2.6	setReserveDate()	98
7.39.2.7	setReserveExpire()	99
7.39.2.8	setTitle()	99
7.39.3	Member Data Documentation	99
7.39.3.1	genre	99
7.40	com.deusto.services.template.FreeMarkerService Class Reference	99

7.41	com.deusto.controllers.IndexController Class Reference	100
7.41.1	Member Function Documentation	100
7.41.1.1	auth()	100
7.41.1.2	authUser()	100
7.41.1.3	index()	100
7.41.1.4	post()	100
7.41.1.5	unAuth()	100
7.42	com.deusto.integration.test.IndexControllerITest Class Reference	101
7.42.1	Member Function Documentation	101
7.42.1.1	auth()	101
7.42.1.2	authCrash()	101
7.42.1.3	authUser()	101
7.42.1.4	unauth()	101
7.43	org.GUI.Login Class Reference	102
7.43.1	Constructor & Destructor Documentation	102
7.43.1.1	Login()	102
7.43.2	Member Function Documentation	102
7.43.2.1	actionPerformed()	102
7.43.2.2	main()	103
7.43.3	Member Data Documentation	103
7.43.3.1	newUser	103
7.44	com.deusto.controllers.LoginController Class Reference	103
7.44.1	Detailed Description	103
7.44.2	Member Function Documentation	103
7.44.2.1	login()	103
7.45	com.deusto.integration.test.LoginControllerITest Class Reference	104
7.45.1	Member Function Documentation	104
7.45.1.1	login()	104
7.45.1.2	loginWrongCredentials()	104
7.46	org.dtos.LoginDTO Class Reference	105

7.46.1	Constructor & Destructor Documentation	105
7.46.1.1	LoginDTO() [1/2]	105
7.46.1.2	LoginDTO() [2/2]	105
7.46.2	Member Function Documentation	105
7.46.2.1	getEmail()	105
7.46.2.2	getEncryptedPassword()	105
7.46.2.3	setEmail()	106
7.46.2.4	setEncryptedPassword()	106
7.47	com.deusto.dtos.LoginDTO Class Reference	106
7.47.1	Detailed Description	106
7.47.2	Member Function Documentation	106
7.47.2.1	getEmail()	106
7.47.2.2	getEncryptedPassword()	107
7.47.2.3	setEmail()	107
7.47.2.4	setEncryptedPassword()	107
7.48	com.deusto.unit.test.dtos.LoginDTOUTest Class Reference	107
7.48.1	Member Function Documentation	108
7.48.1.1	invalidEmailEmptyLoginDTO()	108
7.48.1.2	invalidEmailLoginDTO()	108
7.48.1.3	invalidLoginDTO()	108
7.48.1.4	invalidPasswordEmptyLoginDTO()	108
7.48.1.5	validLoginDTO()	108
7.49	com.deusto.dtos.PersonDTO Class Reference	109
7.49.1	Detailed Description	109
7.49.2	Member Function Documentation	109
7.49.2.1	getAddress()	109
7.49.2.2	getBirthDate()	109
7.49.2.3	getCountryCode()	110
7.49.2.4	getEmail()	110
7.49.2.5	getPassword()	110

7.49.2.6	getPhone()	110
7.49.2.7	setAddress()	110
7.49.2.8	setBirthDate()	111
7.49.2.9	setCountryCode()	111
7.49.2.10	setEmail()	111
7.49.2.11	setPassword()	112
7.49.2.12	setPhone()	112
7.50	org.dtos.PersonDTO Class Reference	112
7.50.1	Member Function Documentation	112
7.50.1.1	getAddress()	113
7.50.1.2	getBirthDate()	113
7.50.1.3	getCountryCode()	113
7.50.1.4	getEmail()	113
7.50.1.5	getPassword()	113
7.50.1.6	getPhone()	113
7.50.1.7	setAddress()	113
7.50.1.8	setBirthDate()	114
7.50.1.9	setCountryCode()	114
7.50.1.10	setEmail()	114
7.50.1.11	setPassword()	114
7.50.1.12	setPhone()	114
7.51	com.deusto.unit.test.dtos.PersonDTOUTest Class Reference	114
7.51.1	Member Function Documentation	115
7.51.1.1	invalidEmailPeronDTO()	115
7.51.1.2	invalidEmptyCountryCodePersonDTO()	115
7.51.1.3	invalidEmptyEmailPersontDTO()	115
7.51.1.4	invalidEmptyPasswordPersonDTO()	115
7.51.1.5	validPersonDTO()	115
7.52	org.GUI.Register Class Reference	116
7.52.1	Constructor & Destructor Documentation	116

7.52.1.1	Register()	116
7.52.2	Member Function Documentation	116
7.52.2.1	actionPerformed()	116
7.52.2.2	main()	117
7.52.3	Member Data Documentation	117
7.52.3.1	j	117
7.52.3.2	newUser	117
7.53	org.models.Registr Class Reference	117
7.53.1	Member Function Documentation	117
7.53.1.1	getEmail()	117
7.53.1.2	getFirstname()	118
7.53.1.3	getId()	118
7.53.1.4	getLastname()	118
7.53.1.5	isActiv()	118
7.53.1.6	setActiv()	118
7.53.1.7	setEmail()	118
7.53.1.8	setFirstname()	118
7.53.1.9	setId()	119
7.53.1.10	setLastname()	119
7.54	com.deusto.models.Registr Class Reference	119
7.54.1	Detailed Description	119
7.54.2	Member Function Documentation	119
7.54.2.1	getEmail()	119
7.54.2.2	getFirstname()	120
7.54.2.3	getId()	120
7.54.2.4	getLastname()	120
7.54.2.5	isActiv()	120
7.54.2.6	setActiv()	120
7.54.2.7	setEmail()	121
7.54.2.8	setFirstname()	121

7.54.2.9	setId()	121
7.54.2.10	setLastname()	122
7.55	com.deusto.builders.RegistrBuilder Class Reference	122
7.55.1	Detailed Description	122
7.55.2	Member Function Documentation	122
7.55.2.1	get()	122
7.56	com.deusto.unit.test.builders.RegistrBuilderUTest Class Reference	123
7.56.1	Member Function Documentation	123
7.56.1.1	validRegistrBuilder()	123
7.57	com.deusto.controllers.RegistrController Class Reference	123
7.57.1	Detailed Description	123
7.57.2	Member Function Documentation	123
7.57.2.1	firstStep()	123
7.57.2.2	lastStep()	124
7.57.2.3	secondStep()	124
7.58	com.deusto.integration.test.RegistrControllerITest Class Reference	125
7.58.1	Member Function Documentation	125
7.58.1.1	validPostRegistr()	125
7.59	com.deusto.dtos.RegistrDTO Class Reference	125
7.59.1	Detailed Description	125
7.59.2	Member Function Documentation	126
7.59.2.1	getEmail()	126
7.59.2.2	getFirstname()	126
7.59.2.3	getLastname()	126
7.59.2.4	setEmail()	126
7.59.2.5	setFirstname()	127
7.59.2.6	setLastname()	127
7.60	org.dtos.RegistrDTO Class Reference	127
7.60.1	Member Function Documentation	128
7.60.1.1	getEmail()	128

7.60.1.2	getFirstname()	128
7.60.1.3	getLastname()	128
7.60.1.4	setEmail()	128
7.60.1.5	setFirstname()	128
7.60.1.6	setLastname()	128
7.61	com.deusto.unit.test.dtos.RegistrDTOUTest Class Reference	129
7.61.1	Member Function Documentation	129
7.61.1.1	invalidEmailEmptyRegistrDTO()	129
7.61.1.2	invalidEmailWrongRegistrDTO()	129
7.61.1.3	invalidFirstnameAndLastnameEmptyRegistrDTO()	129
7.61.1.4	invalidFirstnameEmptyRegistrDTO()	130
7.61.1.5	invalidLastnameEmptyRegistrDTO()	130
7.61.1.6	invalidRegistrDTO()	130
7.61.1.7	validRegistrDTO()	130
7.62	com.deusto.forms.email.RegistrForm Class Reference	130
7.62.1	Detailed Description	131
7.62.2	Member Function Documentation	131
7.62.2.1	get()	131
7.62.2.2	getEmail()	131
7.62.2.3	getFirstname()	131
7.62.2.4	getLastname()	131
7.62.2.5	getUrl()	131
7.62.2.6	setEmail()	132
7.62.2.7	setFirstname()	132
7.62.2.8	setLastname()	132
7.62.2.9	setUrl()	132
7.63	com.deusto.unit.test.forms.RegistrFormUTest Class Reference	132
7.64	com.deusto.repositories.RegistrRepository Interface Reference	133
7.64.1	Detailed Description	133
7.64.2	Member Function Documentation	133

7.64.2.1	findByEmail()	133
7.64.2.2	findRegistrById()	133
7.65	com.deusto.unit.test.repositories.RegistrRepostoryUTest Class Reference	133
7.66	com.deusto.services.RegistrService Class Reference	134
7.66.1	Detailed Description	134
7.66.2	Member Function Documentation	134
7.66.2.1	delete()	134
7.66.2.2	findByEmail()	134
7.66.2.3	findById()	134
7.66.2.4	insert()	135
7.66.2.5	update()	135
7.67	com.deusto.unit.test.services.RegistrServiceUTest Class Reference	135
7.68	org.models.Reserve Class Reference	135
7.68.1	Member Function Documentation	136
7.68.1.1	getBook()	136
7.68.1.2	getId()	136
7.68.1.3	getReserveDate()	136
7.68.1.4	getReserveExpire()	136
7.68.1.5	getUser()	136
7.68.1.6	setBook()	136
7.68.1.7	setId()	136
7.68.1.8	setReserveDate()	137
7.68.1.9	setReserveExpire()	137
7.68.1.10	setUser()	137
7.69	com.deusto.models.Reserve Class Reference	137
7.69.1	Detailed Description	137
7.69.2	Member Function Documentation	137
7.69.2.1	getBook()	138
7.69.2.2	getId()	138
7.69.2.3	getReserveDate()	138

7.69.2.4	getReserveExpire()	138
7.69.2.5	getUser()	139
7.69.2.6	setBook()	139
7.69.2.7	setId()	140
7.69.2.8	setReserveDate()	140
7.69.2.9	setReserveExpire()	140
7.69.2.10	setUser()	141
7.70	com.deusto.builders.ReserveBuilder Class Reference	141
7.71	com.deusto.controllers.ReserveController Class Reference	141
7.71.1	Detailed Description	141
7.71.2	Member Function Documentation	141
7.71.2.1	getAll()	141
7.71.2.2	newReserve()	141
7.72	com.deusto.integration.test.ReserveControllerITest Class Reference	142
7.72.1	Member Function Documentation	142
7.72.1.1	getAll()	142
7.72.1.2	newReserve()	142
7.72.1.3	reserveWithZeroBooks()	143
7.73	org.dtos.ReserveDTO Class Reference	143
7.73.1	Member Function Documentation	143
7.73.1.1	getBookId()	143
7.73.1.2	setBookId()	143
7.74	com.deusto.dtos.ReserveDTO Class Reference	143
7.74.1	Detailed Description	143
7.74.2	Member Function Documentation	144
7.74.2.1	getBookId()	144
7.74.2.2	setBookId()	144
7.75	com.deusto.repositories.ReserveRepository Interface Reference	144
7.75.1	Detailed Description	145
7.75.2	Member Function Documentation	145

7.75.2.1	delete()	145
7.75.2.2	findAllByBook()	145
7.75.2.3	findAllByReserveDateBeforeAndReserveExpireAfter()	145
7.75.2.4	findAllByUser()	145
7.75.2.5	findDistinctByReserveDateAndReserveExpire()	145
7.75.2.6	insert()	146
7.76	com.deusto.services.ReserveService Class Reference	146
7.76.1	Detailed Description	146
7.76.2	Member Function Documentation	146
7.76.2.1	findAll()	146
7.76.2.2	findAllByBook()	146
7.76.2.3	findAllByUser()	146
7.76.2.4	findAvailableBetweenDates()	147
7.76.2.5	insert()	147
7.76.2.6	update()	147
7.77	org.security.SecurityUser Class Reference	147
7.77.1	Constructor & Destructor Documentation	148
7.77.1.1	SecurityUser()	148
7.77.2	Member Function Documentation	148
7.77.2.1	getAccountNonExpired()	148
7.77.2.2	getAccountNonLocked()	148
7.77.2.3	getAuthorities()	149
7.77.2.4	getCredentialsNonExpired()	149
7.77.2.5	getEmail()	149
7.77.2.6	getEnabled()	149
7.77.2.7	getId()	149
7.77.2.8	getLastPasswordReset()	149
7.77.2.9	getName()	149
7.77.2.10	getPassword()	149
7.77.2.11	getUsername()	150

7.77.2.12 isAccountNonExpired()	150
7.77.2.13 isAccountNonLocked()	150
7.77.2.14 isCredentialsNonExpired()	150
7.77.2.15 isEnabled()	150
7.77.2.16 setAccountNonExpired()	150
7.77.2.17 setAccountNonLocked()	150
7.77.2.18 setAuthorities()	151
7.77.2.19 setCredentialsNonExpired()	151
7.77.2.20 setEmail()	151
7.77.2.21 setEnabled()	151
7.77.2.22 setId()	151
7.77.2.23 setLastPasswordReset()	151
7.77.2.24 setPassword()	151
7.78 com.deusto.security.SecurityUser Class Reference	152
7.78.1 Constructor & Destructor Documentation	152
7.78.1.1 SecurityUser()	152
7.78.2 Member Function Documentation	153
7.78.2.1 getAccountNonExpired()	153
7.78.2.2 getAccountNonLocked()	153
7.78.2.3 getAuthorities()	153
7.78.2.4 getCredentialsNonExpired()	153
7.78.2.5 getEmail()	153
7.78.2.6 getEnabled()	153
7.78.2.7 getId()	153
7.78.2.8 getLastPasswordReset()	154
7.78.2.9 getName()	154
7.78.2.10 getPassword()	154
7.78.2.11 getUsername()	154
7.78.2.12 isAccountNonExpired()	154
7.78.2.13 isAccountNonLocked()	154

7.78.2.14 isCredentialsNonExpired()	154
7.78.2.15 isEnabled()	154
7.78.2.16 setAccountNonExpired()	155
7.78.2.17 setAccountNonLocked()	155
7.78.2.18 setAuthorities()	155
7.78.2.19 setCredentialsNonExpired()	155
7.78.2.20 setEmail()	155
7.78.2.21 setEnabled()	155
7.78.2.22 setId()	155
7.78.2.23 setLastPasswordReset()	156
7.78.2.24 setPassword()	156
7.79 com.deusto.SwaggerConfigs Class Reference	156
7.79.1 Detailed Description	156
7.79.2 Member Function Documentation	156
7.79.2.1 api()	156
7.80 org.models.Token Class Reference	156
7.80.1 Member Function Documentation	157
7.80.1.1 getToken()	157
7.80.1.2 setToken()	157
7.81 com.deusto.security.TokenUtils Class Reference	157
7.81.1 Member Function Documentation	157
7.81.1.1 canTokenBeRefreshed()	157
7.81.1.2 generateToken()	158
7.81.1.3 getAudienceFromToken()	158
7.81.1.4 getCreatedDateFromToken()	158
7.81.1.5 getExpirationDateFromToken()	158
7.81.1.6 getUsernameFromToken()	158
7.81.1.7 refreshToken()	158
7.81.1.8 validateToken()	158
7.82 org.security.TokenUtils Class Reference	159

7.82.1	Member Function Documentation	159
7.82.1.1	canTokenBeRefreshed()	159
7.82.1.2	generateToken()	159
7.82.1.3	getAudienceFromToken()	159
7.82.1.4	getCreatedDateFromToken()	159
7.82.1.5	getExpirationDateFromToken()	160
7.82.1.6	getUsernameFromToken()	160
7.82.1.7	refreshToken()	160
7.82.1.8	validateToken()	160
7.83	com.deusto.models.User Class Reference	160
7.83.1	Detailed Description	161
7.83.2	Member Function Documentation	161
7.83.2.1	getAddress()	161
7.83.2.2	getBirthDate()	161
7.83.2.3	getCountryCode()	161
7.83.2.4	getEmail()	162
7.83.2.5	getFirstname()	162
7.83.2.6	getId()	162
7.83.2.7	getLastname()	162
7.83.2.8	getPassword()	163
7.83.2.9	getPhone()	163
7.83.2.10	setAddress()	163
7.83.2.11	setBirthDate()	163
7.83.2.12	setCountryCode()	164
7.83.2.13	setEmail()	164
7.83.2.14	setFirstname()	164
7.83.2.15	setId()	164
7.83.2.16	setLastname()	165
7.83.2.17	setPassword()	165
7.83.2.18	setPhone()	165

7.84	org.models.User Class Reference	166
7.84.1	Constructor & Destructor Documentation	166
7.84.1.1	User() [1/2]	166
7.84.1.2	User() [2/2]	166
7.84.2	Member Function Documentation	166
7.84.2.1	getAddress()	167
7.84.2.2	getBirthDate()	167
7.84.2.3	getCountryCode()	167
7.84.2.4	getEmail()	167
7.84.2.5	getFirstname()	167
7.84.2.6	getId()	167
7.84.2.7	getLastname()	167
7.84.2.8	getPassword()	167
7.84.2.9	getPhone()	168
7.84.2.10	setAddress()	168
7.84.2.11	setBirthDate()	168
7.84.2.12	setCountryCode()	168
7.84.2.13	setEmail()	168
7.84.2.14	setFirstname()	168
7.84.2.15	setId()	168
7.84.2.16	setLastname()	169
7.84.2.17	setPassword()	169
7.84.2.18	setPhone()	169
7.85	com.deusto.builders.UserBuilder Class Reference	169
7.85.1	Detailed Description	169
7.85.2	Member Function Documentation	169
7.85.2.1	birthDate()	169
7.85.2.2	build()	170
7.85.2.3	builder()	170
7.85.2.4	countryCode()	170

7.85.2.5	email()	171
7.85.2.6	firstname()	171
7.85.2.7	get() [1/2]	171
7.85.2.8	get() [2/2]	172
7.85.2.9	lastname()	172
7.85.2.10	password()	172
7.85.2.11	phone()	173
7.86	com.deusto.unit.test.builders.UserBuilderUTest Class Reference	173
7.86.1	Member Function Documentation	174
7.86.1.1	validUserBuilder()	174
7.86.1.2	validUserBuilderMethodStyle()	174
7.87	com.deusto.integration.test.UserControllerITest Class Reference	174
7.88	com.deusto.security.UserDetailsServiceImpl Class Reference	174
7.88.1	Member Function Documentation	175
7.88.1.1	loadUserByUsername()	175
7.89	com.deusto.repositories.UserRepository Interface Reference	175
7.89.1	Detailed Description	175
7.89.2	Member Function Documentation	175
7.89.2.1	delete()	176
7.89.2.2	findAllByFirstname()	176
7.89.2.3	findAllByLastname()	176
7.89.2.4	findByEmail()	176
7.89.2.5	findByPhone()	176
7.89.2.6	findUserById()	176
7.90	com.deusto.unit.test.repositories.UserRepositoryUTest Class Reference	177
7.91	com.deusto.services.UserService Class Reference	177
7.91.1	Detailed Description	177
7.91.2	Member Function Documentation	177
7.91.2.1	delete()	177
7.91.2.2	findByEmail()	178

7.91.2.3	findByFirstName()	178
7.91.2.4	findById()	178
7.91.2.5	findByLastName()	178
7.91.2.6	findByPhoneNumber()	178
7.91.2.7	insert()	178
7.91.2.8	update()	178
7.92	com.deusto.unit.test.services.UserServiceUtest Class Reference	179
7.93	com.deusto.WebSecurityConfigs Class Reference	179
7.93.1	Detailed Description	179
7.93.2	Member Function Documentation	179
7.93.2.1	authenticationManagerBean()	180
7.93.2.2	authenticationTokenFilterBean()	180
7.93.2.3	configure() [1/2]	180
7.93.2.4	configure() [2/2]	180
7.93.2.5	configureAuthentication()	180
8	File Documentation	181
8.1	ClientB/src/main/java/org/ClientP/Application.java File Reference	181
8.2	ClientB/src/main/java/org/dtos/AddressDTO.java File Reference	181
8.3	ServerB/src/main/java/com/deusto/dtos/AddressDTO.java File Reference	181
8.4	ClientB/src/main/java/org/dtos/BookDTO.java File Reference	182
8.5	ServerB/src/main/java/com/deusto/dtos/BookDTO.java File Reference	182
8.6	ClientB/src/main/java/org/dtos/FilterDTO.java File Reference	182
8.7	ServerB/src/main/java/com/deusto/dtos/FilterDTO.java File Reference	182
8.8	ClientB/src/main/java/org/dtos/LoginDTO.java File Reference	183
8.9	ServerB/src/main/java/com/deusto/dtos/LoginDTO.java File Reference	183
8.10	ClientB/src/main/java/org/dtos/PersonDTO.java File Reference	183
8.11	ServerB/src/main/java/com/deusto/dtos/PersonDTO.java File Reference	183
8.12	ClientB/src/main/java/org/dtos/RegistrDTO.java File Reference	184
8.13	ServerB/src/main/java/com/deusto/dtos/RegistrDTO.java File Reference	184
8.14	ClientB/src/main/java/org/dtos/ReserveDTO.java File Reference	184

8.15	ServerB/src/main/java/com/deusto/dtos/ReserveDTO.java File Reference	184
8.16	ClientB/src/main/java/org/GUI/Booking.java File Reference	185
8.17	ClientB/src/main/java/org/GUI/Login.java File Reference	185
8.18	ClientB/src/main/java/org/GUI/Register.java File Reference	185
8.19	ClientB/src/main/java/org/models/Address.java File Reference	185
8.20	ServerB/src/main/java/com/deusto/models/Address.java File Reference	186
8.21	ClientB/src/main/java/org/models/Book.java File Reference	186
8.22	ServerB/src/main/java/com/deusto/models/Book.java File Reference	186
8.23	ClientB/src/main/java/org/models/Registr.java File Reference	186
8.24	ServerB/src/main/java/com/deusto/models/Registr.java File Reference	187
8.25	ClientB/src/main/java/org/models/Reserve.java File Reference	187
8.26	ServerB/src/main/java/com/deusto/models/Reserve.java File Reference	187
8.27	ClientB/src/main/java/org/models/Token.java File Reference	187
8.28	ClientB/src/main/java/org/models/User.java File Reference	188
8.29	ServerB/src/main/java/com/deusto/models/User.java File Reference	188
8.30	ClientB/src/main/java/org/security/AuthenticationTokenFilter.java File Reference	188
8.31	ServerB/src/main/java/com/deusto/security/AuthenticationTokenFilter.java File Reference	188
8.32	ClientB/src/main/java/org/security/EntryPointUnauthorizedHandler.java File Reference	189
8.33	ServerB/src/main/java/com/deusto/security/EntryPointUnauthorizedHandler.java File Reference	189
8.34	ClientB/src/main/java/org/security/SecurityUser.java File Reference	189
8.35	ServerB/src/main/java/com/deusto/security/SecurityUser.java File Reference	189
8.36	ClientB/src/main/java/org/security/TokenUtils.java File Reference	190
8.37	ServerB/src/main/java/com/deusto/security/TokenUtils.java File Reference	190
8.38	ClientB/src/test/java/org/test/AppTest.java File Reference	190
8.39	ClientB/src/test/java/org/test/common/AbstractIt.java File Reference	190
8.40	ServerB/src/test/java/com/deusto/integration/test/common/AbstractIT.java File Reference	191
8.41	README.md File Reference	191
8.42	ServerB/src/main/java/com/deusto/BookitApplication.java File Reference	191
8.43	ServerB/src/main/java/com/deusto/builders/AddressBuilder.java File Reference	191
8.44	ServerB/src/main/java/com/deusto/builders/BookBuilder.java File Reference	191

8.45	ServerB/src/main/java/com/deusto/builders/mail/Email.java File Reference	192
8.46	ServerB/src/main/java/com/deusto/builders/RegistrBuilder.java File Reference	192
8.47	ServerB/src/main/java/com/deusto/builders/ReserveBuilder.java File Reference	192
8.48	ServerB/src/main/java/com/deusto/builders/UserBuilder.java File Reference	192
8.49	ServerB/src/main/java/com/deusto/controllers/BookController.java File Reference	193
8.50	ServerB/src/main/java/com/deusto/controllers/IndexController.java File Reference	193
8.51	ServerB/src/main/java/com/deusto/controllers/LoginController.java File Reference	193
8.52	ServerB/src/main/java/com/deusto/controllers/RegistrController.java File Reference	193
8.53	ServerB/src/main/java/com/deusto/controllers/ReserveController.java File Reference	194
8.54	ServerB/src/main/java/com/deusto/forms/email/EmailField.java File Reference	194
8.55	ServerB/src/main/java/com/deusto/forms/email/RegistrForm.java File Reference	194
8.56	ServerB/src/main/java/com/deusto/repositories/AddressRepository.java File Reference	194
8.57	ServerB/src/main/java/com/deusto/repositories/BookRepository.java File Reference	195
8.58	ServerB/src/main/java/com/deusto/repositories/RegistrRepository.java File Reference	195
8.59	ServerB/src/main/java/com/deusto/repositories/ReserveRepository.java File Reference	195
8.60	ServerB/src/main/java/com/deusto/repositories/UserRepository.java File Reference	195
8.61	ServerB/src/main/java/com/deusto/security/AuthenticationService.java File Reference	196
8.62	ServerB/src/main/java/com/deusto/security/UserDetailsServiceImpl.java File Reference	196
8.63	ServerB/src/main/java/com/deusto/services/BookService.java File Reference	196
8.64	ServerB/src/main/java/com/deusto/services/mail/EmailService.java File Reference	196
8.65	ServerB/src/main/java/com/deusto/services/RegistrService.java File Reference	197
8.66	ServerB/src/main/java/com/deusto/services/ReserveService.java File Reference	197
8.67	ServerB/src/main/java/com/deusto/services/template/FreeMarkerService.java File Reference	197
8.68	ServerB/src/main/java/com/deusto/services/UserService.java File Reference	197
8.69	ServerB/src/main/java/com/deusto/SwaggerConfigs.java File Reference	198
8.70	ServerB/src/main/java/com/deusto/WebSecurityConfigs.java File Reference	198
8.71	ServerB/src/main/resources/db/changes/firstChangeSet.js File Reference	198
8.72	ServerB/target/classes/db/changes/firstChangeSet.js File Reference	198
8.73	ServerB/src/test/java/com/deusto/integration/test/BookControllerITest.java File Reference	198
8.74	ServerB/src/test/java/com/deusto/integration/test/IndexControllerITest.java File Reference	198

8.75	ServerB/src/test/java/com/deusto/integration/test/LoginControllerITest.java File Reference	199
8.76	ServerB/src/test/java/com/deusto/integration/test/RegistrControllerITest.java File Reference	199
8.77	ServerB/src/test/java/com/deusto/integration/test/ReserveControllerITest.java File Reference	199
8.78	ServerB/src/test/java/com/deusto/integration/test/UserControllerITest.java File Reference	199
8.79	ServerB/src/test/java/com/deusto/unit/test/builders/AddressBuilderUTest.java File Reference	200
8.80	ServerB/src/test/java/com/deusto/unit/test/builders/BookBuilderUTest.java File Reference	200
8.81	ServerB/src/test/java/com/deusto/unit/test/builders/RegistrBuilderUTest.java File Reference	200
8.82	ServerB/src/test/java/com/deusto/unit/test/builders/UserBuilderUTest.java File Reference	200
8.83	ServerB/src/test/java/com/deusto/unit/test/common/AbstractUT.java File Reference	201
8.84	ServerB/src/test/java/com/deusto/unit/test/dtos/AddressDTOUTest.java File Reference	201
8.85	ServerB/src/test/java/com/deusto/unit/test/dtos/BookDTOUTest.java File Reference	201
8.86	ServerB/src/test/java/com/deusto/unit/test/dtos/LoginDTOUTest.java File Reference	201
8.87	ServerB/src/test/java/com/deusto/unit/test/dtos/PersonDTOUTest.java File Reference	202
8.88	ServerB/src/test/java/com/deusto/unit/test/dtos/RegistrDTOUTest.java File Reference	202
8.89	ServerB/src/test/java/com/deusto/unit/test/forms/RegistrFormUTest.java File Reference	202
8.90	ServerB/src/test/java/com/deusto/unit/test/repositories/BookRepositoryUTest.java File Reference	202
8.91	ServerB/src/test/java/com/deusto/unit/test/repositories/RegistrRepostoryUTest.java File Reference	203
8.92	ServerB/src/test/java/com/deusto/unit/test/repositories/UserRepositoryUTest.java File Reference	203
8.93	ServerB/src/test/java/com/deusto/unit/test/services/AuthenticationServiceUTest.java File Reference	203
8.94	ServerB/src/test/java/com/deusto/unit/test/services/BookServiceUTest.java File Reference	203
8.95	ServerB/src/test/java/com/deusto/unit/test/services/RegistrServiceUTest.java File Reference	204
8.96	ServerB/src/test/java/com/deusto/unit/test/services/UserServiceUTest.java File Reference	204

Chapter 1

README

Our amazing team decided to create a booking application for reserving books in a library. In order to achieve success and to reach our goal, we have used the following technologies:

Prerequisites:

- IntelliJ IDEA or Eclipse development environments
- mongo db

If you want to run the application in IntelliJ IDEA make sure you configure it as a SpringBoot application.

In order to run the Jenkins CI, you will be interested to pull the docker container from the docker hub, and then to run the jenkins-spq container.
For this you need to have, as well, docker installed.

Make sure you have doxygen installed, for generating the documentation.

For this, you will need the following:

- GNU tools:
 1. flex
 2. bison
 3. libiconv
 4. make
 5. strip
 - (a)
 6. </ul?

For the server side

SPRING Boot framework

Spring boot is a suite, pre-configured, pre-sugared set of frameworks/technologies to reduce boiler plate configuration providing you the shortest way to have a Spring web application up and running with smallest line of code/configuration out-of-the-box.

Swagger

Swagger is a powerful open source framework backed by a large ecosystem of tools that helps you design, build, document, and consume your RESTful APIs.

In order to view the web swagger view, run the server and access the following route: "localhost↵:8080/swagger-ui.html". You will be redirected to a view with all the controllers and their implemented methods, like in the image below:

The usage of swagger is very simple. In order to try the functionality of your controllers, the only thing you have to do is to input the body value if needed, and then to press on "Try it out!" button. Let's follow an example:

Go to book-controller and let's create a book, by opening the createBook dropdown menu and complete the body of the request:

Warning! Don't forget to input data for the body request. Its format should be similar to Example Value, in the rightmost part of the image.

Well done till now! Be courageous enough now to press on "Try it out!" button to receive an output like this!

JUnit

To assure the system works correctly we have used the JUnit framework, which helps us to rapidly and efficiently write tests for our code.

Chapter 2

Namespace Index

2.1 Packages

Here are the packages with brief descriptions (if available):

com	15
com.deusto	15
com.deusto.builders	15
com.deusto.builders.mail	16
com.deusto.controllers	16
com.deusto.dtos	16
com.deusto.forms	16
com.deusto.forms.email	17
com.deusto.integration	17
com.deusto.integration.test	17
com.deusto.integration.test.common	17
com.deusto.models	17
com.deusto.repositories	18
com.deusto.security	18
com.deusto.services	18
com.deusto.services.mail	18
com.deusto.services.template	18
com.deusto.unit	19
com.deusto.unit.test	19
com.deusto.unit.test.builders	19
com.deusto.unit.test.common	19
com.deusto.unit.test.dtos	19
com.deusto.unit.test.forms	20
com.deusto.unit.test.repositories	20
com.deusto.unit.test.services	20
org	20
org.ClientP	20
org.dtos	21
org.GUI	21
org.models	21
org.security	21
org.test	21
org.test.common	22

Chapter 3

Hierarchical Index

3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

org.test.common.AbstractIt	23
com.deusto.integration.test.common.AbstractIT	24
com.deusto.integration.test.BookControllerITest	72
com.deusto.integration.test.IndexControllerITest	101
com.deusto.integration.test.LoginControllerITest	104
com.deusto.integration.test.RegistrControllerITest	125
com.deusto.integration.test.ReserveControllerITest	142
com.deusto.integration.test.UserControllerITest	174
com.deusto.unit.test.common.AbstractUT	25
com.deusto.unit.test.builders.AddressBuilderUTest	39
com.deusto.unit.test.builders.BookBuilderUTest	69
com.deusto.unit.test.builders.RegistrBuilderUTest	123
com.deusto.unit.test.builders.UserBuilderUTest	173
com.deusto.unit.test.dtos.AddressDTOUTest	45
com.deusto.unit.test.dtos.BookDTOUTest	83
com.deusto.unit.test.dtos.LoginDTOUTest	107
com.deusto.unit.test.dtos.PersonDTOUTest	114
com.deusto.unit.test.dtos.RegistrDTOUTest	129
com.deusto.unit.test.forms.RegistrFormUTest	132
com.deusto.unit.test.repositories.BookRepositoryUTest	87
com.deusto.unit.test.repositories.RegistrRepositoryUTest	133
com.deusto.unit.test.repositories.UserRepositoryUTest	177
com.deusto.unit.test.services.AuthenticationServiceUTest	49
com.deusto.unit.test.services.BookServiceUTest	90
com.deusto.unit.test.services.RegistrServiceUTest	135
com.deusto.unit.test.services.UserServiceUTest	179
com.deusto.models.Address	28
org.models.Address	32
com.deusto.builders.AddressBuilder	35
com.deusto.dtos.AddressDTO	40
org.dtos.AddressDTO	43
org.ClientP.Application	46
org.test.AppTest	48
com.deusto.security.AuthenticationService	49
com.deusto.models.Book	51

org.models.Book	59
com.deusto.builders.BookBuilder	62
com.deusto.controllers.BookController	70
com.deusto.dtos.BookDTO	73
org.dtos.BookDTO	79
com.deusto.BookkitApplication	85
com.deusto.services.BookService	89
com.deusto.builders.mail.Email	91
com.deusto.forms.email.EmailField	92
com.deusto.forms.email.RegistrForm	130
com.deusto.services.mail.EmailService	93
org.dtos.FilterDTO	95
com.deusto.dtos.FilterDTO	97
com.deusto.services.template.FreeMarkerService	99
com.deusto.controllers.IndexController	100
com.deusto.controllers.LoginController	103
org.dtos.LoginDTO	105
com.deusto.dtos.LoginDTO	106
com.deusto.dtos.PersonDTO	109
org.dtos.PersonDTO	112
org.models.Registr	117
com.deusto.models.Registr	119
com.deusto.builders.RegistrBuilder	122
com.deusto.controllers.RegistrController	123
com.deusto.dtos.RegistrDTO	125
org.dtos.RegistrDTO	127
com.deusto.services.RegistrService	134
org.models.Reserve	135
com.deusto.models.Reserve	137
com.deusto.builders.ReserveBuilder	141
com.deusto.controllers.ReserveController	141
org.dtos.ReserveDTO	143
com.deusto.dtos.ReserveDTO	143
com.deusto.services.ReserveService	146
com.deusto.SwaggerConfigs	156
org.models.Token	156
com.deusto.security.TokenUtils	157
org.security.TokenUtils	159
com.deusto.models.User	160
org.models.User	166
com.deusto.builders.UserBuilder	169
com.deusto.services.UserService	177
ActionListener	
org.GUI.Booking	83
org.GUI.Login	102
org.GUI.Register	116
AuthenticationEntryPoint	
com.deusto.security.EntryPointUnauthorizedHandler	94
org.security.EntryPointUnauthorizedHandler	93
JFrame	
org.GUI.Booking	83
org.GUI.Login	102
org.GUI.Register	116
MongoRepository	
com.deusto.repositories.AddressRepository	46
com.deusto.repositories.BookRepository	85
com.deusto.repositories.RegistrRepository	133
com.deusto.repositories.ReserveRepository	144

com.deusto.repositories.UserRepository	175
UserDetails	
com.deusto.security.SecurityUser	152
org.security.SecurityUser	147
UserDetailsService	
com.deusto.security.UserDetailsServiceImpl	174
UsernamePasswordAuthenticationFilter	
com.deusto.security.AuthenticationTokenFilter	51
org.security.AuthenticationTokenFilter	50
WebSecurityConfigurerAdapter	
com.deusto.WebSecurityConfigs	179

Chapter 4

Class Index

4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

org.test.common.AbstractIt	23
com.deusto.integration.test.common.AbstractIT	24
com.deusto.unit.test.common.AbstractUT	25
com.deusto.models.Address	28
org.models.Address	32
com.deusto.builders.AddressBuilder	35
com.deusto.unit.test.builders.AddressBuilderUTest	39
com.deusto.dtos.AddressDTO	40
org.dtos.AddressDTO	43
com.deusto.unit.test.dtos.AddressDTOUTest	45
com.deusto.repositories.AddressRepository	46
org.ClientP.Application	46
org.test.AppTest	48
com.deusto.security.AuthenticationService	49
com.deusto.unit.test.services.AuthenticationServiceUTest	49
org.security.AuthenticationTokenFilter	50
com.deusto.security.AuthenticationTokenFilter	51
com.deusto.models.Book	51
org.models.Book	59
com.deusto.builders.BookBuilder	62
com.deusto.unit.test.builders.BookBuilderUTest	69
com.deusto.controllers.BookController	70
com.deusto.integration.test.BookControllerITest	72
com.deusto.dtos.BookDTO	73
org.dtos.BookDTO	79
com.deusto.unit.test.dtos.BookDTOUTest	83
org.GUI.Booking	83
com.deusto.BookitApplication	85
com.deusto.repositories.BookRepository	85
com.deusto.unit.test.repositories.BookRepositoryUTest	87
com.deusto.services.BookService	89
com.deusto.unit.test.services.BookServiceUTest	90
com.deusto.builders.mail.Email	91
com.deusto.forms.email.EmailField	92
com.deusto.services.mail.EmailService	93

org.security.EntryPointUnauthorizedHandler	93
com.deusto.security.EntryPointUnauthorizedHandler	94
org.dtos.FilterDTO	95
com.deusto.dtos.FilterDTO	97
com.deusto.services.template.FreeMarkerService	99
com.deusto.controllers.IndexController	100
com.deusto.integration.test.IndexControllerITest	101
org.GUI.Login	102
com.deusto.controllers.LoginController	103
com.deusto.integration.test.LoginControllerITest	104
org.dtos.LoginDTO	105
com.deusto.dtos.LoginDTO	106
com.deusto.unit.test.dtos.LoginDTOUTest	107
com.deusto.dtos.PersonDTO	109
org.dtos.PersonDTO	112
com.deusto.unit.test.dtos.PersonDTOUTest	114
org.GUI.Register	116
org.models.Registr	117
com.deusto.models.Registr	119
com.deusto.builders.RegistrBuilder	122
com.deusto.unit.test.builders.RegistrBuilderUTest	123
com.deusto.controllers.RegistrController	123
com.deusto.integration.test.RegistrControllerITest	125
com.deusto.dtos.RegistrDTO	125
org.dtos.RegistrDTO	127
com.deusto.unit.test.dtos.RegistrDTOUTest	129
com.deusto.forms.email.RegistrForm	130
com.deusto.unit.test.forms.RegistrFormUTest	132
com.deusto.repositories.RegistrRepository	133
com.deusto.unit.test.repositories.RegistrRepositoryUTest	133
com.deusto.services.RegistrService	134
com.deusto.unit.test.services.RegistrServiceUTest	135
org.models.Reserve	135
com.deusto.models.Reserve	137
com.deusto.builders.ReserveBuilder	141
com.deusto.controllers.ReserveController	141
com.deusto.integration.test.ReserveControllerITest	142
org.dtos.ReserveDTO	143
com.deusto.dtos.ReserveDTO	143
com.deusto.repositories.ReserveRepository	144
com.deusto.services.ReserveService	146
org.security.SecurityUser	147
com.deusto.security.SecurityUser	152
com.deusto.SwaggerConfigs	156
org.models.Token	156
com.deusto.security.TokenUtils	157
org.security.TokenUtils	159
com.deusto.models.User	160
org.models.User	166
com.deusto.builders.UserBuilder	169
com.deusto.unit.test.builders.UserBuilderUTest	173
com.deusto.integration.test.UserControllerITest	174
com.deusto.security.UserDetailsServiceImpl	174
com.deusto.repositories.UserRepository	175
com.deusto.unit.test.repositories.UserRepositoryUTest	177
com.deusto.services.UserService	177
com.deusto.unit.test.services.UserServiceUTest	179
com.deusto.WebSecurityConfigs	179

Chapter 5

File Index

5.1 File List

Here is a list of all files with brief descriptions:

ClientB/src/main/java/org/ClientP/ Application.java	181
ClientB/src/main/java/org/dtos/ AddressDTO.java	181
ClientB/src/main/java/org/dtos/ BookDTO.java	182
ClientB/src/main/java/org/dtos/ FilterDTO.java	182
ClientB/src/main/java/org/dtos/ LoginDTO.java	183
ClientB/src/main/java/org/dtos/ PersonDTO.java	183
ClientB/src/main/java/org/dtos/ RegistrDTO.java	184
ClientB/src/main/java/org/dtos/ ReserveDTO.java	184
ClientB/src/main/java/org/GUI/ Booking.java	185
ClientB/src/main/java/org/GUI/ Login.java	185
ClientB/src/main/java/org/GUI/ Register.java	185
ClientB/src/main/java/org/models/ Address.java	185
ClientB/src/main/java/org/models/ Book.java	186
ClientB/src/main/java/org/models/ Registr.java	186
ClientB/src/main/java/org/models/ Reserve.java	187
ClientB/src/main/java/org/models/ Token.java	187
ClientB/src/main/java/org/models/ User.java	188
ClientB/src/main/java/org/security/ AuthenticationTokenFilter.java	188
ClientB/src/main/java/org/security/ EntryPointUnauthorizedHandler.java	189
ClientB/src/main/java/org/security/ SecurityUser.java	189
ClientB/src/main/java/org/security/ TokenUtils.java	190
ClientB/src/test/java/org/test/ AppTest.java	190
ClientB/src/test/java/org/test/common/ AbstractIt.java	190
ServerB/src/main/java/com/deusto/ BookitApplication.java	191
ServerB/src/main/java/com/deusto/ SwaggerConfigs.java	198
ServerB/src/main/java/com/deusto/ WebSecurityConfigs.java	198
ServerB/src/main/java/com/deusto/builders/ AddressBuilder.java	191
ServerB/src/main/java/com/deusto/builders/ BookBuilder.java	191
ServerB/src/main/java/com/deusto/builders/ RegistrBuilder.java	192
ServerB/src/main/java/com/deusto/builders/ ReserveBuilder.java	192
ServerB/src/main/java/com/deusto/builders/ UserBuilder.java	192
ServerB/src/main/java/com/deusto/builders/mail/ Email.java	192
ServerB/src/main/java/com/deusto/controllers/ BookController.java	193
ServerB/src/main/java/com/deusto/controllers/ IndexController.java	193
ServerB/src/main/java/com/deusto/controllers/ LoginController.java	193

ServerB/src/main/java/com/deusto/controllers/RegistrController.java	193
ServerB/src/main/java/com/deusto/controllers/ReserveController.java	194
ServerB/src/main/java/com/deusto/dtos/AddressDTO.java	181
ServerB/src/main/java/com/deusto/dtos/BookDTO.java	182
ServerB/src/main/java/com/deusto/dtos/FilterDTO.java	182
ServerB/src/main/java/com/deusto/dtos/LoginDTO.java	183
ServerB/src/main/java/com/deusto/dtos/PersonDTO.java	183
ServerB/src/main/java/com/deusto/dtos/RegistrDTO.java	184
ServerB/src/main/java/com/deusto/dtos/ReserveDTO.java	184
ServerB/src/main/java/com/deusto/forms/email/EmailField.java	194
ServerB/src/main/java/com/deusto/forms/email/RegistrForm.java	194
ServerB/src/main/java/com/deusto/models/Address.java	186
ServerB/src/main/java/com/deusto/models/Book.java	186
ServerB/src/main/java/com/deusto/models/Registr.java	187
ServerB/src/main/java/com/deusto/models/Reserve.java	187
ServerB/src/main/java/com/deusto/models/User.java	188
ServerB/src/main/java/com/deusto/repositories/AddressRepository.java	194
ServerB/src/main/java/com/deusto/repositories/BookRepository.java	195
ServerB/src/main/java/com/deusto/repositories/RegistrRepository.java	195
ServerB/src/main/java/com/deusto/repositories/ReserveRepository.java	195
ServerB/src/main/java/com/deusto/repositories/UserRepository.java	195
ServerB/src/main/java/com/deusto/security/AuthenticationService.java	196
ServerB/src/main/java/com/deusto/security/AuthenticationTokenFilter.java	188
ServerB/src/main/java/com/deusto/security/EntryPointUnauthorizedHandler.java	189
ServerB/src/main/java/com/deusto/security/SecurityUser.java	189
ServerB/src/main/java/com/deusto/security/TokenUtils.java	190
ServerB/src/main/java/com/deusto/security/UserDetailsServiceImpl.java	196
ServerB/src/main/java/com/deusto/services/BookService.java	196
ServerB/src/main/java/com/deusto/services/RegistrService.java	197
ServerB/src/main/java/com/deusto/services/ReserveService.java	197
ServerB/src/main/java/com/deusto/services/UserService.java	197
ServerB/src/main/java/com/deusto/services/mail/EmailService.java	196
ServerB/src/main/java/com/deusto/services/template/FreeMarkerService.java	197
ServerB/src/main/resources/db/changes/firstChangeSet.js	198
ServerB/src/test/java/com/deusto/integration/test/BookControllerITest.java	198
ServerB/src/test/java/com/deusto/integration/test/IndexControllerITest.java	198
ServerB/src/test/java/com/deusto/integration/test/LoginControllerITest.java	199
ServerB/src/test/java/com/deusto/integration/test/RegistrControllerITest.java	199
ServerB/src/test/java/com/deusto/integration/test/ReserveControllerITest.java	199
ServerB/src/test/java/com/deusto/integration/test/UserControllerITest.java	199
ServerB/src/test/java/com/deusto/integration/test/common/AbstractIT.java	191
ServerB/src/test/java/com/deusto/unit/test/builders/AddressBuilderUTest.java	200
ServerB/src/test/java/com/deusto/unit/test/builders/BookBuilderUTest.java	200
ServerB/src/test/java/com/deusto/unit/test/builders/RegistrBuilderUTest.java	200
ServerB/src/test/java/com/deusto/unit/test/builders/UserBuilderUTest.java	200
ServerB/src/test/java/com/deusto/unit/test/common/AbstractUT.java	201
ServerB/src/test/java/com/deusto/unit/test/dtos/AddressDTOUTest.java	201
ServerB/src/test/java/com/deusto/unit/test/dtos/BookDTOUTest.java	201
ServerB/src/test/java/com/deusto/unit/test/dtos/LoginDTOUTest.java	201
ServerB/src/test/java/com/deusto/unit/test/dtos/PersonDTOUTest.java	202
ServerB/src/test/java/com/deusto/unit/test/dtos/RegistrDTOUTest.java	202
ServerB/src/test/java/com/deusto/unit/test/forms/RegistrFormUTest.java	202
ServerB/src/test/java/com/deusto/unit/test/repositories/BookRepositoryUTest.java	202
ServerB/src/test/java/com/deusto/unit/test/repositories/RegistrRepositoryUTest.java	203
ServerB/src/test/java/com/deusto/unit/test/repositories/UserRepositoryUTest.java	203
ServerB/src/test/java/com/deusto/unit/test/services/AuthenticationServiceUTest.java	203
ServerB/src/test/java/com/deusto/unit/test/services/BookServiceUTest.java	203
ServerB/src/test/java/com/deusto/unit/test/services/RegistrServiceUTest.java	204

ServerB/src/test/java/com/deusto/unit/test/services/ UserServiceUTest.java	204
ServerB/target/classes/db/changes/ firstChangeSet.js	198

Chapter 6

Namespace Documentation

6.1 Package com

Packages

- package [deusto](#)

6.2 Package com.deusto

Packages

- package [builders](#)
- package [controllers](#)
- package [dtos](#)
- package [forms](#)
- package [integration](#)
- package [models](#)
- package [repositories](#)
- package [security](#)
- package [services](#)
- package [unit](#)

Classes

- class [BookitApplication](#)
- class [SwaggerConfigs](#)
- class [WebSecurityConfigs](#)

6.3 Package com.deusto.builders

Packages

- package [mail](#)

Classes

- class [AddressBuilder](#)
- class [BookBuilder](#)
- class [RegistrBuilder](#)
- class [ReserveBuilder](#)
- class [UserBuilder](#)

6.4 Package com.deusto.builders.mail

Classes

- class [Email](#)

6.5 Package com.deusto.controllers

Classes

- class [BookController](#)
- class [IndexController](#)
- class [LoginController](#)
- class [RegistrController](#)
- class [ReserveController](#)

6.6 Package com.deusto.dtos

Classes

- class [AddressDTO](#)
- class [BookDTO](#)
- class [FilterDTO](#)
- class [LoginDTO](#)
- class [PersonDTO](#)
- class [RegistrDTO](#)
- class [ReserveDTO](#)

6.7 Package com.deusto.forms

Packages

- package [email](#)

6.8 Package com.deusto.forms.email

Classes

- interface [EmailField](#)
- class [RegistrForm](#)

6.9 Package com.deusto.integration

Packages

- package [test](#)

6.10 Package com.deusto.integration.test

Packages

- package [common](#)

Classes

- class [BookControllerITest](#)
- class [IndexControllerITest](#)
- class [LoginControllerITest](#)
- class [RegistrControllerITest](#)
- class [ReserveControllerITest](#)
- class [UserControllerITest](#)

6.11 Package com.deusto.integration.test.common

Classes

- class [AbstractIT](#)

6.12 Package com.deusto.models

Classes

- class [Address](#)
- class [Book](#)
- class [Registr](#)
- class [Reserve](#)
- class [User](#)

6.13 Package com.deusto.repositories

Classes

- interface [AddressRepository](#)
- interface [BookRepository](#)
- interface [RegistrRepository](#)
- interface [ReserveRepository](#)
- interface [UserRepository](#)

6.14 Package com.deusto.security

Classes

- class [AuthenticationService](#)
- class [AuthenticationTokenFilter](#)
- class [EntryPointUnauthorizedHandler](#)
- class [SecurityUser](#)
- class [TokenUtils](#)
- class [UserDetailsServiceImpl](#)

6.15 Package com.deusto.services

Packages

- package [mail](#)
- package [template](#)

Classes

- class [BookService](#)
- class [RegistrService](#)
- class [ReserveService](#)
- class [UserService](#)

6.16 Package com.deusto.services.mail

Classes

- class [EmailService](#)

6.17 Package com.deusto.services.template

Classes

- class [FreeMarkerService](#)

6.18 Package com.deusto.unit

Packages

- package [test](#)

6.19 Package com.deusto.unit.test

Packages

- package [builders](#)
- package [common](#)
- package [dtos](#)
- package [forms](#)
- package [repositories](#)
- package [services](#)

6.20 Package com.deusto.unit.test.builders

Classes

- class [AddressBuilderUTest](#)
- class [BookBuilderUTest](#)
- class [RegistrBuilderUTest](#)
- class [UserBuilderUTest](#)

6.21 Package com.deusto.unit.test.common

Classes

- class [AbstractUT](#)

6.22 Package com.deusto.unit.test.dtos

Classes

- class [AddressDTOUTest](#)
- class [BookDTOUTest](#)
- class [LoginDTOUTest](#)
- class [PersonDTOUTest](#)
- class [RegistrDTOUTest](#)

6.23 Package com.deusto.unit.test.forms

Classes

- class [RegistrFormUTest](#)

6.24 Package com.deusto.unit.test.repositories

Classes

- class [BookRepositoryUTest](#)
- class [RegistrRepostoryUTest](#)
- class [UserRepositoryUTest](#)

6.25 Package com.deusto.unit.test.services

Classes

- class [AuthenticationServiceUTest](#)
- class [BookServiceUTest](#)
- class [RegistrServiceUTest](#)
- class [UserServiceUTest](#)

6.26 Package org

Packages

- package [ClientP](#)
- package [dtos](#)
- package [GUI](#)
- package [models](#)
- package [security](#)
- package [test](#)

6.27 Package org.ClientP

Classes

- class [Application](#)

6.28 Package org.dtos

Classes

- class [AddressDTO](#)
- class [BookDTO](#)
- class [FilterDTO](#)
- class [LoginDTO](#)
- class [PersonDTO](#)
- class [RegistrDTO](#)
- class [ReserveDTO](#)

6.29 Package org.GUI

Classes

- class **BackgroundBooking**
- class **BackgroundLogin**
- class [Booking](#)
- class [Login](#)
- class [Register](#)

6.30 Package org.models

Classes

- class [Address](#)
- class [Book](#)
- class [Registr](#)
- class [Reserve](#)
- class [Token](#)
- class [User](#)

6.31 Package org.security

Classes

- class [AuthenticationTokenFilter](#)
- class [EntryPointUnauthorizedHandler](#)
- class [SecurityUser](#)
- class [TokenUtils](#)

6.32 Package org.test

Packages

- package [common](#)

Classes

- class [AppTest](#)

6.33 Package org.test.common

Classes

- class [AbstractIt](#)

Chapter 7

Class Documentation

7.1 org.test.common.AbstractIt Class Reference

Public Attributes

- `MongoDbRule` [remoteMongoDbRule](#)

Protected Attributes

- `MockMvc` [mvc](#)
- `Environment` [env](#)

7.1.1 Member Data Documentation

7.1.1.1 env

`Environment org.test.common.AbstractIt.env` [protected]

7.1.1.2 mvc

`MockMvc org.test.common.AbstractIt.mvc` [protected]

7.1.1.3 remoteMongoDbRule

MongoDbRule org.test.common.AbstractIT.remoteMongoDbRule

Initial value:

```
= new MongoDbRule (
    mongoDb().databaseName("bookit_testdb").build()
)
```

The documentation for this class was generated from the following file:

- ClientB/src/test/java/org/test/common/[AbstractIt.java](#)

7.2 com.deusto.integration.test.common.AbstractIT Class Reference

Inheritance diagram for com.deusto.integration.test.common.AbstractIT:



Public Attributes

- MongoDbRule [remoteMongoDbRule](#)

Protected Attributes

- MockMvc [mvc](#)
- Environment [env](#)

7.2.1 Member Data Documentation

7.2.1.1 env

Environment com.deusto.integration.test.common.AbstractIT.env [protected]

7.2.1.2 mvc

MockMvc com.deusto.integration.test.common.AbstractIT.mvc [protected]

7.2.1.3 remoteMongoDbRule

MongoDbRule com.deusto.integration.test.common.AbstractIT.remoteMongoDbRule

Initial value:


```
= new MongoDbRule (
    mongoDb().databaseName("bookit_testdb").build()
)
```

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/integration/test/common/[AbstractIT.java](#)

7.3 com.deusto.unit.test.common.AbstractUT Class Reference

Inheritance diagram for com.deusto.unit.test.common.AbstractUT:

**Public Member Functions**

- void [setup](#) ()

Static Public Member Functions

- static< T > Set< ConstraintViolation< T > > [validate](#) (T obj)

Public Attributes

- MongoDBRule [remoteMongoDbRule](#)

Protected Attributes

- Environment [env](#)
- [AuthenticationService](#) [authenticationService](#)
- [BookService](#) [bookService](#)
- [RegistrService](#) [registrService](#)
- [UserService](#) [userService](#)
- [BookRepository](#) [bookRepository](#)
- [RegistrRepository](#) [registrRepository](#)
- [UserRepository](#) [userRepository](#)

Static Protected Attributes

- static Validator [validator](#)

7.3.1 Member Function Documentation

7.3.1.1 [setup\(\)](#)

```
void com.deusto.unit.test.common.AbstractUT.setup ( )
```

7.3.1.2 [validate\(\)](#)

```
static <T> Set<ConstraintViolation<T> > com.deusto.unit.test.common.AbstractUT.validate (
    T obj ) [static]
```

7.3.2 Member Data Documentation

7.3.2.1 authenticationService

`AuthenticationService` com.deusto.unit.test.common.AbstractUT.authenticationService [protected]

7.3.2.2 bookRepository

`BookRepository` com.deusto.unit.test.common.AbstractUT.bookRepository [protected]

7.3.2.3 bookService

`BookService` com.deusto.unit.test.common.AbstractUT.bookService [protected]

7.3.2.4 env

`Environment` com.deusto.unit.test.common.AbstractUT.env [protected]

7.3.2.5 registrRepository

`RegistrRepository` com.deusto.unit.test.common.AbstractUT.registrRepository [protected]

7.3.2.6 registrService

`RegistrService` com.deusto.unit.test.common.AbstractUT.registrService [protected]

7.3.2.7 remoteMongoDbRule

`MongoDbRule` com.deusto.unit.test.common.AbstractUT.remoteMongoDbRule

Initial value:

```
= new MongoDbRule(  
    mongoDb().databaseName("bookit_testdb").build()  
)
```

7.3.2.8 userRepository

`UserRepository` com.deusto.unit.test.common.AbstractUT.userRepository [protected]

7.3.2.9 userService

`UserService` com.deusto.unit.test.common.AbstractUT.userService [protected]

7.3.2.10 validator

`Validator` com.deusto.unit.test.common.AbstractUT.validator [static], [protected]

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/unit/test/common/[AbstractUT.java](#)

7.4 com.deusto.models.Address Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- String [getStreet](#) ()
- void [setStreet](#) (String street)
- Integer [getHouseNumber](#) ()
- void [setHouseNumber](#) (Integer houseNumber)
- Integer [getApartmentNumber](#) ()
- void [setApartmentNumber](#) (Integer apartmentNumber)
- String [getPostalCode](#) ()
- void [setPostalCode](#) (String postalCode)
- String [getCity](#) ()
- void [setCity](#) (String city)
- String [getCountry](#) ()
- void [setCountry](#) (String country)

7.4.1 Detailed Description

This class is a model of the database document, used to store an address.

7.4.2 Member Function Documentation

7.4.2.1 getApartamentNumber()

```
Integer com.deusto.models.Address.getApartamentNumber ( )
```

Gets the apartment number

Returns

apartmentNumber Integer

7.4.2.2 getCity()

```
String com.deusto.models.Address.getCity ( )
```

Gets the city in address

Returns

city String

7.4.2.3 getCountry()

```
String com.deusto.models.Address.getCountry ( )
```

Gets the country from address

Returns

value

7.4.2.4 getHouseNumber()

```
Integer com.deusto.models.Address.getHouseNumber ( )
```

Gets the house number

Returns

houseNumber Integer

7.4.2.5 getId()

```
String com.deusto.models.Address.getId ( )
```

Gets the ID of the address

Returns

String id of the address

7.4.2.6 getPostalCode()

```
String com.deusto.models.Address.getPostalCode ( )
```

Gets the postal code in address

Returns

postalCode String

7.4.2.7 getStreet()

```
String com.deusto.models.Address.getStreet ( )
```

Gets the street in address

Returns

String street address

7.4.2.8 setApartamentNumber()

```
void com.deusto.models.Address.setApartamentNumber (
    Integer apartmentNumber )
```

Sets the apartment number in address

Parameters

<i>apartmentNumber</i>	Integer
------------------------	---------

7.4.2.9 setCity()

```
void com.deusto.models.Address.setCity (
    String city )
```

Sets the city in address

Parameters

<i>city</i>	String
-------------	--------

7.4.2.10 setCountry()

```
void com.deusto.models.Address.setCountry (
    String country )
```

Sets the country in address

Parameters

<i>country</i>	String
----------------	--------

7.4.2.11 setHouseNumber()

```
void com.deusto.models.Address.setHouseNumber (
    Integer houseNumber )
```

Sets the house number in address

Parameters

<i>houseNumber</i>	Integer
--------------------	---------

7.4.2.12 setId()

```
void com.deusto.models.Address.setId (
    String id )
```

Sets the id of the address

Parameters

<i>id</i>	String
-----------	--------

7.4.2.13 setPostalCode()

```
void com.deusto.models.Address.setPostalCode (  
    String postalCode )
```

Sets the postal code in address

Parameters

<i>postalCode</i>	String
-------------------	--------

7.4.2.14 setStreet()

```
void com.deusto.models.Address.setStreet (  
    String street )
```

Sets the street in address

Parameters

<i>street</i>	String
---------------	--------

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/models/[Address.java](#)

7.5 org.models.Address Class Reference

Public Member Functions

- [Address](#) ()
- [Address](#) (String street, int houseNumber, int apartmentNumber, String postalCode, String city, String country)
- String [getId](#) ()
- void [setId](#) (String id)
- String [getStreet](#) ()
- void [setStreet](#) (String street)
- int [getHouseNumber](#) ()

- void [setHouseNumber](#) (int houseNumber)
- int [getApartamentNumber](#) ()
- void [setApartamentNumber](#) (int apartamentNumber)
- String [getPostalCode](#) ()
- void [setPostalCode](#) (String postalCode)
- String [getCity](#) ()
- void [setCity](#) (String city)
- String [getCountry](#) ()
- void [setCountry](#) (String country)

7.5.1 Constructor & Destructor Documentation

7.5.1.1 Address() [1/2]

```
org.models.Address.Address ( )
```

7.5.1.2 Address() [2/2]

```
org.models.Address.Address (
    String street,
    int houseNumber,
    int apartamentNumber,
    String postalCode,
    String city,
    String country )
```

7.5.2 Member Function Documentation

7.5.2.1 getApartamentNumber()

```
int org.models.Address.getApartamentNumber ( )
```

7.5.2.2 getCity()

```
String org.models.Address.getCity ( )
```

7.5.2.3 `getCountry()`

```
String org.models.Address.getCountry ( )
```

7.5.2.4 `getHouseNumber()`

```
int org.models.Address.getHouseNumber ( )
```

7.5.2.5 `getId()`

```
String org.models.Address.getId ( )
```

7.5.2.6 `getPostalCode()`

```
String org.models.Address.getPostalCode ( )
```

7.5.2.7 `getStreet()`

```
String org.models.Address.getStreet ( )
```

7.5.2.8 `setApartamentNumber()`

```
void org.models.Address.setApartamentNumber (
    int apartamentNumber )
```

7.5.2.9 `setCity()`

```
void org.models.Address.setCity (
    String city )
```

7.5.2.10 setCountry()

```
void org.models.Address.setCountry (
    String country )
```

7.5.2.11 setHouseNumber()

```
void org.models.Address.setHouseNumber (
    int houseNumber )
```

7.5.2.12 setId()

```
void org.models.Address.setId (
    String id )
```

7.5.2.13 setPostalCode()

```
void org.models.Address.setPostalCode (
    String postalCode )
```

7.5.2.14 setStreet()

```
void org.models.Address.setStreet (
    String street )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/models/[Address.java](#)

7.6 com.deusto.builders.AddressBuilder Class Reference

Public Member Functions

- [AddressBuilder country](#) (String country)
- [AddressBuilder city](#) (String city)
- [AddressBuilder street](#) (String street)
- [AddressBuilder postalCode](#) (String postalCode)
- [AddressBuilder houseNumber](#) (Integer houseNumeber)
- [AddressBuilder apartmentNumber](#) (Integer apartmentNumber)
- [Address build](#) ()

Static Public Member Functions

- static [AddressBuilder](#) [builder](#) ()
- static [Address](#) [get](#) ([AddressDTO](#) addressDTO)

7.6.1 Detailed Description

[AddressBuilder](#) class is used for building an [Address](#) object

7.6.2 Member Function Documentation

7.6.2.1 [apartmentNumber\(\)](#)

```
AddressBuilder com.deusto.builders.AddressBuilder.apartmentNumber (
    Integer apartmentNumber )
```

Builds the apartment number in address

Parameters

<i>apartmentNumber</i>	String
------------------------	--------

Returns

itself

7.6.2.2 [build\(\)](#)

```
Address com.deusto.builders.AddressBuilder.build ( )
```

Returns the build address

Returns

an address object

7.6.2.3 [builder\(\)](#)

```
static AddressBuilder com.deusto.builders.AddressBuilder.builder ( ) [static]
```

Creates a builder object

Returns

new builder object

7.6.2.4 city()

```
AddressBuilder com.deusto.builders.AddressBuilder.city (  
    String city )
```

Builds the city in address

Parameters

<i>city</i>	String
-------------	--------

Returns

itself

7.6.2.5 country()

```
AddressBuilder com.deusto.builders.AddressBuilder.country (  
    String country )
```

Builds the country in address

Parameters

<i>country</i>	String
----------------	--------

Returns

itself

7.6.2.6 get()

```
static Address com.deusto.builders.AddressBuilder.get (  
    AddressDTO addressDTO ) [static]
```

Gets an Address object from a DTO object

Parameters

<i>addressDTO</i>	AddressDTO
-------------------	------------

Returns

an address object

7.6.2.7 houseNumber()

```
AddressBuilder com.deusto.builders.AddressBuilder.houseNumber (
    Integer houseNumber )
```

Builds the house number in address

Parameters

<i>houseNumber</i>	String
--------------------	--------

Returns

itself

7.6.2.8 postalCode()

```
AddressBuilder com.deusto.builders.AddressBuilder.postalCode (
    String postalCode )
```

Builds the postal code in address

Parameters

<i>postalCode</i>	String
-------------------	--------

Returns

itself

7.6.2.9 street()

```
AddressBuilder com.deusto.builders.AddressBuilder.street (
    String street )
```

Builds the street in address

Parameters

<i>street</i>	String
---------------	--------

Returns


itself

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/builders/AddressBuilder.java](#)

7.7 com.deusto.unit.test.builders.AddressBuilderUTest Class Reference

Inheritance diagram for com.deusto.unit.test.builders.AddressBuilderUTest:

**Public Member Functions**

- void [validAdderessBuilder](#) ()
- void [validAdderessBuilderMethodStyle](#) ()

Additional Inherited Members

7.7.1 Member Function Documentation

7.7.1.1 validAdderessBuilder()

```
void com.deusto.unit.test.builders.AddressBuilderUTest.validAdderessBuilder ( )
```

7.7.1.2 validAdderessBuilderMethodStyle()

```
void com.deusto.unit.test.builders.AddressBuilderUTest.validAdderessBuilderMethodStyle ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/builders/AddressBuilderUTest.java](#)

7.8 com.deusto.dtos.AddressDTO Class Reference

Public Member Functions

- Integer [getHouseNumber](#) ()
- void [setHouseNumber](#) (Integer houseNumber)
- Integer [getApartamentNumber](#) ()
- void [setApartamentNumber](#) (Integer apartamentNumber)
- String [getCountry](#) ()
- void [setCountry](#) (String country)
- String [getCity](#) ()
- void [setCity](#) (String city)
- String [getStreet](#) ()
- void [setStreet](#) (String street)
- String [getPostalCode](#) ()
- void [setPostalCode](#) (String postalCode)

7.8.1 Detailed Description

[AddressDTO](#) class is used for creating Adress Objects. It is intended to provide it's data to build an Address object.

7.8.2 Member Function Documentation

7.8.2.1 [getApartamentNumber\(\)](#)

```
Integer com.deusto.dtos.AddressDTO.getApartamentNumber ( )
```

Gets the apartment number

Returns

apartmentNumber Integer

7.8.2.2 [getCity\(\)](#)

```
String com.deusto.dtos.AddressDTO.getCity ( )
```

Gets the city in address

Returns

city String

7.8.2.3 getCountry()

```
String com.deusto.dtos.AddressDTO.getCountry ( )
```

Gets the country from address

Returns

value

7.8.2.4 getHouseNumber()

```
Integer com.deusto.dtos.AddressDTO.getHouseNumber ( )
```

Gets the house number

Returns

houseNumber Integer

7.8.2.5 getPostalCode()

```
String com.deusto.dtos.AddressDTO.getPostalCode ( )
```

Gets the postal code in address

Returns

postalCode String

7.8.2.6 getStreet()

```
String com.deusto.dtos.AddressDTO.getStreet ( )
```

Gets the street in address

Returns

String street address

7.8.2.7 setApartamentNumber()

```
void com.deusto.dtos.AddressDTO.setApartamentNumber (
    Integer apartamentNumber )
```

Sets the apartment number in address

Parameters

<i>apartmentNumber</i>	Integer
------------------------	---------

7.8.2.8 setCity()

```
void com.deusto.dtos.AddressDTO.setCity (
    String city )
```

Sets the city in address

Parameters

<i>city</i>	String
-------------	--------

7.8.2.9 setCountry()

```
void com.deusto.dtos.AddressDTO.setCountry (
    String country )
```

Sets the country in address

Parameters

<i>country</i>	String
----------------	--------

7.8.2.10 setHouseNumber()

```
void com.deusto.dtos.AddressDTO.setHouseNumber (
    Integer houseNumber )
```

Sets the house number in address

Parameters

<i>houseNumber</i>	Integer
--------------------	---------

7.8.2.11 setPostalCode()

```
void com.deusto.dtos.AddressDTO.setPostalCode (
    String postalCode )
```

Sets the postal code in address

Parameters

<i>postalCode</i>	String
-------------------	--------

7.8.2.12 setStreet()

```
void com.deusto.dtos.AddressDTO.setStreet (
    String street )
```

Sets the street in address

Parameters

<i>street</i>	String
---------------	--------

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/dtos/[AddressDTO.java](#)

7.9 org.dtos.AddressDTO Class Reference

Public Member Functions

- Integer [getHouseNumber](#) ()
- void [setHouseNumber](#) (Integer houseNumber)
- Integer [getApartamentNumber](#) ()
- void [setApartamentNumber](#) (Integer apartamentNumber)
- String [getCountry](#) ()
- void [setCountry](#) (String country)
- String [getCity](#) ()
- void [setCity](#) (String city)
- String [getStreet](#) ()
- void [setStreet](#) (String street)
- String [getPostalCode](#) ()
- void [setPostalCode](#) (String postalCode)

7.9.1 Member Function Documentation

7.9.1.1 `getApartamentNumber()`

```
Integer org.dtos.AddressDTO.getApartamentNumber ( )
```

7.9.1.2 `getCity()`

```
String org.dtos.AddressDTO.getCity ( )
```

7.9.1.3 `getCountry()`

```
String org.dtos.AddressDTO.getCountry ( )
```

7.9.1.4 `getHouseNumber()`

```
Integer org.dtos.AddressDTO.getHouseNumber ( )
```

7.9.1.5 `getPostalCode()`

```
String org.dtos.AddressDTO.getPostalCode ( )
```

7.9.1.6 `getStreet()`

```
String org.dtos.AddressDTO.getStreet ( )
```

7.9.1.7 `setApartamentNumber()`

```
void org.dtos.AddressDTO.setApartamentNumber (
    Integer apartamentNumber )
```

7.9.1.8 setCity()

```
void org.dtos.AddressDTO.setCity (
    String city )
```

7.9.1.9 setCountry()

```
void org.dtos.AddressDTO.setCountry (
    String country )
```

7.9.1.10 setHouseNumber()

```
void org.dtos.AddressDTO.setHouseNumber (
    Integer houseNumber )
```

7.9.1.11 setPostalCode()

```
void org.dtos.AddressDTO.setPostalCode (
    String postalCode )
```

7.9.1.12 setStreet()


```
void org.dtos.AddressDTO.setStreet (
    String street )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/dtos/[AddressDTO.java](#)

7.10 com.deusto.unit.test.dtos.AddressDTOUTest Class Reference

Inheritance diagram for com.deusto.unit.test.dtos.AddressDTOUTest:



Public Member Functions

- void [validBookDTO](#) ()

Additional Inherited Members

7.10.1 Member Function Documentation

7.10.1.1 validBookDTO()


```
void com.deusto.unit.test.dtos.AddressDTOUTest.validBookDTO ( )
```

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/unit/test/dtos/[AddressDTOUTest.java](#)

7.11 com.deusto.repositories.AddressRepository Interface Reference

Inheritance diagram for com.deusto.repositories.AddressRepository:



7.11.1 Detailed Description

[AddressRepository](#) class saves the created Address objects in a mongo repository. It exposes basic CRUD operations.

The documentation for this interface was generated from the following file:

- ServerB/src/main/java/com/deusto/repositories/[AddressRepository.java](#)

7.12 org.ClientP.Application Class Reference

Public Member Functions

- HttpEntity [startConnectionGet](#) (String url) throws ClientProtocolException, IOException
- HttpEntity [getBooksFilter](#) ([FilterDTO](#) filter) throws ClientProtocolException, IOException
- void [registr1](#) ([RegistrDTO](#) registr) throws ClientProtocolException, IOException
- void [registr2](#) ([User](#) user) throws ClientProtocolException, IOException
- HttpEntity [login](#) ([LoginDTO](#) login) throws ClientProtocolException, IOException
- [Token](#) [getToken](#) (HttpEntity entity) throws IOException
- void [reserve](#) ([ReserveDTO](#) reserv) throws JsonGenerationException, JsonMappingException, IOException
- ArrayList< [Book](#) > [getBooks](#) (HttpEntity entity) throws JsonParseException, JsonMappingException, IOException

Static Public Member Functions

- static final void [main](#) (String[] args) throws ClientProtocolException, IOException

7.12.1 Member Function Documentation

7.12.1.1 [getBooks\(\)](#)

```
ArrayList<Book> org.ClientP.Application.getBooks (
    HttpEntity entity ) throws JsonParseException, JsonMappingException, IOException
```

7.12.1.2 [getBooksFilter\(\)](#)

```
HttpEntity org.ClientP.Application.getBooksFilter (
    FilterDTO filter ) throws ClientProtocolException, IOException
```

7.12.1.3 [getToken\(\)](#)

```
Token org.ClientP.Application.getToken (
    HttpEntity entity ) throws IOException
```

7.12.1.4 [login\(\)](#)

```
HttpEntity org.ClientP.Application.login (
    LoginDTO login ) throws ClientProtocolException, IOException
```

7.12.1.5 [main\(\)](#)

```
static final void org.ClientP.Application.main (
    String [] args ) throws ClientProtocolException, IOException [static]
```

7.12.1.6 registr1()

```
void org.ClientP.Application.registr1 (
    RegistrDTO registr ) throws ClientProtocolException, IOException
```

7.12.1.7 registr2()

```
void org.ClientP.Application.registr2 (
    User user ) throws ClientProtocolException, IOException
```

7.12.1.8 reserve()

```
void org.ClientP.Application.reserve (
    ReservedDTO reserv ) throws JsonGenerationException, JsonMappingException, IOException
```

7.12.1.9 startConnectionGet()

```
HttpEntity org.ClientP.Application.startConnectionGet (
    String url ) throws ClientProtocolException, IOException
```

The documentation for this class was generated from the following file:

- [ClientB/src/main/java/org/ClientP/Application.java](#)

7.13 org.test.AppTest Class Reference

Public Member Functions

- void [getAllBooksFilter](#) () throws Exception
- void [findAll](#) () throws Exception

7.13.1 Member Function Documentation

7.13.1.1 findAll()

```
void org.test.AppTest.findAll ( ) throws Exception
```

7.13.1.2 getAllBooksFilter()

```
void org.test.AppTest.getAllBooksFilter ( ) throws Exception
```

The documentation for this class was generated from the following file:

- ClientB/src/test/java/org/test/[AppTest.java](#)

7.14 com.deusto.security.AuthenticationService Class Reference

Public Member Functions

- ResponseEntity [authentication](#) ([LoginDTO](#) loginDTO)
- [SecurityUser](#) [getUserFromRequest](#) ()

7.14.1 Member Function Documentation

7.14.1.1 authentication()

```
ResponseEntity com.deusto.security.AuthenticationService.authentication (
    LoginDTO loginDTO )
```

7.14.1.2 getUserFromRequest()


```
SecurityUser com.deusto.security.AuthenticationService.getUserFromRequest ( )
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/security/[AuthenticationService.java](#)

7.15 com.deusto.unit.test.services.AuthenticationServiceUTest Class Reference

Inheritance diagram for com.deusto.unit.test.services.AuthenticationServiceUTest:



Public Member Functions

- void [authenticate](#) ()

Additional Inherited Members

7.15.1 Member Function Documentation

7.15.1.1 [authenticate\(\)](#)


```
void com.deusto.unit.test.services.AuthenticationServiceUTest.authenticate ( )
```

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/unit/test/services/[AuthenticationServiceUTest.java](#)

7.16 org.security.AuthenticationTokenFilter Class Reference

Inheritance diagram for org.security.AuthenticationTokenFilter:



Public Member Functions

- void [doFilter](#) (ServletRequest request, ServletResponse response, FilterChain chain) throws IOException, ServletException

7.16.1 Member Function Documentation

7.16.1.1 [doFilter\(\)](#)


```
void org.security.AuthenticationTokenFilter.doFilter (
    ServletRequest request,
    ServletResponse response,
    FilterChain chain ) throws IOException, ServletException
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/security/[AuthenticationTokenFilter.java](#)

7.17 com.deusto.security.AuthenticationTokenFilter Class Reference

Inheritance diagram for com.deusto.security.AuthenticationTokenFilter:



Public Member Functions

- void [doFilter](#) (ServletRequest request, ServletResponse response, FilterChain chain) throws IOException, ServletException

7.17.1 Member Function Documentation

7.17.1.1 doFilter()

```
void com.deusto.security.AuthenticationTokenFilter.doFilter (  
    ServletRequest request,  
    ServletResponse response,  
    FilterChain chain ) throws IOException, ServletException
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/security/[AuthenticationTokenFilter.java](#)

7.18 com.deusto.models.Book Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- String [getTitle](#) ()
- void [setTitle](#) (String title)
- String [getAuthorFirstName](#) ()
- void [setAuthorFirstName](#) (String authorFirstName)
- String [getAuthorLastName](#) ()
- void [setAuthorLastName](#) (String authorLastName)
- String [getGenre](#) ()
- void [setGenre](#) (String genre)
- String [getDescription](#) ()
- void [setDescription](#) (String description)
- Long [getPublishDate](#) ()

- void [setPublishDate](#) (Long publishDate)
- Integer [getPages](#) ()
- void [setPages](#) (Integer pages)
- Integer [getAgeLimit](#) ()
- void [setAgeLimit](#) (Integer ageLimit)
- Integer [getCount](#) ()
- void [setCount](#) (Integer count)
- List< String > [getTags](#) ()
- void [setTags](#) (List< String > tags)
- [Book](#) [decrementCount](#) ()

7.18.1 Detailed Description

This class is a model of the database document, used to store a book.

7.18.2 Member Function Documentation

7.18.2.1 [decrementCount\(\)](#)

```
Book com.deusto.models.Book.decrementCount ( )
```

7.18.2.2 [getAgeLimit\(\)](#)

```
Integer com.deusto.models.Book.getAgeLimit ( )
```

Gets the age limit of the book

Returns

ageLimit Integer

7.18.2.3 [getAuthorFirstName\(\)](#)

```
String com.deusto.models.Book.getAuthorFirstName ( )
```

Gets the author of the book

Returns

author String

7.18.2.4 `getAuthorLastName()`

```
String com.deusto.models.Book.getAuthorLastName ( )
```

Gets the author last name of the book

Returns

authorLastName String

7.18.2.5 `getCount()`

```
Integer com.deusto.models.Book.getCount ( )
```

Gets the number of copies available of the book

Returns

count Integer

7.18.2.6 `getDescription()`

```
String com.deusto.models.Book.getDescription ( )
```

Gets the description of the book

Returns

description String

7.18.2.7 `getGenre()`

```
String com.deusto.models.Book.getGenre ( )
```

Gets the genre of the book

Returns

genre String

7.18.2.8 getId()

```
String com.deusto.models.Book.getId ( )
```

Gets the id of the book

Returns

id String

7.18.2.9 getPages()

```
Integer com.deusto.models.Book.getPages ( )
```

Gets the number of pages of the book

Returns

pages String

7.18.2.10 getPublishDate()

```
Long com.deusto.models.Book.getPublishDate ( )
```

Gets the publish date of the book

Returns

publishDate String

7.18.2.11 getTags()

```
List<String> com.deusto.models.Book.getTags ( )
```

Gets the tags of the book

Returns

tags List(String)

7.18.2.12 getTitle()

```
String com.deusto.models.Book.getTitle ( )
```

Gets the title of the book

Returns

title String

7.18.2.13 setAgeLimit()

```
void com.deusto.models.Book.setAgeLimit (
    Integer ageLimit )
```

Sets the ageLimit of the book

Parameters

<i>ageLimit</i>	Integer
-----------------	---------

7.18.2.14 setAuthorFirstName()

```
void com.deusto.models.Book.setAuthorFirstName (  
    String authorFirstName )
```

Sets the authorFirstName of the book

Parameters

<i>authorFirstName</i>	String
------------------------	--------

7.18.2.15 setAuthorLastName()

```
void com.deusto.models.Book.setAuthorLastName (  
    String authorLastName )
```

Sets the authorLastName of the book

Parameters

<i>authorLastName</i>	String
-----------------------	--------

7.18.2.16 setCount()

```
void com.deusto.models.Book.setCount (  
    Integer count )
```

Sets the count of the book

Parameters

<i>count</i>	Integer
--------------	---------

7.18.2.17 setDescription()

```
void com.deusto.models.Book.setDescription (
    String description )
```

Sets the description of the book

Parameters

<i>description</i>	String
--------------------	--------

7.18.2.18 setGenre()

```
void com.deusto.models.Book.setGenre (
    String genre )
```

Sets the genre of the book

Parameters

<i>genre</i>	String
--------------	--------

7.18.2.19 setId()

```
void com.deusto.models.Book.setId (
    String id )
```

Sets the id of the book

Parameters

<i>id</i>	String
-----------	--------

7.18.2.20 setPages()

```
void com.deusto.models.Book.setPages (
    Integer pages )
```

Sets the pages of the book

Parameters

<i>pages</i>	Integer
--------------	---------

7.18.2.21 `setPublishDate()`

```
void com.deusto.models.Book.setPublishDate (
    Long publishDate )
```

Sets the `publishDate` of the book

Parameters

<i>publishDate</i>	Long
--------------------	------

7.18.2.22 `setTags()`

```
void com.deusto.models.Book.setTags (
    List< String > tags )
```

Sets the tags of the book

Parameters

<i>tags</i>	List(String)
-------------	--------------

7.18.2.23 `setTitle()`

```
void com.deusto.models.Book.setTitle (
    String title )
```

Sets the title of the book

Parameters

<i>title</i>	String
--------------	--------

The documentation for this class was generated from the following file:

- `ServerB/src/main/java/com/deusto/models/Book.java`

7.19 org.models.Book Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- String [getTitle](#) ()
- void [setTitle](#) (String title)
- String [getAuthorFirstName](#) ()
- void [setAuthorFirstName](#) (String authorFirstName)
- String [getAuthorLastName](#) ()
- void [setAuthorLastName](#) (String authorLastName)
- String [getGenre](#) ()
- void [setGenre](#) (String genre)
- String [getDescription](#) ()
- void [setDescription](#) (String description)
- Long [getPublishDate](#) ()
- void [setPublishDate](#) (Long publishDate)
- int [getPages](#) ()
- void [setPages](#) (int pages)
- int [getAgeLimit](#) ()
- void [setAgeLimit](#) (int ageLimit)
- int [getCount](#) ()
- void [setCount](#) (int count)
- List< String > [getTags](#) ()
- void [setTags](#) (List< String > tags)
- [Book](#) [decrementCount](#) ()

7.19.1 Member Function Documentation

7.19.1.1 decrementCount()

[Book](#) org.models.Book.decrementCount ()

7.19.1.2 getAgeLimit()

int org.models.Book.getAgeLimit ()

7.19.1.3 getAuthorFirstName()

String org.models.Book.getAuthorFirstName ()

7.19.1.4 getAuthorLastName()

```
String org.models.Book.getAuthorLastName ( )
```

7.19.1.5 getCount()

```
int org.models.Book.getCount ( )
```

7.19.1.6 getDescription()

```
String org.models.Book.getDescription ( )
```

7.19.1.7 getGenre()

```
String org.models.Book.getGenre ( )
```

7.19.1.8 getId()

```
String org.models.Book.getId ( )
```

7.19.1.9 getPages()

```
int org.models.Book.getPages ( )
```

7.19.1.10 getPublishDate()

```
Long org.models.Book.getPublishDate ( )
```

7.19.1.11 getTags()

```
List<String> org.models.Book.getTags ( )
```

7.19.1.12 getTitle()

```
String org.models.Book.getTitle ( )
```

7.19.1.13 setAgeLimit()

```
void org.models.Book.setAgeLimit (
    int ageLimit )
```

7.19.1.14 setAuthorFirstName()

```
void org.models.Book.setAuthorFirstName (
    String authorFirstName )
```

7.19.1.15 setAuthorLastName()

```
void org.models.Book.setAuthorLastName (
    String authorLastName )
```

7.19.1.16 setCount()

```
void org.models.Book.setCount (
    int count )
```

7.19.1.17 setDescription()

```
void org.models.Book.setDescription (
    String description )
```

7.19.1.18 setGenre()

```
void org.models.Book.setGenre (
    String genre )
```

7.19.1.19 setId()

```
void org.models.Book.setId (
    String id )
```

7.19.1.20 setPages()

```
void org.models.Book.setPages (
    int pages )
```

7.19.1.21 setPublishDate()

```
void org.models.Book.setPublishDate (
    Long publishDate )
```

7.19.1.22 setTags()

```
void org.models.Book.setTags (
    List< String > tags )
```

7.19.1.23 setTitle()

```
void org.models.Book.setTitle (
    String title )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/models/[Book.java](#)

7.20 com.deusto.builders.BookBuilder Class Reference

Public Member Functions

- [BookBuilder title](#) (String title)
- [BookBuilder authorFirstName](#) (String authorFirstName)
- [BookBuilder authorLastName](#) (String authorLastName)
- [BookBuilder genre](#) (String genre)
- [BookBuilder description](#) (String description)
- [BookBuilder publishDate](#) (Long publishDate)
- [BookBuilder pages](#) (Integer pages)
- [BookBuilder ageLimit](#) (Integer ageLimit)
- [BookBuilder count](#) (Integer count)
- [BookBuilder tags](#) (List< String > tags)
- [Book build](#) ()

Static Public Member Functions

- static [BookBuilder](#) [builder](#) ()
- static [Book](#) [get](#) ([BookDTO](#) bookDTO)

7.20.1 Detailed Description

[BookBuilder](#) class is used for building a Book object

7.20.2 Member Function Documentation

7.20.2.1 [ageLimit\(\)](#)

```
BookBuilder com.deusto.builders.BookBuilder.ageLimit (
    Integer ageLimit )
```

Builds the publish date in book

Parameters

<i>ageLimit</i>	Integer
-----------------	---------

Returns

itself

7.20.2.2 [authorFirstName\(\)](#)

```
BookBuilder com.deusto.builders.BookBuilder.authorFirstName (
    String authorFirstName )
```

Builds the atuthor first name in book

Parameters

<i>authorFirstName</i>	String
------------------------	--------

Returns

itself

7.20.2.3 `authorLastName()`

```
BookBuilder com.deusto.builders.BookBuilder.authorLastName (
    String authorLastName )
```

Builds the author last name in book

Parameters

<i>authorLastName</i>	String
-----------------------	--------

Returns

itself

7.20.2.4 `build()`

```
Book com.deusto.builders.BookBuilder.build ( )
```

Returns the build address

Returns

a book object

7.20.2.5 `builder()`

```
static BookBuilder com.deusto.builders.BookBuilder.builder ( ) [static]
```

Creates a builder object

Returns

new builder object

7.20.2.6 `count()`

```
BookBuilder com.deusto.builders.BookBuilder.count (
    Integer count )
```

Builds the number of copies of the book

Parameters

<i>count</i>	Integer
--------------	---------

Returns

itself

7.20.2.7 description()

```
BookBuilder com.deusto.builders.BookBuilder.description (
    String description )
```

Builds the description in book

Parameters

<i>description</i>	String
--------------------	--------

Returns

itself

7.20.2.8 genre()

```
BookBuilder com.deusto.builders.BookBuilder.genre (
    String genre )
```

Builds the genre in book

Parameters

<i>genre</i>	String
--------------	--------

Returns

itself

7.20.2.9 get()

```
static Book com.deusto.builders.BookBuilder.get (
    BookDTO bookDTO ) [static]
```

Gets a Book object from a DTO object

Parameters

<i>bookDTO</i>	BookDTO
----------------	---------

Returns

an book object

7.20.2.10 pages()

```
BookBuilder com.deusto.builders.BookBuilder.pages (
    Integer pages )
```

Builds the number of pages in book

Parameters

<i>pages</i>	Integer
--------------	---------

Returns

itself

7.20.2.11 publishDate()

```
BookBuilder com.deusto.builders.BookBuilder.publishDate (
    Long publishDate )
```

Builds the publish date in book

Parameters

<i>publishDate</i>	Long
--------------------	------

Returns

itself

7.20.2.12 tags()

```
BookBuilder com.deusto.builders.BookBuilder.tags (
    List< String > tags )
```

Builds the tages associated to this book

Parameters

<i>tags</i>	List(String)
-------------	--------------

Returns

itself

7.20.2.13 title()

```
BookBuilder com.deusto.builders.BookBuilder.title (
    String title )
```

Builds the title in book

Parameters

<i>title</i>	String
--------------	--------

Returns


itself

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/builders/[BookBuilder.java](#)

7.21 com.deusto.unit.test.builders.BookBuilderUTest Class Reference

Inheritance diagram for com.deusto.unit.test.builders.BookBuilderUTest:



Public Member Functions

- void [validBookBuilderUTest](#) ()
- void [validBookBuilderMethodStyle](#) ()

Additional Inherited Members

7.21.1 Member Function Documentation

7.21.1.1 validBookBuilderMethodStyle()

```
void com.deusto.unit.test.builders.BookBuilderUTest.validBookBuilderMethodStyle ( )
```

7.21.1.2 validBookBuilderUTest()

```
void com.deusto.unit.test.builders.BookBuilderUTest.validBookBuilderUTest ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/builders/BookBuilderUTest.java](#)

7.22 com.deusto.controllers.BookController Class Reference

Public Member Functions

- `HttpEntity<?> getAllBooks ()`
- `HttpEntity<?> createBook (@RequestBody BookDTO bookDTO)`
- `HttpEntity<?> getBookById (@PathVariable String id)`
- `HttpEntity<?> getAllBooksFilter1 (@RequestBody FilterDTO filterDTO)`

7.22.1 Detailed Description

Controller for mapping routes related to book. It implements logic for returning all the books via GET method, create a book via POST, retrieve by ID using GET mapping as well as filtering by specific parameter using POST method.

7.22.2 Member Function Documentation

7.22.2.1 createBook()

```
HttpEntity<?> com.deusto.controllers.BookController.createBook (
    @RequestBody BookDTO bookDTO )
```

Creates a new book

Parameters

<i>bookDTO</i>	BookDTO
----------------	---------

7.22.2.2 getAllBooks()

```
HttpEntity<?> com.deusto.controllers.BookController.getAllBooks ( )
```

Retreives all the books.

Returns

ResponseEntity

7.22.2.3 getAllBooksFilter1()

```
HttpEntity<?> com.deusto.controllers.BookController.getAllBooksFilter1 (
    @RequestBody FilterDTO filterDTO )
```

Get books depending on the sent parameter

Parameters

<i>filterDTO</i>	
------------------	--

Returns

7.22.2.4 getBookById()

```
HttpEntity<?> com.deusto.controllers.BookController.getBookById (
    @PathVariable String id )
```

Get book by id

Parameters

<i>id</i>	
-----------	--


Returns

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/controllers/BookController.java](#)

7.23 com.deusto.integration.test.BookControllerITest Class Reference

Inheritance diagram for com.deusto.integration.test.BookControllerITest:



Public Member Functions

- void [getAllBooksFilter](#) () throws Exception
- void [findAll](#) () throws Exception

Additional Inherited Members

7.23.1 Member Function Documentation

7.23.1.1 findAll()

```
void com.deusto.integration.test.BookControllerITest.findAll ( ) throws Exception
```

7.23.1.2 getAllBooksFilter()

```
void com.deusto.integration.test.BookControllerITest.getAllBooksFilter ( ) throws Exception
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/integration/test/BookControllerITest.java](#)

7.24 com.deusto.dtos.BookDTO Class Reference

Public Member Functions

- String [getTitle](#) ()
- void [setTitle](#) (String title)
- String [getAuthorFirstName](#) ()
- void [setAuthorFirstName](#) (String authorFirstName)
- String [getAuthorLastName](#) ()
- void [setAuthorLastName](#) (String authorLastName)
- String [getGenre](#) ()
- void [setGenre](#) (String genre)
- String [getDescription](#) ()
- void [setDescription](#) (String description)
- Long [getPublishDate](#) ()
- void [setPublishDate](#) (Long publishDate)
- Integer [getPages](#) ()
- void [setPages](#) (Integer pages)
- Integer [getAgeLimit](#) ()
- void [setAgeLimit](#) (Integer ageLimit)
- Integer [getCount](#) ()
- void [setCount](#) (Integer count)
- List< String > [getTags](#) ()
- void [setTags](#) (List< String > tags)

7.24.1 Detailed Description

[BookDTO](#) class is used for creating Book objects. It is intended to provide it's data to build an Book object.

7.24.2 Member Function Documentation

7.24.2.1 [getAgeLimit\(\)](#)

```
Integer com.deusto.dtos.BookDTO.getAgeLimit ( )
```

Gets the age limit of the book

Returns

ageLimit Integer

7.24.2.2 `getAuthorFirstName()`

```
String com.deusto.dtos.BookDTO.getAuthorFirstName ( )
```

Gets the author of the book

Returns

author String

7.24.2.3 `getAuthorLastName()`

```
String com.deusto.dtos.BookDTO.getAuthorLastName ( )
```

Gets the author last name of the book

Returns

authorLastName String

7.24.2.4 `getCount()`

```
Integer com.deusto.dtos.BookDTO.getCount ( )
```

Gets the number of copies available of the book

Returns

count Integer

7.24.2.5 `getDescription()`

```
String com.deusto.dtos.BookDTO.getDescription ( )
```

Gets the description of the book

Returns

description String

7.24.2.6 getGenre()

```
String com.deusto.dtos.BookDTO.getGenre ( )
```

Gets the genre of the book

Returns

genre String

7.24.2.7 getPages()

```
Integer com.deusto.dtos.BookDTO.getPages ( )
```

Gets the number of pages of the book

Returns

pages String

7.24.2.8 getPublishDate()

```
Long com.deusto.dtos.BookDTO.getPublishDate ( )
```

Gets the publish date of the book

Returns

publishDate String

7.24.2.9 getTags()

```
List<String> com.deusto.dtos.BookDTO.getTags ( )
```

Gets the tags of the book

Returns

tags List(String)

7.24.2.10 getTitle()

```
String com.deusto.dtos.BookDTO.getTitle ( )
```

Gets the title of the book

Returns

title String

7.24.2.11 setAgeLimit()

```
void com.deusto.dtos.BookDTO.setAgeLimit (
    Integer ageLimit )
```

Sets the ageLimit of the book

Parameters

<i>ageLimit</i>	Integer
-----------------	---------

7.24.2.12 setAuthorFirstName()

```
void com.deusto.dtos.BookDTO.setAuthorFirstName (
    String authorFirstName )
```

Sets the authorFirstName of the book

Parameters

<i>authorFirstName</i>	String
------------------------	--------

7.24.2.13 setAuthorLastName()

```
void com.deusto.dtos.BookDTO.setAuthorLastName (
    String authorLastName )
```

Sets the authorLastName of the book

Parameters

<i>authorLastName</i>	String
-----------------------	--------

7.24.2.14 setCount()

```
void com.deusto.dtos.BookDTO.setCount (
    Integer count )
```

Sets the count of the book

Parameters

<i>count</i>	Integer
--------------	---------

7.24.2.15 setDescription()

```
void com.deusto.dtos.BookDTO.setDescription (
    String description )
```

Sets the description of the book

Parameters

<i>description</i>	String
--------------------	--------

7.24.2.16 setGenre()

```
void com.deusto.dtos.BookDTO.setGenre (
    String genre )
```

Sets the genre of the book

Parameters

<i>genre</i>	String
--------------	--------

7.24.2.17 setPages()

```
void com.deusto.dtos.BookDTO.setPages (
    Integer pages )
```

Sets the pages of the book

Parameters

<i>pages</i>	Integer
--------------	---------

7.24.2.18 setPublishDate()

```
void com.deusto.dtos.BookDTO.setPublishDate (
    Long publishDate )
```

Sets the publishDate of the book

Parameters

<i>publishDate</i>	Long
--------------------	------

7.24.2.19 setTags()

```
void com.deusto.dtos.BookDTO.setTags (
    List< String > tags )
```

Sets the tags of the book

Parameters

<i>tags</i>	List(String)
-------------	--------------

7.24.2.20 setTitle()

```
void com.deusto.dtos.BookDTO.setTitle (
    String title )
```

Sets the title of the book

Parameters

<i>title</i>	String
--------------	--------

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/dtos/[BookDTO.java](#)

7.25 org.dtos.BookDTO Class Reference

Public Member Functions

- String [getTitle](#) ()
- void [setTitle](#) (String title)
- String [getAuthorFirstName](#) ()
- void [setAuthorFirstName](#) (String authorFirstName)
- String [getAuthorLastName](#) ()
- void [setAuthorLastName](#) (String authorLastName)
- String [getGenre](#) ()
- void [setGenre](#) (String genre)

- String [getDescription](#) ()
- void [setDescription](#) (String description)
- Long [getPublishDate](#) ()
- void [setPublishDate](#) (Long publishDate)
- Integer [getPages](#) ()
- void [setPages](#) (Integer pages)
- Integer [getAgeLimit](#) ()
- void [setAgeLimit](#) (Integer ageLimit)
- Integer [getCount](#) ()
- void [setCount](#) (Integer count)
- List< String > [getTags](#) ()
- void [setTags](#) (List< String > tags)

7.25.1 Member Function Documentation

7.25.1.1 [getAgeLimit\(\)](#)

```
Integer org.dtos.BookDTO.getAgeLimit ( )
```

7.25.1.2 [getAuthorFirstName\(\)](#)

```
String org.dtos.BookDTO.getAuthorFirstName ( )
```

7.25.1.3 [getAuthorLastName\(\)](#)

```
String org.dtos.BookDTO.getAuthorLastName ( )
```

7.25.1.4 [getCount\(\)](#)

```
Integer org.dtos.BookDTO.getCount ( )
```

7.25.1.5 [getDescription\(\)](#)

```
String org.dtos.BookDTO.getDescription ( )
```

7.25.1.6 getGenre()

```
String org.dtos.BookDTO.getGenre ( )
```

7.25.1.7 getPages()

```
Integer org.dtos.BookDTO.getPages ( )
```

7.25.1.8 getPublishDate()

```
Long org.dtos.BookDTO.getPublishDate ( )
```

7.25.1.9 getTags()

```
List<String> org.dtos.BookDTO.getTags ( )
```

7.25.1.10 getTitle()

```
String org.dtos.BookDTO.getTitle ( )
```

7.25.1.11 setAgeLimit()

```
void org.dtos.BookDTO.setAgeLimit (
    Integer ageLimit )
```

7.25.1.12 setAuthorFirstName()

```
void org.dtos.BookDTO.setAuthorFirstName (
    String authorFirstName )
```

7.25.1.13 setAuthorLastName()

```
void org.dtos.BookDTO.setAuthorLastName (
    String authorLastName )
```

7.25.1.14 setCount()

```
void org.dtos.BookDTO.setCount (
    Integer count )
```

7.25.1.15 setDescription()

```
void org.dtos.BookDTO.setDescription (
    String description )
```

7.25.1.16 setGenre()

```
void org.dtos.BookDTO.setGenre (
    String genre )
```

7.25.1.17 setPages()

```
void org.dtos.BookDTO.setPages (
    Integer pages )
```

7.25.1.18 setPublishDate()

```
void org.dtos.BookDTO.setPublishDate (
    Long publishDate )
```

7.25.1.19 setTags()

```
void org.dtos.BookDTO.setTags (
    List< String > tags )
```

7.25.1.20 setTitle()


```
void org.dtos.BookDTO.setTitle (
    String title )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/dtos/[BookDTO.java](#)

7.26 com.deusto.unit.test.dtos.BookDTOUTest Class Reference

Inheritance diagram for com.deusto.unit.test.dtos.BookDTOUTest:



Public Member Functions

- void [validBookDTO](#) ()

Additional Inherited Members

7.26.1 Member Function Documentation

7.26.1.1 validBookDTO()


```
void com.deusto.unit.test.dtos.BookDTOUTest.validBookDTO ( )
```

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/unit/test/dtos/[BookDTOUTest.java](#)

7.27 org.GUI.Booking Class Reference

Inheritance diagram for org.GUI.Booking:



Public Member Functions

- [Booking](#) () throws ClientProtocolException, IOException
- void [actionPerformed](#) (ActionEvent e)

Static Public Member Functions

- static void [main](#) (String[] args) throws ClientProtocolException, IOException

Static Public Attributes

- static [User](#) [newUser](#)
- static [User](#) [j](#) = null

7.27.1 Constructor & Destructor Documentation

7.27.1.1 Booking()

`org.GUI.Booking.Booking () throws ClientProtocolException, IOException`

7.27.2 Member Function Documentation

7.27.2.1 actionPerformed()

`void org.GUI.Booking.actionPerformed (`
 `ActionEvent e)`

7.27.2.2 main()

`static void org.GUI.Booking.main (`
 `String [] args) throws ClientProtocolException, IOException [static]`

7.27.3 Member Data Documentation

7.27.3.1 j

```
User org.GUI.Booking.j = null [static]
```

7.27.3.2 newUser

```
User org.GUI.Booking.newUser [static]
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/GUI/[Booking.java](#)

7.28 com.deusto.BookitApplication Class Reference

Static Public Member Functions

- static void [main](#) (String[] args)

7.28.1 Detailed Description

Running class of the server application.

7.28.2 Member Function Documentation

7.28.2.1 main()


```
static void com.deusto.BookitApplication.main (
    String [] args ) [static]
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/[BookitApplication.java](#)

7.29 com.deusto.repositories.BookRepository Interface Reference

Inheritance diagram for com.deusto.repositories.BookRepository:



Public Member Functions

- List< [Book](#) > [findAll](#) ()
- List< [Book](#) > [findByTitle](#) (String title)
- [Book](#) [findBookById](#) (String id)
- List< [Book](#) > [findAllByAuthorFirstName](#) (String authorFirstName)
- List< [Book](#) > [findAllByAuthorLastName](#) (String authorLastName)
- List< [Book](#) > [findAllByGenre](#) (String genre)
- [Book](#) [findAllById](#) (String id)

7.29.1 Detailed Description

[BookRepository](#) class saves the created Book objects in a mongo repository. It exposes basic CRUD operations.

7.29.2 Member Function Documentation

7.29.2.1 [findAll\(\)](#)

```
List<Book> com.deusto.repositories.BookRepository.findAll ( )
```

7.29.2.2 [findAllByAuthorFirstName\(\)](#)

```
List<Book> com.deusto.repositories.BookRepository.findAllByAuthorFirstName (
    String authorFirstName )
```

7.29.2.3 [findAllByAuthorLastName\(\)](#)

```
List<Book> com.deusto.repositories.BookRepository.findAllByAuthorLastName (
    String authorLastName )
```

7.29.2.4 [findAllByGenre\(\)](#)

```
List<Book> com.deusto.repositories.BookRepository.findAllByGenre (
    String genre )
```


7.29.2.5 findAllById()

```
Book com.deusto.repositories.BookRepository.findAllById (
    String id )
```

7.29.2.6 findBookById()

```
Book com.deusto.repositories.BookRepository.findBookById (
    String id )
```

7.29.2.7 findByTitle()


```
List<Book> com.deusto.repositories.BookRepository.findByTitle (
    String title )
```

The documentation for this interface was generated from the following file:

- [ServerB/src/main/java/com/deusto/repositories/BookRepository.java](#)

7.30 com.deusto.unit.test.repositories.BookRepositoryUTest Class Reference

Inheritance diagram for com.deusto.unit.test.repositories.BookRepositoryUTest:



Public Member Functions

- void [findAllBooksTest](#) () throws Exception
- void [findByTitleTest](#) () throws Exception
- void [findAllByGenreTest](#) () throws Exception
- void [findAllByAuthorLastNameTest](#) () throws Exception
- void [findAllByAuthorFirstNameTest](#) () throws Exception
- void [findAllByIdTest](#) () throws Exception

Additional Inherited Members

7.30.1 Member Function Documentation

7.30.1.1 findAllBooksTest()

```
void com.deusto.unit.test.repositories.BookRepositoryUTest.findAllBooksTest ( ) throws Exception
```

7.30.1.2 findAllByAuthorFirstNameTest()

```
void com.deusto.unit.test.repositories.BookRepositoryUTest.findAllByAuthorFirstNameTest ( )  
throws Exception
```

7.30.1.3 findAllByAuthorLastNameTest()

```
void com.deusto.unit.test.repositories.BookRepositoryUTest.findAllByAuthorLastNameTest ( )  
throws Exception
```

7.30.1.4 findAllByGenreTest()

```
void com.deusto.unit.test.repositories.BookRepositoryUTest.findAllByGenreTest ( ) throws Exception
```

7.30.1.5 findAllByIdTest()

```
void com.deusto.unit.test.repositories.BookRepositoryUTest.findAllByIdTest ( ) throws Exception
```

7.30.1.6 findByTitleTest()

```
void com.deusto.unit.test.repositories.BookRepositoryUTest.findByTitleTest ( ) throws Exception
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/repositories/BookRepositoryUTest.java](#)

7.31 com.deusto.services.BookService Class Reference

Public Member Functions

- [Book](#) [insert](#) ([Book](#) book)
- List< [Book](#) > [findAll](#) ()
- [Book](#) [findById](#) (String id)
- List< [Book](#) > [findAllByAuthorFirstName](#) (String firstName)
- List< [Book](#) > [findByGenre](#) (String genre)
- List< [Book](#) > [findByTitle](#) (String title)
- List< [Book](#) > [findByAuthorLastName](#) (String lastName)
- void [update](#) ([Book](#) registr)

7.31.1 Detailed Description

[BookService](#) class exposes bussines logic over [BookRepository](#).

7.31.2 Member Function Documentation

7.31.2.1 [findAll\(\)](#)

```
List<Book> com.deusto.services.BookService.findAll ( )
```

7.31.2.2 [findAllByAuthorFirstName\(\)](#)

```
List<Book> com.deusto.services.BookService.findAllByAuthorFirstName (
    String firstName )
```

7.31.2.3 [findByAuthorLastName\(\)](#)

```
List<Book> com.deusto.services.BookService.findByAuthorLastName (
    String lastName )
```

7.31.2.4 [findByGenre\(\)](#)

```
List<Book> com.deusto.services.BookService.findByGenre (
    String genre )
```

7.31.2.5 findById()

```
Book com.deusto.services.BookService.findById (
    String id )
```

7.31.2.6 findByTitle()

```
List<Book> com.deusto.services.BookService.findByTitle (
    String title )
```

7.31.2.7 insert()

```
Book com.deusto.services.BookService.insert (
    Book book )
```

7.31.2.8 update()


```
void com.deusto.services.BookService.update (
    Book registr )
```

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/services/BookService.java](#)

7.32 com.deusto.unit.test.services.BookServiceUTest Class Reference

Inheritance diagram for com.deusto.unit.test.services.BookServiceUTest:



Additional Inherited Members

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/services/BookServiceUTest.java](#)

7.33 com.deusto.builders.mail.Email Class Reference

Public Member Functions

- MimeMessagePreparator [messagePreparator](#) ()
- [Email from](#) (String nestfrom)
- [Email to](#) (String nestto)
- [Email subject](#) (String nestssubject)
- [Email text](#) (String nesttext)
- [Email build](#) ()

Static Public Member Functions

- static [Email builder](#) ()

7.33.1 Member Function Documentation

7.33.1.1 build()

[Email](#) com.deusto.builders.mail.Email.build ()

7.33.1.2 builder()

static [Email](#) com.deusto.builders.mail.Email.builder () [static]

7.33.1.3 from()

[Email](#) com.deusto.builders.mail.Email.from (
String nestfrom)

7.33.1.4 messagePreparator()

MimeMessagePreparator com.deusto.builders.mail.Email.messagePreparator ()

7.33.1.5 subject()

```
Email com.deusto.builders.mail.Email.subject (
    String nestsubject )
```

7.33.1.6 text()

```
Email com.deusto.builders.mail.Email.text (
    String nesttext )
```

7.33.1.7 to()


```
Email com.deusto.builders.mail.Email.to (
    String nestto )
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/builders/mail/[Email.java](#)

7.34 com.deusto.forms.email.EmailField Interface Reference

Inheritance diagram for com.deusto.forms.email.EmailField:



Public Member Functions

- String [getEmail](#) ()

7.34.1 Member Function Documentation

7.34.1.1 getEmail()

```
String com.deusto.forms.email.EmailField.getEmail ( )
```

Implemented in [com.deusto.forms.email.RegistrForm](#).

The documentation for this interface was generated from the following file:

- ServerB/src/main/java/com/deusto/forms/email/[EmailField.java](#)

7.35 com.deusto.services.mail.EmailService Class Reference

7.35.1 Detailed Description


[EmailService](#) class exposes bussines logic over email sending feature. It uses JavaMailSender, FreeMakerService and Environmet.

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/services/mail/[EmailService.java](#)

7.36 org.security.EntryPointUnauthorizedHandler Class Reference

Inheritance diagram for org.security.EntryPointUnauthorizedHandler:



Public Member Functions

- void [commence](#) (HttpServletRequest httpServletRequest, HttpServletResponse httpServletResponse, AuthenticationException e) throws IOException, ServletException

7.36.1 Member Function Documentation

7.36.1.1 commence()


```
void org.security.EntryPointUnauthorizedHandler.commence (
    HttpServletRequest httpServletRequest,
    HttpServletResponse httpServletResponse,
    AuthenticationException e ) throws IOException, ServletException
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/security/[EntryPointUnauthorizedHandler.java](#)

7.37 com.deusto.security.EntryPointUnauthorizedHandler Class Reference

Inheritance diagram for com.deusto.security.EntryPointUnauthorizedHandler:



Public Member Functions

- void [commence](#) (HttpServletRequest httpServletRequest, HttpServletResponse httpServletResponse, AuthenticationException e) throws IOException, ServletException

7.37.1 Member Function Documentation

7.37.1.1 commence()

```
void com.deusto.security.EntryPointUnauthorizedHandler.commence (
    HttpServletRequest httpServletRequest,
    HttpServletResponse httpServletResponse,
    AuthenticationException e ) throws IOException, ServletException
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/security/[EntryPointUnauthorizedHandler.java](#)

7.38 org.dtos.FilterDTO Class Reference

Public Member Functions

- Long [getReserveDate](#) ()
- void [setReserveDate](#) (Long reserveDate)
- Long [getReserveExpire](#) ()
- void [setReserveExpire](#) (Long reserveExpire)
- String [getTitle](#) ()
- void [setTitle](#) (String title)
- String [getGenre](#) ()
- void [setGenre](#) (String [genre](#))

Protected Attributes

- String [genre](#)

7.38.1 Detailed Description

Created by diana on 5/3/17.

7.38.2 Member Function Documentation

7.38.2.1 [getGenre\(\)](#)

```
String org.dtos.FilterDTO.getGenre ( )
```

7.38.2.2 [getReserveDate\(\)](#)

```
Long org.dtos.FilterDTO.getReserveDate ( )
```

7.38.2.3 [getReserveExpire\(\)](#)

```
Long org.dtos.FilterDTO.getReserveExpire ( )
```

7.38.2.4 getTitle()

```
String org.dtos.FilterDTO.getTitle ( )
```

7.38.2.5 setGenre()

```
void org.dtos.FilterDTO.setGenre (
    String genre )
```

7.38.2.6 setReserveDate()

```
void org.dtos.FilterDTO.setReserveDate (
    Long reserveDate )
```

7.38.2.7 setReserveExpire()

```
void org.dtos.FilterDTO.setReserveExpire (
    Long reserveExpire )
```

7.38.2.8 setTitle()

```
void org.dtos.FilterDTO.setTitle (
    String title )
```

7.38.3 Member Data Documentation

7.38.3.1 genre

```
String org.dtos.FilterDTO.genre [protected]
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/dtos/[FilterDTO.java](#)

7.39 com.deusto.dtos.FilterDTO Class Reference

Public Member Functions

- Long [getReserveDate](#) ()
- void [setReserveDate](#) (Long reserveDate)
- Long [getReserveExpire](#) ()
- void [setReserveExpire](#) (Long reserveExpire)
- String [getTitle](#) ()
- void [setTitle](#) (String title)
- String [getGenre](#) ()
- void [setGenre](#) (String [genre](#))

Protected Attributes

- String [genre](#)

7.39.1 Detailed Description

[FilterDTO](#) class is used for filtering books It is used in the request as a `RequestBody`

7.39.2 Member Function Documentation

7.39.2.1 [getGenre\(\)](#)

```
String com.deusto.dtos.FilterDTO.getGenre ( )
```

Gets the genre date

Returns

genre String

7.39.2.2 [getReserveDate\(\)](#)

```
Long com.deusto.dtos.FilterDTO.getReserveDate ( )
```

Gets the reservation date

Returns

reserveDate Long

7.39.2.3 `getReserveExpire()`

```
Long com.deusto.dtos.FilterDTO.getReserveExpire ( )
```

Gets the reservation expiration date

Returns

reserveExpire Long

7.39.2.4 `getTitle()`

```
String com.deusto.dtos.FilterDTO.getTitle ( )
```

Gets the title

Returns

title String

7.39.2.5 `setGenre()`

```
void com.deusto.dtos.FilterDTO.setGenre (
    String genre )
```

Sets the genre in [FilterDTO](#)

Parameters

<i>genre</i>	String
--------------	--------

7.39.2.6 `setReserveDate()`

```
void com.deusto.dtos.FilterDTO.setReserveDate (
    Long reserveDate )
```

Sets the reservation date in [FilterDTO](#)

Parameters

<i>reserveDate</i>	String
--------------------	--------

7.39.2.7 setReserveExpire()

```
void com.deusto.dtos.FilterDTO.setReserveExpire (
    Long reserveExpire )
```

Sets the reservation Expiration Date

Parameters

<i>reserveExpire</i>	String
----------------------	--------

7.39.2.8 setTitle()

```
void com.deusto.dtos.FilterDTO.setTitle (
    String title )
```

Sets the title in [FilterDTO](#)

Parameters

<i>title</i>	String
--------------	--------

7.39.3 Member Data Documentation

7.39.3.1 genre

```
String com.deusto.dtos.FilterDTO.genre [protected]
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/dtos/[FilterDTO.java](#)

7.40 com.deusto.services.template.FreeMarkerService Class Reference

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/services/template/[FreeMarkerService.java](#)

7.41 com.deusto.controllers.IndexController Class Reference

Public Member Functions

- `HttpEntity<?> post (@RequestBody @Valid Book book)`
- `HttpEntity<?> auth ()`
- `HttpEntity<?> authUser ()`
- `HttpEntity<?> unAuth ()`
- `HttpEntity<?> index ()`

7.41.1 Member Function Documentation

7.41.1.1 auth()

```
HttpEntity<?> com.deusto.controllers.IndexController.auth ( )
```

7.41.1.2 authUser()

```
HttpEntity<?> com.deusto.controllers.IndexController.authUser ( )
```

7.41.1.3 index()

```
HttpEntity<?> com.deusto.controllers.IndexController.index ( )
```

7.41.1.4 post()

```
HttpEntity<?> com.deusto.controllers.IndexController.post (
    @RequestBody @Valid Book book )
```

7.41.1.5 unAuth()


```
HttpEntity<?> com.deusto.controllers.IndexController.unAuth ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/controllers/IndexController.java](#)

7.42 com.deusto.integration.test.IndexControllerITest Class Reference

Inheritance diagram for com.deusto.integration.test.IndexControllerITest:



Public Member Functions

- void [unauth](#) () throws Exception
- void [auth](#) () throws Exception
- void [authUser](#) () throws Exception
- void [authCrash](#) () throws Exception

Additional Inherited Members

7.42.1 Member Function Documentation

7.42.1.1 [auth\(\)](#)

`void com.deusto.integration.test.IndexControllerITest.auth () throws Exception`

7.42.1.2 [authCrash\(\)](#)

`void com.deusto.integration.test.IndexControllerITest.authCrash () throws Exception`

7.42.1.3 [authUser\(\)](#)

`void com.deusto.integration.test.IndexControllerITest.authUser () throws Exception`

7.42.1.4 [unauth\(\)](#)


`void com.deusto.integration.test.IndexControllerITest.unauth () throws Exception`

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/integration/test/IndexControllerITest.java](#)

7.43 org.GUI.Login Class Reference

Inheritance diagram for org.GUI.Login:



Public Member Functions

- [Login](#) ()
- void [actionPerformed](#) (ActionEvent e)

Static Public Member Functions

- static void [main](#) (String[] args)

Static Public Attributes

- static [User](#) [newUser](#)

7.43.1 Constructor & Destructor Documentation

7.43.1.1 Login()

```
org.GUI.Login.Login ( )
```

7.43.2 Member Function Documentation

7.43.2.1 actionPerformed()

```
void org.GUI.Login.actionPerformed (  
   (ActionEvent e )
```


7.43.2.2 main()

```
static void org.GUI.Login.main (
    String [] args ) [static]
```

7.43.3 Member Data Documentation

7.43.3.1 newUser

```
User org.GUI.Login.newUser [static]
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/GUI/[Login.java](#)

7.44 com.deusto.controllers.LoginController Class Reference

Public Member Functions

- `HttpEntity<?> login (@RequestBody @Valid LoginDTO loginDTO)`

7.44.1 Detailed Description

Controller for mapping routes related to login. It implements logic for login in using POST method.

7.44.2 Member Function Documentation

7.44.2.1 login()

```
HttpEntity<?> com.deusto.controllers.LoginController.login (
    @RequestBody @Valid LoginDTO loginDTO )
```

Logs an user into the system.

Parameters

<i>loginDTO</i>	
-----------------	--

Returns


token

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/controllers/LoginController.java](#)

7.45 com.deusto.integration.test.LoginControllerITest Class Reference

Inheritance diagram for com.deusto.integration.test.LoginControllerITest:

**Public Member Functions**

- void [login](#) () throws Exception
- void [loginWrongCredentials](#) () throws Exception

Additional Inherited Members

7.45.1 Member Function Documentation

7.45.1.1 login()

```
void com.deusto.integration.test.LoginControllerITest.login ( ) throws Exception
```

7.45.1.2 loginWrongCredentials()

```
void com.deusto.integration.test.LoginControllerITest.loginWrongCredentials ( ) throws Exception
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/integration/test/LoginControllerITest.java](#)

7.46 org.dtos.LoginDTO Class Reference

Public Member Functions

- [LoginDTO](#) ()
- [LoginDTO](#) (String email, String encryptedPassword)
- String [getEmail](#) ()
- void [setEmail](#) (String email)
- String [getEncryptedPassword](#) ()
- void [setEncryptedPassword](#) (String encryptedPassword)

7.46.1 Constructor & Destructor Documentation

7.46.1.1 LoginDTO() [1/2]

```
org.dtos.LoginDTO.LoginDTO ( )
```

7.46.1.2 LoginDTO() [2/2]

```
org.dtos.LoginDTO.LoginDTO (
    String email,
    String encryptedPassword )
```

7.46.2 Member Function Documentation

7.46.2.1 getEmail()

```
String org.dtos.LoginDTO.getEmail ( )
```

7.46.2.2 getEncryptedPassword()

```
String org.dtos.LoginDTO.getEncryptedPassword ( )
```

7.46.2.3 setEmail()

```
void org.dtos.LoginDTO.setEmail (
    String email )
```

7.46.2.4 setEncryptedPassword()

```
void org.dtos.LoginDTO.setEncryptedPassword (
    String encryptedPassword )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/dtos/[LoginDTO.java](#)

7.47 com.deusto.dtos.LoginDTO Class Reference

Public Member Functions

- String [getEmail](#) ()
- void [setEmail](#) (String email)
- String [getEncryptedPassword](#) ()
- void [setEncryptedPassword](#) (String encryptedPassword)

7.47.1 Detailed Description

[LoginDTO](#) class is used for logging functionality It is used in the request in LoginController as a RequestBody

7.47.2 Member Function Documentation

7.47.2.1 getEmail()

```
String com.deusto.dtos.LoginDTO.getEmail ( )
```

Gets the email of the user

Returns

email String

7.47.2.2 getEncryptedPassword()

```
String com.deusto.dtos.LoginDTO.getEncryptedPassword ( )
```

Gets the encrypted password of the user

Returns

encrypted password String

7.47.2.3 setEmail()

```
void com.deusto.dtos.LoginDTO.setEmail (
    String email )
```

Sets the email of the loginDTO

Parameters

<i>email</i>	String
--------------	--------

7.47.2.4 setEncryptedPassword()

```
void com.deusto.dtos.LoginDTO.setEncryptedPassword (
    String encryptedPassword )
```

Sets the encrypted password of the user

Parameters


<i>encryptedPassword</i>	String
--------------------------	--------

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/dtos/[LoginDTO.java](#)

7.48 com.deusto.unit.test.dtos.LoginDTOUTest Class Reference

Inheritance diagram for com.deusto.unit.test.dtos.LoginDTOUTest:



Public Member Functions

- void [validLoginDTO](#) ()
- void [invalidLoginDTO](#) ()
- void [invalidEmailLoginDTO](#) ()
- void [invalidEmailEmptyLoginDTO](#) ()
- void [invalidPasswordEmptyLoginDTO](#) ()

Additional Inherited Members

7.48.1 Member Function Documentation

7.48.1.1 [invalidEmailEmptyLoginDTO\(\)](#)

```
void com.deusto.unit.test.dtos.LoginDTOUTest.invalidEmailEmptyLoginDTO ( )
```

7.48.1.2 [invalidEmailLoginDTO\(\)](#)

```
void com.deusto.unit.test.dtos.LoginDTOUTest.invalidEmailLoginDTO ( )
```

7.48.1.3 [invalidLoginDTO\(\)](#)

```
void com.deusto.unit.test.dtos.LoginDTOUTest.invalidLoginDTO ( )
```

7.48.1.4 [invalidPasswordEmptyLoginDTO\(\)](#)

```
void com.deusto.unit.test.dtos.LoginDTOUTest.invalidPasswordEmptyLoginDTO ( )
```

7.48.1.5 [validLoginDTO\(\)](#)

```
void com.deusto.unit.test.dtos.LoginDTOUTest.validLoginDTO ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/dtos/LoginDTOUTest.java](#)

7.49 com.deusto.dtos.PersonDTO Class Reference

Public Member Functions

- String [getEmail](#) ()
- void [setEmail](#) (String email)
- Long [getBirthDate](#) ()
- void [setBirthDate](#) (Long birthDate)
- String [getCountryCode](#) ()
- void [setCountryCode](#) (String countryCode)
- Integer [getPhone](#) ()
- void [setPhone](#) (Integer phone)
- String [getPassword](#) ()
- void [setPassword](#) (String password)
- [AddressDTO](#) [getAddress](#) ()
- void [setAddress](#) ([AddressDTO](#) address)

7.49.1 Detailed Description

[PersonDTO](#) class is used for creating User Objects. It is intended to provide its data in the last step of registration

7.49.2 Member Function Documentation

7.49.2.1 [getAddress](#)()

[AddressDTO](#) com.deusto.dtos.PersonDTO.[getAddress](#) ()

Gets the Address of the person

Returns

address [Address](#)

7.49.2.2 [getBirthDate](#)()

Long com.deusto.dtos.PersonDTO.[getBirthDate](#) ()

Gets the birth date of the person

Returns

birthDate Long

7.49.2.3 `getCountryCode()`

```
String com.deusto.dtos.PersonDTO.getCountryCode ( )
```

Gets the country code of the person

Returns

countryCode String

7.49.2.4 `getEmail()`

```
String com.deusto.dtos.PersonDTO.getEmail ( )
```

Gets the email of the person

Returns

email String

7.49.2.5 `getPassword()`

```
String com.deusto.dtos.PersonDTO.getPassword ( )
```

Gets the password of the person

Returns

password

7.49.2.6 `getPhone()`

```
Integer com.deusto.dtos.PersonDTO.getPhone ( )
```

Gets the phone number of the person

Returns

phone Integer

7.49.2.7 `setAddress()`

```
void com.deusto.dtos.PersonDTO.setAddress (
    AddressDTO address )
```

Sets the address of the person

Parameters

<i>address</i>	Address
----------------	---------

7.49.2.8 setBirthDate()

```
void com.deusto.dtos.PersonDTO.setBirthDate (
    Long birthDate )
```

Sets the birth date of the person

Parameters

<i>birthDate</i>	Long
------------------	------

7.49.2.9 setCountryCode()

```
void com.deusto.dtos.PersonDTO.setCountryCode (
    String countryCode )
```

Sets the country code of the person

Parameters

<i>countryCode</i>	String
--------------------	--------

7.49.2.10 setEmail()

```
void com.deusto.dtos.PersonDTO.setEmail (
    String email )
```

Sets the email of the person

Parameters

<i>email</i>	String
--------------	--------

7.49.2.11 setPassword()

```
void com.deusto.dtos.PersonDTO.setPassword (
    String password )
```

Sets the password of the person

Parameters

<i>password</i>	String
-----------------	--------

7.49.2.12 setPhone()

```
void com.deusto.dtos.PersonDTO.setPhone (
    Integer phone )
```

Sets the phone of the person

Parameters

<i>phone</i>	Integer
--------------	---------

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/dtos/[PersonDTO.java](#)

7.50 org.dtos.PersonDTO Class Reference

Public Member Functions

- String [getEmail](#) ()
- void [setEmail](#) (String email)
- Long [getBirthDate](#) ()
- void [setBirthDate](#) (Long birthDate)
- String [getCountryCode](#) ()
- void [setCountryCode](#) (String countryCode)
- Integer [getPhone](#) ()
- void [setPhone](#) (Integer phone)
- String [getPassword](#) ()
- void [setPassword](#) (String password)
- [AddressDTO](#) [getAddress](#) ()
- void [setAddress](#) ([AddressDTO](#) address)

7.50.1 Member Function Documentation

7.50.1.1 getAddress()

```
AddressDTO org.dtos.PersonDTO.getAddress ( )
```

7.50.1.2 getBirthDate()

```
Long org.dtos.PersonDTO.getBirthDate ( )
```

7.50.1.3 getCountryCode()

```
String org.dtos.PersonDTO.getCountryCode ( )
```

7.50.1.4 getEmail()

```
String org.dtos.PersonDTO.getEmail ( )
```

7.50.1.5 getPassword()

```
String org.dtos.PersonDTO.getPassword ( )
```

7.50.1.6 getPhone()

```
Integer org.dtos.PersonDTO.getPhone ( )
```

7.50.1.7 setAddress()

```
void org.dtos.PersonDTO.setAddress (
    AddressDTO address )
```

7.50.1.8 `setBirthDate()`

```
void org.dtos.PersonDTO.setBirthDate (
    Long birthDate )
```

7.50.1.9 `setCountryCode()`

```
void org.dtos.PersonDTO.setCountryCode (
    String countryCode )
```

7.50.1.10 `setEmail()`

```
void org.dtos.PersonDTO.setEmail (
    String email )
```

7.50.1.11 `setPassword()`

```
void org.dtos.PersonDTO.setPassword (
    String password )
```

7.50.1.12 `setPhone()`


```
void org.dtos.PersonDTO.setPhone (
    Integer phone )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/dtos/[PersonDTO.java](#)

7.51 `com.deusto.unit.test.dtos.PersonDTOUTest` Class Reference

Inheritance diagram for `com.deusto.unit.test.dtos.PersonDTOUTest`:



Public Member Functions

- void [validPersonDTO](#) ()
- void [invalidEmailPeronDTO](#) ()
- void [invalidEmptyEmailPersontDTO](#) ()
- void [invalidEmptyCountryCodePersonDTO](#) ()
- void [invalidEmptyPasswordPersonDTO](#) ()

Additional Inherited Members

7.51.1 Member Function Documentation

7.51.1.1 [invalidEmailPeronDTO\(\)](#)

```
void com.deusto.unit.test.dtos.PersonDTOUTest.invalidEmailPeronDTO ( )
```

7.51.1.2 [invalidEmptyCountryCodePersonDTO\(\)](#)

```
void com.deusto.unit.test.dtos.PersonDTOUTest.invalidEmptyCountryCodePersonDTO ( )
```

7.51.1.3 [invalidEmptyEmailPersontDTO\(\)](#)

```
void com.deusto.unit.test.dtos.PersonDTOUTest.invalidEmptyEmailPersontDTO ( )
```

7.51.1.4 [invalidEmptyPasswordPersonDTO\(\)](#)

```
void com.deusto.unit.test.dtos.PersonDTOUTest.invalidEmptyPasswordPersonDTO ( )
```

7.51.1.5 [validPersonDTO\(\)](#)


```
void com.deusto.unit.test.dtos.PersonDTOUTest.validPersonDTO ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/dtos/PersonDTOUTest.java](#)

7.52 org.GUI.Register Class Reference

Inheritance diagram for org.GUI.Register:



Public Member Functions

- [Register](#) ()
- void [actionPerformed](#) (ActionEvent e)

Static Public Member Functions

- static void [main](#) (String[] args)

Static Public Attributes

- static [User](#) `newUser`
- static [User](#) `j` = null

7.52.1 Constructor & Destructor Documentation

7.52.1.1 Register()

```
org.GUI.Register.Register ( )
```

7.52.2 Member Function Documentation

7.52.2.1 actionPerformed()

```
void org.GUI.Register.actionPerformed (
   (ActionEvent e )
```

7.52.2.2 main()

```
static void org.GUI.Register.main (
    String [] args ) [static]
```

7.52.3 Member Data Documentation

7.52.3.1 j

```
User org.GUI.Register.j = null [static]
```

7.52.3.2 newUser

```
User org.GUI.Register.newUser [static]
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/GUI/[Register.java](#)

7.53 org.models.Registr Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- String [getFirstname](#) ()
- void [setFirstname](#) (String firstname)
- String [getLastname](#) ()
- void [setLastname](#) (String lastname)
- String [getEmail](#) ()
- void [setEmail](#) (String email)
- boolean [isActiv](#) ()
- void [setActiv](#) (boolean activ)

7.53.1 Member Function Documentation

7.53.1.1 getEmail()

```
String org.models.Registr.getEmail ( )
```

7.53.1.2 getFirstname()

```
String org.models.Registr.getFirstname ( )
```

7.53.1.3 getId()

```
String org.models.Registr.getId ( )
```

7.53.1.4 getLastname()

```
String org.models.Registr.getLastname ( )
```

7.53.1.5 isActive()

```
boolean org.models.Registr.isActive ( )
```

7.53.1.6 setActive()

```
void org.models.Registr.setActiv (
    boolean activ )
```

7.53.1.7 setEmail()

```
void org.models.Registr.setEmail (
    String email )
```

7.53.1.8 setFirstname()

```
void org.models.Registr.setFirstname (
    String firstname )
```


7.53.1.9 setId()

```
void org.models.Registr.setId (
    String id )
```

7.53.1.10 setLastname()

```
void org.models.Registr.setLastname (
    String lastname )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/models/[Registr.java](#)

7.54 com.deusto.models.Registr Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- String [getFirstname](#) ()
- void [setFirstname](#) (String firstname)
- String [getLastname](#) ()
- void [setLastname](#) (String lastname)
- String [getEmail](#) ()
- void [setEmail](#) (String email)
- Boolean [isActiv](#) ()
- void [setActiv](#) (Boolean activ)

7.54.1 Detailed Description

This class is a model of the database document, used to store a registering users. The objects of this type will be used in the second step of the registration

7.54.2 Member Function Documentation

7.54.2.1 getEmail()

```
String com.deusto.models.Registr.getEmail ( )
```

Gets the email of the registering user

Returns

email String

7.54.2.2 getFirstname()

```
String com.deusto.models.Registr.getFirstname ( )
```

Gets the firstName of the registering user

Returns

firstName String

7.54.2.3 getId()

```
String com.deusto.models.Registr.getId ( )
```

Gets the id of the registering user

Returns

id String

7.54.2.4 getLastname()

```
String com.deusto.models.Registr.getLastname ( )
```

Gets the lastName of the registering user

Returns

lastName String

7.54.2.5 isActive()

```
Boolean com.deusto.models.Registr.isActive ( )
```

Gets the isActive boolean var of the registering user It will be true after the user will check the email

Returns

isActive Boolean

7.54.2.6 setActiv()

```
void com.deusto.models.Registr.setActiv (
    Boolean activ )
```

Sets the isActive paramerter of the registering user

Parameters

<i>activ</i>	Boolean
--------------	---------

7.54.2.7 setEmail()

```
void com.deusto.models.Registr.setEmail (
    String email )
```

Sets the email of the registering user

Parameters

<i>email</i>	String
--------------	--------

7.54.2.8 setFirstname()

```
void com.deusto.models.Registr.setFirstname (
    String firstname )
```

Sets the firstName of the registering user

Parameters

<i>firstname</i>	String
------------------	--------

7.54.2.9 setId()

```
void com.deusto.models.Registr.setId (
    String id )
```

Sets the id of the registering user

Parameters

<i>id</i>	String
-----------	--------

7.54.2.10 setLastname()

```
void com.deusto.models.Registr.setLastname (
    String lastname )
```

Sets the lastName of the registering user

Parameters

<i>lastname</i>	String
-----------------	--------

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/models/Registr.java](#)

7.55 com.deusto.builders.RegistrBuilder Class Reference

Static Public Member Functions

- static [Registr](#) [get](#) ([RegistrDTO](#) registrDTO)

7.55.1 Detailed Description

Registr class is used for building a Registr object

7.55.2 Member Function Documentation

7.55.2.1 get()

```
static Registr com.deusto.builders.RegistrBuilder.get (
    RegistrDTO registrDTO ) [static]
```

Gets a Registr object from a DTO object

Parameters

<i>registrDTO</i>	RegistrDTO
-------------------	------------

Returns


an registr object

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/builders/RegistrBuilder.java](#)

7.56 com.deusto.unit.test.builders.RegistrBuilderUTest Class Reference

Inheritance diagram for com.deusto.unit.test.builders.RegistrBuilderUTest:



Public Member Functions

- void [validRegistrBuilder](#) ()

Additional Inherited Members

7.56.1 Member Function Documentation

7.56.1.1 validRegistrBuilder()

```
void com.deusto.unit.test.builders.RegistrBuilderUTest.validRegistrBuilder ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/builders/RegistrBuilderUTest.java](#)

7.57 com.deusto.controllers.RegistrController Class Reference

Public Member Functions

- [HttpEntity<?>](#) [firstStep](#) (@RequestBody @Valid [RegistrDTO](#) registrDTO)
- [HttpEntity<?>](#) [secondStep](#) (@PathVariable String id)
- [HttpEntity<?>](#) [lastStep](#) (@RequestBody @Valid [PersonDTO](#) person)

7.57.1 Detailed Description

Controller for mapping routes related to registration. It implements logic using three steps: Step ONE: send email Step TWO: activate registr user Step THREE: finish the registration process and create the actual user

7.57.2 Member Function Documentation

7.57.2.1 firstStep()

```
HttpEntity<?> com.deusto.controllers.RegistrController.firstStep (
    @RequestBody @Valid RegistrDTO registrDTO )
```

Sends an email to user

Parameters

<i>registrDTO</i>	
-------------------	--

Returns**7.57.2.2 lastStep()**

```
HttpEntity<?> com.deusto.controllers.RegistrController.lastStep (
    @RequestBody @Valid PersonDTO person )
```

Checks if registr user is active and creates a new user

Parameters

<i>person</i>	
---------------	--

Returns**7.57.2.3 secondStep()**

```
HttpEntity<?> com.deusto.controllers.RegistrController.secondStep (
    @PathVariable String id )
```

When user accesses the link, the registr.isActive is set to true

Parameters

<i>id</i>	
-----------	--


Returns

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/controllers/RegistrController.java](#)

7.58 com.deusto.integration.test.RegistrControllerITest Class Reference

Inheritance diagram for com.deusto.integration.test.RegistrControllerITest:



Public Member Functions

- void [validPostRegistr](#) () throws Exception

Additional Inherited Members

7.58.1 Member Function Documentation

7.58.1.1 validPostRegistr()

```
void com.deusto.integration.test.RegistrControllerITest.validPostRegistr ( ) throws Exception
```

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/integration/test/[RegistrControllerITest.java](#)

7.59 com.deusto.dtos.RegistrDTO Class Reference

Public Member Functions

- String [getFirstname](#) ()
- void [setFirstname](#) (String firstname)
- String [getLastname](#) ()
- void [setLastname](#) (String lastname)
- String [getEmail](#) ()
- void [setEmail](#) (String email)

7.59.1 Detailed Description

[RegistrDTO](#) class is used for creating Registr objects. It is intended to provide it's data to build an Registr object.

7.59.2 Member Function Documentation

7.59.2.1 getEmail()

```
String com.deusto.dtos.RegistrDTO.getEmail ( )
```

Gets the email of the registering user

Returns

email String

7.59.2.2 getFirstname()

```
String com.deusto.dtos.RegistrDTO.getFirstname ( )
```

Gets the firstName of the registering user

Returns

firstName String

7.59.2.3 getLastname()

```
String com.deusto.dtos.RegistrDTO.getLastname ( )
```

Gets the lastName of the registering user

Returns

lastName String

7.59.2.4 setEmail()

```
void com.deusto.dtos.RegistrDTO.setEmail (
    String email )
```

Sets the email of the registering user

Parameters

<i>email</i>	String
--------------	--------

7.59.2.5 setFirstname()

```
void com.deusto.dtos.RegistrDTO.setFirstname (
    String firstname )
```

Sets the firstName of the registering user

Parameters

<i>firstname</i>	String
------------------	--------

7.59.2.6 setLastname()

```
void com.deusto.dtos.RegistrDTO.setLastname (
    String lastname )
```

Sets the lastName of the registering user

Parameters

<i>lastname</i>	String
-----------------	--------

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/dtos/[RegistrDTO.java](#)

7.60 org.dtos.RegistrDTO Class Reference

Public Member Functions

- String [getFirstname](#) ()
- void [setFirstname](#) (String firstname)
- String [getLastname](#) ()
- void [setLastname](#) (String lastname)
- String [getEmail](#) ()
- void [setEmail](#) (String email)

7.60.1 Member Function Documentation

7.60.1.1 getEmail()

```
String org.dtos.RegistrDTO.getEmail ( )
```

7.60.1.2 getFirstname()

```
String org.dtos.RegistrDTO.getFirstname ( )
```

7.60.1.3 getLastname()

```
String org.dtos.RegistrDTO.getLastname ( )
```

7.60.1.4 setEmail()

```
void org.dtos.RegistrDTO.setEmail (
    String email )
```

7.60.1.5 setFirstname()

```
void org.dtos.RegistrDTO.setFirstname (
    String firstname )
```

7.60.1.6 setLastname()


```
void org.dtos.RegistrDTO.setLastname (
    String lastname )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/dtos/[RegistrDTO.java](#)

7.61 com.deusto.unit.test.dtos.RegistrDTOUTest Class Reference

Inheritance diagram for com.deusto.unit.test.dtos.RegistrDTOUTest:



Public Member Functions

- void [validRegistrDTO](#) ()
- void [invalidRegistrDTO](#) ()
- void [invalidFirstnameEmptyRegistrDTO](#) ()
- void [invalidLastnameEmptyRegistrDTO](#) ()
- void [invalidFirstnameAndLastnameEmptyRegistrDTO](#) ()
- void [invalidEmailWrongRegistrDTO](#) ()
- void [invalidEmailEmptyRegistrDTO](#) ()

Additional Inherited Members

7.61.1 Member Function Documentation

7.61.1.1 invalidEmailEmptyRegistrDTO()

```
void com.deusto.unit.test.dtos.RegistrDTOUTest.invalidEmailEmptyRegistrDTO ( )
```

7.61.1.2 invalidEmailWrongRegistrDTO()

```
void com.deusto.unit.test.dtos.RegistrDTOUTest.invalidEmailWrongRegistrDTO ( )
```

7.61.1.3 invalidFirstnameAndLastnameEmptyRegistrDTO()

```
void com.deusto.unit.test.dtos.RegistrDTOUTest.invalidFirstnameAndLastnameEmptyRegistrDTO ( )
```

7.61.1.4 invalidFirstnameEmptyRegistrDTO()

```
void com.deusto.unit.test.dtos.RegistrDTOUTest.invalidFirstnameEmptyRegistrDTO ( )
```

7.61.1.5 invalidLastnameEmptyRegistrDTO()

```
void com.deusto.unit.test.dtos.RegistrDTOUTest.invalidLastnameEmptyRegistrDTO ( )
```

7.61.1.6 invalidRegistrDTO()

```
void com.deusto.unit.test.dtos.RegistrDTOUTest.invalidRegistrDTO ( )
```

7.61.1.7 validRegistrDTO()


```
void com.deusto.unit.test.dtos.RegistrDTOUTest.validRegistrDTO ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/dtos/RegistrDTOUTest.java](#)

7.62 com.deusto.forms.email.RegistrForm Class Reference

Inheritance diagram for com.deusto.forms.email.RegistrForm:



Public Member Functions

- String [getFirstname](#) ()
- void [setFirstname](#) (String firstname)
- String [getLastname](#) ()
- void [setLastname](#) (String lastname)
- String [getUrl](#) ()
- void [setUrl](#) (String url)
- String [getEmail](#) ()
- void [setEmail](#) (String email)

Static Public Member Functions

- static [RegistrForm](#) [get](#) ([Registr](#) registr, String appUrl)

7.62.1 Detailed Description

Registre Form is used to for the first step of registration.

7.62.2 Member Function Documentation

7.62.2.1 [get\(\)](#)

```
static RegistrForm com.deusto.forms.email.RegistrForm.get (  
    Registr registr,  
    String appUrl ) [static]
```

7.62.2.2 [getEmail\(\)](#)

```
String com.deusto.forms.email.RegistrForm.getEmail ( )
```

Implements [com.deusto.forms.email.EmailField](#).

7.62.2.3 [getFirstname\(\)](#)

```
String com.deusto.forms.email.RegistrForm.getFirstname ( )
```

7.62.2.4 [getLastname\(\)](#)

```
String com.deusto.forms.email.RegistrForm.getLastname ( )
```

7.62.2.5 [getUrl\(\)](#)

```
String com.deusto.forms.email.RegistrForm.getUrl ( )
```

7.62.2.6 setEmail()

```
void com.deusto.forms.email.RegistrForm.setEmail (
    String email )
```

7.62.2.7 setFirstname()

```
void com.deusto.forms.email.RegistrForm.setFirstname (
    String firstname )
```

7.62.2.8 setLastname()

```
void com.deusto.forms.email.RegistrForm.setLastname (
    String lastname )
```

7.62.2.9 setUrl()


```
void com.deusto.forms.email.RegistrForm.setUrl (
    String url )
```

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/forms/email/RegistrForm.java](#)

7.63 com.deusto.unit.test.forms.RegistrFormUTest Class Reference

Inheritance diagram for com.deusto.unit.test.forms.RegistrFormUTest:




Additional Inherited Members

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/forms/RegistrFormUTest.java](#)

7.64 com.deusto.repositories.RegistrRepository Interface Reference

Inheritance diagram for com.deusto.repositories.RegistrRepository:



Public Member Functions

- [Registr findRegistrById](#) (String id)
- [Registr findByEmail](#) (String email)

7.64.1 Detailed Description

[RegistrRepository](#) class saves the created Registr objects in a mongo repository. The objects saved in this repository are used for the first step in registration process. It exposes basic CRUD operations.

7.64.2 Member Function Documentation

7.64.2.1 findByEmail()

```
Registr com.deusto.repositories.RegistrRepository.findByEmail (
    String email )
```

7.64.2.2 findRegistrById()


```
Registr com.deusto.repositories.RegistrRepository.findRegistrById (
    String id )
```

The documentation for this interface was generated from the following file:

- ServerB/src/main/java/com/deusto/repositories/[RegistrRepository.java](#)

7.65 com.deusto.unit.test.repositories.RegistrRepositoryUTest Class Reference

Inheritance diagram for com.deusto.unit.test.repositories.RegistrRepositoryUTest:



Additional Inherited Members

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/repositories/RegistrRepostoryUTest.java](#)

7.66 com.deusto.services.RegistrService Class Reference

Public Member Functions

- [Registr insert](#) ([Registr](#) reg)
- [Registr findById](#) (String id)
- void [update](#) ([Registr](#) registr)
- [Registr findByEmail](#) (String email)
- void [delete](#) ([Registr](#) registr)

7.66.1 Detailed Description

[RegistrService](#) class exposes bussines logic over [RegistrRepository](#).

7.66.2 Member Function Documentation

7.66.2.1 delete()

```
void com.deusto.services.RegistrService.delete (  
    Registr registr )
```

7.66.2.2 findByEmail()

```
Registr com.deusto.services.RegistrService.findByEmail (  
    String email )
```

7.66.2.3 findById()

```
Registr com.deusto.services.RegistrService.findById (  
    String id )
```


7.66.2.4 insert()

```
Registr com.deusto.services.RegistrService.insert (  
    Registr reg )
```

7.66.2.5 update()


```
void com.deusto.services.RegistrService.update (  
    Registr registr )
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/services/[RegistrService.java](#)

7.67 com.deusto.unit.test.services.RegistrServiceUTest Class Reference

Inheritance diagram for com.deusto.unit.test.services.RegistrServiceUTest:



Additional Inherited Members

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/unit/test/services/[RegistrServiceUTest.java](#)

7.68 org.models.Reserve Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- [User](#) [getUser](#) ()
- void [setUser](#) ([User](#) user)
- [Book](#) [getBook](#) ()
- void [setBook](#) ([Book](#) book)
- long [getReserveDate](#) ()
- void [setReserveDate](#) (long reserveDate)
- long [getReserveExpire](#) ()
- void [setReserveExpire](#) (long reserveExpire)

7.68.1 Member Function Documentation

7.68.1.1 getBook()

`Book org.models.Reserve.getBook ()`

7.68.1.2 getId()

`String org.models.Reserve.getId ()`

7.68.1.3 getReserveDate()

`long org.models.Reserve.getReserveDate ()`

7.68.1.4 getReserveExpire()

`long org.models.Reserve.getReserveExpire ()`

7.68.1.5 getUser()

`User org.models.Reserve.getUser ()`

7.68.1.6 setBook()

`void org.models.Reserve.setBook (
 Book book)`

7.68.1.7 setId()

`void org.models.Reserve.setId (
 String id)`

7.68.1.8 setReserveDate()

```
void org.models.Reserve.setReserveDate (
    long reserveDate )
```

7.68.1.9 setReserveExpire()

```
void org.models.Reserve.setReserveExpire (
    long reserveExpire )
```

7.68.1.10 setUser()

```
void org.models.Reserve.setUser (
    User user )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/models/[Reserve.java](#)

7.69 com.deusto.models.Reserve Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- [User](#) [getUser](#) ()
- void [setUser](#) ([User](#) user)
- [Book](#) [getBook](#) ()
- void [setBook](#) ([Book](#) book)
- Long [getReserveDate](#) ()
- void [setReserveDate](#) (Long reserveDate)
- Long [getReserveExpire](#) ()
- void [setReserveExpire](#) (Long reserveExpire)

7.69.1 Detailed Description

This class is a model of the database document, used to store a reservation.

7.69.2 Member Function Documentation

7.69.2.1 `getBook()`

`Book com.deusto.models.Reserve.getBook ()`

Gets the book of the reservation

Returns

book `Book`

7.69.2.2 `getId()`

`String com.deusto.models.Reserve.getId ()`

Gets the id of the reservation

Returns

id `String`

7.69.2.3 `getReserveDate()`

`Long com.deusto.models.Reserve.getReserveDate ()`

Gets the reservation date

Returns

reserveDate `Long`

7.69.2.4 `getReserveExpire()`

`Long com.deusto.models.Reserve.getReserveExpire ()`

Gets the reservation expiration date

Returns

reserveExpire `Long`

7.69.2.5 getUser()

```
User com.deusto.models.Reserve.getUser ( )
```

Gets the user of the reservation

Returns

user [User](#)

7.69.2.6 setBook()

```
void com.deusto.models.Reserve.setBook (
    Book book )
```

Sets the book of the reservation

Parameters

<i>book</i>	Book
-------------	----------------------

7.69.2.7 setId()

```
void com.deusto.models.Reserve.setId (  
    String id )
```

Sets the id of the reservation

Parameters

<i>id</i>	String
-----------	--------

7.69.2.8 setReserveDate()

```
void com.deusto.models.Reserve.setReserveDate (  
    Long reserveDate )
```

Sets the reservation date

Parameters

<i>reserveDate</i>	Long
--------------------	------

7.69.2.9 setReserveExpire()

```
void com.deusto.models.Reserve.setReserveExpire (  
    Long reserveExpire )
```

Sets the reservation expiration date

Parameters

<i>reserveExpire</i>	Long
----------------------	------

7.69.2.10 setUser()

```
void com.deusto.models.Reserve.setUser (
    User user )
```

Sets the user of the reservation

Parameters

<i>user</i>	User
-------------	------

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/models/[Reserve.java](#)

7.70 com.deusto.builders.ReserveBuilder Class Reference

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/builders/[ReserveBuilder.java](#)

7.71 com.deusto.controllers.ReserveController Class Reference

Public Member Functions

- `HttpEntity<?> getAll ()`
- `HttpEntity<?> newReserve (@RequestBody ReserveDTO reserveDTO)`

7.71.1 Detailed Description

Controller used to manage routes related to reservation process.

7.71.2 Member Function Documentation

7.71.2.1 getAll()

```
HttpEntity<?> com.deusto.controllers.ReserveController.getAll ( )
```

Gets all the reservations made.

Returns

ResponseEntity

7.71.2.2 newReserve()

```
HttpEntity<?> com.deusto.controllers.ReserveController.newReserve (
    @RequestBody ReserveDTO reserveDTO )
```

Creates a new reservation.

Parameters

<code>reserveDTO</code>	
-------------------------	--

Returns


ResponseEntity - whether it succeeded or not

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/controllers/ReserveController.java](#)

7.72 com.deusto.integration.test.ReserveControllerITest Class Reference

Inheritance diagram for com.deusto.integration.test.ReserveControllerITest:



Public Member Functions

- void [newReserve](#) () throws Exception
- void [reserveWithZeroBooks](#) () throws Exception
- void [getAll](#) () throws Exception

Additional Inherited Members

7.72.1 Member Function Documentation

7.72.1.1 getAll()

```
void com.deusto.integration.test.ReserveControllerITest.getAll ( ) throws Exception
```

7.72.1.2 newReserve()

```
void com.deusto.integration.test.ReserveControllerITest.newReserve ( ) throws Exception
```


7.72.1.3 reserveWithZeroBooks()

```
void com.deusto.integration.test.ReserveControllerITest.reserveWithZeroBooks ( ) throws Exception
```

The documentation for this class was generated from the following file:

- ServerB/src/test/java/com/deusto/integration/test/[ReserveControllerITest.java](#)

7.73 org.dtos.ReserveDTO Class Reference

Public Member Functions

- String [getBookId](#) ()
- void [setBookId](#) (String bookId)

7.73.1 Member Function Documentation

7.73.1.1 getBookId()

```
String org.dtos.ReserveDTO.getBookId ( )
```

7.73.1.2 setBookId()

```
void org.dtos.ReserveDTO.setBookId (
    String bookId )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/dtos/[ReserveDTO.java](#)

7.74 com.deusto.dtos.ReserveDTO Class Reference

Public Member Functions

- String [getBookId](#) ()
- void [setBookId](#) (String bookId)

7.74.1 Detailed Description

[ReserveDTO](#) class is used for creating a reservation It is intended to provide id of the reserved book

7.74.2 Member Function Documentation

7.74.2.1 `getBookId()`

```
String com.deusto.dtos.ReserveDTO.getBookId ( )
```

Gets the id of the book field

Returns

id String

7.74.2.2 `setBookId()`

```
void com.deusto.dtos.ReserveDTO.setBookId (
    String bookId )
```

Sets the id of the book field

Parameters


<i>bookId</i>	String
---------------	--------

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/dtos/ReserveDTO.java](#)

7.75 `com.deusto.repositories.ReserveRepository` Interface Reference

Inheritance diagram for `com.deusto.repositories.ReserveRepository`:



Public Member Functions

- [Reserve insert](#) ([Reserve](#) reserve)
- List< [Reserve](#) > [findAllByBook](#) ([Book](#) book)
- List< [Reserve](#) > [findAllByUser](#) ([User](#) user)
- List< [Reserve](#) > [findAllByReserveDateBeforeAndReserveExpireAfter](#) (Long before, Long after)
- List< [Reserve](#) > [findDistinctByReserveDateAndReserveExpire](#) (Long before, Long after)
- void [delete](#) ([Reserve](#) reserve)

7.75.1 Detailed Description

[ReserveRepository](#) class saves the created Reserve objects in a mongo repository. It exposes basic CRUD operations.

7.75.2 Member Function Documentation

7.75.2.1 delete()

```
void com.deusto.repositories.ReserveRepository.delete (
    Reserve reserve )
```

7.75.2.2 findAllByBook()

```
List<Reserve> com.deusto.repositories.ReserveRepository.findAllByBook (
    Book book )
```

7.75.2.3 findAllByReserveDateBeforeAndReserveExpireAfter()

```
List<Reserve> com.deusto.repositories.ReserveRepository.findAllByReserveDateBeforeAndReserve↵
ExpireAfter (
    Long before,
    Long after )
```

7.75.2.4 findAllByUser()

```
List<Reserve> com.deusto.repositories.ReserveRepository.findAllByUser (
    User user )
```

7.75.2.5 findDistinctByReserveDateAndReserveExpire()

```
List<Reserve> com.deusto.repositories.ReserveRepository.findDistinctByReserveDateAndReserve↵
Expire (
    Long before,
    Long after )
```

7.75.2.6 insert()

```
Reserve com.deusto.repositories.ReserveRepository.insert (
    Reserve reserve )
```

The documentation for this interface was generated from the following file:

- [ServerB/src/main/java/com/deusto/repositories/ReserveRepository.java](#)

7.76 com.deusto.services.ReserveService Class Reference

Public Member Functions

- [Reserve insert](#) ([ReserveDTO](#) reserveDTO, [SecurityUser](#) securityUser)
- List< [Reserve](#) > [findAll](#) ()
- List< [Reserve](#) > [findAllByBook](#) ([Book](#) book)
- List< [Reserve](#) > [findAllByUser](#) ([User](#) user)
- List< [Reserve](#) > [findAvailableBetweenDates](#) (Long startingDate, Long endingDate)
- [Reserve update](#) ([Reserve](#) reserve)

7.76.1 Detailed Description

[ReserveService](#) class exposes busines logic over ReeserveRepository.

7.76.2 Member Function Documentation

7.76.2.1 findAll()

```
List<Reserve> com.deusto.services.ReserveService.findAll ( )
```

7.76.2.2 findAllByBook()

```
List<Reserve> com.deusto.services.ReserveService.findAllByBook (
    Book book )
```

7.76.2.3 findAllByUser()

```
List<Reserve> com.deusto.services.ReserveService.findAllByUser (
    User user )
```

7.76.2.4 findAvailableBetweenDates()

```
List<Reserve> com.deusto.services.ReserveService.findAvailableBetweenDates (
    Long startingDate,
    Long endingDate )
```

7.76.2.5 insert()

```
Reserve com.deusto.services.ReserveService.insert (
    ReserveDTO reserveDTO,
    SecurityUser securityUser )
```

7.76.2.6 update()


```
Reserve com.deusto.services.ReserveService.update (
    Reserve reserve )
```

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/services/ReserveService.java](#)

7.77 org.security.SecurityUser Class Reference

Inheritance diagram for org.security.SecurityUser:



Public Member Functions

- [SecurityUser](#) (String id, String password, String email, Date lastPasswordReset, Collection<? extends GrantedAuthority > authorities)
- String [getId](#) ()
- void [setId](#) (String id)
- String [getPassword](#) ()
- String [getUsername](#) ()
- boolean [isAccountNonExpired](#) ()
- boolean [isAccountNonLocked](#) ()
- boolean [isCredentialsNonExpired](#) ()
- boolean [isEnabled](#) ()
- String [getName](#) ()

- void [setPassword](#) (String password)
- String [getEmail](#) ()
- void [setEmail](#) (String email)
- Date [getLastPasswordReset](#) ()
- void [setLastPasswordReset](#) (Date lastPasswordReset)
- Collection<? extends GrantedAuthority > [getAuthorities](#) ()
- void [setAuthorities](#) (Collection<? extends GrantedAuthority > authorities)
- Boolean [getAccountNonExpired](#) ()
- void [setAccountNonExpired](#) (Boolean accountNonExpired)
- Boolean [getAccountNonLocked](#) ()
- void [setAccountNonLocked](#) (Boolean accountNonLocked)
- Boolean [getCredentialsNonExpired](#) ()
- void [setCredentialsNonExpired](#) (Boolean credentialsNonExpired)
- Boolean [getEnabled](#) ()
- void [setEnabled](#) (Boolean enabled)

7.77.1 Constructor & Destructor Documentation

7.77.1.1 SecurityUser()

```
org.security.SecurityUser.SecurityUser (
    String id,
    String password,
    String email,
    Date lastPasswordReset,
    Collection<? extends GrantedAuthority > authorities )
```

7.77.2 Member Function Documentation

7.77.2.1 getAccountNonExpired()

```
Boolean org.security.SecurityUser.getAccountNonExpired ( )
```

7.77.2.2 getAccountNonLocked()

```
Boolean org.security.SecurityUser.getAccountNonLocked ( )
```

7.77.2.3 getAuthorities()

Collection<? extends GrantedAuthority> org.security.SecurityUser.getAuthorities ()

7.77.2.4 getCredentialsNonExpired()

Boolean org.security.SecurityUser.getCredentialsNonExpired ()

7.77.2.5 getEmail()

String org.security.SecurityUser.getEmail ()

7.77.2.6 getEnabled()

Boolean org.security.SecurityUser.getEnabled ()

7.77.2.7 getId()

String org.security.SecurityUser.getId ()

7.77.2.8 getLastPasswordReset()

Date org.security.SecurityUser.getLastPasswordReset ()

7.77.2.9 getName()

String org.security.SecurityUser.getName ()

7.77.2.10 getPassword()

String org.security.SecurityUser.getPassword ()

7.77.2.11 getUsername()

```
String org.security.SecurityUser.getUsername ( )
```

7.77.2.12 isAccountNonExpired()

```
boolean org.security.SecurityUser.isAccountNonExpired ( )
```

7.77.2.13 isAccountNonLocked()

```
boolean org.security.SecurityUser.isAccountNonLocked ( )
```

7.77.2.14 isCredentialsNonExpired()

```
boolean org.security.SecurityUser.isCredentialsNonExpired ( )
```

7.77.2.15 isEnabled()

```
boolean org.security.SecurityUser.isEnabled ( )
```

7.77.2.16 setAccountNonExpired()

```
void org.security.SecurityUser.setAccountNonExpired (
    Boolean accountNonExpired )
```

7.77.2.17 setAccountNonLocked()

```
void org.security.SecurityUser.setAccountNonLocked (
    Boolean accountNonLocked )
```


7.77.2.18 setAuthorities()

```
void org.security.SecurityUser.setAuthorities (
    Collection<? extends GrantedAuthority > authorities )
```

7.77.2.19 setCredentialsNonExpired()

```
void org.security.SecurityUser.setCredentialsNonExpired (
    Boolean credentialsNonExpired )
```

7.77.2.20 setEmail()

```
void org.security.SecurityUser.setEmail (
    String email )
```

7.77.2.21 setEnabled()

```
void org.security.SecurityUser.setEnabled (
    Boolean enabled )
```

7.77.2.22 setId()

```
void org.security.SecurityUser.setId (
    String id )
```

7.77.2.23 setLastPasswordReset()

```
void org.security.SecurityUser.setLastPasswordReset (
    Date lastPasswordReset )
```

7.77.2.24 setPassword()


```
void org.security.SecurityUser.setPassword (
    String password )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/security/[SecurityUser.java](#)

7.78 com.deusto.security.SecurityUser Class Reference

Inheritance diagram for com.deusto.security.SecurityUser:



Public Member Functions

- [SecurityUser](#) (String id, String password, String email, Date lastPasswordReset, Collection<? extends GrantedAuthority > authorities)
- String [getId](#) ()
- void [setId](#) (String id)
- String [getPassword](#) ()
- String [getUsername](#) ()
- boolean [isAccountNonExpired](#) ()
- boolean [isAccountNonLocked](#) ()
- boolean [isCredentialsNonExpired](#) ()
- boolean [isEnabled](#) ()
- String [getName](#) ()
- void [setPassword](#) (String password)
- String [getEmail](#) ()
- void [setEmail](#) (String email)
- Date [getLastPasswordReset](#) ()
- void [setLastPasswordReset](#) (Date lastPasswordReset)
- Collection<? extends GrantedAuthority > [getAuthorities](#) ()
- void [setAuthorities](#) (Collection<? extends GrantedAuthority > authorities)
- Boolean [getAccountNonExpired](#) ()
- void [setAccountNonExpired](#) (Boolean accountNonExpired)
- Boolean [getAccountNonLocked](#) ()
- void [setAccountNonLocked](#) (Boolean accountNonLocked)
- Boolean [getCredentialsNonExpired](#) ()
- void [setCredentialsNonExpired](#) (Boolean credentialsNonExpired)
- Boolean [getEnabled](#) ()
- void [setEnabled](#) (Boolean enabled)

7.78.1 Constructor & Destructor Documentation

7.78.1.1 SecurityUser()

```

com.deusto.security.SecurityUser.SecurityUser (
    String id,
    String password,
    String email,
    Date lastPasswordReset,
    Collection<? extends GrantedAuthority > authorities )
  
```

7.78.2 Member Function Documentation

7.78.2.1 getAccountNonExpired()

Boolean com.deusto.security.SecurityUser.getAccountNonExpired ()

7.78.2.2 getAccountNonLocked()

Boolean com.deusto.security.SecurityUser.getAccountNonLocked ()

7.78.2.3 getAuthorities()

Collection<? extends GrantedAuthority> com.deusto.security.SecurityUser.getAuthorities ()

7.78.2.4 getCredentialsNonExpired()

Boolean com.deusto.security.SecurityUser.getCredentialsNonExpired ()

7.78.2.5 getEmail()

String com.deusto.security.SecurityUser.getEmail ()

7.78.2.6 getEnabled()

Boolean com.deusto.security.SecurityUser.getEnabled ()

7.78.2.7 getId()

String com.deusto.security.SecurityUser.getId ()

7.78.2.8 getLastPasswordReset()

```
Date com.deusto.security.SecurityUser.getLastPasswordReset ( )
```

7.78.2.9 getName()

```
String com.deusto.security.SecurityUser.getName ( )
```

7.78.2.10 getPassword()

```
String com.deusto.security.SecurityUser.getPassword ( )
```

7.78.2.11 getUsername()

```
String com.deusto.security.SecurityUser.getUsername ( )
```

7.78.2.12 isAccountNonExpired()

```
boolean com.deusto.security.SecurityUser.isAccountNonExpired ( )
```

7.78.2.13 isAccountNonLocked()

```
boolean com.deusto.security.SecurityUser.isAccountNonLocked ( )
```

7.78.2.14 isCredentialsNonExpired()

```
boolean com.deusto.security.SecurityUser.isCredentialsNonExpired ( )
```

7.78.2.15 isEnabled()

```
boolean com.deusto.security.SecurityUser.isEnabled ( )
```

7.78.2.16 setAccountNonExpired()

```
void com.deusto.security.SecurityUser.setAccountNonExpired (
    Boolean accountNonExpired )
```

7.78.2.17 setAccountNonLocked()

```
void com.deusto.security.SecurityUser.setAccountNonLocked (
    Boolean accountNonLocked )
```

7.78.2.18 setAuthorities()

```
void com.deusto.security.SecurityUser.setAuthorities (
    Collection<? extends GrantedAuthority > authorities )
```

7.78.2.19 setCredentialsNonExpired()

```
void com.deusto.security.SecurityUser.setCredentialsNonExpired (
    Boolean credentialsNonExpired )
```

7.78.2.20 setEmail()

```
void com.deusto.security.SecurityUser.setEmail (
    String email )
```

7.78.2.21 setEnabled()

```
void com.deusto.security.SecurityUser.setEnabled (
    Boolean enabled )
```

7.78.2.22 setId()

```
void com.deusto.security.SecurityUser.setId (
    String id )
```

7.78.2.23 setLastPasswordReset()

```
void com.deusto.security.SecurityUser.setLastPasswordReset (
    Date lastPasswordReset )
```

7.78.2.24 setPassword()

```
void com.deusto.security.SecurityUser.setPassword (
    String password )
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/security/[SecurityUser.java](#)

7.79 com.deusto.SwaggerConfigs Class Reference

Public Member Functions

- Docket [api](#) ()

7.79.1 Detailed Description

Configures usage of swagger on server application.

7.79.2 Member Function Documentation

7.79.2.1 api()

```
Docket com.deusto.SwaggerConfigs.api ( )
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/[SwaggerConfigs.java](#)

7.80 org.models.Token Class Reference

Public Member Functions

- String [getToken](#) ()
- void [setToken](#) (String token)

7.80.1 Member Function Documentation

7.80.1.1 getToken()

```
String org.models.Token.getToken ( )
```

7.80.1.2 setToken()

```
void org.models.Token.setToken (
    String token )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/models/[Token.java](#)

7.81 com.deusto.security.TokenUtils Class Reference

Public Member Functions

- String [getUsernameFromToken](#) (String token)
- Date [getCreatedDateFromToken](#) (String token)
- Date [getExpirationDateFromToken](#) (String token)
- String [getAudienceFromToken](#) (String token)
- String [generateToken](#) (UserDetails userDetails)
- Boolean [canTokenBeRefreshed](#) (String token, Date lastPasswordReset)
- String [refreshToken](#) (String token)
- Boolean [validateToken](#) (String token, UserDetails userDetails)

7.81.1 Member Function Documentation

7.81.1.1 canTokenBeRefreshed()

```
Boolean com.deusto.security.TokenUtils.canTokenBeRefreshed (
    String token,
    Date lastPasswordReset )
```

7.81.1.2 generateToken()

```
String com.deusto.security.TokenUtils.generateToken (
    UserDetails userDetails )
```

7.81.1.3 getAudienceFromToken()

```
String com.deusto.security.TokenUtils.getAudienceFromToken (
    String token )
```

7.81.1.4 getCreatedDateFromToken()

```
Date com.deusto.security.TokenUtils.getCreatedDateFromToken (
    String token )
```

7.81.1.5 getExpirationDateFromToken()

```
Date com.deusto.security.TokenUtils.getExpirationDateFromToken (
    String token )
```

7.81.1.6 getUsernameFromToken()

```
String com.deusto.security.TokenUtils.getUsernameFromToken (
    String token )
```

7.81.1.7 refreshToken()

```
String com.deusto.security.TokenUtils.refreshToken (
    String token )
```

7.81.1.8 validateToken()

```
Boolean com.deusto.security.TokenUtils.validateToken (
    String token,
    UserDetails userDetails )
```

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/security/TokenUtils.java](#)

7.82 org.security.TokenUtils Class Reference

Public Member Functions

- String [getUsernameFromToken](#) (String token)
- Date [getCreatedDateFromToken](#) (String token)
- Date [getExpirationDateFromToken](#) (String token)
- String [getAudienceFromToken](#) (String token)
- String [generateToken](#) (UserDetails userDetails)
- Boolean [canTokenBeRefreshed](#) (String token, Date lastPasswordReset)
- String [refreshToken](#) (String token)
- Boolean [validateToken](#) (String token, UserDetails userDetails)

7.82.1 Member Function Documentation

7.82.1.1 [canTokenBeRefreshed\(\)](#)

```
Boolean org.security.TokenUtils.canTokenBeRefreshed (  
    String token,  
    Date lastPasswordReset )
```

7.82.1.2 [generateToken\(\)](#)

```
String org.security.TokenUtils.generateToken (  
    UserDetails userDetails )
```

7.82.1.3 [getAudienceFromToken\(\)](#)

```
String org.security.TokenUtils.getAudienceFromToken (  
    String token )
```

7.82.1.4 [getCreatedDateFromToken\(\)](#)

```
Date org.security.TokenUtils.getCreatedDateFromToken (  
    String token )
```

7.82.1.5 getExpirationDateFromToken()

```
Date org.security.TokenUtils.getExpirationDateFromToken (
    String token )
```

7.82.1.6 getUsernameFromToken()

```
String org.security.TokenUtils.getUsernameFromToken (
    String token )
```

7.82.1.7 refreshToken()

```
String org.security.TokenUtils.refreshToken (
    String token )
```

7.82.1.8 validateToken()

```
Boolean org.security.TokenUtils.validateToken (
    String token,
    UserDetails userDetails )
```

The documentation for this class was generated from the following file:

- ClientB/src/main/java/org/security/[TokenUtils.java](#)

7.83 com.deusto.models.User Class Reference

Public Member Functions

- String [getId](#) ()
- void [setId](#) (String id)
- String [getFirstname](#) ()
- void [setFirstname](#) (String firstname)
- String [getLastname](#) ()
- void [setLastname](#) (String lastname)
- String [getEmail](#) ()
- void [setEmail](#) (String email)
- Long [getBirthDate](#) ()
- void [setBirthDate](#) (Long birthDate)
- String [getCountryCode](#) ()
- void [setCountryCode](#) (String countryCode)
- Integer [getPhone](#) ()
- void [setPhone](#) (Integer phone)
- [Address](#) [getAddress](#) ()
- void [setAddress](#) ([Address](#) address)
- void [setPassword](#) (String password)
- String [getPassword](#) ()

7.83.1 Detailed Description

This class is a model of the database document, used to store a user. It is involved in the last step of installation

7.83.2 Member Function Documentation

7.83.2.1 getAddress()

```
Address com.deusto.models.User.getAddress ( )
```

Gets the [Address](#) of the user

Returns

address [Address](#)

7.83.2.2 getBirthDate()

```
Long com.deusto.models.User.getBirthDate ( )
```

Gets the birth date of the user

Returns

birthDate Long

7.83.2.3 getCountryCode()

```
String com.deusto.models.User.getCountryCode ( )
```

Gets the country code of the user

Returns

countryCode String

7.83.2.4 getEmail()

```
String com.deusto.models.User.getEmail ( )
```

Gets the email of the user

Returns

email String

7.83.2.5 getFirstname()

```
String com.deusto.models.User.getFirstname ( )
```

Gets the firstName of the user

Returns

firstName String

7.83.2.6 getId()

```
String com.deusto.models.User.getId ( )
```

Gets the id of the user

Returns

id String

7.83.2.7 getLastname()

```
String com.deusto.models.User.getLastname ( )
```

Gets the last name of the user

Returns

lastName String

7.83.2.8 getPassword()

```
String com.deusto.models.User.getPassword ( )
```

Gets the password of the user

Returns

password String

7.83.2.9 getPhone()

```
Integer com.deusto.models.User.getPhone ( )
```

Gets the phone number of the user

Returns

phone Integer

7.83.2.10 setAddress()

```
void com.deusto.models.User.setAddress (
    Address address )
```

Sets the address of the user

Parameters

<i>address</i>	Address
----------------	-------------------------

7.83.2.11 setBirthDate()

```
void com.deusto.models.User.setBirthDate (
    Long birthDate )
```

Sets the birth date of the user

Parameters

<i>birthDate</i>	Long
------------------	------

7.83.2.12 setCountryCode()

```
void com.deusto.models.User.setCountryCode (
    String countryCode )
```

Sets the country code of the user

Parameters

<i>countryCode</i>	String
--------------------	--------

7.83.2.13 setEmail()

```
void com.deusto.models.User.setEmail (
    String email )
```

Sets the email of the user

Parameters

<i>email</i>	String
--------------	--------

7.83.2.14 setFirstname()

```
void com.deusto.models.User.setFirstname (
    String firstname )
```

Sets the first name of the user

Parameters

<i>firstname</i>	String
------------------	--------

7.83.2.15 setId()

```
void com.deusto.models.User.setId (
    String id )
```

Sets the id of the user

Parameters

<i>id</i>	String
-----------	--------

7.83.2.16 setLastname()

```
void com.deusto.models.User.setLastname (
    String lastname )
```

Sets the lastName of the user

Parameters

<i>lastname</i>	String
-----------------	--------

7.83.2.17 setPassword()

```
void com.deusto.models.User.setPassword (
    String password )
```

Sets the password of the user

Parameters

<i>password</i>	String
-----------------	--------

7.83.2.18 setPhone()

```
void com.deusto.models.User.setPhone (
    Integer phone )
```

Sets the phone of the user

Parameters

<i>phone</i>	Integer
--------------	---------

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/models/User.java](#)

7.84 org.models.User Class Reference

Public Member Functions

- [User](#) ()
- [User](#) (String email, long birthDate, String countryCode, int phone, String password, [Address](#) address)
- String [getId](#) ()
- void [setId](#) (String id)
- String [getFirstname](#) ()
- void [setFirstname](#) (String firstname)
- String [getLastname](#) ()
- void [setLastname](#) (String lastname)
- String [getEmail](#) ()
- void [setEmail](#) (String email)
- long [getBirthDate](#) ()
- void [setBirthDate](#) (long birthDate)
- String [getCountryCode](#) ()
- void [setCountryCode](#) (String countryCode)
- int [getPhone](#) ()
- void [setPhone](#) (int phone)
- [Address](#) [getAddress](#) ()
- void [setAddress](#) ([Address](#) address)
- void [setPassword](#) (String password)
- String [getPassword](#) ()

7.84.1 Constructor & Destructor Documentation

7.84.1.1 [User\(\)](#) [1/2]

```
org.models.User.User ( )
```

7.84.1.2 [User\(\)](#) [2/2]

```
org.models.User.User (
    String email,
    long birthDate,
    String countryCode,
    int phone,
    String password,
    Address address )
```

7.84.2 Member Function Documentation

7.84.2.1 getAddress()

```
Address org.models.User.getAddress ( )
```

7.84.2.2 getBirthDate()

```
long org.models.User.getBirthDate ( )
```

7.84.2.3 getCountryCode()

```
String org.models.User.getCountryCode ( )
```

7.84.2.4 getEmail()

```
String org.models.User.getEmail ( )
```

7.84.2.5 getFirstname()

```
String org.models.User.getFirstname ( )
```

7.84.2.6 getId()

```
String org.models.User.getId ( )
```

7.84.2.7 getLastname()

```
String org.models.User.getLastname ( )
```

7.84.2.8 getPassword()

```
String org.models.User.getPassword ( )
```

7.84.2.9 getPhone()

```
int org.models.User.getPhone ( )
```

7.84.2.10 setAddress()

```
void org.models.User.setAddress (
    Address address )
```

7.84.2.11 setBirthDate()

```
void org.models.User.setBirthDate (
    long birthDate )
```

7.84.2.12 setCountryCode()

```
void org.models.User.setCountryCode (
    String countryCode )
```

7.84.2.13 setEmail()

```
void org.models.User.setEmail (
    String email )
```

7.84.2.14 setFirstname()

```
void org.models.User.setFirstname (
    String firstname )
```

7.84.2.15 setId()

```
void org.models.User.setId (
    String id )
```

7.84.2.16 setLastname()

```
void org.models.User.setLastname (
    String lastname )
```

7.84.2.17 setPassword()

```
void org.models.User.setPassword (
    String password )
```

7.84.2.18 setPhone()

```
void org.models.User.setPhone (
    int phone )
```

The documentation for this class was generated from the following file:

- [ClientB/src/main/java/org/models/User.java](#)

7.85 com.deusto.builders.UserBuilder Class Reference

Public Member Functions

- [UserBuilder](#) [firstname](#) (String firstName)
- [UserBuilder](#) [lastname](#) (String lastName)
- [UserBuilder](#) [email](#) (String email)
- [UserBuilder](#) [birthDate](#) (Long birthdate)
- [UserBuilder](#) [countryCode](#) (String countryCode)
- [UserBuilder](#) [phone](#) (Integer phone)
- [UserBuilder](#) [password](#) (String password)
- [User](#) [build](#) ()

Static Public Member Functions

- static [UserBuilder](#) [builder](#) ()
- static [User](#) [get](#) ([Registr](#) registr, [PersonDTO](#) person)
- static [LoginDTO](#) [get](#) ([User](#) user)

7.85.1 Detailed Description

[UserBuilder](#) class is used for building an User object

7.85.2 Member Function Documentation

7.85.2.1 birthDate()

```
UserBuilder com.deusto.builders.UserBuilder.birthDate (
    Long birthdate )
```

Builds the birth date in user

Parameters

<i>birthdate</i>	Long
------------------	------

Returns

itself

7.85.2.2 build()

```
User com.deusto.builders.UserBuilder.build ( )
```

Returns the built user

Returns

an user object

7.85.2.3 builder()

```
static UserBuilder com.deusto.builders.UserBuilder.builder ( ) [static]
```

Creates a builder object

Returns

new builder object

7.85.2.4 countryCode()

```
UserBuilder com.deusto.builders.UserBuilder.countryCode (
    String countryCode )
```

Builds the country code in user

Parameters

<i>countryCode</i>	String
--------------------	--------

Returns

itself

7.85.2.5 email()

```
UserBuilder com.deusto.builders.UserBuilder.email (
    String email )
```

Builds the email in user

Parameters

<i>email</i>	String
--------------	--------

Returns

itself

7.85.2.6 firstname()

```
UserBuilder com.deusto.builders.UserBuilder.firstname (
    String firstName )
```

Builds the first name in user

Parameters

<i>firstName</i>	String
------------------	--------

Returns

itself

7.85.2.7 get() [1/2]

```
static User com.deusto.builders.UserBuilder.get (
    Registr registr,
    PersonDTO person ) [static]
```

Gets an User object from a DTO object

Parameters

<i>registr</i>	Registr
<i>person</i>	Person

Returns

an user object

7.85.2.8 get() [2/2]

```
static LoginDTO com.deusto.builders.UserBuilder.get (  
    User user ) [static]
```

Gets an Login data from a User object

Parameters

<i>user</i>	User
-------------	------

Returns

a loginDTO object

7.85.2.9 lastname()

```
UserBuilder com.deusto.builders.UserBuilder.lastname (  
    String lastName )
```

Builds the last name in user

Parameters

<i>lastName</i>	String
-----------------	--------

Returns

itself

7.85.2.10 password()

```
UserBuilder com.deusto.builders.UserBuilder.password (  
    String password )
```

Builds the password in user

Parameters

<i>password</i>	String
-----------------	--------

Returns

itself

7.85.2.11 phone()

```
UserBuilder com.deusto.builders.UserBuilder.phone (  
    Integer phone )
```

Builds the phone number in user

Parameters

<i>phone</i>	Integer
--------------	---------

Returns


itself

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/builders/UserBuilder.java](#)

7.86 com.deusto.unit.test.builders.UserBuilderUTest Class Reference

Inheritance diagram for com.deusto.unit.test.builders.UserBuilderUTest:



Public Member Functions

- void [validUserBuilder](#) ()
- void [validUserBuilderMethodStyle](#) ()

Additional Inherited Members

7.86.1 Member Function Documentation

7.86.1.1 validUserBuilder()

```
void com.deusto.unit.test.builders.UserBuilderUTest.validUserBuilder ( )
```

7.86.1.2 validUserBuilderMethodStyle()


```
void com.deusto.unit.test.builders.UserBuilderUTest.validUserBuilderMethodStyle ( )
```

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/builders/UserBuilderUTest.java](#)

7.87 com.deusto.integration.test.UserControllerITest Class Reference

Inheritance diagram for com.deusto.integration.test.UserControllerITest:




Additional Inherited Members

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/integration/test/UserControllerITest.java](#)

7.88 com.deusto.security.UserDetailsServiceImpl Class Reference

Inheritance diagram for com.deusto.security.UserDetailsServiceImpl:



Public Member Functions

- UserDetails [loadUserByUsername](#) (String email) throws UsernameNotFoundException

7.88.1 Member Function Documentation

7.88.1.1 loadUserByUsername()


```
UserDetails com.deusto.security.UserDetailsServiceImpl.loadUserByUsername (
    String email ) throws UsernameNotFoundException
```

The documentation for this class was generated from the following file:

- ServerB/src/main/java/com/deusto/security/[UserDetailsServiceImpl.java](#)

7.89 com.deusto.repositories.UserRepository Interface Reference

Inheritance diagram for com.deusto.repositories.UserRepository:



Public Member Functions

- [User findUserById](#) (String id)
- [User findByEmail](#) (String email)
- List< [User](#) > [findAllByFirstname](#) (String firstName)
- List< [User](#) > [findAllByLastname](#) (String lastName)
- [User findByPhone](#) (Long phone)
- void [delete](#) ([User](#) user)

7.89.1 Detailed Description

[UserRepository](#) class saves the created User objects in a mongo repository. It exposes basic CRUD operations.

7.89.2 Member Function Documentation

7.89.2.1 delete()

```
void com.deusto.repositories.UserRepository.delete (  
    User user )
```

7.89.2.2 findAllByFirstname()

```
List<User> com.deusto.repositories.UserRepository.findAllByFirstname (  
    String firstName )
```

7.89.2.3 findAllByLastname()

```
List<User> com.deusto.repositories.UserRepository.findAllByLastname (  
    String lastName )
```

7.89.2.4 findByEmail()

```
User com.deusto.repositories.UserRepository.findByEmail (  
    String email )
```

7.89.2.5 findByPhone()

```
User com.deusto.repositories.UserRepository.findByPhone (  
    Long phone )
```

7.89.2.6 findUserById()


```
User com.deusto.repositories.UserRepository.findUserById (  
    String id )
```

The documentation for this interface was generated from the following file:

- [ServerB/src/main/java/com/deusto/repositories/UserRepository.java](#)

7.90 com.deusto.unit.test.repositories.UserRepositoryUTest Class Reference

Inheritance diagram for com.deusto.unit.test.repositories.UserRepositoryUTest:



Additional Inherited Members

The documentation for this class was generated from the following file:

- [ServerB/src/test/java/com/deusto/unit/test/repositories/UserRepositoryUTest.java](#)

7.91 com.deusto.services.UserService Class Reference

Public Member Functions

- [User insert](#) ([User](#) user)
- [User findById](#) (String id)
- List< [User](#) > [findbyFirstName](#) (String firstName)
- List< [User](#) > [findByLastName](#) (String lastName)
- [User findByEmail](#) (String email)
- [User findByPhoneNumber](#) (Long msisdn)
- void [update](#) ([User](#) user)
- void [delete](#) ([User](#) user)

7.91.1 Detailed Description

[UserService](#) class exposes busines logic over [UserRepository](#).

7.91.2 Member Function Documentation

7.91.2.1 delete()

```
void com.deusto.services.UserService.delete (
    User user )
```

7.91.2.2 findByEmail()

```
User com.deusto.services.UserService.findByEmail (
    String email )
```

7.91.2.3 findByFirstName()

```
List<User> com.deusto.services.UserService.findByFirstName (
    String firstName )
```

7.91.2.4 findById()

```
User com.deusto.services.UserService.findById (
    String id )
```

7.91.2.5 findByLastName()

```
List<User> com.deusto.services.UserService.findByLastName (
    String lastName )
```

7.91.2.6 findByPhoneNumber()

```
User com.deusto.services.UserService.findByPhoneNumber (
    Long msisdn )
```

7.91.2.7 insert()

```
User com.deusto.services.UserService.insert (
    User user )
```

7.91.2.8 update()


```
void com.deusto.services.UserService.update (
    User user )
```

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/services/UserService.java](#)

7.92 com.deusto.unit.test.services.UserServiceUTest Class Reference

Inheritance diagram for com.deusto.unit.test.services.UserServiceUTest:




Additional Inherited Members

The documentation for this class was generated from the following file:

- `ServerB/src/test/java/com/deusto/unit/test/services/UserServiceUTest.java`

7.93 com.deusto.WebSecurityConfigs Class Reference

Inheritance diagram for com.deusto.WebSecurityConfigs:



Public Member Functions

- void [configureAuthentication](#) (AuthenticationManagerBuilder authenticationManagerBuilder) throws Exception
- AuthenticationManager [authenticationManagerBean](#) () throws Exception
- [AuthenticationTokenFilter](#) [authenticationTokenFilterBean](#) () throws Exception
- void [configure](#) (WebSecurity web) throws Exception

Protected Member Functions

- void [configure](#) (HttpSecurity httpSecurity) throws Exception

7.93.1 Detailed Description

Security configuration on the client side. Uses spring annotations , and

7.93.2 Member Function Documentation

7.93.2.1 authenticationManagerBean()

AuthenticationManager com.deusto.WebSecurityConfigs.authenticationManagerBean () throws Exception

7.93.2.2 authenticationTokenFilterBean()

AuthenticationTokenFilter com.deusto.WebSecurityConfigs.authenticationTokenFilterBean ()
throws Exception

7.93.2.3 configure() [1/2]

void com.deusto.WebSecurityConfigs.configure (
 HttpSecurity httpSecurity) throws Exception [protected]

7.93.2.4 configure() [2/2]

void com.deusto.WebSecurityConfigs.configure (
 WebSecurity web) throws Exception

7.93.2.5 configureAuthentication()

void com.deusto.WebSecurityConfigs.configureAuthentication (
 AuthenticationManagerBuilder authenticationManagerBuilder) throws Exception

The documentation for this class was generated from the following file:

- [ServerB/src/main/java/com/deusto/WebSecurityConfigs.java](#)

Chapter 8

File Documentation

8.1 ClientB/src/main/java/org/ClientP/Application.java File Reference

Classes

- class [org.ClientP.Application](#)

Packages

- package [org.ClientP](#)

8.2 ClientB/src/main/java/org/dtos/AddressDTO.java File Reference

Classes

- class [org.dtos.AddressDTO](#)

Packages

- package [org.dtos](#)

8.3 ServerB/src/main/java/com/deusto/dtos/AddressDTO.java File Reference

Classes

- class [com.deusto.dtos.AddressDTO](#)

Packages

- package [com.deusto.dtos](#)

8.4 ClientB/src/main/java/org/dtos/BookDTO.java File Reference

Classes

- class [org.dtos.BookDTO](#)

Packages

- package [org.dtos](#)

8.5 ServerB/src/main/java/com/deusto/dtos/BookDTO.java File Reference

Classes

- class [com.deusto.dtos.BookDTO](#)

Packages

- package [com.deusto.dtos](#)

8.6 ClientB/src/main/java/org/dtos/FilterDTO.java File Reference

Classes

- class [org.dtos.FilterDTO](#)

Packages

- package [org.dtos](#)

8.7 ServerB/src/main/java/com/deusto/dtos/FilterDTO.java File Reference

Classes

- class [com.deusto.dtos.FilterDTO](#)

Packages

- package [com.deusto.dtos](#)

8.8 ClientB/src/main/java/org/dtos/LoginDTO.java File Reference

Classes

- class [org.dtos.LoginDTO](#)

Packages

- package [org.dtos](#)

8.9 ServerB/src/main/java/com/deusto/dtos/LoginDTO.java File Reference

Classes

- class [com.deusto.dtos.LoginDTO](#)

Packages

- package [com.deusto.dtos](#)

8.10 ClientB/src/main/java/org/dtos/PersonDTO.java File Reference

Classes

- class [org.dtos.PersonDTO](#)

Packages

- package [org.dtos](#)

8.11 ServerB/src/main/java/com/deusto/dtos/PersonDTO.java File Reference

Classes

- class [com.deusto.dtos.PersonDTO](#)

Packages

- package [com.deusto.dtos](#)

8.12 ClientB/src/main/java/org/dtos/RegistrDTO.java File Reference

Classes

- class [org.dtos.RegistrDTO](#)

Packages

- package [org.dtos](#)

8.13 ServerB/src/main/java/com/deusto/dtos/RegistrDTO.java File Reference

Classes

- class [com.deusto.dtos.RegistrDTO](#)

Packages

- package [com.deusto.dtos](#)

8.14 ClientB/src/main/java/org/dtos/ReserveDTO.java File Reference

Classes

- class [org.dtos.ReserveDTO](#)

Packages

- package [org.dtos](#)

8.15 ServerB/src/main/java/com/deusto/dtos/ReserveDTO.java File Reference

Classes

- class [com.deusto.dtos.ReserveDTO](#)

Packages

- package [com.deusto.dtos](#)

8.16 ClientB/src/main/java/org/GUI/Booking.java File Reference

Classes

- class [org.GUI.Booking](#)
- class **org.GUI.BackgroundBooking**

Packages

- package [org.GUI](#)

8.17 ClientB/src/main/java/org/GUI/Login.java File Reference

Classes

- class [org.GUI.Login](#)
- class **org.GUI.BackgroundLogin**

Packages

- package [org.GUI](#)

8.18 ClientB/src/main/java/org/GUI/Register.java File Reference

Classes

- class [org.GUI.Register](#)

Packages

- package [org.GUI](#)

8.19 ClientB/src/main/java/org/models/Address.java File Reference

Classes

- class [org.models.Address](#)

Packages

- package [org.models](#)

8.20 ServerB/src/main/java/com/deusto/models/Address.java File Reference

Classes

- class [com.deusto.models.Address](#)

Packages

- package [com.deusto.models](#)

8.21 ClientB/src/main/java/org/models/Book.java File Reference

Classes

- class [org.models.Book](#)

Packages

- package [org.models](#)

8.22 ServerB/src/main/java/com/deusto/models/Book.java File Reference

Classes

- class [com.deusto.models.Book](#)

Packages

- package [com.deusto.models](#)

8.23 ClientB/src/main/java/org/models/Registr.java File Reference

Classes

- class [org.models.Registr](#)

Packages

- package [org.models](#)

8.24 ServerB/src/main/java/com/deusto/models/Registr.java File Reference

Classes

- class [com.deusto.models.Registr](#)

Packages

- package [com.deusto.models](#)

8.25 ClientB/src/main/java/org/models/Reserve.java File Reference

Classes

- class [org.models.Reserve](#)

Packages

- package [org.models](#)

8.26 ServerB/src/main/java/com/deusto/models/Reserve.java File Reference

Classes

- class [com.deusto.models.Reserve](#)

Packages

- package [com.deusto.models](#)

8.27 ClientB/src/main/java/org/models/Token.java File Reference

Classes

- class [org.models.Token](#)

Packages

- package [org.models](#)

8.28 ClientB/src/main/java/org/models/User.java File Reference

Classes

- class [org.models.User](#)

Packages

- package [org.models](#)

8.29 ServerB/src/main/java/com/deusto/models/User.java File Reference

Classes

- class [com.deusto.models.User](#)

Packages

- package [com.deusto.models](#)

8.30 ClientB/src/main/java/org/security/AuthenticationTokenFilter.java File Reference

Classes

- class [org.security.AuthenticationTokenFilter](#)

Packages

- package [org.security](#)

8.31 ServerB/src/main/java/com/deusto/security/AuthenticationTokenFilter.java File Reference

Classes

- class [com.deusto.security.AuthenticationTokenFilter](#)

Packages

- package [com.deusto.security](#)

8.32 ClientB/src/main/java/org/security/EntryPointUnauthorizedHandler.java File Reference

Classes

- class [org.security.EntryPointUnauthorizedHandler](#)

Packages

- package [org.security](#)

8.33 ServerB/src/main/java/com/deusto/security/EntryPointUnauthorizedHandler.java File Reference

Classes

- class [com.deusto.security.EntryPointUnauthorizedHandler](#)

Packages

- package [com.deusto.security](#)

8.34 ClientB/src/main/java/org/security/SecurityUser.java File Reference

Classes

- class [org.security.SecurityUser](#)

Packages

- package [org.security](#)

8.35 ServerB/src/main/java/com/deusto/security/SecurityUser.java File Reference

Classes

- class [com.deusto.security.SecurityUser](#)

Packages

- package [com.deusto.security](#)

8.36 ClientB/src/main/java/org/security/TokenUtils.java File Reference

Classes

- class [org.security.TokenUtils](#)

Packages

- package [org.security](#)

8.37 ServerB/src/main/java/com/deusto/security/TokenUtils.java File Reference

Classes

- class [com.deusto.security.TokenUtils](#)

Packages

- package [com.deusto.security](#)

8.38 ClientB/src/test/java/org/test/AppTest.java File Reference

Classes

- class [org.test.AppTest](#)

Packages

- package [org.test](#)

8.39 ClientB/src/test/java/org/test/common/AbstractIt.java File Reference

Classes

- class [org.test.common.AbstractIt](#)

Packages

- package [org.test.common](#)

8.40 ServerB/src/test/java/com/deusto/integration/test/common/AbstractIT.java File Reference

Classes

- class [com.deusto.integration.test.common.AbstractIT](#)

Packages

- package [com.deusto.integration.test.common](#)

8.41 README.md File Reference

8.42 ServerB/src/main/java/com/deusto/BookitApplication.java File Reference

Classes

- class [com.deusto.BookitApplication](#)

Packages

- package [com.deusto](#)

8.43 ServerB/src/main/java/com/deusto/builders/AddressBuilder.java File Reference

Classes

- class [com.deusto.builders.AddressBuilder](#)

Packages

- package [com.deusto.builders](#)

8.44 ServerB/src/main/java/com/deusto/builders/BookBuilder.java File Reference

Classes

- class [com.deusto.builders.BookBuilder](#)

Packages

- package [com.deusto.builders](#)

8.45 ServerB/src/main/java/com/deusto/builders/mail/Email.java File Reference

Classes

- class [com.deusto.builders.mail.Email](#)

Packages

- package [com.deusto.builders.mail](#)

8.46 ServerB/src/main/java/com/deusto/builders/RegistrBuilder.java File Reference

Classes

- class [com.deusto.builders.RegistrBuilder](#)

Packages

- package [com.deusto.builders](#)

8.47 ServerB/src/main/java/com/deusto/builders/ReserveBuilder.java File Reference

Classes

- class [com.deusto.builders.ReserveBuilder](#)

Packages

- package [com.deusto.builders](#)

8.48 ServerB/src/main/java/com/deusto/builders/UserBuilder.java File Reference

Classes

- class [com.deusto.builders.UserBuilder](#)

Packages

- package [com.deusto.builders](#)

8.49 ServerB/src/main/java/com/deusto/controllers/BookController.java File Reference

Classes

- class [com.deusto.controllers.BookController](#)

Packages

- package [com.deusto.controllers](#)

8.50 ServerB/src/main/java/com/deusto/controllers/IndexController.java File Reference

Classes

- class [com.deusto.controllers.IndexController](#)

Packages

- package [com.deusto.controllers](#)

8.51 ServerB/src/main/java/com/deusto/controllers/LoginController.java File Reference

Classes

- class [com.deusto.controllers.LoginController](#)

Packages

- package [com.deusto.controllers](#)

8.52 ServerB/src/main/java/com/deusto/controllers/RegistrController.java File Reference

Classes

- class [com.deusto.controllers.RegistrController](#)

Packages

- package [com.deusto.controllers](#)

8.53 ServerB/src/main/java/com/deusto/controllers/ReserveController.java File Reference

Classes

- class [com.deusto.controllers.ReserveController](#)

Packages

- package [com.deusto.controllers](#)

8.54 ServerB/src/main/java/com/deusto/forms/email/EmailField.java File Reference

Classes

- interface [com.deusto.forms.email.EmailField](#)

Packages

- package [com.deusto.forms.email](#)

8.55 ServerB/src/main/java/com/deusto/forms/email/RegistrForm.java File Reference

Classes

- class [com.deusto.forms.email.RegistrForm](#)

Packages

- package [com.deusto.forms.email](#)

8.56 ServerB/src/main/java/com/deusto/repositories/AddressRepository.java File Reference

Classes

- interface [com.deusto.repositories.AddressRepository](#)

Packages

- package [com.deusto.repositories](#)

8.57 ServerB/src/main/java/com/deusto/repositories/BookRepository.java File Reference

Classes

- interface [com.deusto.repositories.BookRepository](#)

Packages

- package [com.deusto.repositories](#)

8.58 ServerB/src/main/java/com/deusto/repositories/RegistrRepository.java File Reference

Classes

- interface [com.deusto.repositories.RegistrRepository](#)

Packages

- package [com.deusto.repositories](#)

8.59 ServerB/src/main/java/com/deusto/repositories/ReserveRepository.java File Reference

Classes

- interface [com.deusto.repositories.ReserveRepository](#)

Packages

- package [com.deusto.repositories](#)

8.60 ServerB/src/main/java/com/deusto/repositories/UserRepository.java File Reference

Classes

- interface [com.deusto.repositories.UserRepository](#)

Packages

- package [com.deusto.repositories](#)

8.61 ServerB/src/main/java/com/deusto/security/AuthenticationService.java File Reference

Classes

- class [com.deusto.security.AuthenticationService](#)

Packages

- package [com.deusto.security](#)

8.62 ServerB/src/main/java/com/deusto/security/UserDetailsServiceImpl.java File Reference

Classes

- class [com.deusto.security.UserDetailsServiceImpl](#)

Packages

- package [com.deusto.security](#)

8.63 ServerB/src/main/java/com/deusto/services/BookService.java File Reference

Classes

- class [com.deusto.services.BookService](#)

Packages

- package [com.deusto.services](#)

8.64 ServerB/src/main/java/com/deusto/services/mail/EmailService.java File Reference

Classes

- class [com.deusto.services.mail.EmailService](#)

Packages

- package [com.deusto.services.mail](#)

8.65 ServerB/src/main/java/com/deusto/services/RegistrService.java File Reference

Classes

- class [com.deusto.services.RegistrService](#)

Packages

- package [com.deusto.services](#)

8.66 ServerB/src/main/java/com/deusto/services/ReserveService.java File Reference

Classes

- class [com.deusto.services.ReserveService](#)

Packages

- package [com.deusto.services](#)

8.67 ServerB/src/main/java/com/deusto/services/template/FreeMarkerService.java File Reference

Classes

- class [com.deusto.services.template.FreeMarkerService](#)

Packages

- package [com.deusto.services.template](#)

8.68 ServerB/src/main/java/com/deusto/services/UserService.java File Reference

Classes

- class [com.deusto.services.UserService](#)

Packages

- package [com.deusto.services](#)

8.69 ServerB/src/main/java/com/deusto/SwaggerConfigs.java File Reference

Classes

- class [com.deusto.SwaggerConfigs](#)

Packages

- package [com.deusto](#)

8.70 ServerB/src/main/java/com/deusto/WebSecurityConfigs.java File Reference

Classes

- class [com.deusto.WebSecurityConfigs](#)

Packages

- package [com.deusto](#)

8.71 ServerB/src/main/resources/db/changes/firstChangeSet.js File Reference

8.72 ServerB/target/classes/db/changes/firstChangeSet.js File Reference

8.73 ServerB/src/test/java/com/deusto/integration/test/BookControllerITest.java File Reference

Classes

- class [com.deusto.integration.test.BookControllerITest](#)

Packages

- package [com.deusto.integration.test](#)

8.74 ServerB/src/test/java/com/deusto/integration/test/IndexControllerITest.java File Reference

Classes

- class [com.deusto.integration.test.IndexControllerITest](#)

Packages

- package [com.deusto.integration.test](#)

8.75 ServerB/src/test/java/com/deusto/integration/test/LoginControllerITest.java File Reference

Classes

- class [com.deusto.integration.test.LoginControllerITest](#)

Packages

- package [com.deusto.integration.test](#)

8.76 ServerB/src/test/java/com/deusto/integration/test/RegistrControllerITest.java File Reference

Classes

- class [com.deusto.integration.test.RegistrControllerITest](#)

Packages

- package [com.deusto.integration.test](#)

8.77 ServerB/src/test/java/com/deusto/integration/test/ReserveControllerITest.java File Reference

Classes

- class [com.deusto.integration.test.ReserveControllerITest](#)

Packages

- package [com.deusto.integration.test](#)

8.78 ServerB/src/test/java/com/deusto/integration/test/UserControllerITest.java File Reference

Classes

- class [com.deusto.integration.test.UserControllerITest](#)

Packages

- package [com.deusto.integration.test](#)

8.79 [ServerB/src/test/java/com/deusto/unit/test/builders/AddressBuilderUtest.java](#) File Reference

Classes

- class [com.deusto.unit.test.builders.AddressBuilderUtest](#)

Packages

- package [com.deusto.unit.test.builders](#)

8.80 [ServerB/src/test/java/com/deusto/unit/test/builders/BookBuilderUtest.java](#) File Reference

Classes

- class [com.deusto.unit.test.builders.BookBuilderUtest](#)

Packages

- package [com.deusto.unit.test.builders](#)

8.81 [ServerB/src/test/java/com/deusto/unit/test/builders/RegistrBuilderUtest.java](#) File Reference

Classes

- class [com.deusto.unit.test.builders.RegistrBuilderUtest](#)

Packages

- package [com.deusto.unit.test.builders](#)

8.82 [ServerB/src/test/java/com/deusto/unit/test/builders/UserBuilderUtest.java](#) File Reference

Classes

- class [com.deusto.unit.test.builders.UserBuilderUtest](#)

Packages

- package [com.deusto.unit.test.builders](#)

8.83 ServerB/src/test/java/com/deusto/unit/test/common/AbstractUT.java File Reference

Classes

- class [com.deusto.unit.test.common.AbstractUT](#)

Packages

- package [com.deusto.unit.test.common](#)

8.84 ServerB/src/test/java/com/deusto/unit/test/dtos/AddressDTOUTest.java File Reference

Classes

- class [com.deusto.unit.test.dtos.AddressDTOUTest](#)

Packages

- package [com.deusto.unit.test.dtos](#)

8.85 ServerB/src/test/java/com/deusto/unit/test/dtos/BookDTOUTest.java File Reference

Classes

- class [com.deusto.unit.test.dtos.BookDTOUTest](#)

Packages

- package [com.deusto.unit.test.dtos](#)

8.86 ServerB/src/test/java/com/deusto/unit/test/dtos/LoginDTOUTest.java File Reference

Classes

- class [com.deusto.unit.test.dtos.LoginDTOUTest](#)

Packages

- package [com.deusto.unit.test.dtos](#)

8.87 ServerB/src/test/java/com/deusto/unit/test/dtos/PersonDTOUTest.java File Reference

Classes

- class [com.deusto.unit.test.dtos.PersonDTOUTest](#)

Packages

- package [com.deusto.unit.test.dtos](#)

8.88 ServerB/src/test/java/com/deusto/unit/test/dtos/RegistrDTOUTest.java File Reference

Classes

- class [com.deusto.unit.test.dtos.RegistrDTOUTest](#)

Packages

- package [com.deusto.unit.test.dtos](#)

8.89 ServerB/src/test/java/com/deusto/unit/test/forms/RegistrFormUtest.java File Reference

Classes

- class [com.deusto.unit.test.forms.RegistrFormUtest](#)

Packages

- package [com.deusto.unit.test.forms](#)

8.90 ServerB/src/test/java/com/deusto/unit/test/repositories/BookRepositoryUtest.java File Reference

Classes

- class [com.deusto.unit.test.repositories.BookRepositoryUtest](#)

Packages

- package [com.deusto.unit.test.repositories](#)

8.91 ServerB/src/test/java/com/deusto/unit/test/repositories/RegistrRepostoryUTest.java File Reference

Classes

- class [com.deusto.unit.test.repositories.RegistrRepostoryUTest](#)

Packages

- package [com.deusto.unit.test.repositories](#)

8.92 ServerB/src/test/java/com/deusto/unit/test/repositories/UserRepositoryUTest.java File Reference

Classes

- class [com.deusto.unit.test.repositories.UserRepositoryUTest](#)

Packages

- package [com.deusto.unit.test.repositories](#)

8.93 ServerB/src/test/java/com/deusto/unit/test/services/AuthenticationServiceUTest.java File Reference

Classes

- class [com.deusto.unit.test.services.AuthenticationServiceUTest](#)

Packages

- package [com.deusto.unit.test.services](#)

8.94 ServerB/src/test/java/com/deusto/unit/test/services/BookServiceUTest.java File Reference

Classes

- class [com.deusto.unit.test.services.BookServiceUTest](#)

Packages

- package [com.deusto.unit.test.services](#)

8.95 ServerB/src/test/java/com/deusto/unit/test/services/RegistrServiceUTest.java File Reference

Classes

- class [com.deusto.unit.test.services.RegistrServiceUTest](#)

Packages

- package [com.deusto.unit.test.services](#)

8.96 ServerB/src/test/java/com/deusto/unit/test/services/UserServiceUTest.java File Reference

Classes

- class [com.deusto.unit.test.services.UserServiceUTest](#)

Packages

- package [com.deusto.unit.test.services](#)

Index

actionPerformed
 org::GUI::Booking, 84
 org::GUI::Login, 102
 org::GUI::Register, 116
Address
 org::models::Address, 33
ageLimit
 com::deusto::builders::BookBuilder, 63
apartmentNumber
 com::deusto::builders::AddressBuilder, 36
api
 com::deusto::SwaggerConfigs, 156
auth
 com::deusto::controllers::IndexController, 100
 com::deusto::integration::test::IndexControllerITest, 101
authCrash
 com::deusto::integration::test::IndexControllerITest, 101
authUser
 com::deusto::controllers::IndexController, 100
 com::deusto::integration::test::IndexControllerITest, 101
authenticate
 com::deusto::unit::test::services::Authentication←ServiceUTest, 50
authentication
 com::deusto::security::AuthenticationService, 49
authenticationManagerBean
 com::deusto::WebSecurityConfigs, 179
authenticationService
 com::deusto::unit::test::common::AbstractUT, 26
authenticationTokenFilterBean
 com::deusto::WebSecurityConfigs, 180
authorFirstName
 com::deusto::builders::BookBuilder, 63
authorLastName
 com::deusto::builders::BookBuilder, 63
birthDate
 com::deusto::builders::UserBuilder, 169
bookRepository
 com::deusto::unit::test::common::AbstractUT, 27
bookService
 com::deusto::unit::test::common::AbstractUT, 27
Booking
 org::GUI::Booking, 84
build
 com::deusto::builders::AddressBuilder, 36
 com::deusto::builders::BookBuilder, 64
 com::deusto::builders::UserBuilder, 170
 com::deusto::builders::mail::Email, 91
builder
 com::deusto::builders::AddressBuilder, 36
 com::deusto::builders::BookBuilder, 64
 com::deusto::builders::UserBuilder, 170
 com::deusto::builders::mail::Email, 91
canTokenBeRefreshed
 com::deusto::security::TokenUtils, 157
 org::security::TokenUtils, 159
city
 com::deusto::builders::AddressBuilder, 36
ClientB/src/main/java/org/ClientP/Application.java, 181
ClientB/src/main/java/org/GUI/Booking.java, 185
ClientB/src/main/java/org/GUI/Login.java, 185
ClientB/src/main/java/org/GUI/Register.java, 185
ClientB/src/main/java/org/dtos/AddressDTO.java, 181
ClientB/src/main/java/org/dtos/BookDTO.java, 182
ClientB/src/main/java/org/dtos/FilterDTO.java, 182
ClientB/src/main/java/org/dtos/LoginDTO.java, 183
ClientB/src/main/java/org/dtos/PersonDTO.java, 183
ClientB/src/main/java/org/dtos/RegistrDTO.java, 184
ClientB/src/main/java/org/dtos/ReserveDTO.java, 184
ClientB/src/main/java/org/models/Address.java, 185
ClientB/src/main/java/org/models/Book.java, 186
ClientB/src/main/java/org/models/Registr.java, 186
ClientB/src/main/java/org/models/Reserve.java, 187
ClientB/src/main/java/org/models/Token.java, 187
ClientB/src/main/java/org/models/User.java, 188
ClientB/src/main/java/org/security/Authentication←TokenFilter.java, 188
ClientB/src/main/java/org/security/EntryPointUnauthorized←Handler.java, 189
ClientB/src/main/java/org/security/SecurityUser.java, 189
ClientB/src/main/java/org/security/TokenUtils.java, 190
ClientB/src/test/java/org/test/AppTest.java, 190
ClientB/src/test/java/org/test/common/AbstractIt.java, 190
com, 15
com.deusto, 15
com.deusto.BookingApplication, 85
com.deusto.builders, 15
com.deusto.builders.AddressBuilder, 35
com.deusto.builders.BookBuilder, 62
com.deusto.builders.mail, 16
com.deusto.builders.mail.Email, 91
com.deusto.builders.RegistrBuilder, 122
com.deusto.builders.ReserveBuilder, 141

- com.deusto.builders.UserBuilder, 169
- com.deusto.controllers, 16
- com.deusto.controllers.BookController, 70
- com.deusto.controllers.IndexController, 100
- com.deusto.controllers.LoginController, 103
- com.deusto.controllers.RegistrController, 123
- com.deusto.controllers.ReserveController, 141
- com.deusto.dtos, 16
- com.deusto.dtos.AddressDTO, 40
- com.deusto.dtos.BookDTO, 73
- com.deusto.dtos.FilterDTO, 97
- com.deusto.dtos.LoginDTO, 106
- com.deusto.dtos.PersonDTO, 109
- com.deusto.dtos.RegistrDTO, 125
- com.deusto.dtos.ReserveDTO, 143
- com.deusto.forms, 16
- com.deusto.forms.email, 17
- com.deusto.forms.email.EmailField, 92
- com.deusto.forms.email.RegistrForm, 130
- com.deusto.integration, 17
- com.deusto.integration.test, 17
- com.deusto.integration.test.BookControllerITest, 72
- com.deusto.integration.test.common, 17
- com.deusto.integration.test.common.AbstractIT, 24
- com.deusto.integration.test.IndexControllerITest, 101
- com.deusto.integration.test.LoginControllerITest, 104
- com.deusto.integration.test.RegistrControllerITest, 125
- com.deusto.integration.test.ReserveControllerITest, 142
- com.deusto.integration.test.UserControllerITest, 174
- com.deusto.models, 17
- com.deusto.models.Address, 28
- com.deusto.models.Book, 51
- com.deusto.models.Registr, 119
- com.deusto.models.Reserve, 137
- com.deusto.models.User, 160
- com.deusto.repositories, 18
- com.deusto.repositories.AddressRepository, 46
- com.deusto.repositories.BookRepository, 85
- com.deusto.repositories.RegistrRepository, 133
- com.deusto.repositories.ReserveRepository, 144
- com.deusto.repositories.UserRepository, 175
- com.deusto.security, 18
- com.deusto.security.AuthenticationService, 49
- com.deusto.security.AuthenticationTokenFilter, 51
- com.deusto.security.EntryPointUnauthorizedHandler, 94
- com.deusto.security.SecurityUser, 152
- com.deusto.security.TokenUtils, 157
- com.deusto.security.UserDetailsServiceImpl, 174
- com.deusto.services, 18
- com.deusto.services.BookService, 89
- com.deusto.services.mail, 18
- com.deusto.services.mail.EmailService, 93
- com.deusto.services.RegistrService, 134
- com.deusto.services.ReserveService, 146
- com.deusto.services.template, 18
- com.deusto.services.template.FreeMarkerService, 99
- com.deusto.services.UserService, 177
- com.deusto.SwaggerConfigs, 156
- com.deusto.unit, 19
- com.deusto.unit.test, 19
- com.deusto.unit.test.builders, 19
- com.deusto.unit.test.builders.AddressBuilderUTest, 39
- com.deusto.unit.test.builders.BookBuilderUTest, 69
- com.deusto.unit.test.builders.RegistrBuilderUTest, 123
- com.deusto.unit.test.builders.UserBuilderUTest, 173
- com.deusto.unit.test.common, 19
- com.deusto.unit.test.common.AbstractUT, 25
- com.deusto.unit.test.dtos, 19
- com.deusto.unit.test.dtos.AddressDTOUTest, 45
- com.deusto.unit.test.dtos.BookDTOUTest, 83
- com.deusto.unit.test.dtos.LoginDTOUTest, 107
- com.deusto.unit.test.dtos.PersonDTOUTest, 114
- com.deusto.unit.test.dtos.RegistrDTOUTest, 129
- com.deusto.unit.test.forms, 20
- com.deusto.unit.test.forms.RegistrFormUTest, 132
- com.deusto.unit.test.repositories, 20
- com.deusto.unit.test.repositories.BookRepositoryUTest, 87
- com.deusto.unit.test.repositories.RegistrRepositoryUTest, 133
- com.deusto.unit.test.repositories.UserRepositoryUTest, 177
- com.deusto.unit.test.services, 20
- com.deusto.unit.test.services.AuthenticationServiceUTest, 49
- com.deusto.unit.test.services.BookServiceUTest, 90
- com.deusto.unit.test.services.RegistrServiceUTest, 135
- com.deusto.unit.test.services.UserServiceUTest, 179
- com.deusto.WebSecurityConfigs, 179
- com::deusto::BookkitApplication
 - main, 85
- com::deusto::SwaggerConfigs
 - api, 156
- com::deusto::WebSecurityConfigs
 - authenticationManagerBean, 179
 - authenticationTokenFilterBean, 180
 - configure, 180
 - configureAuthentication, 180
- com::deusto::builders::AddressBuilder
 - apartmentNumber, 36
 - build, 36
 - builder, 36
 - city, 36
 - country, 37
 - get, 37
 - houseNumber, 38
 - postalCode, 38
 - street, 38
- com::deusto::builders::BookBuilder
 - ageLimit, 63
 - authorFirstName, 63
 - authorLastName, 63
 - build, 64
 - builder, 64
 - count, 64
 - description, 65

- genre, 65
- get, 65
- pages, 67
- publishDate, 67
- tags, 67
- title, 69
- com::deusto::builders::RegistrBuilder
 - get, 122
- com::deusto::builders::UserBuilder
 - birthDate, 169
 - build, 170
 - builder, 170
 - countryCode, 170
 - email, 171
 - firstname, 171
 - get, 171, 172
 - lastname, 172
 - password, 172
 - phone, 173
- com::deusto::builders::mail::Email
 - build, 91
 - builder, 91
 - from, 91
 - messagePreparator, 91
 - subject, 91
 - text, 92
 - to, 92
- com::deusto::controllers::BookController
 - createBook, 70
 - getAllBooks, 71
 - getAllBooksFilter1, 71
 - getBookById, 71
- com::deusto::controllers::IndexController
 - auth, 100
 - authUser, 100
 - index, 100
 - post, 100
 - unAuth, 100
- com::deusto::controllers::LoginController
 - login, 103
- com::deusto::controllers::RegistrController
 - firstStep, 123
 - lastStep, 124
 - secondStep, 124
- com::deusto::controllers::ReserveController
 - getAll, 141
 - newReserve, 141
- com::deusto::dtos::AddressDTO
 - getApartamentNumber, 40
 - getCity, 40
 - getCountry, 40
 - getHouseNumber, 41
 - getPostalCode, 41
 - getStreet, 41
 - setApartamentNumber, 41
 - setCity, 42
 - setCountry, 42
 - setHouseNumber, 42
 - setPostalCode, 42
 - setStreet, 43
- com::deusto::dtos::BookDTO
 - getAgeLimit, 73
 - getAuthorFirstName, 73
 - getAuthorLastName, 74
 - getCount, 74
 - getDescription, 74
 - getGenre, 74
 - getPages, 75
 - getPublishDate, 75
 - getTags, 75
 - getTitle, 75
 - setAgeLimit, 76
 - setAuthorFirstName, 77
 - setAuthorLastName, 77
 - setCount, 77
 - setDescription, 77
 - setGenre, 78
 - setPages, 78
 - setPublishDate, 78
 - setTags, 79
 - setTitle, 79
- com::deusto::dtos::FilterDTO
 - genre, 99
 - getGenre, 97
 - getReserveDate, 97
 - getReserveExpire, 97
 - getTitle, 98
 - setGenre, 98
 - setReserveDate, 98
 - setReserveExpire, 99
 - setTitle, 99
- com::deusto::dtos::LoginDTO
 - getEmail, 106
 - getEncryptedPassword, 106
 - setEmail, 107
 - setEncryptedPassword, 107
- com::deusto::dtos::PersonDTO
 - getAddress, 109
 - getBirthDate, 109
 - getCountryCode, 109
 - getEmail, 110
 - getPassword, 110
 - getPhone, 110
 - setAddress, 110
 - setBirthDate, 111
 - setCountryCode, 111
 - setEmail, 111
 - setPassword, 111
 - setPhone, 112
- com::deusto::dtos::RegistrDTO
 - getEmail, 126
 - getFirstname, 126
 - getLastname, 126
 - setEmail, 126
 - setFirstname, 127
 - setLastname, 127

com::deusto::dtos::ReserveDTO
 getBookId, 144
 setBookId, 144
 com::deusto::forms::email::EmailField
 getEmail, 92
 com::deusto::forms::email::RegistrForm
 get, 131
 getEmail, 131
 getFirstname, 131
 getLastname, 131
 getUrl, 131
 setEmail, 131
 setFirstname, 132
 setLastname, 132
 setUrl, 132
 com::deusto::integration::test::BookControllerITest
 findAll, 72
 getAllBooksFilter, 72
 com::deusto::integration::test::IndexControllerITest
 auth, 101
 authCrash, 101
 authUser, 101
 unauth, 101
 com::deusto::integration::test::LoginControllerITest
 login, 104
 loginWrongCredentials, 104
 com::deusto::integration::test::RegistrControllerITest
 validPostRegistr, 125
 com::deusto::integration::test::ReserveControllerITest
 getAll, 142
 newReserve, 142
 reserveWithZeroBooks, 142
 com::deusto::integration::test::common::AbstractIT
 env, 24
 mvc, 24
 remoteMongoDbRule, 24
 com::deusto::models::Address
 getApartamentNumber, 28
 getCity, 29
 getCountry, 29
 getHouseNumber, 29
 getId, 29
 getPostalCode, 30
 getStreet, 30
 setApartamentNumber, 30
 setCity, 30
 setCountry, 31
 setHouseNumber, 31
 setId, 31
 setPostalCode, 32
 setStreet, 32
 com::deusto::models::Book
 decrementCount, 52
 getAgeLimit, 52
 getAuthorFirstName, 52
 getAuthorLastName, 52
 getCount, 53
 getDescription, 53
 getGenre, 53
 getId, 53
 getPages, 54
 getPublishDate, 54
 getTags, 54
 getTitle, 54
 setAgeLimit, 55
 setAuthorFirstName, 56
 setAuthorLastName, 56
 setCount, 56
 setDescription, 56
 setGenre, 57
 setId, 57
 setPages, 57
 setPublishDate, 58
 setTags, 58
 setTitle, 58
 com::deusto::models::Registr
 getEmail, 119
 getFirstname, 119
 getId, 120
 getLastname, 120
 isActive, 120
 setActiv, 120
 setEmail, 121
 setFirstname, 121
 setId, 121
 setLastname, 121
 com::deusto::models::Reserve
 getBook, 137
 getId, 138
 getReserveDate, 138
 getReserveExpire, 138
 getUser, 138
 setBook, 139
 setId, 140
 setReserveDate, 140
 setReserveExpire, 140
 setUser, 140
 com::deusto::models::User
 getAddress, 161
 getBirthDate, 161
 getCountryCode, 161
 getEmail, 161
 getFirstname, 162
 getId, 162
 getLastname, 162
 getPassword, 162
 getPhone, 163
 setAddress, 163
 setBirthDate, 163
 setCountryCode, 164
 setEmail, 164
 setFirstname, 164
 setId, 164
 setLastname, 165
 setPassword, 165
 setPhone, 165

- com::deusto::repositories::BookRepository
 - findAll, 86
 - findAllByAuthorFirstName, 86
 - findAllByAuthorLastName, 86
 - findAllByGenre, 86
 - findAllById, 86
 - findBookById, 87
 - findByTitle, 87
- com::deusto::repositories::RegistrRepository
 - findByEmail, 133
 - findRegistrById, 133
- com::deusto::repositories::ReserveRepository
 - delete, 145
 - findAllByBook, 145
 - findAllByReserveDateBeforeAndReserveExpire←
After, 145
 - findAllByUser, 145
 - findDistinctByReserveDateAndReserveExpire, 145
 - insert, 145
- com::deusto::repositories::UserRepository
 - delete, 175
 - findAllByFirstname, 176
 - findAllByLastname, 176
 - findByEmail, 176
 - findByPhone, 176
 - findUserById, 176
- com::deusto::security::AuthenticationService
 - authentication, 49
 - getUserFromRequest, 49
- com::deusto::security::AuthenticationTokenFilter
 - doFilter, 51
- com::deusto::security::EntryPointUnauthorizedHandler
 - commence, 94
- com::deusto::security::SecurityUser
 - getAccountNonExpired, 153
 - getAccountNonLocked, 153
 - getAuthorities, 153
 - getCredentialsNonExpired, 153
 - getEmail, 153
 - getEnabled, 153
 - getId, 153
 - getLastPasswordReset, 153
 - getName, 154
 - getPassword, 154
 - getUsername, 154
 - isAccountNonExpired, 154
 - isAccountNonLocked, 154
 - isCredentialsNonExpired, 154
 - isEnabled, 154
 - SecurityUser, 152
 - setAccountNonExpired, 154
 - setAccountNonLocked, 155
 - setAuthorities, 155
 - setCredentialsNonExpired, 155
 - setEmail, 155
 - setEnabled, 155
 - setId, 155
 - setLastPasswordReset, 155
 - setPassword, 156
- com::deusto::security::TokenUtils
 - canTokenBeRefreshed, 157
 - generateToken, 157
 - getAudienceFromToken, 158
 - getCreatedDateFromToken, 158
 - getExpirationDateFromToken, 158
 - getUsernameFromToken, 158
 - refreshToken, 158
 - validateToken, 158
- com::deusto::security::UserDetailsServiceImpI
 - loadUserByUsername, 175
- com::deusto::services::BookService
 - findAll, 89
 - findAllByAuthorFirstName, 89
 - findByAuthorLastName, 89
 - findByGenre, 89
 - findById, 89
 - findByTitle, 90
 - insert, 90
 - update, 90
- com::deusto::services::RegistrService
 - delete, 134
 - findByEmail, 134
 - findById, 134
 - insert, 134
 - update, 135
- com::deusto::services::ReserveService
 - findAll, 146
 - findAllByBook, 146
 - findAllByUser, 146
 - findAvailableBetweenDates, 146
 - insert, 147
 - update, 147
- com::deusto::services::UserService
 - delete, 177
 - findByEmail, 177
 - findById, 178
 - findByLastName, 178
 - findByPhoneNumber, 178
 - findbyFirstName, 178
 - insert, 178
 - update, 178
- com::deusto::unit::test::builders::AddressBuilderUTest
 - validAdderessBuilder, 39
 - validAdderessBuilderMethodStyle, 39
- com::deusto::unit::test::builders::BookBuilderUTest
 - validBookBuilderMethodStyle, 70
 - validBookBuilderUTest, 70
- com::deusto::unit::test::builders::RegistrBuilderUTest
 - validRegistrBuilder, 123
- com::deusto::unit::test::builders::UserBuilderUTest
 - validUserBuilder, 174
 - validUserBuilderMethodStyle, 174
- com::deusto::unit::test::common::AbstractUT
 - authenticationService, 26
 - bookRepository, 27
 - bookService, 27

- env, [27](#)
- registrRepository, [27](#)
- registrService, [27](#)
- remoteMongoDbRule, [27](#)
- setup, [26](#)
- userRepository, [27](#)
- userService, [28](#)
- validate, [26](#)
- validator, [28](#)
- com::deusto::unit::test::dtos::AddressDTOUTest
 - validBookDTO, [46](#)
- com::deusto::unit::test::dtos::BookDTOUTest
 - validBookDTO, [83](#)
- com::deusto::unit::test::dtos::LoginDTOUTest
 - invalidEmailEmptyLoginDTO, [108](#)
 - invalidEmailLoginDTO, [108](#)
 - invalidLoginDTO, [108](#)
 - invalidPasswordEmptyLoginDTO, [108](#)
 - validLoginDTO, [108](#)
- com::deusto::unit::test::dtos::PersonDTOUTest
 - invalidEmailPeronDTO, [115](#)
 - invalidEmptyCountryCodePersonDTO, [115](#)
 - invalidEmptyEmailPersonDTO, [115](#)
 - invalidEmptyPasswordPersonDTO, [115](#)
 - validPersonDTO, [115](#)
- com::deusto::unit::test::dtos::RegistrDTOUTest
 - invalidEmailEmptyRegistrDTO, [129](#)
 - invalidEmailWrongRegistrDTO, [129](#)
 - invalidFirstnameAndLastnameEmptyRegistrDTO, [129](#)
 - invalidFirstnameEmptyRegistrDTO, [129](#)
 - invalidLastnameEmptyRegistrDTO, [130](#)
 - invalidRegistrDTO, [130](#)
 - validRegistrDTO, [130](#)
- com::deusto::unit::test::repositories::BookRepository↵
 - UTest
 - findAllBooksTest, [87](#)
 - findAllByAuthorFirstNameTest, [88](#)
 - findAllByAuthorLastNameTest, [88](#)
 - findAllByGenreTest, [88](#)
 - findAllByIdTest, [88](#)
 - findByTitleTest, [88](#)
- com::deusto::unit::test::services::Authentication↵
 - ServiceUTest
 - authenticate, [50](#)
- commence
 - com::deusto::security::EntryPointUnauthorized↵
 - Handler, [94](#)
 - org::security::EntryPointUnauthorizedHandler, [93](#)
- configure
 - com::deusto::WebSecurityConfigs, [180](#)
- configureAuthentication
 - com::deusto::WebSecurityConfigs, [180](#)
- count
 - com::deusto::builders::BookBuilder, [64](#)
- country
 - com::deusto::builders::AddressBuilder, [37](#)
- countryCode
 - com::deusto::builders::UserBuilder, [170](#)
- createBook
 - com::deusto::controllers::BookController, [70](#)
- decrementCount
 - com::deusto::models::Book, [52](#)
 - org::models::Book, [59](#)
- delete
 - com::deusto::repositories::ReserveRepository, [145](#)
 - com::deusto::repositories::UserRepository, [175](#)
 - com::deusto::services::RegistrService, [134](#)
 - com::deusto::services::UserService, [177](#)
- description
 - com::deusto::builders::BookBuilder, [65](#)
- doFilter
 - com::deusto::security::AuthenticationTokenFilter, [51](#)
 - org::security::AuthenticationTokenFilter, [50](#)
- email
 - com::deusto::builders::UserBuilder, [171](#)
- env
 - com::deusto::integration::test::common::Abstract↵
 - IT, [24](#)
 - com::deusto::unit::test::common::AbstractUT, [27](#)
 - org::test::common::AbstractIt, [23](#)
- findAll
 - com::deusto::integration::test::BookControllerITest, [72](#)
 - com::deusto::repositories::BookRepository, [86](#)
 - com::deusto::services::BookService, [89](#)
 - com::deusto::services::ReserveService, [146](#)
 - org::test::AppTest, [48](#)
- findAllBooksTest
 - com::deusto::unit::test::repositories::Book↵
 - RepositoryUTest, [87](#)
- findAllByAuthorFirstName
 - com::deusto::repositories::BookRepository, [86](#)
 - com::deusto::services::BookService, [89](#)
- findAllByAuthorFirstNameTest
 - com::deusto::unit::test::repositories::Book↵
 - RepositoryUTest, [88](#)
- findAllByAuthorLastName
 - com::deusto::repositories::BookRepository, [86](#)
- findAllByAuthorLastNameTest
 - com::deusto::unit::test::repositories::Book↵
 - RepositoryUTest, [88](#)
- findAllByBook
 - com::deusto::repositories::ReserveRepository, [145](#)
 - com::deusto::services::ReserveService, [146](#)
- findAllByFirstname
 - com::deusto::repositories::UserRepository, [176](#)
- findAllByGenre
 - com::deusto::repositories::BookRepository, [86](#)
- findAllByGenreTest
 - com::deusto::unit::test::repositories::Book↵
 - RepositoryUTest, [88](#)
- findAllById

- com::deusto::repositories::BookRepository, 86
- findAllByIdTest
 - com::deusto::unit::test::repositories::Book←RepositoryUTest, 88
- findAllByLastname
 - com::deusto::repositories::UserRepository, 176
- findAllByReserveDateBeforeAndReserveExpireAfter
 - com::deusto::repositories::ReserveRepository, 145
- findAllByUser
 - com::deusto::repositories::ReserveRepository, 145
 - com::deusto::services::ReserveService, 146
- findAvailableBetweenDates
 - com::deusto::services::ReserveService, 146
- findBookById
 - com::deusto::repositories::BookRepository, 87
- findByAuthorLastName
 - com::deusto::services::BookService, 89
- findByEmail
 - com::deusto::repositories::RegistrRepository, 133
 - com::deusto::repositories::UserRepository, 176
 - com::deusto::services::RegistrService, 134
 - com::deusto::services::UserService, 177
- findByGenre
 - com::deusto::services::BookService, 89
- findById
 - com::deusto::services::BookService, 89
 - com::deusto::services::RegistrService, 134
 - com::deusto::services::UserService, 178
- findByLastName
 - com::deusto::services::UserService, 178
- findByPhone
 - com::deusto::repositories::UserRepository, 176
- findByPhoneNumber
 - com::deusto::services::UserService, 178
- findByTitle
 - com::deusto::repositories::BookRepository, 87
 - com::deusto::services::BookService, 90
- findByTitleTest
 - com::deusto::unit::test::repositories::Book←RepositoryUTest, 88
- findDistinctByReserveDateAndReserveExpire
 - com::deusto::repositories::ReserveRepository, 145
- findRegistrById
 - com::deusto::repositories::RegistrRepository, 133
- findUserById
 - com::deusto::repositories::UserRepository, 176
- findbyFirstName
 - com::deusto::services::UserService, 178
- firstStep
 - com::deusto::controllers::RegistrController, 123
- firstname
 - com::deusto::builders::UserBuilder, 171
- from
 - com::deusto::builders::mail::Email, 91
- generateToken
 - com::deusto::security::TokenUtils, 157
 - org::security::TokenUtils, 159
- genre
 - com::deusto::builders::BookBuilder, 65
 - com::deusto::dtos::FilterDTO, 99
 - org::dtos::FilterDTO, 96
- get
 - com::deusto::builders::AddressBuilder, 37
 - com::deusto::builders::BookBuilder, 65
 - com::deusto::builders::RegistrBuilder, 122
 - com::deusto::builders::UserBuilder, 171, 172
 - com::deusto::forms::email::RegistrForm, 131
- getAccountNonExpired
 - com::deusto::security::SecurityUser, 153
 - org::security::SecurityUser, 148
- getAccountNonLocked
 - com::deusto::security::SecurityUser, 153
 - org::security::SecurityUser, 148
- getAddress
 - com::deusto::dtos::PersonDTO, 109
 - com::deusto::models::User, 161
 - org::dtos::PersonDTO, 112
 - org::models::User, 166
- getAgeLimit
 - com::deusto::dtos::BookDTO, 73
 - com::deusto::models::Book, 52
 - org::dtos::BookDTO, 80
 - org::models::Book, 59
- getAll
 - com::deusto::controllers::ReserveController, 141
 - com::deusto::integration::test::ReserveController←ITest, 142
- getAllBooks
 - com::deusto::controllers::BookController, 71
- getAllBooksFilter
 - com::deusto::integration::test::BookControllerITest, 72
 - org::test::AppTest, 48
- getAllBooksFilter1
 - com::deusto::controllers::BookController, 71
- getApartamentNumber
 - com::deusto::dtos::AddressDTO, 40
 - com::deusto::models::Address, 28
 - org::dtos::AddressDTO, 43
 - org::models::Address, 33
- getAudienceFromToken
 - com::deusto::security::TokenUtils, 158
 - org::security::TokenUtils, 159
- getAuthorFirstName
 - com::deusto::dtos::BookDTO, 73
 - com::deusto::models::Book, 52
 - org::dtos::BookDTO, 80
 - org::models::Book, 59
- getAuthorLastName
 - com::deusto::dtos::BookDTO, 74
 - com::deusto::models::Book, 52
 - org::dtos::BookDTO, 80
 - org::models::Book, 59
- getAuthorities
 - com::deusto::security::SecurityUser, 153
 - org::security::SecurityUser, 148

getBirthDate
 com::deusto::dtos::PersonDTO, 109
 com::deusto::models::User, 161
 org::dtos::PersonDTO, 113
 org::models::User, 167

getBook
 com::deusto::models::Reserve, 137
 org::models::Reserve, 136

getBookById
 com::deusto::controllers::BookController, 71

getBookId
 com::deusto::dtos::ReserveDTO, 144
 org::dtos::ReserveDTO, 143

getBooks
 org::ClientP::Application, 47

getBooksFilter
 org::ClientP::Application, 47

getCity
 com::deusto::dtos::AddressDTO, 40
 com::deusto::models::Address, 29
 org::dtos::AddressDTO, 44
 org::models::Address, 33

getCount
 com::deusto::dtos::BookDTO, 74
 com::deusto::models::Book, 53
 org::dtos::BookDTO, 80
 org::models::Book, 60

getCountry
 com::deusto::dtos::AddressDTO, 40
 com::deusto::models::Address, 29
 org::dtos::AddressDTO, 44
 org::models::Address, 33

getCountryCode
 com::deusto::dtos::PersonDTO, 109
 com::deusto::models::User, 161
 org::dtos::PersonDTO, 113
 org::models::User, 167

getCreatedDateFromToken
 com::deusto::security::TokenUtils, 158
 org::security::TokenUtils, 159

getCredentialsNonExpired
 com::deusto::security::SecurityUser, 153
 org::security::SecurityUser, 149

getDescription
 com::deusto::dtos::BookDTO, 74
 com::deusto::models::Book, 53
 org::dtos::BookDTO, 80
 org::models::Book, 60

getEmail
 com::deusto::dtos::LoginDTO, 106
 com::deusto::dtos::PersonDTO, 110
 com::deusto::dtos::RegistrDTO, 126
 com::deusto::forms::email::EmailField, 92
 com::deusto::forms::email::RegistrForm, 131
 com::deusto::models::Registr, 119
 com::deusto::models::User, 161
 com::deusto::security::SecurityUser, 153
 org::dtos::LoginDTO, 105
 org::dtos::PersonDTO, 113
 org::dtos::RegistrDTO, 128
 org::models::Registr, 117
 org::models::User, 167
 org::security::SecurityUser, 149

getEnabled
 com::deusto::security::SecurityUser, 153
 org::security::SecurityUser, 149

getEncryptedPassword
 com::deusto::dtos::LoginDTO, 106
 org::dtos::LoginDTO, 105

getExpirationDateFromToken
 com::deusto::security::TokenUtils, 158
 org::security::TokenUtils, 159

getFirstname
 com::deusto::dtos::RegistrDTO, 126
 com::deusto::forms::email::RegistrForm, 131
 com::deusto::models::Registr, 119
 com::deusto::models::User, 162
 org::dtos::RegistrDTO, 128
 org::models::Registr, 117
 org::models::User, 167

getGenre
 com::deusto::dtos::BookDTO, 74
 com::deusto::dtos::FilterDTO, 97
 com::deusto::models::Book, 53
 org::dtos::BookDTO, 80
 org::dtos::FilterDTO, 95
 org::models::Book, 60

getHouseNumber
 com::deusto::dtos::AddressDTO, 41
 com::deusto::models::Address, 29
 org::dtos::AddressDTO, 44
 org::models::Address, 34

getId
 com::deusto::models::Address, 29
 com::deusto::models::Book, 53
 com::deusto::models::Registr, 120
 com::deusto::models::Reserve, 138
 com::deusto::models::User, 162
 com::deusto::security::SecurityUser, 153
 org::models::Address, 34
 org::models::Book, 60
 org::models::Registr, 118
 org::models::Reserve, 136
 org::models::User, 167
 org::security::SecurityUser, 149

getLastPasswordReset
 com::deusto::security::SecurityUser, 153
 org::security::SecurityUser, 149

getLastName
 com::deusto::dtos::RegistrDTO, 126
 com::deusto::forms::email::RegistrForm, 131
 com::deusto::models::Registr, 120
 com::deusto::models::User, 162
 org::dtos::RegistrDTO, 128
 org::models::Registr, 118
 org::models::User, 167

- getName
 - com::deusto::security::SecurityUser, 154
 - org::security::SecurityUser, 149
- getPages
 - com::deusto::dtos::BookDTO, 75
 - com::deusto::models::Book, 54
 - org::dtos::BookDTO, 81
 - org::models::Book, 60
- getPassword
 - com::deusto::dtos::PersonDTO, 110
 - com::deusto::models::User, 162
 - com::deusto::security::SecurityUser, 154
 - org::dtos::PersonDTO, 113
 - org::models::User, 167
 - org::security::SecurityUser, 149
- getPhone
 - com::deusto::dtos::PersonDTO, 110
 - com::deusto::models::User, 163
 - org::dtos::PersonDTO, 113
 - org::models::User, 167
- getPostalCode
 - com::deusto::dtos::AddressDTO, 41
 - com::deusto::models::Address, 30
 - org::dtos::AddressDTO, 44
 - org::models::Address, 34
- getPublishDate
 - com::deusto::dtos::BookDTO, 75
 - com::deusto::models::Book, 54
 - org::dtos::BookDTO, 81
 - org::models::Book, 60
- getReserveDate
 - com::deusto::dtos::FilterDTO, 97
 - com::deusto::models::Reserve, 138
 - org::dtos::FilterDTO, 95
 - org::models::Reserve, 136
- getReserveExpire
 - com::deusto::dtos::FilterDTO, 97
 - com::deusto::models::Reserve, 138
 - org::dtos::FilterDTO, 95
 - org::models::Reserve, 136
- getStreet
 - com::deusto::dtos::AddressDTO, 41
 - com::deusto::models::Address, 30
 - org::dtos::AddressDTO, 44
 - org::models::Address, 34
- getTags
 - com::deusto::dtos::BookDTO, 75
 - com::deusto::models::Book, 54
 - org::dtos::BookDTO, 81
 - org::models::Book, 60
- getTitle
 - com::deusto::dtos::BookDTO, 75
 - com::deusto::dtos::FilterDTO, 98
 - com::deusto::models::Book, 54
 - org::dtos::BookDTO, 81
 - org::dtos::FilterDTO, 95
 - org::models::Book, 60
- getToken
 - org::ClientP::Application, 47
 - org::models::Token, 157
- getUrl
 - com::deusto::forms::email::RegistrForm, 131
- getUser
 - com::deusto::models::Reserve, 138
 - org::models::Reserve, 136
- getUserFromRequest
 - com::deusto::security::AuthenticationService, 49
- getUsername
 - com::deusto::security::SecurityUser, 154
 - org::security::SecurityUser, 149
- getUsernameFromToken
 - com::deusto::security::TokenUtils, 158
 - org::security::TokenUtils, 160
- houseNumber
 - com::deusto::builders::AddressBuilder, 38
- invalidEmailEmptyLoginDTO
 - com::deusto::unit::test::dtos::LoginDTOUTest, 108
- invalidEmailEmptyRegistrDTO
 - com::deusto::unit::test::dtos::RegistrDTOUTest, 129
- invalidEmailLoginDTO
 - com::deusto::unit::test::dtos::LoginDTOUTest, 108
- invalidEmailWrongRegistrDTO
 - com::deusto::unit::test::dtos::RegistrDTOUTest, 129
- invalidFirstnameAndLastnameEmptyRegistrDTO
 - com::deusto::unit::test::dtos::RegistrDTOUTest, 129
- invalidFirstnameEmptyRegistrDTO
 - com::deusto::unit::test::dtos::RegistrDTOUTest, 129
- invalidLastnameEmptyRegistrDTO
 - com::deusto::unit::test::dtos::RegistrDTOUTest, 130
- invalidLoginDTO
 - com::deusto::unit::test::dtos::LoginDTOUTest, 108
- invalidPasswordEmptyLoginDTO
 - com::deusto::unit::test::dtos::LoginDTOUTest, 108
- invalidRegistrDTO
 - com::deusto::unit::test::dtos::RegistrDTOUTest, 130
- index
 - com::deusto::controllers::IndexController, 100
- insert
 - com::deusto::repositories::ReserveRepository, 145
 - com::deusto::services::BookService, 90
 - com::deusto::services::RegistrService, 134
 - com::deusto::services::ReserveService, 147
 - com::deusto::services::UserService, 178
- invalidEmailPeronDTO
 - com::deusto::unit::test::dtos::PersonDTOUTest, 115
- invalidEmptyCountryCodePersonDTO
 - com::deusto::unit::test::dtos::PersonDTOUTest, 115

- invalidEmptyEmailPersonDTO
 - com::deusto::unit::test::dtos::PersonDTOUTest, 115
- invalidEmptyPasswordPersonDTO
 - com::deusto::unit::test::dtos::PersonDTOUTest, 115
- isAccountNonExpired
 - com::deusto::security::SecurityUser, 154
 - org::security::SecurityUser, 150
- isAccountNonLocked
 - com::deusto::security::SecurityUser, 154
 - org::security::SecurityUser, 150
- isActive
 - com::deusto::models::Registr, 120
 - org::models::Registr, 118
- isCredentialsNonExpired
 - com::deusto::security::SecurityUser, 154
 - org::security::SecurityUser, 150
- isEnabled
 - com::deusto::security::SecurityUser, 154
 - org::security::SecurityUser, 150
- j
 - org::GUI::Booking, 84
 - org::GUI::Register, 117
- lastStep
 - com::deusto::controllers::RegistrController, 124
- lastname
 - com::deusto::builders::UserBuilder, 172
- loadUserByUsername
 - com::deusto::security::UserDetailsServiceImpl, 175
- Login
 - org::GUI::Login, 102
- login
 - com::deusto::controllers::LoginController, 103
 - com::deusto::integration::test::LoginController↔Test, 104
 - org::ClientP::Application, 47
- LoginDTO
 - org::dtos::LoginDTO, 105
- loginWrongCredentials
 - com::deusto::integration::test::LoginController↔Test, 104
- main
 - com::deusto::BookitApplication, 85
 - org::ClientP::Application, 47
 - org::GUI::Booking, 84
 - org::GUI::Login, 102
 - org::GUI::Register, 116
- messagePreparator
 - com::deusto::builders::mail::Email, 91
- mvc
 - com::deusto::integration::test::common::Abstract↔IT, 24
 - org::test::common::AbstractIt, 23
- newReserve
 - com::deusto::controllers::ReserveController, 141
 - com::deusto::integration::test::ReserveController↔ITest, 142
- newUser
 - org::GUI::Booking, 85
 - org::GUI::Login, 103
 - org::GUI::Register, 117
- org, 20
 - org.ClientP.Application, 46
 - org.ClientP, 20
 - org.dtos, 21
 - org.dtos.AddressDTO, 43
 - org.dtos.BookDTO, 79
 - org.dtos.FilterDTO, 95
 - org.dtos.LoginDTO, 105
 - org.dtos.PersonDTO, 112
 - org.dtos.RegistrDTO, 127
 - org.dtos.ReserveDTO, 143
 - org.GUI.Booking, 83
 - org.GUI.Login, 102
 - org.GUI.Register, 116
 - org.GUI, 21
 - org.models, 21
 - org.models.Address, 32
 - org.models.Book, 59
 - org.models.Registr, 117
 - org.models.Reserve, 135
 - org.models.Token, 156
 - org.models.User, 166
 - org.security, 21
 - org.security.AuthenticationTokenFilter, 50
 - org.security.EntryPointUnauthorizedHandler, 93
 - org.security.SecurityUser, 147
 - org.security.TokenUtils, 159
 - org.test, 21
 - org.test.AppTest, 48
 - org.test.common, 22
 - org.test.common.AbstractIt, 23
 - org::ClientP::Application
 - getBooks, 47
 - getBooksFilter, 47
 - getToken, 47
 - login, 47
 - main, 47
 - registr1, 47
 - registr2, 48
 - reserve, 48
 - startConnectionGet, 48
 - org::GUI::Booking
 - actionPerformed, 84
 - Booking, 84
 - j, 84
 - main, 84
 - newUser, 85
 - org::GUI::Login
 - actionPerformed, 102
 - Login, 102

- main, 102
- newUser, 103
- org::GUI::Register
 - actionPerformed, 116
 - j, 117
 - main, 116
 - newUser, 117
 - Register, 116
- org::dtos::AddressDTO
 - getApartamentNumber, 43
 - getCity, 44
 - getCountry, 44
 - getHouseNumber, 44
 - getPostalCode, 44
 - getStreet, 44
 - setApartamentNumber, 44
 - setCity, 44
 - setCountry, 45
 - setHouseNumber, 45
 - setPostalCode, 45
 - setStreet, 45
- org::dtos::BookDTO
 - getAgeLimit, 80
 - getAuthorFirstName, 80
 - getAuthorLastName, 80
 - getCount, 80
 - getDescription, 80
 - getGenre, 80
 - getPages, 81
 - getPublishDate, 81
 - getTags, 81
 - getTitle, 81
 - setAgeLimit, 81
 - setAuthorFirstName, 81
 - setAuthorLastName, 81
 - setCount, 82
 - setDescription, 82
 - setGenre, 82
 - setPages, 82
 - setPublishDate, 82
 - setTags, 82
 - setTitle, 82
- org::dtos::FilterDTO
 - genre, 96
 - getGenre, 95
 - getReserveDate, 95
 - getReserveExpire, 95
 - getTitle, 95
 - setGenre, 96
 - setReserveDate, 96
 - setReserveExpire, 96
 - setTitle, 96
- org::dtos::LoginDTO
 - getEmail, 105
 - getEncryptedPassword, 105
 - LoginDTO, 105
 - setEmail, 105
 - setEncryptedPassword, 106
- org::dtos::PersonDTO
 - getAddress, 112
 - getBirthDate, 113
 - getCountryCode, 113
 - getEmail, 113
 - getPassword, 113
 - getPhone, 113
 - setAddress, 113
 - setBirthDate, 113
 - setCountryCode, 114
 - setEmail, 114
 - setPassword, 114
 - setPhone, 114
- org::dtos::RegistrDTO
 - getEmail, 128
 - getFirstname, 128
 - getLastname, 128
 - setEmail, 128
 - setFirstname, 128
 - setLastname, 128
- org::dtos::ReserveDTO
 - getBookId, 143
 - setBookId, 143
- org::models::Address
 - Address, 33
 - getApartamentNumber, 33
 - getCity, 33
 - getCountry, 33
 - getHouseNumber, 34
 - getId, 34
 - getPostalCode, 34
 - getStreet, 34
 - setApartamentNumber, 34
 - setCity, 34
 - setCountry, 34
 - setHouseNumber, 35
 - setId, 35
 - setPostalCode, 35
 - setStreet, 35
- org::models::Book
 - decrementCount, 59
 - getAgeLimit, 59
 - getAuthorFirstName, 59
 - getAuthorLastName, 59
 - getCount, 60
 - getDescription, 60
 - getGenre, 60
 - getId, 60
 - getPages, 60
 - getPublishDate, 60
 - getTags, 60
 - getTitle, 60
 - setAgeLimit, 61
 - setAuthorFirstName, 61
 - setAuthorLastName, 61
 - setCount, 61
 - setDescription, 61
 - setGenre, 61

- setId, 61
 - setPages, 62
 - setPublishDate, 62
 - setTags, 62
 - setTitle, 62
- org::models::Registr
 - getEmail, 117
 - getFirstname, 117
 - getId, 118
 - getLastname, 118
 - isActive, 118
 - setActiv, 118
 - setEmail, 118
 - setFirstname, 118
 - setId, 118
 - setLastname, 119
- org::models::Reserve
 - getBook, 136
 - getId, 136
 - getReserveDate, 136
 - getReserveExpire, 136
 - getUser, 136
 - setBook, 136
 - setId, 136
 - setReserveDate, 136
 - setReserveExpire, 137
 - setUser, 137
- org::models::Token
 - getToken, 157
 - setToken, 157
- org::models::User
 - getAddress, 166
 - getBirthDate, 167
 - getCountryCode, 167
 - getEmail, 167
 - getFirstname, 167
 - getId, 167
 - getLastname, 167
 - getPassword, 167
 - getPhone, 167
 - setAddress, 168
 - setBirthDate, 168
 - setCountryCode, 168
 - setEmail, 168
 - setFirstname, 168
 - setId, 168
 - setLastname, 168
 - setPassword, 169
 - setPhone, 169
 - User, 166
- org::security::AuthenticationTokenFilter
 - doFilter, 50
- org::security::EntryPointUnauthorizedHandler
 - commence, 93
- org::security::SecurityUser
 - getAccountNonExpired, 148
 - getAccountNonLocked, 148
 - getAuthorities, 148
 - getCredentialsNonExpired, 149
 - getEmail, 149
 - getEnabled, 149
 - getId, 149
 - getLastPasswordReset, 149
 - getName, 149
 - getPassword, 149
 - getUsername, 149
 - isAccountNonExpired, 150
 - isAccountNonLocked, 150
 - isCredentialsNonExpired, 150
 - isEnabled, 150
 - SecurityUser, 148
 - setAccountNonExpired, 150
 - setAccountNonLocked, 150
 - setAuthorities, 150
 - setCredentialsNonExpired, 151
 - setEmail, 151
 - setEnabled, 151
 - setId, 151
 - setLastPasswordReset, 151
 - setPassword, 151
- org::security::TokenUtils
 - canTokenBeRefreshed, 159
 - generateToken, 159
 - getAudienceFromToken, 159
 - getCreatedDateFromToken, 159
 - getExpirationDateFromToken, 159
 - getUsernameFromToken, 160
 - refreshToken, 160
 - validateToken, 160
- org::test::AppTest
 - findAll, 48
 - getAllBooksFilter, 48
- org::test::common::AbstractIt
 - env, 23
 - mvc, 23
 - remoteMongoDbRule, 23
- pages
 - com::deusto::builders::BookBuilder, 67
- password
 - com::deusto::builders::UserBuilder, 172
- phone
 - com::deusto::builders::UserBuilder, 173
- post
 - com::deusto::controllers::IndexController, 100
- postalCode
 - com::deusto::builders::AddressBuilder, 38
- publishDate
 - com::deusto::builders::BookBuilder, 67
- README.md, 191
- refreshToken
 - com::deusto::security::TokenUtils, 158
 - org::security::TokenUtils, 160
- Register
 - org::GUI::Register, 116
- registr1

- org::ClientP::Application, 47
- registr2
 - org::ClientP::Application, 48
- registrRepository
 - com::deusto::unit::test::common::AbstractUT, 27
- registrService
 - com::deusto::unit::test::common::AbstractUT, 27
- remoteMongoDbRule
 - com::deusto::integration::test::common::AbstractIT, 24
 - com::deusto::unit::test::common::AbstractUT, 27
 - org::test::common::AbstractIt, 23
- reserve
 - org::ClientP::Application, 48
- reserveWithZeroBooks
 - com::deusto::integration::test::ReserveControllerITest, 142
- secondStep
 - com::deusto::controllers::RegistrController, 124
- SecurityUser
 - com::deusto::security::SecurityUser, 152
 - org::security::SecurityUser, 148
- ServerB/src/main/java/com/deusto/BookitApplication.↵
 - java, 191
- ServerB/src/main/java/com/deusto/SwaggerConfigs.↵
 - java, 198
- ServerB/src/main/java/com/deusto/WebSecurity.↵
 - Configs.java, 198
- ServerB/src/main/java/com/deusto/builders/Address.↵
 - Builder.java, 191
- ServerB/src/main/java/com/deusto/builders/Book.↵
 - Builder.java, 191
- ServerB/src/main/java/com/deusto/builders/Registr.↵
 - Builder.java, 192
- ServerB/src/main/java/com/deusto/builders/Reserve.↵
 - Builder.java, 192
- ServerB/src/main/java/com/deusto/builders/User.↵
 - Builder.java, 192
- ServerB/src/main/java/com/deusto/builders/mail/↵
 - Email.java, 192
- ServerB/src/main/java/com/deusto/controllers/Book.↵
 - Controller.java, 193
- ServerB/src/main/java/com/deusto/controllers/Index.↵
 - Controller.java, 193
- ServerB/src/main/java/com/deusto/controllers/Login.↵
 - Controller.java, 193
- ServerB/src/main/java/com/deusto/controllers/Registr.↵
 - Controller.java, 193
- ServerB/src/main/java/com/deusto/controllers/Reserve.↵
 - Controller.java, 194
- ServerB/src/main/java/com/deusto/dtos/AddressDTO.↵
 - java, 181
- ServerB/src/main/java/com/deusto/dtos/BookDTO.java, 182
- ServerB/src/main/java/com/deusto/dtos/FilterDTO.java, 182
- ServerB/src/main/java/com/deusto/dtos/LoginDTO.java, 183
- ServerB/src/main/java/com/deusto/dtos/PersonDTO.↵
 - java, 183
- ServerB/src/main/java/com/deusto/dtos/RegistrDTO.↵
 - java, 184
- ServerB/src/main/java/com/deusto/dtos/ReserveDTO.↵
 - java, 184
- ServerB/src/main/java/com/deusto/forms/email/Email.↵
 - Field.java, 194
- ServerB/src/main/java/com/deusto/forms/email/↵
 - RegistrForm.java, 194
- ServerB/src/main/java/com/deusto/models/Address.↵
 - java, 186
- ServerB/src/main/java/com/deusto/models/Book.java, 186
- ServerB/src/main/java/com/deusto/models/Registr.java, 187
- ServerB/src/main/java/com/deusto/models/Reserve.↵
 - java, 187
- ServerB/src/main/java/com/deusto/models/User.java, 188
- ServerB/src/main/java/com/deusto/repositories/↵
 - AddressRepository.java, 194
- ServerB/src/main/java/com/deusto/repositories/Book.↵
 - Repository.java, 195
- ServerB/src/main/java/com/deusto/repositories/↵
 - RegistrRepository.java, 195
- ServerB/src/main/java/com/deusto/repositories/↵
 - ReserveRepository.java, 195
- ServerB/src/main/java/com/deusto/repositories/User.↵
 - Repository.java, 195
- ServerB/src/main/java/com/deusto/security/Authentication.↵
 - Service.java, 196
- ServerB/src/main/java/com/deusto/security/Authentication.↵
 - TokenFilter.java, 188
- ServerB/src/main/java/com/deusto/security/Entry.↵
 - PointUnauthorizedHandler.java, 189
- ServerB/src/main/java/com/deusto/security/Security.↵
 - User.java, 189
- ServerB/src/main/java/com/deusto/security/Token.↵
 - Utils.java, 190
- ServerB/src/main/java/com/deusto/security/User.↵
 - DetailsServiceImpl.java, 196
- ServerB/src/main/java/com/deusto/services/Book.↵
 - Service.java, 196
- ServerB/src/main/java/com/deusto/services/Registr.↵
 - Service.java, 197
- ServerB/src/main/java/com/deusto/services/Reserve.↵
 - Service.java, 197
- ServerB/src/main/java/com/deusto/services/User.↵
 - Service.java, 197
- ServerB/src/main/java/com/deusto/services/mail/↵
 - EmailService.java, 196
- ServerB/src/main/java/com/deusto/services/template/↵
 - FreeMarkerService.java, 197
- ServerB/src/main/resources/db/changes/firstChange.↵
 - Set.js, 198
- ServerB/src/test/java/com/deusto/integration/test/↵
 - BookControllerITest.java, 198

- ServerB/src/test/java/com/deusto/integration/test/↔
IndexControllerITest.java, 198
- ServerB/src/test/java/com/deusto/integration/test/↔
LoginControllerITest.java, 199
- ServerB/src/test/java/com/deusto/integration/test/↔
RegistrControllerITest.java, 199
- ServerB/src/test/java/com/deusto/integration/test/↔
ReserveControllerITest.java, 199
- ServerB/src/test/java/com/deusto/integration/test/↔
UserControllerITest.java, 199
- ServerB/src/test/java/com/deusto/integration/test/common/↔
AbstractIT.java, 191
- ServerB/src/test/java/com/deusto/unit/test/builders/↔
AddressBuilderUTest.java, 200
- ServerB/src/test/java/com/deusto/unit/test/builders/↔
BookBuilderUTest.java, 200
- ServerB/src/test/java/com/deusto/unit/test/builders/↔
RegistrBuilderUTest.java, 200
- ServerB/src/test/java/com/deusto/unit/test/builders/↔
UserBuilderUTest.java, 200
- ServerB/src/test/java/com/deusto/unit/test/common/↔
AbstractUT.java, 201
- ServerB/src/test/java/com/deusto/unit/test/dtos/↔
AddressDTOUTest.java, 201
- ServerB/src/test/java/com/deusto/unit/test/dtos/Book↔
DTOUTest.java, 201
- ServerB/src/test/java/com/deusto/unit/test/dtos/Login↔
DTOUTest.java, 201
- ServerB/src/test/java/com/deusto/unit/test/dtos/↔
PersonDTOUTest.java, 202
- ServerB/src/test/java/com/deusto/unit/test/dtos/↔
RegistrDTOUTest.java, 202
- ServerB/src/test/java/com/deusto/unit/test/forms/↔
RegistrFormUTest.java, 202
- ServerB/src/test/java/com/deusto/unit/test/repositories/↔
BookRepositoryUTest.java, 202
- ServerB/src/test/java/com/deusto/unit/test/repositories/↔
RegistrRepostoryUTest.java, 203
- ServerB/src/test/java/com/deusto/unit/test/repositories/↔
UserRepositoryUTest.java, 203
- ServerB/src/test/java/com/deusto/unit/test/services/↔
AuthenticationServiceUTest.java, 203
- ServerB/src/test/java/com/deusto/unit/test/services/↔
BookServiceUTest.java, 203
- ServerB/src/test/java/com/deusto/unit/test/services/↔
RegistrServiceUTest.java, 204
- ServerB/src/test/java/com/deusto/unit/test/services/↔
UserServiceUTest.java, 204
- ServerB/target/classes/db/changes/firstChangeSet.js,
198
- setAccountNonExpired
com::deusto::security::SecurityUser, 154
org::security::SecurityUser, 150
- setAccountNonLocked
com::deusto::security::SecurityUser, 155
org::security::SecurityUser, 150
- setActiv
com::deusto::models::Registr, 120
org::models::Registr, 118
- setAddress
com::deusto::dtos::PersonDTO, 110
com::deusto::models::User, 163
org::dtos::PersonDTO, 113
org::models::User, 168
- setAgeLimit
com::deusto::dtos::BookDTO, 76
com::deusto::models::Book, 55
org::dtos::BookDTO, 81
org::models::Book, 61
- setApartamentNumber
com::deusto::dtos::AddressDTO, 41
com::deusto::models::Address, 30
org::dtos::AddressDTO, 44
org::models::Address, 34
- setAuthorFirstName
com::deusto::dtos::BookDTO, 77
com::deusto::models::Book, 56
org::dtos::BookDTO, 81
org::models::Book, 61
- setAuthorLastName
com::deusto::dtos::BookDTO, 77
com::deusto::models::Book, 56
org::dtos::BookDTO, 81
org::models::Book, 61
- setAuthorities
com::deusto::security::SecurityUser, 155
org::security::SecurityUser, 150
- setBirthDate
com::deusto::dtos::PersonDTO, 111
com::deusto::models::User, 163
org::dtos::PersonDTO, 113
org::models::User, 168
- setBook
com::deusto::models::Reserve, 139
org::models::Reserve, 136
- setBookId
com::deusto::dtos::ReserveDTO, 144
org::dtos::ReserveDTO, 143
- setCity
com::deusto::dtos::AddressDTO, 42
com::deusto::models::Address, 30
org::dtos::AddressDTO, 44
org::models::Address, 34
- setCount
com::deusto::dtos::BookDTO, 77
com::deusto::models::Book, 56
org::dtos::BookDTO, 82
org::models::Book, 61
- setCountry
com::deusto::dtos::AddressDTO, 42
com::deusto::models::Address, 31
org::dtos::AddressDTO, 45
org::models::Address, 34
- setCountryCode
com::deusto::dtos::PersonDTO, 111
com::deusto::models::User, 164

- org::dtos::PersonDTO, 114
- org::models::User, 168
- setCredentialsNonExpired
 - com::deusto::security::SecurityUser, 155
 - org::security::SecurityUser, 151
- setDescription
 - com::deusto::dtos::BookDTO, 77
 - com::deusto::models::Book, 56
 - org::dtos::BookDTO, 82
 - org::models::Book, 61
- setEmail
 - com::deusto::dtos::LoginDTO, 107
 - com::deusto::dtos::PersonDTO, 111
 - com::deusto::dtos::RegistrDTO, 126
 - com::deusto::forms::email::RegistrForm, 131
 - com::deusto::models::Registr, 121
 - com::deusto::models::User, 164
 - com::deusto::security::SecurityUser, 155
 - org::dtos::LoginDTO, 105
 - org::dtos::PersonDTO, 114
 - org::dtos::RegistrDTO, 128
 - org::models::Registr, 118
 - org::models::User, 168
 - org::security::SecurityUser, 151
- setEnabled
 - com::deusto::security::SecurityUser, 155
 - org::security::SecurityUser, 151
- setEncryptedPassword
 - com::deusto::dtos::LoginDTO, 107
 - org::dtos::LoginDTO, 106
- setFirstname
 - com::deusto::dtos::RegistrDTO, 127
 - com::deusto::forms::email::RegistrForm, 132
 - com::deusto::models::Registr, 121
 - com::deusto::models::User, 164
 - org::dtos::RegistrDTO, 128
 - org::models::Registr, 118
 - org::models::User, 168
- setGenre
 - com::deusto::dtos::BookDTO, 78
 - com::deusto::dtos::FilterDTO, 98
 - com::deusto::models::Book, 57
 - org::dtos::BookDTO, 82
 - org::dtos::FilterDTO, 96
 - org::models::Book, 61
- setHouseNumber
 - com::deusto::dtos::AddressDTO, 42
 - com::deusto::models::Address, 31
 - org::dtos::AddressDTO, 45
 - org::models::Address, 35
- setId
 - com::deusto::models::Address, 31
 - com::deusto::models::Book, 57
 - com::deusto::models::Registr, 121
 - com::deusto::models::Reserve, 140
 - com::deusto::models::User, 164
 - com::deusto::security::SecurityUser, 155
 - org::models::Address, 35
- org::models::Book, 61
- org::models::Registr, 118
- org::models::Reserve, 136
- org::models::User, 168
- org::security::SecurityUser, 151
- setLastPasswordReset
 - com::deusto::security::SecurityUser, 155
 - org::security::SecurityUser, 151
- setLastname
 - com::deusto::dtos::RegistrDTO, 127
 - com::deusto::forms::email::RegistrForm, 132
 - com::deusto::models::Registr, 121
 - com::deusto::models::User, 165
 - org::dtos::RegistrDTO, 128
 - org::models::Registr, 119
 - org::models::User, 168
- setPages
 - com::deusto::dtos::BookDTO, 78
 - com::deusto::models::Book, 57
 - org::dtos::BookDTO, 82
 - org::models::Book, 62
- setPassword
 - com::deusto::dtos::PersonDTO, 111
 - com::deusto::models::User, 165
 - com::deusto::security::SecurityUser, 156
 - org::dtos::PersonDTO, 114
 - org::models::User, 169
 - org::security::SecurityUser, 151
- setPhone
 - com::deusto::dtos::PersonDTO, 112
 - com::deusto::models::User, 165
 - org::dtos::PersonDTO, 114
 - org::models::User, 169
- setPostalCode
 - com::deusto::dtos::AddressDTO, 42
 - com::deusto::models::Address, 32
 - org::dtos::AddressDTO, 45
 - org::models::Address, 35
- setPublishDate
 - com::deusto::dtos::BookDTO, 78
 - com::deusto::models::Book, 58
 - org::dtos::BookDTO, 82
 - org::models::Book, 62
- setReserveDate
 - com::deusto::dtos::FilterDTO, 98
 - com::deusto::models::Reserve, 140
 - org::dtos::FilterDTO, 96
 - org::models::Reserve, 136
- setReserveExpire
 - com::deusto::dtos::FilterDTO, 99
 - com::deusto::models::Reserve, 140
 - org::dtos::FilterDTO, 96
 - org::models::Reserve, 137
- setStreet
 - com::deusto::dtos::AddressDTO, 43
 - com::deusto::models::Address, 32
 - org::dtos::AddressDTO, 45
 - org::models::Address, 35

- setTags
 - com::deusto::dtos::BookDTO, 79
 - com::deusto::models::Book, 58
 - org::dtos::BookDTO, 82
 - org::models::Book, 62
- setTitle
 - com::deusto::dtos::BookDTO, 79
 - com::deusto::dtos::FilterDTO, 99
 - com::deusto::models::Book, 58
 - org::dtos::BookDTO, 82
 - org::dtos::FilterDTO, 96
 - org::models::Book, 62
- setToken
 - org::models::Token, 157
- setUrl
 - com::deusto::forms::email::RegistrForm, 132
- setUser
 - com::deusto::models::Reserve, 140
 - org::models::Reserve, 137
- setup
 - com::deusto::unit::test::common::AbstractUT, 26
- startConnectionGet
 - org::ClientP::Application, 48
- street
 - com::deusto::builders::AddressBuilder, 38
- subject
 - com::deusto::builders::mail::Email, 91
- tags
 - com::deusto::builders::BookBuilder, 67
- text
 - com::deusto::builders::mail::Email, 92
- title
 - com::deusto::builders::BookBuilder, 69
- to
 - com::deusto::builders::mail::Email, 92
- unAuth
 - com::deusto::controllers::IndexController, 100
- unauth
 - com::deusto::integration::test::IndexControllerITest, 101
- update
 - com::deusto::services::BookService, 90
 - com::deusto::services::RegistrService, 135
 - com::deusto::services::ReserveService, 147
 - com::deusto::services::UserService, 178
- User
 - org::models::User, 166
- userRepository
 - com::deusto::unit::test::common::AbstractUT, 27
- userService
 - com::deusto::unit::test::common::AbstractUT, 28
- validAddressBuilder
 - com::deusto::unit::test::builders::AddressBuilder↔UTest, 39
- validAddressBuilderMethodStyle
 - com::deusto::unit::test::builders::AddressBuilder↔UTest, 39
- validBookBuilderMethodStyle
 - com::deusto::unit::test::builders::BookBuilderU↔Test, 70
- validBookBuilderUTest
 - com::deusto::unit::test::builders::BookBuilderU↔Test, 70
- validBookDTO
 - com::deusto::unit::test::dtos::AddressDTOUTest, 46
 - com::deusto::unit::test::dtos::BookDTOUTest, 83
- validLoginDTO
 - com::deusto::unit::test::dtos::LoginDTOUTest, 108
- validPersonDTO
 - com::deusto::unit::test::dtos::PersonDTOUTest, 115
- validPostRegistr
 - com::deusto::integration::test::RegistrControllerI↔Test, 125
- validRegistrBuilder
 - com::deusto::unit::test::builders::RegistrBuilderU↔Test, 123
- validRegistrDTO
 - com::deusto::unit::test::dtos::RegistrDTOUTest, 130
- validUserBuilder
 - com::deusto::unit::test::builders::UserBuilderUTest, 174
- validUserBuilderMethodStyle
 - com::deusto::unit::test::builders::UserBuilderUTest, 174
- validate
 - com::deusto::unit::test::common::AbstractUT, 26
- validateToken
 - com::deusto::security::TokenUtils, 158
 - org::security::TokenUtils, 160
- validator
 - com::deusto::unit::test::common::AbstractUT, 28