

SPQ-03 Doxygen

Generated by Doxygen 1.8.13



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Packages . . . . .	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Class Index</b>	<b>5</b>
3.1	Class List . . . . .	5
<b>4</b>	<b>File Index</b>	<b>7</b>
4.1	File List . . . . .	7
<b>5</b>	<b>Namespace Documentation</b>	<b>9</b>
5.1	Package es . . . . .	9
5.2	Package es.deusto . . . . .	9
5.3	Package es.deusto.client . . . . .	9
5.4	Package es.deusto.server . . . . .	9
5.5	Package es.deusto.server.db . . . . .	10
5.6	Package es.deusto.server.db.dao . . . . .	10
5.7	Package es.deusto.server.db.data . . . . .	10
5.8	Package es.deusto.server.remote . . . . .	10

<b>6</b>	<b>Class Documentation</b>	<b>11</b>
6.1	es.deusto.client.Client Class Reference	11
6.1.1	Detailed Description	11
6.1.2	Constructor & Destructor Documentation	11
6.1.2.1	Client()	12
6.1.3	Member Function Documentation	12
6.1.3.1	actionPerformed()	12
6.1.3.2	main()	12
6.1.3.3	rellenarTablaProd()	12
6.1.3.4	rellenarTablaUser()	12
6.2	es.deusto.server.db.dao.DAO Class Reference	13
6.2.1	Detailed Description	13
6.2.2	Constructor & Destructor Documentation	13
6.2.2.1	DAO()	13
6.2.3	Member Function Documentation	13
6.2.3.1	getAllProd()	14
6.2.3.2	getAllUser()	14
6.2.3.3	retrieveMoney()	14
6.2.3.4	retrieveProdSearch()	14
6.2.3.5	retrieveUser()	14
6.2.3.6	storeMoney()	15
6.2.3.7	storeProd()	15
6.2.3.8	storeUser()	15
6.2.3.9	updateMoney()	15
6.2.3.10	updateProd()	15
6.2.3.11	updateUser()	16
6.3	es.deusto.server.db.DB Class Reference	16
6.3.1	Detailed Description	16
6.3.2	Constructor & Destructor Documentation	16
6.3.2.1	DB() [1/2]	17

6.3.2.2	DB() [2/2]	17
6.3.3	Member Function Documentation	17
6.3.3.1	buyProd()	17
6.3.3.2	getAllProd()	17
6.3.3.3	insertMoney()	17
6.3.3.4	insertProd()	18
6.3.3.5	insertUser()	18
6.3.3.6	showProd()	18
6.3.3.7	showUser()	18
6.4	es.deusto.server.db.dao.IDAO Interface Reference	19
6.4.1	Detailed Description	19
6.4.2	Member Function Documentation	19
6.4.2.1	getAllProd()	19
6.4.2.2	getAllUser()	19
6.4.2.3	retrieveMoney()	20
6.4.2.4	retrieveProdSearch()	20
6.4.2.5	retrieveUser()	20
6.4.2.6	storeMoney()	20
6.4.2.7	storeProd()	20
6.4.2.8	storeUser()	20
6.4.2.9	updateMoney()	21
6.4.2.10	updateProd()	21
6.4.2.11	updateUser()	21
6.5	es.deusto.server.db.IDB Interface Reference	21
6.5.1	Detailed Description	22
6.5.2	Member Function Documentation	22
6.5.2.1	buyProd()	22
6.5.2.2	getAllProd()	22
6.5.2.3	insertMoney()	22
6.5.2.4	insertProd()	22

6.5.2.5	<a href="#">insertUser()</a>	23
6.5.2.6	<a href="#">showProd()</a>	23
6.5.2.7	<a href="#">showUser()</a>	23
6.6	<a href="#">es.deusto.server.remote.ITransferer Interface Reference</a>	23
6.6.1	<a href="#">Detailed Description</a>	24
6.6.2	<a href="#">Member Function Documentation</a>	24
6.6.2.1	<a href="#">buyProd()</a>	24
6.6.2.2	<a href="#">getAllProd()</a>	24
6.6.2.3	<a href="#">getAllUser()</a>	24
6.6.2.4	<a href="#">getUser()</a>	24
6.6.2.5	<a href="#">registerProd()</a>	25
6.6.2.6	<a href="#">registerUser()</a>	25
6.6.2.7	<a href="#">searchProd()</a>	25
6.6.2.8	<a href="#">sendMoney()</a>	25
6.7	<a href="#">es.deusto.server.JUnitTest Class Reference</a>	26
6.7.1	<a href="#">Detailed Description</a>	26
6.7.2	<a href="#">Member Function Documentation</a>	26
6.7.2.1	<a href="#">RegisterProductTest()</a>	26
6.7.2.2	<a href="#">setUp()</a>	27
6.7.2.3	<a href="#">setUpUser()</a>	27
6.7.2.4	<a href="#">stablishConnection()</a>	27
6.7.2.5	<a href="#">suite()</a>	27
6.7.2.6	<a href="#">tearDown()</a>	27
6.7.2.7	<a href="#">testBuyProduct()</a>	27
6.7.2.8	<a href="#">testGetAllProd()</a>	28
6.7.2.9	<a href="#">testGetAmount()</a>	28
6.7.2.10	<a href="#">testGetCharacteristics()</a>	28
6.7.2.11	<a href="#">testGetLogin()</a>	28
6.7.2.12	<a href="#">testGetMoney()</a>	28
6.7.2.13	<a href="#">testGetName()</a>	28

6.7.2.14	<a href="#">testGetPassword()</a>	29
6.7.2.15	<a href="#">testGetProd()</a>	29
6.7.2.16	<a href="#">testGetSender()</a>	29
6.7.2.17	<a href="#">testGetUser()</a>	29
6.7.2.18	<a href="#">testRegisterUser()</a>	29
6.7.2.19	<a href="#">testRetrieveMoney()</a>	29
6.7.2.20	<a href="#">testRetrieveUser()</a>	30
6.7.2.21	<a href="#">testSearchProduct()</a>	30
6.7.2.22	<a href="#">testSendMoney()</a>	30
6.7.2.23	<a href="#">testStoreMoney()</a>	30
6.7.2.24	<a href="#">testStoreProduct()</a>	30
6.7.2.25	<a href="#">testStoreUser()</a>	30
6.7.2.26	<a href="#">testUpdateMoney()</a>	31
6.7.2.27	<a href="#">testUpdateProduct()</a>	31
6.8	<a href="#">es.deusto.server.db.data.Money Class Reference</a>	31
6.8.1	<a href="#">Detailed Description</a>	31
6.8.2	<a href="#">Constructor &amp; Destructor Documentation</a>	31
6.8.2.1	<a href="#">Money()</a>	32
6.8.3	<a href="#">Member Function Documentation</a>	32
6.8.3.1	<a href="#">getAmount()</a>	32
6.8.3.2	<a href="#">getProd()</a>	32
6.8.3.3	<a href="#">getSender()</a>	32
6.8.3.4	<a href="#">setProduct()</a>	32
6.8.3.5	<a href="#">setUserSending()</a>	33
6.8.3.6	<a href="#">toString()</a>	33
6.9	<a href="#">es.deusto.client.NewProdWindow Class Reference</a>	33
6.9.1	<a href="#">Detailed Description</a>	33
6.9.2	<a href="#">Constructor &amp; Destructor Documentation</a>	33
6.9.2.1	<a href="#">NewProdWindow()</a>	34
6.9.3	<a href="#">Member Function Documentation</a>	34

6.9.3.1	<a href="#">actionPerformed()</a>	34
6.9.3.2	<a href="#">setTransferer()</a>	34
6.10	<a href="#">es.deusto.server.db.data.Product Class Reference</a>	34
6.10.1	<a href="#">Detailed Description</a>	35
6.10.2	<a href="#">Constructor &amp; Destructor Documentation</a>	35
6.10.2.1	<a href="#">Product()</a>	35
6.10.3	<a href="#">Member Function Documentation</a>	35
6.10.3.1	<a href="#">dnGetuser()</a>	35
6.10.3.2	<a href="#">getBuyersPayment()</a>	35
6.10.3.3	<a href="#">getCharacteristics()</a>	35
6.10.3.4	<a href="#">getName()</a>	36
6.10.3.5	<a href="#">setName()</a>	36
6.10.3.6	<a href="#">setOwner()</a>	36
6.10.3.7	<a href="#">toString()</a>	36
6.10.3.8	<a href="#">toStringShort()</a>	36
6.11	<a href="#">es.deusto.server.Server Class Reference</a>	36
6.11.1	<a href="#">Detailed Description</a>	37
6.11.2	<a href="#">Member Function Documentation</a>	37
6.11.2.1	<a href="#">main()</a>	37
6.12	<a href="#">es.deusto.server.remote.Transferer Class Reference</a>	37
6.12.1	<a href="#">Detailed Description</a>	37
6.12.2	<a href="#">Constructor &amp; Destructor Documentation</a>	38
6.12.2.1	<a href="#">Transferer() [1/2]</a>	38
6.12.2.2	<a href="#">Transferer() [2/2]</a>	38
6.12.3	<a href="#">Member Function Documentation</a>	38
6.12.3.1	<a href="#">buyProd()</a>	38
6.12.3.2	<a href="#">getAllProd()</a>	38
6.12.3.3	<a href="#">getAllUser()</a>	39
6.12.3.4	<a href="#">getUser()</a>	39
6.12.3.5	<a href="#">registerProd()</a>	39



6.12.3.6	<a href="#">registerUser()</a>	39
6.12.3.7	<a href="#">searchProd()</a>	39
6.12.3.8	<a href="#">sendMoney()</a>	40
6.13	<a href="#">es.deusto.server.db.data.User Class Reference</a>	40
6.13.1	<a href="#">Detailed Description</a>	40
6.13.2	<a href="#">Constructor &amp; Destructor Documentation</a>	40
6.13.2.1	<a href="#">User()</a>	41
6.13.3	<a href="#">Member Function Documentation</a>	41
6.13.3.1	<a href="#">addMoney()</a>	41
6.13.3.2	<a href="#">getLogin()</a>	41
6.13.3.3	<a href="#">getMoney()</a>	41
6.13.3.4	<a href="#">getPassword()</a>	41
6.13.3.5	<a href="#">getSuper()</a>	42
6.13.3.6	<a href="#">removeMoney()</a>	42
6.13.3.7	<a href="#">setAmount()</a>	42
6.13.3.8	<a href="#">setPassword()</a>	42
6.13.3.9	<a href="#">setSuper()</a>	42
6.13.3.10	<a href="#">toString()</a>	42
<b>7</b>	<b><a href="#">File Documentation</a></b>	<b>43</b>
7.1	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/Client.java File Reference</a>	43
7.2	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/NewProdWindow.java File Reference</a>	43
7.3	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/DAO.java File Reference</a>	43
7.4	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/IDAO.java File Reference</a>	44
7.5	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Money.java File Reference</a>	44
7.6	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Product.java File Reference</a>	44
7.7	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/User.java File Reference</a>	44
7.8	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/DB.java File Reference</a>	45
7.9	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/IDB.java File Reference</a>	45
7.10	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ITransferer.java File Reference</a>	45
7.11	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/Transferer.java File Reference</a>	45
7.12	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/Server.java File Reference</a>	46
7.13	<a href="#">C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/JUnitTest.java File Reference</a>	46
	<b><a href="#">Index</a></b>	<b>47</b>



# Chapter 1

## Namespace Index

### 1.1 Packages

Here are the packages with brief descriptions (if available):

<a href="#">es</a>	9
<a href="#">es.deusto</a>	9
<a href="#">es.deusto.client</a>	9
<a href="#">es.deusto.server</a>	9
<a href="#">es.deusto.server.db</a>	10
<a href="#">es.deusto.server.db.dao</a>	10
<a href="#">es.deusto.server.db.data</a>	10
<a href="#">es.deusto.server.remote</a>	10



## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

es.deusto.server.db.dao.IDAO . . . . .	19
es.deusto.server.db.dao.DAO . . . . .	13
es.deusto.server.db.IDB . . . . .	21
es.deusto.server.db.DB . . . . .	16
es.deusto.server.JUnitTest . . . . .	26
es.deusto.server.Server . . . . .	36
ActionListener	
es.deusto.client.Client . . . . .	11
es.deusto.client.NewProdWindow . . . . .	33
JFrame	
es.deusto.client.Client . . . . .	11
es.deusto.client.NewProdWindow . . . . .	33
Remote	
es.deusto.server.remote.ITransferer . . . . .	23
es.deusto.server.remote.Transferer . . . . .	37
Serializable	
es.deusto.server.db.data.Money . . . . .	31
es.deusto.server.db.data.Product . . . . .	34
es.deusto.server.db.data.User . . . . .	40
UnicastRemoteObject	
es.deusto.server.remote.Transferer . . . . .	37



## Chapter 3

# Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">es.deusto.client.Client</a>	11
<a href="#">es.deusto.server.db.dao.DAO</a>	13
<a href="#">es.deusto.server.db.DB</a>	16
<a href="#">es.deusto.server.db.dao.IDAO</a>	19
<a href="#">es.deusto.server.db.IDB</a>	21
<a href="#">es.deusto.server.remote.ITransferer</a>	23
<a href="#">es.deusto.server.JUnitTest</a>	26
<a href="#">es.deusto.server.db.data.Money</a>	31
<a href="#">es.deusto.client.NewProdWindow</a>	33
<a href="#">es.deusto.server.db.data.Product</a>	34
<a href="#">es.deusto.server.Server</a>	36
<a href="#">es.deusto.server.remote.Transferer</a>	37
<a href="#">es.deusto.server.db.data.User</a>	40





## Chapter 4

# File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/ <a href="#">Client.java</a> . . . . .	43
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/ <a href="#">NewProdWindow.java</a> . . . . .	43
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/ <a href="#">Server.java</a> . . . . .	46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/ <a href="#">DB.java</a> . . . . .	45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/ <a href="#">IDB.java</a> . . . . .	45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/ <a href="#">DAO.java</a> . . . . .	43
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/ <a href="#">IDAO.java</a> . . . . .	44
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/ <a href="#">Money.java</a> . . . . .	44
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/ <a href="#">Product.java</a> . . . . .	44
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/ <a href="#">User.java</a> . . . . .	44
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ <a href="#">ITransferer.java</a> . . . . .	45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ <a href="#">Transferer.java</a> . . . . .	45
C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/ <a href="#">JUnitTest.java</a> . . . . .	46



## Chapter 5

# Namespace Documentation

### 5.1 Package es

#### Packages

- package [deusto](#)

### 5.2 Package es.deusto

#### Packages

- package [client](#)
- package [server](#)

### 5.3 Package es.deusto.client

#### Classes

- class [Client](#)
- class [NewProdWindow](#)

### 5.4 Package es.deusto.server

#### Packages

- package [db](#)
- package [remote](#)

#### Classes

- class [JUnitTest](#)
- class [Server](#)

## 5.5 Package es.deusto.server.db

### Packages

- package [dao](#)
- package [data](#)

### Classes

- class [DB](#)
- interface [IDB](#)

## 5.6 Package es.deusto.server.db.dao

### Classes

- class [DAO](#)
- interface [IDAO](#)

## 5.7 Package es.deusto.server.db.data

### Classes

- class [Money](#)
- class [Product](#)
- class [User](#)

## 5.8 Package es.deusto.server.remote

### Classes


- interface [ITransferer](#)
- class [Transferer](#)

## Chapter 6

# Class Documentation

### 6.1 es.deusto.client.Client Class Reference

Inheritance diagram for es.deusto.client.Client:



#### Public Member Functions

- [Client](#) ()
- void [actionPerformed](#) (ActionEvent e)
- void [rellenarTablaProd](#) (ArrayList< [Product](#) > pList)
- void [rellenarTablaUser](#) (ArrayList< [User](#) > uList)

#### Static Public Member Functions

- static void [main](#) (String[] args)

#### 6.1.1 Detailed Description

Definition at line 28 of file Client.java.

#### 6.1.2 Constructor & Destructor Documentation

### 6.1.2.1 Client()

```
es.deusto.client.Client.Client ( )
```

Definition at line 56 of file Client.java.

## 6.1.3 Member Function Documentation

### 6.1.3.1 actionPerformed()

```
void es.deusto.client.Client.actionPerformed (
    ActionEvent e )
```

Definition at line 214 of file Client.java.

### 6.1.3.2 main()

```
static void es.deusto.client.Client.main (
    String [] args ) [static]
```

Definition at line 189 of file Client.java.

### 6.1.3.3 rellenarTablaProd()

```
void es.deusto.client.Client.rellenarTablaProd (
    ArrayList< Product > pList )
```

Definition at line 311 of file Client.java.

### 6.1.3.4 rellenarTablaUser()

```
void es.deusto.client.Client.rellenarTablaUser (
    ArrayList< User > uList )
```


Definition at line 324 of file Client.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/[Client.java](#)

## 6.2 es.deusto.server.db.dao.DAO Class Reference

Inheritance diagram for es.deusto.server.db.dao.DAO:



### Public Member Functions

- [DAO](#) ()
- boolean [storeUser](#) ([User](#) u)
- List< [User](#) > [getAllUser](#) ()
- [User](#) [retrieveUser](#) (String login)
- boolean [updateUser](#) ([User](#) u)
- boolean [storeProd](#) ([Product](#) p)
- List< [Product](#) > [getAllProd](#) ()
- [Product](#) [retrieveProdSearch](#) (String name)
- boolean [updateProd](#) ([Product](#) p)
- boolean [storeMoney](#) ([Money](#) m)
- [Money](#) [retrieveMoney](#) (int amount)
- boolean [updateMoney](#) ([Money](#) m)

### 6.2.1 Detailed Description

Definition at line 12 of file DAO.java.

### 6.2.2 Constructor & Destructor Documentation

#### 6.2.2.1 DAO()

```
es.deusto.server.db.dao.DAO.DAO ( )
```

Definition at line 16 of file DAO.java.

### 6.2.3 Member Function Documentation

#### 6.2.3.1 getAllProd()

```
List<Product> es.deusto.server.db.dao.DAO.getAllProd ( )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 151 of file DAO.java.

#### 6.2.3.2 getAllUser()

```
List<User> es.deusto.server.db.dao.DAO.getAllUser ( )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 46 of file DAO.java.

#### 6.2.3.3 retrieveMoney()

```
Money es.deusto.server.db.dao.DAO.retrieveMoney (
    int amount )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 254 of file DAO.java.

#### 6.2.3.4 retrieveProdSearch()

```
Product es.deusto.server.db.dao.DAO.retrieveProdSearch (
    String name )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 181 of file DAO.java.

#### 6.2.3.5 retrieveUser()

```
User es.deusto.server.db.dao.DAO.retrieveUser (
    String login )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 79 of file DAO.java.



#### 6.2.3.6 storeMoney()

```
boolean es.deusto.server.db.dao.DAO.storeMoney (
    Money m )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 230 of file DAO.java.

#### 6.2.3.7 storeProd()

```
boolean es.deusto.server.db.dao.DAO.storeProd (
    Product p )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 128 of file DAO.java.

#### 6.2.3.8 storeUser()

```
boolean es.deusto.server.db.dao.DAO.storeUser (
    User u )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 21 of file DAO.java.

#### 6.2.3.9 updateMoney()

```
boolean es.deusto.server.db.dao.DAO.updateMoney (
    Money m )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 279 of file DAO.java.

#### 6.2.3.10 updateProd()

```
boolean es.deusto.server.db.dao.DAO.updateProd (
    Product p )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 208 of file DAO.java.

### 6.2.3.11 updateUser()

```
boolean es.deusto.server.db.dao.DAO.updateUser (
    User u )
```

Implements [es.deusto.server.db.dao.IDAO](#).


Definition at line 105 of file DAO.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/[DAO.java](#)

## 6.3 es.deusto.server.db.DB Class Reference

Inheritance diagram for es.deusto.server.db.DB:



### Public Member Functions

- [DB](#) ()
- [DB](#) (IDAO idao)
- List< [Product](#) > [getAllProd](#) ()
- [Product](#) [showProd](#) (String name)
- [User](#) [showUser](#) (String login)
- boolean [insertProd](#) ([Product](#) p)
- boolean [insertUser](#) ([User](#) u)
- boolean [insertMoney](#) ([Money](#) m)
- boolean [buyProd](#) (String loginB, String loginS, String name, int amount)

### 6.3.1 Detailed Description

Definition at line 16 of file DB.java.

### 6.3.2 Constructor & Destructor Documentation

### 6.3.2.1 DB() [1/2]

```
es.deusto.server.db.DB.DB ( )
```

Definition at line 23 of file DB.java.

### 6.3.2.2 DB() [2/2]

```
es.deusto.server.db.DB.DB (
    IDAO idao )
```

Definition at line 28 of file DB.java.

## 6.3.3 Member Function Documentation

### 6.3.3.1 buyProd()

```
boolean es.deusto.server.db.DB.buyProd (
    String loginB,
    String loginS,
    String name,
    int amount )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 134 of file DB.java.

### 6.3.3.2 getAllProd()

```
List<Product> es.deusto.server.db.DB.getAllProd ( )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 34 of file DB.java.

### 6.3.3.3 insertMoney()

```
boolean es.deusto.server.db.DB.insertMoney (
    Money m )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 113 of file DB.java.

#### 6.3.3.4 insertProd()

```
boolean es.deusto.server.db.DB.insertProd (
    Product p )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 67 of file DB.java.

#### 6.3.3.5 insertUser()

```
boolean es.deusto.server.db.DB.insertUser (
    User u )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 90 of file DB.java.

#### 6.3.3.6 showProd()

```
Product es.deusto.server.db.DB.showProd (
    String name )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 45 of file DB.java.

#### 6.3.3.7 showUser()

```
User es.deusto.server.db.DB.showUser (
    String login )
```

Implements [es.deusto.server.db.IDB](#).


Definition at line 56 of file DB.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/[DB.java](#)

## 6.4 es.deusto.server.db.dao.IDAO Interface Reference

Inheritance diagram for es.deusto.server.db.dao.IDAO:



### Public Member Functions

- boolean [storeUser](#) ([User](#) u)
- List< [User](#) > [getAllUser](#) ()
- [User](#) [retrieveUser](#) (String login)
- boolean [updateUser](#) ([User](#) u)
- boolean [storeProd](#) ([Product](#) p)
- List< [Product](#) > [getAllProd](#) ()
- [Product](#) [retrieveProdSearch](#) (String name)
- boolean [updateProd](#) ([Product](#) p)
- boolean [storeMoney](#) ([Money](#) m)
- [Money](#) [retrieveMoney](#) (int amount)
- boolean [updateMoney](#) ([Money](#) m)

### 6.4.1 Detailed Description

Definition at line 7 of file IDAO.java.

### 6.4.2 Member Function Documentation

#### 6.4.2.1 [getAllProd\(\)](#)

```
List<Product> es.deusto.server.db.dao.IDAO.getAllProd ( )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.2 [getAllUser\(\)](#)

```
List<User> es.deusto.server.db.dao.IDAO.getAllUser ( )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.3 retrieveMoney()

```
Money es.deusto.server.db.dao.IDAO.retrieveMoney (
    int amount )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.4 retrieveProdSearch()

```
Product es.deusto.server.db.dao.IDAO.retrieveProdSearch (
    String name )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.5 retrieveUser()

```
User es.deusto.server.db.dao.IDAO.retrieveUser (
    String login )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.6 storeMoney()

```
boolean es.deusto.server.db.dao.IDAO.storeMoney (
    Money m )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.7 storeProd()

```
boolean es.deusto.server.db.dao.IDAO.storeProd (
    Product p )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.8 storeUser()

```
boolean es.deusto.server.db.dao.IDAO.storeUser (
    User u )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.9 updateMoney()

```
boolean es.deusto.server.db.dao.IDAO.updateMoney (
    Money m )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.10 updateProd()

```
boolean es.deusto.server.db.dao.IDAO.updateProd (
    Product p )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

#### 6.4.2.11 updateUser()

```
boolean es.deusto.server.db.dao.IDAO.updateUser (
    User u )
```


Implemented in [es.deusto.server.db.dao.DAO](#).

The documentation for this interface was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/[IDAO.java](#)

## 6.5 es.deusto.server.db.IDB Interface Reference

Inheritance diagram for es.deusto.server.db.IDB:



### Public Member Functions

- List< [Product](#) > [getAllProd](#) ()
- boolean [buyProd](#) (String loginB, String loginS, String name, int amount)
- boolean [insertUser](#) ([User](#) u)
- boolean [insertProd](#) ([Product](#) p)
- boolean [insertMoney](#) ([Money](#) m)
- [Product](#) [showProd](#) (String name)
- [User](#) [showUser](#) (String login)

### 6.5.1 Detailed Description

Definition at line 8 of file IDB.java.

### 6.5.2 Member Function Documentation

#### 6.5.2.1 buyProd()

```
boolean es.deusto.server.db.IDB.buyProd (
    String loginB,
    String loginS,
    String name,
    int amount )
```

Implemented in [es.deusto.server.db.DB](#).

#### 6.5.2.2 getAllProd()

```
List<Product> es.deusto.server.db.IDB.getAllProd ( )
```

Implemented in [es.deusto.server.db.DB](#).

#### 6.5.2.3 insertMoney()

```
boolean es.deusto.server.db.IDB.insertMoney (
    Money m )
```

Implemented in [es.deusto.server.db.DB](#).

#### 6.5.2.4 insertProd()

```
boolean es.deusto.server.db.IDB.insertProd (
    Product p )
```

Implemented in [es.deusto.server.db.DB](#).



## 6.5.2.5 insertUser()

```
boolean es.deusto.server.db.IDB.insertUser (
    User u )
```

Implemented in [es.deusto.server.db.DB](#).

## 6.5.2.6 showProd()

```
Product es.deusto.server.db.IDB.showProd (
    String name )
```

Implemented in [es.deusto.server.db.DB](#).

## 6.5.2.7 showUser()

```
User es.deusto.server.db.IDB.showUser (
    String login )
```


Implemented in [es.deusto.server.db.DB](#).

The documentation for this interface was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/IDB.java

## 6.6 es.deusto.server.remote.ITransferer Interface Reference

Inheritance diagram for es.deusto.server.remote.ITransferer:



## Public Member Functions

- boolean [sendMoney](#) (String loginR, int amount, String loginS) throws RemoteException
- ArrayList< [User](#) > [getAllUser](#) () throws RemoteException
- boolean [registerUser](#) ([User](#) u) throws RemoteException
- [User](#) [getUser](#) (String login) throws RemoteException
- ArrayList< [Product](#) > [getAllProd](#) () throws RemoteException
- [Product](#) [searchProd](#) (String name) throws RemoteException
- boolean [buyProd](#) (String loginB, [Product](#) p, int amount, String loginS) throws RemoteException
- boolean [registerProd](#) ([Product](#) p) throws RemoteException

### 6.6.1 Detailed Description

Definition at line 10 of file ITransferer.java.

### 6.6.2 Member Function Documentation

#### 6.6.2.1 buyProd()

```
boolean es.deusto.server.remote.ITransferer.buyProd (
    String loginB,
    Product p,
    int amount,
    String loginS ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

#### 6.6.2.2 getAllProd()

```
ArrayList<Product> es.deusto.server.remote.ITransferer.getAllProd ( ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

#### 6.6.2.3 getAllUser()

```
ArrayList<User> es.deusto.server.remote.ITransferer.getAllUser ( ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

#### 6.6.2.4 getUser()

```
User es.deusto.server.remote.ITransferer.getUser (
    String login ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

#### 6.6.2.5 registerProd()

```
boolean es.deusto.server.remote.ITransferer.registerProd (
    Product p ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

#### 6.6.2.6 registerUser()

```
boolean es.deusto.server.remote.ITransferer.registerUser (
    User u ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

#### 6.6.2.7 searchProd()

```
Product es.deusto.server.remote.ITransferer.searchProd (
    String name ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

#### 6.6.2.8 sendMoney()

```
boolean es.deusto.server.remote.ITransferer.sendMoney (
    String loginR,
    int amount,
    String loginS ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

The documentation for this interface was generated from the following file:

- [C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ITransferer.java](#)

## 6.7 es.deusto.server.JUnitTest Class Reference

### Public Member Functions

- void [setUpUser](#) ()
- void [stablishConnection](#) ()
- void [RegisterProductTest](#) ()
- void [testRegisterUser](#) ()
- void [testGetUser](#) ()
- void [testSearchProduct](#) ()
- void [testStoreUser](#) ()
- void [testRetrieveUser](#) ()
- void [testStoreProduct](#) ()
- void [testGetAllProd](#) ()
- void [testUpdateProduct](#) ()
- void [testBuyProduct](#) ()
- void [testUpdateMoney](#) ()
- void [testStoreMoney](#) ()
- void [testRetrieveMoney](#) ()
- void [testSendMoney](#) ()
- void [testGetSender](#) ()
- void [testGetProd](#) ()
- void [testGetAmount](#) ()
- void [testGetName](#) ()
- void [testGetCharacteristics](#) ()
- void [testGetLogin](#) ()
- void [testGetPassword](#) ()
- void [testGetMoney](#) ()

### Static Public Member Functions

- static junit.framework.Test [suite](#) ()
- static void [setUp](#) ()
- static void [tearDown](#) ()

### 6.7.1 Detailed Description

Definition at line 44 of file JUnitTest.java.

### 6.7.2 Member Function Documentation

#### 6.7.2.1 RegisterProductTest()

```
void es.deusto.server.JUnitTest.RegisterProductTest ( )
```

Definition at line 223 of file JUnitTest.java.

### 6.7.2.2 setUp()

```
static void es.deusto.server.JUnitTest.setUp ( ) [static]
```

Definition at line 67 of file JUnitTest.java.

### 6.7.2.3 setUpUser()

```
void es.deusto.server.JUnitTest.setUpUser ( )
```

Definition at line 157 of file JUnitTest.java.

### 6.7.2.4 stablshConnection()

```
void es.deusto.server.JUnitTest.stablshConnection ( )
```

Definition at line 210 of file JUnitTest.java.

### 6.7.2.5 suite()

```
static junit.framework.Test es.deusto.server.JUnitTest.suite ( ) [static]
```

Definition at line 62 of file JUnitTest.java.

### 6.7.2.6 tearDown()

```
static void es.deusto.server.JUnitTest.tearDown ( ) [static]
```

Definition at line 442 of file JUnitTest.java.

### 6.7.2.7 testBuyProduct()

```
void es.deusto.server.JUnitTest.testBuyProduct ( )
```

Definition at line 357 of file JUnitTest.java.

**6.7.2.8 testGetAllProd()**

```
void es.deusto.server.JUnitTest.testGetAllProd ( )
```

Definition at line 331 of file JUnitTest.java.

**6.7.2.9 testGetAmount()**

```
void es.deusto.server.JUnitTest.testGetAmount ( )
```

Definition at line 405 of file JUnitTest.java.

**6.7.2.10 testGetCharacteristics()**

```
void es.deusto.server.JUnitTest.testGetCharacteristics ( )
```

Definition at line 417 of file JUnitTest.java.

**6.7.2.11 testGetLogin()**

```
void es.deusto.server.JUnitTest.testGetLogin ( )
```

Definition at line 423 of file JUnitTest.java.

**6.7.2.12 testGetMoney()**

```
void es.deusto.server.JUnitTest.testGetMoney ( )
```

Definition at line 436 of file JUnitTest.java.

**6.7.2.13 testGetName()**

```
void es.deusto.server.JUnitTest.testGetName ( )
```

Definition at line 411 of file JUnitTest.java.

**6.7.2.14 testGetPassword()**

```
void es.deusto.server.JUnitTest.testGetPassword ( )
```

Definition at line 430 of file JUnitTest.java.

**6.7.2.15 testGetProd()**

```
void es.deusto.server.JUnitTest.testGetProd ( )
```

Definition at line 398 of file JUnitTest.java.

**6.7.2.16 testGetSender()**

```
void es.deusto.server.JUnitTest.testGetSender ( )
```

Definition at line 390 of file JUnitTest.java.

**6.7.2.17 testGetUser()**

```
void es.deusto.server.JUnitTest.testGetUser ( )
```

Definition at line 243 of file JUnitTest.java.

**6.7.2.18 testRegisterUser()**

```
void es.deusto.server.JUnitTest.testRegisterUser ( )
```

Definition at line 234 of file JUnitTest.java.

**6.7.2.19 testRetrieveMoney()**

```
void es.deusto.server.JUnitTest.testRetrieveMoney ( )
```

Definition at line 380 of file JUnitTest.java.

**6.7.2.20 testRetrieveUser()**

```
void es.deusto.server.JUnitTest.testRetrieveUser ( )
```

Definition at line 287 of file JUnitTest.java.

**6.7.2.21 testSearchProduct()**

```
void es.deusto.server.JUnitTest.testSearchProduct ( )
```

Definition at line 255 of file JUnitTest.java.

**6.7.2.22 testSendMoney()**

```
void es.deusto.server.JUnitTest.testSendMoney ( )
```

Definition at line 385 of file JUnitTest.java.

**6.7.2.23 testStoreMoney()**

```
void es.deusto.server.JUnitTest.testStoreMoney ( )
```

Definition at line 371 of file JUnitTest.java.

**6.7.2.24 testStoreProduct()**

```
void es.deusto.server.JUnitTest.testStoreProduct ( )
```

Definition at line 323 of file JUnitTest.java.

**6.7.2.25 testStoreUser()**

```
void es.deusto.server.JUnitTest.testStoreUser ( )
```

Definition at line 267 of file JUnitTest.java.



#### 6.7.2.26 testUpdateMoney()

```
void es.deusto.server.JUnitTest.testUpdateMoney ( )
```

Definition at line 362 of file JUnitTest.java.

#### 6.7.2.27 testUpdateProduct()

```
void es.deusto.server.JUnitTest.testUpdateProduct ( )
```


Definition at line 336 of file JUnitTest.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/[JUnitTest.java](#)

## 6.8 es.deusto.server.db.data.Money Class Reference

Inheritance diagram for es.deusto.server.db.data.Money:



### Public Member Functions

- [Money](#) (int amount)
- [User](#) `getSender` ()
- [Product](#) `getProd` ()
- void `setUserSending` ([User](#) sender)
- void `setProduct` ([Product](#) p)
- int `getAmount` ()
- String `toString` ()

### 6.8.1 Detailed Description

Definition at line 13 of file Money.java.

### 6.8.2 Constructor & Destructor Documentation

### 6.8.2.1 Money()

```
es.deusto.server.db.data.Money.Money (
    int amount )
```

Definition at line 25 of file Money.java.

## 6.8.3 Member Function Documentation

### 6.8.3.1 getAmount()

```
int es.deusto.server.db.data.Money.getAmount ( )
```

Definition at line 46 of file Money.java.

### 6.8.3.2 getProd()

```
Product es.deusto.server.db.data.Money.getProd ( )
```

Definition at line 34 of file Money.java.

### 6.8.3.3 getSender()

```
User es.deusto.server.db.data.Money.getSender ( )
```

Definition at line 30 of file Money.java.

### 6.8.3.4 setProduct()

```
void es.deusto.server.db.data.Money.setProduct (
    Product p )
```

Definition at line 42 of file Money.java.

#### 6.8.3.5 setUserSending()

```
void es.deusto.server.db.data.Money.setUserSending (
    User sender )
```

Definition at line 38 of file Money.java.

#### 6.8.3.6 toString()

```
String es.deusto.server.db.data.Money.toString ( )
```


Definition at line 48 of file Money.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/[Money.java](#)

## 6.9 es.deusto.client.NewProdWindow Class Reference

Inheritance diagram for es.deusto.client.NewProdWindow:



### Public Member Functions

- [NewProdWindow](#) ()
- void [actionPerformed](#) (ActionEvent e)
- void [setTransferer](#) (ITransferer iTrans)

#### 6.9.1 Detailed Description

Definition at line 21 of file NewProdWindow.java.

#### 6.9.2 Constructor & Destructor Documentation

### 6.9.2.1 NewProdWindow()

```
es.deusto.client.NewProdWindow.NewProdWindow ( )
```

Definition at line 31 of file NewProdWindow.java.

## 6.9.3 Member Function Documentation

### 6.9.3.1 actionPerformed()

```
void es.deusto.client.NewProdWindow.actionPerformed (
    ActionEvent e )
```

Definition at line 70 of file NewProdWindow.java.

### 6.9.3.2 setTransferer()

```
void es.deusto.client.NewProdWindow.setTransferer (
    ITransferer iTrans )
```


Definition at line 87 of file NewProdWindow.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/[NewProdWindow.java](#)

## 6.10 es.deusto.server.db.data.Product Class Reference

Inheritance diagram for es.deusto.server.db.data.Product:



### Public Member Functions

- [Product](#) (String name, String characteristics)
- [User dnGetuser](#) ()
- String [getName](#) ()
- void [setName](#) (String name)
- void [setOwner](#) ([User](#) owner)
- String [getCharacteristics](#) ()
- String [getBuyersPayment](#) ()
- String [toString](#) ()
- String [toStringShort](#) ()

### 6.10.1 Detailed Description

Definition at line 18 of file Product.java.

### 6.10.2 Constructor & Destructor Documentation

#### 6.10.2.1 Product()

```
es.deusto.server.db.data.Product.Product (
    String name,
    String characteristics )
```

Definition at line 36 of file Product.java.

### 6.10.3 Member Function Documentation

#### 6.10.3.1 dnGetuser()

```
User es.deusto.server.db.data.Product.dnGetuser ( )
```

Definition at line 42 of file Product.java.

#### 6.10.3.2 getBuyersPayment()

```
String es.deusto.server.db.data.Product.getBuyersPayment ( )
```

Definition at line 58 of file Product.java.

#### 6.10.3.3 getCharacteristics()

```
String es.deusto.server.db.data.Product.getCharacteristics ( )
```

Definition at line 56 of file Product.java.

#### 6.10.3.4 getName()

```
String es.deusto.server.db.data.Product.getName ( )
```

Definition at line 46 of file Product.java.

#### 6.10.3.5 setName()

```
void es.deusto.server.db.data.Product.setName (
    String name )
```

Definition at line 50 of file Product.java.

#### 6.10.3.6 setOwner()

```
void es.deusto.server.db.data.Product.setOwner (
    User owner )
```

Definition at line 52 of file Product.java.

#### 6.10.3.7 toString()

```
String es.deusto.server.db.data.Product.toString ( )
```

Definition at line 66 of file Product.java.

#### 6.10.3.8 toStringShort()

```
String es.deusto.server.db.data.Product.toStringShort ( )
```

Definition at line 70 of file Product.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/[Product.java](#)

## 6.11 es.deusto.server.Server Class Reference

### Static Public Member Functions

- static void [main](#) (String[] args)

### 6.11.1 Detailed Description

Definition at line 16 of file Server.java.

### 6.11.2 Member Function Documentation

#### 6.11.2.1 main()

```
static void es.deusto.server.Server.main (
    String [] args ) [static]
```


Definition at line 19 of file Server.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/[Server.java](#)

## 6.12 es.deusto.server.remote.Transferer Class Reference

Inheritance diagram for es.deusto.server.remote.Transferer:



### Public Member Functions

- [Transferer](#) () throws RemoteException
- [Transferer](#) (IDAO udao) throws RemoteException
- ArrayList< [User](#) > [getAllUser](#) () throws RemoteException
- boolean [registerUser](#) ([User](#) u)
- [User](#) [getUser](#) (String login) throws RemoteException
- ArrayList< [Product](#) > [getAllProd](#) () throws RemoteException
- [Product](#) [searchProd](#) (String name) throws RemoteException
- boolean [registerProd](#) ([Product](#) p) throws RemoteException
- boolean [buyProd](#) (String loginB, [Product](#) p, int amount, String loginS) throws RemoteException
- boolean [sendMoney](#) (String loginR, int amount, String loginS) throws RemoteException

### 6.12.1 Detailed Description

Definition at line 15 of file Transferer.java.

## 6.12.2 Constructor & Destructor Documentation

### 6.12.2.1 Transferer() [1/2]

`es.deusto.server.remote.Transferer.Transferer ( ) throws RemoteException`

Definition at line 22 of file Transferer.java.

### 6.12.2.2 Transferer() [2/2]

`es.deusto.server.remote.Transferer.Transferer (   
 IDAO udao ) throws RemoteException`

Definition at line 27 of file Transferer.java.

## 6.12.3 Member Function Documentation

### 6.12.3.1 buyProd()

`boolean es.deusto.server.remote.Transferer.buyProd (   
 String loginB,   
 Product p,   
 int amount,   
 String loginS ) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 136 of file Transferer.java.

### 6.12.3.2 getAllProd()

`ArrayList<Product> es.deusto.server.remote.Transferer.getAllProd ( ) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 83 of file Transferer.java.



### 6.12.3.3 getAllUser()

`ArrayList<User> es.deusto.server.remote.Transferer.getAllUser ( ) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 33 of file Transferer.java.

### 6.12.3.4 getUser()

`User es.deusto.server.remote.Transferer.getUser (   
String login ) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 66 of file Transferer.java.

### 6.12.3.5 registerProd()

`boolean es.deusto.server.remote.Transferer.registerProd (   
Product p ) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 114 of file Transferer.java.

### 6.12.3.6 registerUser()

`boolean es.deusto.server.remote.Transferer.registerUser (   
User u )`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 46 of file Transferer.java.

### 6.12.3.7 searchProd()

`Product es.deusto.server.remote.Transferer.searchProd (   
String name ) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 95 of file Transferer.java.

### 6.12.3.8 sendMoney()

```
boolean es.deusto.server.remote.Transferer.sendMoney (
    String loginR,
    int amount,
    String loginS ) throws RemoteException
```

Implements [es.deusto.server.remote.ITransferer](#).


Definition at line 161 of file Transferer.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/[Transferer.java](#)

## 6.13 es.deusto.server.db.data.User Class Reference

Inheritance diagram for es.deusto.server.db.data.User:



### Public Member Functions

- [User](#) (String login, String password)
- void [addMoney](#) (int money)
- void [removeMoney](#) (int money)
- String [getLogin](#) ()
- String [getPassword](#) ()
- void [setPassword](#) (String password)
- void [setSuper](#) (boolean superU)
- boolean [getSuper](#) ()
- int [getMoney](#) ()
- void [setAmount](#) (int number)
- String [toString](#) ()

### 6.13.1 Detailed Description

Definition at line 17 of file User.java.

### 6.13.2 Constructor & Destructor Documentation

#### 6.13.2.1 User()

```
es.deusto.server.db.data.User.User (
    String login,
    String password )
```

Definition at line 33 of file User.java.

### 6.13.3 Member Function Documentation

#### 6.13.3.1 addMoney()

```
void es.deusto.server.db.data.User.addMoney (
    int money )
```

Definition at line 38 of file User.java.

#### 6.13.3.2 getLogin()

```
String es.deusto.server.db.data.User.getLogin ( )
```

Definition at line 42 of file User.java.

#### 6.13.3.3 getMoney()

```
int es.deusto.server.db.data.User.getMoney ( )
```

Definition at line 59 of file User.java.

#### 6.13.3.4 getPassword()

```
String es.deusto.server.db.data.User.getPassword ( )
```

Definition at line 46 of file User.java.

#### 6.13.3.5 getSuper()

```
boolean es.deusto.server.db.data.User.getSuper ( )
```

Definition at line 57 of file User.java.

#### 6.13.3.6 removeMoney()

```
void es.deusto.server.db.data.User.removeMoney (
    int money )
```

Definition at line 40 of file User.java.

#### 6.13.3.7 setAmount()

```
void es.deusto.server.db.data.User.setAmount (
    int number )
```

Definition at line 61 of file User.java.

#### 6.13.3.8 setPassword()

```
void es.deusto.server.db.data.User.setPassword (
    String password )
```

Definition at line 50 of file User.java.

#### 6.13.3.9 setSuper()

```
void es.deusto.server.db.data.User.setSuper (
    boolean superU )
```

Definition at line 54 of file User.java.

#### 6.13.3.10 toString()

```
String es.deusto.server.db.data.User.toString ( )
```

Definition at line 63 of file User.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/[User.java](#)

## Chapter 7

# File Documentation

### 7.1 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/Client.java File Reference

#### Classes

- class [es.deusto.client.Client](#)

#### Packages

- package [es.deusto.client](#)

### 7.2 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/NewProdWindow.java File Reference

#### Classes

- class [es.deusto.client.NewProdWindow](#)

#### Packages

- package [es.deusto.client](#)

### 7.3 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/DAO.java File Reference

#### Classes

- class [es.deusto.server.db.dao.DAO](#)

## Packages

- package [es.deusto.server.db.dao](#)

## 7.4 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/IDAO.java File Reference

### Classes

- interface [es.deusto.server.db.dao.IDAO](#)

## Packages

- package [es.deusto.server.db.dao](#)

## 7.5 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Money.java File Reference

### Classes

- class [es.deusto.server.db.data.Money](#)

## Packages

- package [es.deusto.server.db.data](#)

## 7.6 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Product.java File Reference

### Classes

- class [es.deusto.server.db.data.Product](#)

## Packages

- package [es.deusto.server.db.data](#)

## 7.7 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/User.java File Reference

### Classes

- class [es.deusto.server.db.data.User](#)

### Packages

- package [es.deusto.server.db.data](#)

## 7.8 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/DB.java File Reference

### Classes

- class [es.deusto.server.db.DB](#)

### Packages

- package [es.deusto.server.db](#)

## 7.9 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/IDB.java File Reference

### Classes

- interface [es.deusto.server.db.IDB](#)

### Packages

- package [es.deusto.server.db](#)

## 7.10 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ITransferer.java File Reference

### Classes

- interface [es.deusto.server.remote.ITransferer](#)

### Packages

- package [es.deusto.server.remote](#)

## 7.11 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/Transferer.java File Reference

### Classes

- class [es.deusto.server.remote.Transferer](#)

### Packages

- package [es.deusto.server.remote](#)

## 7.12 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/Server.java File Reference

### Classes

- class [es.deusto.server.Server](#)

### Packages

- package [es.deusto.server](#)

## 7.13 C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/JUnitTest.java File Reference

### Classes

- class [es.deusto.server.JUnitTest](#)

### Packages

- package [es.deusto.server](#)



# Index

actionPerformed  
    es::deusto::client::Client, 12  
    es::deusto::client::NewProdWindow, 34  
addMoney  
    es::deusto::server::db::data::User, 41  
buyProd  
    es::deusto::server::db::DB, 17  
    es::deusto::server::db::IDB, 22  
    es::deusto::server::remote::ITransferer, 24  
    es::deusto::server::remote::Transferer, 38  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/  
    Client.java, 43  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/  
    NewProdWindow.java, 43  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/  
    Server.java, 46  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/  
    DB.java, 45  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/  
    IDB.java, 45  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/  
    DAO.java, 43  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/  
    IDAO.java, 44  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/  
    Money.java, 44  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/  
    Product.java, 44  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/  
    User.java, 44  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/  
    ITransferer.java, 45  
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/  
    Transferer.java, 45  
C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/  
    JUnitTest.java, 46  
Client  
    es::deusto::client::Client, 11  
DAO  
    es::deusto::server::db::dao::DAO, 13  
DB  
    es::deusto::server::db::DB, 16, 17  
dnGetuser  
    es::deusto::server::db::data::Product, 35  
es, 9  
es.deusto, 9  
es.deusto.client, 9  
es.deusto.client.Client, 11  
es.deusto.client.NewProdWindow, 33  
es.deusto.server, 9  
es.deusto.server.db, 10  
es.deusto.server.db.dao, 10  
es.deusto.server.db.dao.DAO, 13  
es.deusto.server.db.dao.IDAO, 19  
es.deusto.server.db.data, 10  
es.deusto.server.db.data.Money, 31  
es.deusto.server.db.data.Product, 34  
es.deusto.server.db.data.User, 40  
es.deusto.server.db.DB, 16  
es.deusto.server.db.IDB, 21  
es.deusto.server.JUnitTest, 26  
es.deusto.server.remote, 10  
es.deusto.server.remote.ITransferer, 23  
es.deusto.server.remote.Transferer, 37  
es.deusto.server.Server, 36  
es::deusto::client::Client  
    actionPerformed, 12  
    Client, 11  
    main, 12  
    rellenarTablaProd, 12  
    rellenarTablaUser, 12  
es::deusto::client::NewProdWindow  
    actionPerformed, 34  
    NewProdWindow, 33  
    setTransferer, 34  
es::deusto::server::JUnitTest  
    RegisterProductTest, 26  
    setUp, 26  
    setUpUser, 27  
    establishConnection, 27  
    suite, 27  
    tearDown, 27  
    testBuyProduct, 27  
    testGetAllProd, 27  
    testGetAmount, 28  
    testGetCharacteristics, 28  
    testGetLogin, 28  
    testGetMoney, 28  
    testGetName, 28  
    testGetPassword, 28  
    testGetProd, 29  
    testGetSender, 29  
    testGetUser, 29  
    testRegisterUser, 29  
    testRetrieveMoney, 29

- testRetrieveUser, 29
- testSearchProduct, 30
- testSendMoney, 30
- testStoreMoney, 30
- testStoreProduct, 30
- testStoreUser, 30
- testUpdateMoney, 30
- testUpdateProduct, 31
- es::deusto::server::Server
  - main, 37
- es::deusto::server::db::DB
  - buyProd, 17
  - DB, 16, 17
  - getAllProd, 17
  - insertMoney, 17
  - insertProd, 17
  - insertUser, 18
  - showProd, 18
  - showUser, 18
- es::deusto::server::db::IDB
  - buyProd, 22
  - getAllProd, 22
  - insertMoney, 22
  - insertProd, 22
  - insertUser, 22
  - showProd, 23
  - showUser, 23
- es::deusto::server::db::dao::DAO
  - DAO, 13
  - getAllProd, 13
  - getAllUser, 14
  - retrieveMoney, 14
  - retrieveProdSearch, 14
  - retrieveUser, 14
  - storeMoney, 14
  - storeProd, 15
  - storeUser, 15
  - updateMoney, 15
  - updateProd, 15
  - updateUser, 15
- es::deusto::server::db::dao::IDAO
  - getAllProd, 19
  - getAllUser, 19
  - retrieveMoney, 19
  - retrieveProdSearch, 20
  - retrieveUser, 20
  - storeMoney, 20
  - storeProd, 20
  - storeUser, 20
  - updateMoney, 20
  - updateProd, 21
  - updateUser, 21
- es::deusto::server::db::data::Money
  - getAmount, 32
  - getProd, 32
  - getSender, 32
  - Money, 31
  - setProduct, 32
  - setUserSending, 32
  - toString, 33
- es::deusto::server::db::data::Product
  - dnGetuser, 35
  - getBuyersPayment, 35
  - getCharacteristics, 35
  - getName, 35
  - Product, 35
  - setName, 36
  - setOwner, 36
  - toString, 36
  - toStringShort, 36
- es::deusto::server::db::data::User
  - addMoney, 41
  - getLogin, 41
  - getMoney, 41
  - getPassword, 41
  - getSuper, 41
  - removeMoney, 42
  - setAmount, 42
  - setPassword, 42
  - setSuper, 42
  - toString, 42
  - User, 40
- es::deusto::server::remote::ITransferer
  - buyProd, 24
  - getAllProd, 24
  - getAllUser, 24
  - getUser, 24
  - registerProd, 24
  - registerUser, 25
  - searchProd, 25
  - sendMoney, 25
- es::deusto::server::remote::Transferer
  - buyProd, 38
  - getAllProd, 38
  - getAllUser, 38
  - getUser, 39
  - registerProd, 39
  - registerUser, 39
  - searchProd, 39
  - sendMoney, 39
  - Transferer, 38
- getAllProd
  - es::deusto::server::db::DB, 17
  - es::deusto::server::db::IDB, 22
  - es::deusto::server::db::dao::DAO, 13
  - es::deusto::server::db::dao::IDAO, 19
  - es::deusto::server::remote::ITransferer, 24
  - es::deusto::server::remote::Transferer, 38
- getAllUser
  - es::deusto::server::db::dao::DAO, 14
  - es::deusto::server::db::dao::IDAO, 19
  - es::deusto::server::remote::ITransferer, 24
  - es::deusto::server::remote::Transferer, 38
- getAmount
  - es::deusto::server::db::data::Money, 32
- getBuyersPayment

- es::deusto::server::db::data::Product, 35
- getCharacteristics
  - es::deusto::server::db::data::Product, 35
- getLogin
  - es::deusto::server::db::data::User, 41
- getMoney
  - es::deusto::server::db::data::User, 41
- getName
  - es::deusto::server::db::data::Product, 35
- getPassword
  - es::deusto::server::db::data::User, 41
- getProd
  - es::deusto::server::db::data::Money, 32
- getSender
  - es::deusto::server::db::data::Money, 32
- getSuper
  - es::deusto::server::db::data::User, 41
- getUser
  - es::deusto::server::remote::ITransferer, 24
  - es::deusto::server::remote::Transferer, 39
- insertMoney
  - es::deusto::server::db::DB, 17
  - es::deusto::server::db::IDB, 22
- insertProd
  - es::deusto::server::db::DB, 17
  - es::deusto::server::db::IDB, 22
- insertUser
  - es::deusto::server::db::DB, 18
  - es::deusto::server::db::IDB, 22
- main
  - es::deusto::client::Client, 12
  - es::deusto::server::Server, 37
- Money
  - es::deusto::server::db::data::Money, 31
- NewProdWindow
  - es::deusto::client::NewProdWindow, 33
- Product
  - es::deusto::server::db::data::Product, 35
- registerProd
  - es::deusto::server::remote::ITransferer, 24
  - es::deusto::server::remote::Transferer, 39
- RegisterProductTest
  - es::deusto::server::JUnitTest, 26
- registerUser
  - es::deusto::server::remote::ITransferer, 25
  - es::deusto::server::remote::Transferer, 39
- rellenarTablaProd
  - es::deusto::client::Client, 12
- rellenarTablaUser
  - es::deusto::client::Client, 12
- removeMoney
  - es::deusto::server::db::data::User, 42
- retrieveMoney
  - es::deusto::server::db::dao::DAO, 14
- es::deusto::server::db::dao::IDAO, 19
- retrieveProdSearch
  - es::deusto::server::db::dao::DAO, 14
  - es::deusto::server::db::dao::IDAO, 20
- retrieveUser
  - es::deusto::server::db::dao::DAO, 14
  - es::deusto::server::db::dao::IDAO, 20
- searchProd
  - es::deusto::server::remote::ITransferer, 25
  - es::deusto::server::remote::Transferer, 39
- sendMoney
  - es::deusto::server::remote::ITransferer, 25
  - es::deusto::server::remote::Transferer, 39
- setAmount
  - es::deusto::server::db::data::User, 42
- setName
  - es::deusto::server::db::data::Product, 36
- setOwner
  - es::deusto::server::db::data::Product, 36
- setPassword
  - es::deusto::server::db::data::User, 42
- setProduct
  - es::deusto::server::db::data::Money, 32
- setSuper
  - es::deusto::server::db::data::User, 42
- setTransferer
  - es::deusto::client::NewProdWindow, 34
- setUp
  - es::deusto::server::JUnitTest, 26
- setUpUser
  - es::deusto::server::JUnitTest, 27
- setUserSending
  - es::deusto::server::db::data::Money, 32
- showProd
  - es::deusto::server::db::DB, 18
  - es::deusto::server::db::IDB, 23
- showUser
  - es::deusto::server::db::DB, 18
  - es::deusto::server::db::IDB, 23
- stablishConnection
  - es::deusto::server::JUnitTest, 27
- storeMoney
  - es::deusto::server::db::dao::DAO, 14
  - es::deusto::server::db::dao::IDAO, 20
- storeProd
  - es::deusto::server::db::dao::DAO, 15
  - es::deusto::server::db::dao::IDAO, 20
- storeUser
  - es::deusto::server::db::dao::DAO, 15
  - es::deusto::server::db::dao::IDAO, 20
- suite
  - es::deusto::server::JUnitTest, 27
- tearDown
  - es::deusto::server::JUnitTest, 27
- testBuyProduct
  - es::deusto::server::JUnitTest, 27
- testGetAllProd

- es::deusto::server::JUnitTest, [27](#)
- testGetAmount
  - es::deusto::server::JUnitTest, [28](#)
- testGetCharacteristics
  - es::deusto::server::JUnitTest, [28](#)
- testGetLogin
  - es::deusto::server::JUnitTest, [28](#)
- testGetMoney
  - es::deusto::server::JUnitTest, [28](#)
- testGetName
  - es::deusto::server::JUnitTest, [28](#)
- testGetPassword
  - es::deusto::server::JUnitTest, [28](#)
- testGetProd
  - es::deusto::server::JUnitTest, [29](#)
- testGetSender
  - es::deusto::server::JUnitTest, [29](#)
- testGetUser
  - es::deusto::server::JUnitTest, [29](#)
- testRegisterUser
  - es::deusto::server::JUnitTest, [29](#)
- testRetrieveMoney
  - es::deusto::server::JUnitTest, [29](#)
- testRetrieveUser
  - es::deusto::server::JUnitTest, [29](#)
- testSearchProduct
  - es::deusto::server::JUnitTest, [30](#)
- testSendMoney
  - es::deusto::server::JUnitTest, [30](#)
- testStoreMoney
  - es::deusto::server::JUnitTest, [30](#)
- testStoreProduct
  - es::deusto::server::JUnitTest, [30](#)
- testStoreUser
  - es::deusto::server::JUnitTest, [30](#)
- testUpdateMoney
  - es::deusto::server::JUnitTest, [30](#)
- testUpdateProduct
  - es::deusto::server::JUnitTest, [31](#)
- toString
  - es::deusto::server::db::data::Money, [33](#)
  - es::deusto::server::db::data::Product, [36](#)
  - es::deusto::server::db::data::User, [42](#)
- toStringShort
  - es::deusto::server::db::data::Product, [36](#)
- Transferer
  - es::deusto::server::remote::Transferer, [38](#)
- updateMoney
  - es::deusto::server::db::dao::DAO, [15](#)
  - es::deusto::server::db::dao::IDAO, [20](#)
- updateProd
  - es::deusto::server::db::dao::DAO, [15](#)
  - es::deusto::server::db::dao::IDAO, [21](#)
- updateUser
  - es::deusto::server::db::dao::DAO, [15](#)
  - es::deusto::server::db::dao::IDAO, [21](#)
- User
  - es::deusto::server::db::data::User, [40](#)