

SPQ-03 Doxygen

Generated by Doxygen 1.8.13

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	Package es	9
5.2	Package es.deusto	9
5.3	Package es.deusto.client	9
5.4	Package es.deusto.server	9
5.5	Package es.deusto.server.db	10
5.6	Package es.deusto.server.db.dao	10
5.7	Package es.deusto.server.db.data	10
5.8	Package es.deusto.server.remote	10

6	Class Documentation	11
6.1	es.deusto.client.Client Class Reference	11
6.1.1	Detailed Description	11
6.1.2	Constructor & Destructor Documentation	11
6.1.2.1	Client()	12
6.1.3	Member Function Documentation	12
6.1.3.1	actionPerformed()	12
6.1.3.2	main()	12
6.1.3.3	rellenarTablaProd()	12
6.1.3.4	rellenarTablaUser()	12
6.2	es.deusto.server.db.dao.DAO Class Reference	13
6.2.1	Detailed Description	13
6.2.2	Constructor & Destructor Documentation	13
6.2.2.1	DAO()	13
6.2.3	Member Function Documentation	13
6.2.3.1	getAllProd()	14
6.2.3.2	getAllUser()	14
6.2.3.3	retrieveMoney()	14
6.2.3.4	retrieveProdSearch()	14
6.2.3.5	retrieveUser()	14
6.2.3.6	storeMoney()	15
6.2.3.7	storeProd()	15
6.2.3.8	storeUser()	15
6.2.3.9	updateMoney()	15
6.2.3.10	updateProd()	15
6.2.3.11	updateUser()	16
6.3	es.deusto.server.db.DB Class Reference	16
6.3.1	Detailed Description	16
6.3.2	Constructor & Destructor Documentation	16
6.3.2.1	DB() [1/2]	17

6.3.2.2	DB() [2/2]	17
6.3.3	Member Function Documentation	17
6.3.3.1	buyProd()	17
6.3.3.2	getAllProd()	17
6.3.3.3	insertMoney()	17
6.3.3.4	insertProd()	18
6.3.3.5	insertUser()	18
6.3.3.6	showProd()	18
6.3.3.7	showUser()	18
6.4	es.deusto.server.db.dao.IDAO Interface Reference	19
6.4.1	Detailed Description	19
6.4.2	Member Function Documentation	19
6.4.2.1	getAllProd()	19
6.4.2.2	getAllUser()	19
6.4.2.3	retrieveMoney()	20
6.4.2.4	retrieveProdSearch()	20
6.4.2.5	retrieveUser()	20
6.4.2.6	storeMoney()	20
6.4.2.7	storeProd()	20
6.4.2.8	storeUser()	20
6.4.2.9	updateMoney()	21
6.4.2.10	updateProd()	21
6.4.2.11	updateUser()	21
6.5	es.deusto.server.db.IDB Interface Reference	21
6.5.1	Detailed Description	22
6.5.2	Member Function Documentation	22
6.5.2.1	buyProd()	22
6.5.2.2	getAllProd()	22
6.5.2.3	insertMoney()	22
6.5.2.4	insertProd()	22

6.5.2.5	insertUser()	23
6.5.2.6	showProd()	23
6.5.2.7	showUser()	23
6.6	es.deusto.server.remote.ITransferer Interface Reference	23
6.6.1	Detailed Description	24
6.6.2	Member Function Documentation	24
6.6.2.1	buyProd()	24
6.6.2.2	getAllProd()	24
6.6.2.3	getAllUser()	24
6.6.2.4	getUser()	24
6.6.2.5	registerProd()	25
6.6.2.6	registerUser()	25
6.6.2.7	searchProd()	25
6.6.2.8	sendMoney()	25
6.7	es.deusto.server.JUnitTest Class Reference	26
6.7.1	Detailed Description	26
6.7.2	Member Function Documentation	26
6.7.2.1	getAmountPerfTest()	27
6.7.2.2	getCharacteristicsPerfTest()	27
6.7.2.3	getLoginPerfTest()	27
6.7.2.4	getMoneyPerfTest()	27
6.7.2.5	getNamePerfTest()	27
6.7.2.6	getPasswordPerfTest()	27
6.7.2.7	getProdPerfTest()	28
6.7.2.8	getSenderPerfTest()	28
6.7.2.9	RegisterProductTest()	28
6.7.2.10	setUp()	28
6.7.2.11	setUpUser()	28
6.7.2.12	stablishConnection()	28
6.7.2.13	suite()	29

6.7.2.14	tearDown()	29
6.7.2.15	testBuyProduct()	29
6.7.2.16	testGetAllProd()	29
6.7.2.17	testGetAmount()	29
6.7.2.18	testGetCharacteristics()	29
6.7.2.19	testGetLogin()	30
6.7.2.20	testGetMoney()	30
6.7.2.21	testGetName()	30
6.7.2.22	testGetPassword()	30
6.7.2.23	testGetProd()	30
6.7.2.24	testGetSender()	30
6.7.2.25	testGetUser()	31
6.7.2.26	testRegisterUser()	31
6.7.2.27	testRetrieveMoney()	31
6.7.2.28	testRetrieveUser()	31
6.7.2.29	testSearchProduct()	31
6.7.2.30	testSendMoney()	31
6.7.2.31	testStoreMoney()	32
6.7.2.32	testStoreProduct()	32
6.7.2.33	testStoreUser()	32
6.7.2.34	testUpdateMoney()	32
6.7.2.35	testUpdateProduct()	32
6.8	es.deusto.server.db.data.Money Class Reference	32
6.8.1	Detailed Description	33
6.8.2	Constructor & Destructor Documentation	33
6.8.2.1	Money()	33
6.8.3	Member Function Documentation	33
6.8.3.1	getAmount()	33
6.8.3.2	getProd()	33
6.8.3.3	getSender()	34

6.8.3.4	setProduct()	34
6.8.3.5	setUserSending()	34
6.8.3.6	toString()	34
6.9	es.deusto.client.NewProdWindow Class Reference	34
6.9.1	Detailed Description	35
6.9.2	Constructor & Destructor Documentation	35
6.9.2.1	NewProdWindow()	35
6.9.3	Member Function Documentation	35
6.9.3.1	actionPerformed()	35
6.9.3.2	setTransferer()	35
6.10	es.deusto.server.db.data.Product Class Reference	36
6.10.1	Detailed Description	36
6.10.2	Constructor & Destructor Documentation	36
6.10.2.1	Product()	36
6.10.3	Member Function Documentation	36
6.10.3.1	dnGetuser()	36
6.10.3.2	getBuyersPayment()	37
6.10.3.3	getCharacteristics()	37
6.10.3.4	getName()	37
6.10.3.5	setName()	37
6.10.3.6	setOwner()	37
6.10.3.7	toString()	37
6.10.3.8	toStringShort()	38
6.11	es.deusto.server.Server Class Reference	38
6.11.1	Detailed Description	38
6.11.2	Member Function Documentation	38
6.11.2.1	main()	38
6.12	es.deusto.server.remote.Transferer Class Reference	38
6.12.1	Detailed Description	39
6.12.2	Constructor & Destructor Documentation	39

6.12.2.1	Transferer() [1/2]	39
6.12.2.2	Transferer() [2/2]	39
6.12.3	Member Function Documentation	39
6.12.3.1	buyProd()	39
6.12.3.2	getAllProd()	40
6.12.3.3	getAllUser()	40
6.12.3.4	getUser()	40
6.12.3.5	registerProd()	40
6.12.3.6	registerUser()	40
6.12.3.7	searchProd()	41
6.12.3.8	sendMoney()	41
6.13	es.deusto.server.db.data.User Class Reference	41
6.13.1	Detailed Description	42
6.13.2	Constructor & Destructor Documentation	42
6.13.2.1	User()	42
6.13.3	Member Function Documentation	42
6.13.3.1	addMoney()	42
6.13.3.2	getLogin()	42
6.13.3.3	getMoney()	42
6.13.3.4	getPassword()	43
6.13.3.5	getSuper()	43
6.13.3.6	removeMoney()	43
6.13.3.7	setAmount()	43
6.13.3.8	setPassword()	43
6.13.3.9	setSuper()	43
6.13.3.10	toString()	43

7 File Documentation	45
7.1 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/Client.java File Reference	45
7.2 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/NewProdWindow.java File Reference	45
7.3 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/DAO.java File Reference	45
7.4 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/IDAO.java File Reference	46
7.5 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Money.java File Reference	46
7.6 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Product.java File Reference	46
7.7 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/User.java File Reference	46
7.8 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/DB.java File Reference . . .	47
7.9 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/IDB.java File Reference . . .	47
7.10 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ITransferer.java File Reference	47
7.11 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/Transferer.java File Reference	47
7.12 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/Server.java File Reference . . .	48
7.13 C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/JUnitTest.java File Reference . .	48
Index	49

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

es	9
es.deusto	9
es.deusto.client	9
es.deusto.server	9
es.deusto.server.db	10
es.deusto.server.db.dao	10
es.deusto.server.db.data	10
es.deusto.server.remote	10

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

es.deusto.server.db.dao.IDAO	19
es.deusto.server.db.dao.DAO	13
es.deusto.server.db.IDB	21
es.deusto.server.db.DB	16
es.deusto.server.JUnitTest	26
es.deusto.server.Server	38
ActionListener	
es.deusto.client.Client	11
es.deusto.client.NewProdWindow	34
JFrame	
es.deusto.client.Client	11
es.deusto.client.NewProdWindow	34
Remote	
es.deusto.server.remote.ITransferer	23
es.deusto.server.remote.Transferer	38
Serializable	
es.deusto.server.db.data.Money	32
es.deusto.server.db.data.Product	36
es.deusto.server.db.data.User	41
UnicastRemoteObject	
es.deusto.server.remote.Transferer	38

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

es.deusto.client.Client	11
es.deusto.server.db.dao.DAO	13
es.deusto.server.db.DB	16
es.deusto.server.db.dao.IDAO	19
es.deusto.server.db.IDB	21
es.deusto.server.remote.ITransferer	23
es.deusto.server.JUnitTest	26
es.deusto.server.db.data.Money	32
es.deusto.client.NewProdWindow	34
es.deusto.server.db.data.Product	36
es.deusto.server.Server	38
es.deusto.server.remote.Transferer	38
es.deusto.server.db.data.User	41

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/Client.java	45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/NewProdWindow.java	45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/Server.java	48
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/DB.java	47
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/IDB.java	47
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/DAO.java	45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/IDAO.java	46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Money.java	46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Product.java	46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/User.java	46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ITransferer.java	47
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/Transferer.java	47
C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/JUnitTest.java	48

Chapter 5

Namespace Documentation

5.1 Package es

Packages

- package [deusto](#)

5.2 Package es.deusto

Packages

- package [client](#)
- package [server](#)

5.3 Package es.deusto.client

Classes

- class [Client](#)
- class [NewProdWindow](#)

5.4 Package es.deusto.server

Packages

- package [db](#)
- package [remote](#)

Classes

- class [JUnitTest](#)
- class [Server](#)

5.5 Package es.deusto.server.db

Packages

- package [dao](#)
- package [data](#)

Classes

- class [DB](#)
- interface [IDB](#)

5.6 Package es.deusto.server.db.dao

Classes

- class [DAO](#)
- interface [IDAO](#)

5.7 Package es.deusto.server.db.data

Classes

- class [Money](#)
- class [Product](#)
- class [User](#)

5.8 Package es.deusto.server.remote

Classes


- interface [ITransferer](#)
- class [Transferer](#)

Chapter 6

Class Documentation

6.1 es.deusto.client.Client Class Reference

Inheritance diagram for es.deusto.client.Client:



Public Member Functions

- [Client](#) ()
- void [actionPerformed](#) (ActionEvent e)
- void [rellenarTablaProd](#) (ArrayList< [Product](#) > pList)
- void [rellenarTablaUser](#) (ArrayList< [User](#) > uList)

Static Public Member Functions

- static void [main](#) (String[] args)

6.1.1 Detailed Description

Definition at line 28 of file Client.java.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 Client()

```
es.deusto.client.Client.Client ( )
```

Definition at line 56 of file Client.java.

6.1.3 Member Function Documentation

6.1.3.1 actionPerformed()

```
void es.deusto.client.Client.actionPerformed (
    ActionEvent e )
```

Definition at line 214 of file Client.java.

6.1.3.2 main()

```
static void es.deusto.client.Client.main (
    String [] args ) [static]
```

Definition at line 189 of file Client.java.

6.1.3.3 rellenarTablaProd()

```
void es.deusto.client.Client.rellenarTablaProd (
    ArrayList< Product > pList )
```

Definition at line 311 of file Client.java.

6.1.3.4 rellenarTablaUser()

```
void es.deusto.client.Client.rellenarTablaUser (
    ArrayList< User > uList )
```


Definition at line 324 of file Client.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/[Client.java](#)

6.2 es.deusto.server.db.dao.DAO Class Reference

Inheritance diagram for es.deusto.server.db.dao.DAO:



Public Member Functions

- [DAO](#) ()
- boolean [storeUser](#) ([User](#) u)
- List< [User](#) > [getAllUser](#) ()
- [User](#) [retrieveUser](#) (String login)
- boolean [updateUser](#) ([User](#) u)
- boolean [storeProd](#) ([Product](#) p)
- List< [Product](#) > [getAllProd](#) ()
- [Product](#) [retrieveProdSearch](#) (String name)
- boolean [updateProd](#) ([Product](#) p)
- boolean [storeMoney](#) ([Money](#) m)
- [Money](#) [retrieveMoney](#) (int amount)
- boolean [updateMoney](#) ([Money](#) m)

6.2.1 Detailed Description

Definition at line 12 of file DAO.java.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 DAO()

```
es.deusto.server.db.dao.DAO.DAO ( )
```

Definition at line 16 of file DAO.java.

6.2.3 Member Function Documentation

6.2.3.1 getAllProd()

```
List<Product> es.deusto.server.db.dao.DAO.getAllProd ( )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 151 of file DAO.java.

6.2.3.2 getAllUser()

```
List<User> es.deusto.server.db.dao.DAO.getAllUser ( )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 46 of file DAO.java.

6.2.3.3 retrieveMoney()

```
Money es.deusto.server.db.dao.DAO.retrieveMoney (
    int amount )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 254 of file DAO.java.

6.2.3.4 retrieveProdSearch()

```
Product es.deusto.server.db.dao.DAO.retrieveProdSearch (
    String name )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 181 of file DAO.java.

6.2.3.5 retrieveUser()

```
User es.deusto.server.db.dao.DAO.retrieveUser (
    String login )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 79 of file DAO.java.

6.2.3.6 storeMoney()

```
boolean es.deusto.server.db.dao.DAO.storeMoney (
    Money m )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 230 of file DAO.java.

6.2.3.7 storeProd()

```
boolean es.deusto.server.db.dao.DAO.storeProd (
    Product p )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 128 of file DAO.java.

6.2.3.8 storeUser()

```
boolean es.deusto.server.db.dao.DAO.storeUser (
    User u )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 21 of file DAO.java.

6.2.3.9 updateMoney()

```
boolean es.deusto.server.db.dao.DAO.updateMoney (
    Money m )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 279 of file DAO.java.

6.2.3.10 updateProd()

```
boolean es.deusto.server.db.dao.DAO.updateProd (
    Product p )
```

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 208 of file DAO.java.

6.2.3.11 updateUser()

```
boolean es.deusto.server.db.dao.DAO.updateUser (
    User u )
```

Implements [es.deusto.server.db.dao.IDAO](#).


Definition at line 105 of file DAO.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/[DAO.java](#)

6.3 es.deusto.server.db.DB Class Reference

Inheritance diagram for es.deusto.server.db.DB:



Public Member Functions

- [DB](#) ()
- [DB](#) (IDAO idao)
- List< [Product](#) > [getAllProd](#) ()
- [Product](#) [showProd](#) (String name)
- [User](#) [showUser](#) (String login)
- boolean [insertProd](#) ([Product](#) p)
- boolean [insertUser](#) ([User](#) u)
- boolean [insertMoney](#) ([Money](#) m)
- boolean [buyProd](#) (String loginB, String loginS, String name, int amount)

6.3.1 Detailed Description

Definition at line 16 of file DB.java.

6.3.2 Constructor & Destructor Documentation

6.3.2.1 DB() [1/2]

```
es.deusto.server.db.DB.DB ( )
```

Definition at line 23 of file DB.java.

6.3.2.2 DB() [2/2]

```
es.deusto.server.db.DB.DB (
    IDAO idao )
```

Definition at line 28 of file DB.java.

6.3.3 Member Function Documentation

6.3.3.1 buyProd()

```
boolean es.deusto.server.db.DB.buyProd (
    String loginB,
    String loginS,
    String name,
    int amount )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 134 of file DB.java.

6.3.3.2 getAllProd()

```
List<Product> es.deusto.server.db.DB.getAllProd ( )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 34 of file DB.java.

6.3.3.3 insertMoney()

```
boolean es.deusto.server.db.DB.insertMoney (
    Money m )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 113 of file DB.java.

6.3.3.4 insertProd()

```
boolean es.deusto.server.db.DB.insertProd (
    Product p )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 67 of file DB.java.

6.3.3.5 insertUser()

```
boolean es.deusto.server.db.DB.insertUser (
    User u )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 90 of file DB.java.

6.3.3.6 showProd()

```
Product es.deusto.server.db.DB.showProd (
    String name )
```

Implements [es.deusto.server.db.IDB](#).

Definition at line 45 of file DB.java.

6.3.3.7 showUser()

```
User es.deusto.server.db.DB.showUser (
    String login )
```

Implements [es.deusto.server.db.IDB](#).


Definition at line 56 of file DB.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/[DB.java](#)

6.4 es.deusto.server.db.dao.IDAO Interface Reference

Inheritance diagram for es.deusto.server.db.dao.IDAO:



Public Member Functions

- boolean [storeUser](#) ([User](#) u)
- List< [User](#) > [getAllUser](#) ()
- [User](#) [retrieveUser](#) (String login)
- boolean [updateUser](#) ([User](#) u)
- boolean [storeProd](#) ([Product](#) p)
- List< [Product](#) > [getAllProd](#) ()
- [Product](#) [retrieveProdSearch](#) (String name)
- boolean [updateProd](#) ([Product](#) p)
- boolean [storeMoney](#) ([Money](#) m)
- [Money](#) [retrieveMoney](#) (int amount)
- boolean [updateMoney](#) ([Money](#) m)

6.4.1 Detailed Description

Definition at line 7 of file IDAO.java.

6.4.2 Member Function Documentation

6.4.2.1 [getAllProd\(\)](#)

```
List<Product> es.deusto.server.db.dao.IDAO.getAllProd ( )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.2 [getAllUser\(\)](#)

```
List<User> es.deusto.server.db.dao.IDAO.getAllUser ( )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.3 retrieveMoney()

```
Money es.deusto.server.db.dao.IDAO.retrieveMoney (
    int amount )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.4 retrieveProdSearch()

```
Product es.deusto.server.db.dao.IDAO.retrieveProdSearch (
    String name )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.5 retrieveUser()

```
User es.deusto.server.db.dao.IDAO.retrieveUser (
    String login )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.6 storeMoney()

```
boolean es.deusto.server.db.dao.IDAO.storeMoney (
    Money m )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.7 storeProd()

```
boolean es.deusto.server.db.dao.IDAO.storeProd (
    Product p )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.8 storeUser()

```
boolean es.deusto.server.db.dao.IDAO.storeUser (
    User u )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.9 updateMoney()

```
boolean es.deusto.server.db.dao.IDAO.updateMoney (
    Money m )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.10 updateProd()

```
boolean es.deusto.server.db.dao.IDAO.updateProd (
    Product p )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.4.2.11 updateUser()

```
boolean es.deusto.server.db.dao.IDAO.updateUser (
    User u )
```


Implemented in [es.deusto.server.db.dao.DAO](#).

The documentation for this interface was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/[IDAO.java](#)

6.5 es.deusto.server.db.IDB Interface Reference

Inheritance diagram for es.deusto.server.db.IDB:



Public Member Functions

- List< [Product](#) > [getAllProd](#) ()
- boolean [buyProd](#) (String loginB, String loginS, String name, int amount)
- boolean [insertUser](#) ([User](#) u)
- boolean [insertProd](#) ([Product](#) p)
- boolean [insertMoney](#) ([Money](#) m)
- [Product](#) [showProd](#) (String name)
- [User](#) [showUser](#) (String login)

6.5.1 Detailed Description

Definition at line 8 of file IDB.java.

6.5.2 Member Function Documentation

6.5.2.1 buyProd()

```
boolean es.deusto.server.db.IDB.buyProd (
    String loginB,
    String loginS,
    String name,
    int amount )
```

Implemented in [es.deusto.server.db.DB](#).

6.5.2.2 getAllProd()

```
List<Product> es.deusto.server.db.IDB.getAllProd ( )
```

Implemented in [es.deusto.server.db.DB](#).

6.5.2.3 insertMoney()

```
boolean es.deusto.server.db.IDB.insertMoney (
    Money m )
```

Implemented in [es.deusto.server.db.DB](#).

6.5.2.4 insertProd()

```
boolean es.deusto.server.db.IDB.insertProd (
    Product p )
```

Implemented in [es.deusto.server.db.DB](#).

6.5.2.5 insertUser()

```
boolean es.deusto.server.db.IDB.insertUser (
    User u )
```

Implemented in [es.deusto.server.db.DB](#).

6.5.2.6 showProd()

```
Product es.deusto.server.db.IDB.showProd (
    String name )
```

Implemented in [es.deusto.server.db.DB](#).

6.5.2.7 showUser()

```
User es.deusto.server.db.IDB.showUser (
    String login )
```


Implemented in [es.deusto.server.db.DB](#).

The documentation for this interface was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/IDB.java

6.6 es.deusto.server.remote.ITransferer Interface Reference

Inheritance diagram for es.deusto.server.remote.ITransferer:



Public Member Functions

- boolean [sendMoney](#) (String loginR, int amount, String loginS) throws RemoteException
- ArrayList< [User](#) > [getAllUser](#) () throws RemoteException
- boolean [registerUser](#) ([User](#) u) throws RemoteException
- [User](#) [getUser](#) (String login) throws RemoteException
- ArrayList< [Product](#) > [getAllProd](#) () throws RemoteException
- [Product](#) [searchProd](#) (String name) throws RemoteException
- boolean [buyProd](#) (String loginB, [Product](#) p, int amount, String loginS) throws RemoteException
- boolean [registerProd](#) ([Product](#) p) throws RemoteException

6.6.1 Detailed Description

Definition at line 10 of file ITransferer.java.

6.6.2 Member Function Documentation

6.6.2.1 buyProd()

```
boolean es.deusto.server.remote.ITransferer.buyProd (
    String loginB,
    Product p,
    int amount,
    String loginS ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

6.6.2.2 getAllProd()

```
ArrayList<Product> es.deusto.server.remote.ITransferer.getAllProd ( ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

6.6.2.3 getAllUser()

```
ArrayList<User> es.deusto.server.remote.ITransferer.getAllUser ( ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

6.6.2.4 getUser()

```
User es.deusto.server.remote.ITransferer.getUser (
    String login ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

6.6.2.5 registerProd()

```
boolean es.deusto.server.remote.ITransferer.registerProd (
    Product p ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

6.6.2.6 registerUser()

```
boolean es.deusto.server.remote.ITransferer.registerUser (
    User u ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

6.6.2.7 searchProd()

```
Product es.deusto.server.remote.ITransferer.searchProd (
    String name ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

6.6.2.8 sendMoney()

```
boolean es.deusto.server.remote.ITransferer.sendMoney (
    String loginR,
    int amount,
    String loginS ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Transferer](#).

The documentation for this interface was generated from the following file:

- [C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ITransferer.java](#)

6.7 es.deusto.server.JUnitTest Class Reference

Public Member Functions

- void [setUpUser](#) ()
- void [stablishConnection](#) ()
- void [RegisterProductTest](#) ()
- void [testRegisterUser](#) ()
- void [testGetUser](#) ()
- void [testSearchProduct](#) ()
- void [testStoreUser](#) ()
- void [testRetrieveUser](#) ()
- void [testStoreProduct](#) ()
- void [testGetAllProd](#) ()
- void [testUpdateProduct](#) ()
- void [testBuyProduct](#) ()
- void [testUpdateMoney](#) ()
- void [testStoreMoney](#) ()
- void [testRetrieveMoney](#) ()
- void [testSendMoney](#) ()
- void [getSenderPerfTest](#) ()
- void [getProdPerfTest](#) ()
- void [getAmountPerfTest](#) ()
- void [getNamePerfTest](#) ()
- void [getCharacteristicsPerfTest](#) ()
- void [getLoginPerfTest](#) ()
- void [getPasswordPerfTest](#) ()
- void [getMoneyPerfTest](#) ()
- void [testGetSender](#) ()
- void [testGetProd](#) ()
- void [testGetAmount](#) ()
- void [testGetName](#) ()
- void [testGetCharacteristics](#) ()
- void [testGetLogin](#) ()
- void [testGetPassword](#) ()
- void [testGetMoney](#) ()

Static Public Member Functions

- static junit.framework.Test [suite](#) ()
- static void [setUp](#) ()
- static void [tearDown](#) ()

6.7.1 Detailed Description

Definition at line 47 of file JUnitTest.java.

6.7.2 Member Function Documentation

6.7.2.1 getAmountPerfTest()

```
void es.deusto.server.JUnitTest.getAmountPerfTest ( )
```

Definition at line 414 of file JUnitTest.java.

6.7.2.2 getCharacteristicsPerfTest()

```
void es.deusto.server.JUnitTest.getCharacteristicsPerfTest ( )
```

Definition at line 430 of file JUnitTest.java.

6.7.2.3 getLoginPerfTest()

```
void es.deusto.server.JUnitTest.getLoginPerfTest ( )
```

Definition at line 438 of file JUnitTest.java.

6.7.2.4 getMoneyPerfTest()

```
void es.deusto.server.JUnitTest.getMoneyPerfTest ( )
```

Definition at line 455 of file JUnitTest.java.

6.7.2.5 getNamePerfTest()

```
void es.deusto.server.JUnitTest.getNamePerfTest ( )
```

Definition at line 422 of file JUnitTest.java.

6.7.2.6 getPasswordPerfTest()

```
void es.deusto.server.JUnitTest.getPasswordPerfTest ( )
```

Definition at line 447 of file JUnitTest.java.

6.7.2.7 getProdPerfTest()

```
void es.deusto.server.JUnitTest.getProdPerfTest ( )
```

Definition at line 405 of file JUnitTest.java.

6.7.2.8 getSenderPerfTest()

```
void es.deusto.server.JUnitTest.getSenderPerfTest ( )
```

Definition at line 395 of file JUnitTest.java.

6.7.2.9 RegisterProductTest()

```
void es.deusto.server.JUnitTest.RegisterProductTest ( )
```

Definition at line 226 of file JUnitTest.java.

6.7.2.10 setUp()

```
static void es.deusto.server.JUnitTest.setUp ( ) [static]
```

Definition at line 70 of file JUnitTest.java.

6.7.2.11 setUpUser()

```
void es.deusto.server.JUnitTest.setUpUser ( )
```

Definition at line 160 of file JUnitTest.java.

6.7.2.12 stablishConnection()

```
void es.deusto.server.JUnitTest.stablishConnection ( )
```

Definition at line 213 of file JUnitTest.java.

6.7.2.13 suite()

```
static junit.framework.Test es.deusto.server.JUnitTest.suite ( ) [static]
```

Definition at line 65 of file JUnitTest.java.

6.7.2.14 tearDown()

```
static void es.deusto.server.JUnitTest.tearDown ( ) [static]
```

Definition at line 513 of file JUnitTest.java.

6.7.2.15 testBuyProduct()

```
void es.deusto.server.JUnitTest.testBuyProduct ( )
```

Definition at line 360 of file JUnitTest.java.

6.7.2.16 testGetAllProd()

```
void es.deusto.server.JUnitTest.testGetAllProd ( )
```

Definition at line 334 of file JUnitTest.java.

6.7.2.17 testGetAmount()

```
void es.deusto.server.JUnitTest.testGetAmount ( )
```

Definition at line 476 of file JUnitTest.java.

6.7.2.18 testGetCharacteristics()

```
void es.deusto.server.JUnitTest.testGetCharacteristics ( )
```

Definition at line 488 of file JUnitTest.java.

6.7.2.19 testGetLogin()

```
void es.deusto.server.JUnitTest.testGetLogin ( )
```

Definition at line 494 of file JUnitTest.java.

6.7.2.20 testGetMoney()

```
void es.deusto.server.JUnitTest.testGetMoney ( )
```

Definition at line 507 of file JUnitTest.java.

6.7.2.21 testGetName()

```
void es.deusto.server.JUnitTest.testGetName ( )
```

Definition at line 482 of file JUnitTest.java.

6.7.2.22 testGetPassword()

```
void es.deusto.server.JUnitTest.testGetPassword ( )
```

Definition at line 501 of file JUnitTest.java.

6.7.2.23 testGetProd()

```
void es.deusto.server.JUnitTest.testGetProd ( )
```

Definition at line 469 of file JUnitTest.java.

6.7.2.24 testGetSender()

```
void es.deusto.server.JUnitTest.testGetSender ( )
```

Definition at line 461 of file JUnitTest.java.

6.7.2.25 testGetUser()

```
void es.deusto.server.JUnitTest.testGetUser ( )
```

Definition at line 246 of file JUnitTest.java.

6.7.2.26 testRegisterUser()

```
void es.deusto.server.JUnitTest.testRegisterUser ( )
```

Definition at line 237 of file JUnitTest.java.

6.7.2.27 testRetrieveMoney()

```
void es.deusto.server.JUnitTest.testRetrieveMoney ( )
```

Definition at line 383 of file JUnitTest.java.

6.7.2.28 testRetrieveUser()

```
void es.deusto.server.JUnitTest.testRetrieveUser ( )
```

Definition at line 290 of file JUnitTest.java.

6.7.2.29 testSearchProduct()

```
void es.deusto.server.JUnitTest.testSearchProduct ( )
```

Definition at line 258 of file JUnitTest.java.

6.7.2.30 testSendMoney()

```
void es.deusto.server.JUnitTest.testSendMoney ( )
```

Definition at line 388 of file JUnitTest.java.

6.7.2.31 testStoreMoney()

```
void es.deusto.server.JUnitTest.testStoreMoney ( )
```

Definition at line 374 of file JUnitTest.java.

6.7.2.32 testStoreProduct()

```
void es.deusto.server.JUnitTest.testStoreProduct ( )
```

Definition at line 326 of file JUnitTest.java.

6.7.2.33 testStoreUser()

```
void es.deusto.server.JUnitTest.testStoreUser ( )
```

Definition at line 270 of file JUnitTest.java.

6.7.2.34 testUpdateMoney()

```
void es.deusto.server.JUnitTest.testUpdateMoney ( )
```

Definition at line 365 of file JUnitTest.java.

6.7.2.35 testUpdateProduct()

```
void es.deusto.server.JUnitTest.testUpdateProduct ( )
```


Definition at line 339 of file JUnitTest.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/[JUnitTest.java](#)

6.8 es.deusto.server.db.data.Money Class Reference

Inheritance diagram for es.deusto.server.db.data.Money:



Public Member Functions

- [Money](#) (int amount)
- [User](#) [getSender](#) ()
- [Product](#) [getProd](#) ()
- void [setUserSending](#) ([User](#) sender)
- void [setProduct](#) ([Product](#) p)
- int [getAmount](#) ()
- String [toString](#) ()

6.8.1 Detailed Description

Definition at line 13 of file Money.java.

6.8.2 Constructor & Destructor Documentation

6.8.2.1 Money()

```
es.deusto.server.db.data.Money.Money (
    int amount )
```

Definition at line 25 of file Money.java.

6.8.3 Member Function Documentation

6.8.3.1 getAmount()

```
int es.deusto.server.db.data.Money.getAmount ( )
```

Definition at line 46 of file Money.java.

6.8.3.2 getProd()

```
Product es.deusto.server.db.data.Money.getProd ( )
```

Definition at line 34 of file Money.java.

6.8.3.3 getSender()

```
User es.deusto.server.db.data.Money.getSender ( )
```

Definition at line 30 of file Money.java.

6.8.3.4 setProduct()

```
void es.deusto.server.db.data.Money.setProduct (
    Product p )
```

Definition at line 42 of file Money.java.

6.8.3.5 setUserSending()

```
void es.deusto.server.db.data.Money.setUserSending (
    User sender )
```

Definition at line 38 of file Money.java.

6.8.3.6 toString()

```
String es.deusto.server.db.data.Money.toString ( )
```


Definition at line 48 of file Money.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/[Money.java](#)

6.9 es.deusto.client.NewProdWindow Class Reference

Inheritance diagram for es.deusto.client.NewProdWindow:



Public Member Functions

- [NewProdWindow](#) ()
- void [actionPerformed](#) (ActionEvent e)
- void [setTransferer](#) (ITransferer iTrans)

6.9.1 Detailed Description

Definition at line 21 of file NewProdWindow.java.

6.9.2 Constructor & Destructor Documentation

6.9.2.1 NewProdWindow()

```
es.deusto.client.NewProdWindow.NewProdWindow ( )
```

Definition at line 31 of file NewProdWindow.java.

6.9.3 Member Function Documentation

6.9.3.1 actionPerformed()

```
void es.deusto.client.NewProdWindow.actionPerformed (
   (ActionEvent e )
```

Definition at line 70 of file NewProdWindow.java.

6.9.3.2 setTransferer()

```
void es.deusto.client.NewProdWindow.setTransferer (
    ITransferer iTrans )
```


Definition at line 87 of file NewProdWindow.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/[NewProdWindow.java](#)

6.10 es.deusto.server.db.data.Product Class Reference

Inheritance diagram for es.deusto.server.db.data.Product:



Public Member Functions

- [Product](#) (String name, String characteristics)
- [User dnGetuser](#) ()
- String [getName](#) ()
- void [setName](#) (String name)
- void [setOwner](#) ([User](#) owner)
- String [getCharacteristics](#) ()
- String [getBuyersPayment](#) ()
- String [toString](#) ()
- String [toStringShort](#) ()

6.10.1 Detailed Description

Definition at line 18 of file Product.java.

6.10.2 Constructor & Destructor Documentation

6.10.2.1 Product()

```
es.deusto.server.db.data.Product.Product (
    String name,
    String characteristics )
```

Definition at line 36 of file Product.java.

6.10.3 Member Function Documentation

6.10.3.1 dnGetuser()

```
User es.deusto.server.db.data.Product.dnGetuser ( )
```

Definition at line 42 of file Product.java.

6.10.3.2 getBuyersPayment()

```
String es.deusto.server.db.data.Product.getBuyersPayment ( )
```

Definition at line 58 of file Product.java.

6.10.3.3 getCharacteristics()

```
String es.deusto.server.db.data.Product.getCharacteristics ( )
```

Definition at line 56 of file Product.java.

6.10.3.4 getName()

```
String es.deusto.server.db.data.Product.getName ( )
```

Definition at line 46 of file Product.java.

6.10.3.5 setName()

```
void es.deusto.server.db.data.Product.setName (
    String name )
```

Definition at line 50 of file Product.java.

6.10.3.6 setOwner()

```
void es.deusto.server.db.data.Product.setOwner (
    User owner )
```

Definition at line 52 of file Product.java.

6.10.3.7 toString()

```
String es.deusto.server.db.data.Product.toString ( )
```

Definition at line 66 of file Product.java.

6.10.3.8 toStringShort()

```
String es.deusto.server.db.data.Product.toStringShort ( )
```

Definition at line 70 of file Product.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/[Product.java](#)

6.11 es.deusto.server.Server Class Reference

Static Public Member Functions

- static void [main](#) (String[] args)

6.11.1 Detailed Description

Definition at line 16 of file Server.java.

6.11.2 Member Function Documentation

6.11.2.1 main()

```
static void es.deusto.server.Server.main (
    String [] args ) [static]
```


Definition at line 19 of file Server.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/[Server.java](#)

6.12 es.deusto.server.remote.Transferer Class Reference

Inheritance diagram for es.deusto.server.remote.Transferer:



Public Member Functions

- [Transferer](#) () throws RemoteException
- [Transferer](#) (IDAO udao) throws RemoteException
- ArrayList< [User](#) > [getAllUser](#) () throws RemoteException
- boolean [registerUser](#) ([User](#) u)
- [User](#) [getUser](#) (String login) throws RemoteException
- ArrayList< [Product](#) > [getAllProd](#) () throws RemoteException
- [Product](#) [searchProd](#) (String name) throws RemoteException
- boolean [registerProd](#) ([Product](#) p) throws RemoteException
- boolean [buyProd](#) (String loginB, [Product](#) p, int amount, String loginS) throws RemoteException
- boolean [sendMoney](#) (String loginR, int amount, String loginS) throws RemoteException

6.12.1 Detailed Description

Definition at line 15 of file Transferer.java.

6.12.2 Constructor & Destructor Documentation

6.12.2.1 Transferer() [1/2]

```
es.deusto.server.remote.Transferer.Transferer ( ) throws RemoteException
```

Definition at line 22 of file Transferer.java.

6.12.2.2 Transferer() [2/2]

```
es.deusto.server.remote.Transferer.Transferer (
    IDAO udao ) throws RemoteException
```

Definition at line 27 of file Transferer.java.

6.12.3 Member Function Documentation

6.12.3.1 buyProd()

```
boolean es.deusto.server.remote.Transferer.buyProd (
    String loginB,
    Product p,
    int amount,
    String loginS ) throws RemoteException
```

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 135 of file Transferer.java.

6.12.3.2 getAllProd()

`ArrayList<Product> es.deusto.server.remote.Transferer.getAllProd () throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 82 of file Transferer.java.

6.12.3.3 getAllUser()

`ArrayList<User> es.deusto.server.remote.Transferer.getAllUser () throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 33 of file Transferer.java.

6.12.3.4 getUser()

`User es.deusto.server.remote.Transferer.getUser (
String login) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 65 of file Transferer.java.

6.12.3.5 registerProd()

`boolean es.deusto.server.remote.Transferer.registerProd (
Product p) throws RemoteException`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 113 of file Transferer.java.

6.12.3.6 registerUser()

`boolean es.deusto.server.remote.Transferer.registerUser (
User u)`

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 45 of file Transferer.java.

6.12.3.7 searchProd()

```
Product es.deusto.server.remote.Transferer.searchProd (
    String name ) throws RemoteException
```

Implements [es.deusto.server.remote.ITransferer](#).

Definition at line 94 of file Transferer.java.

6.12.3.8 sendMoney()

```
boolean es.deusto.server.remote.Transferer.sendMoney (
    String loginR,
    int amount,
    String loginS ) throws RemoteException
```

Implements [es.deusto.server.remote.ITransferer](#).


Definition at line 160 of file Transferer.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/[Transferer.java](#)

6.13 es.deusto.server.db.data.User Class Reference

Inheritance diagram for es.deusto.server.db.data.User:



Public Member Functions

- [User](#) (String login, String password)
- void [addMoney](#) (int money)
- void [removeMoney](#) (int money)
- String [getLogin](#) ()
- String [getPassword](#) ()
- void [setPassword](#) (String password)
- void [setSuper](#) (boolean superU)
- boolean [getSuper](#) ()
- int [getMoney](#) ()
- void [setAmount](#) (int number)
- String [toString](#) ()

6.13.1 Detailed Description

Definition at line 17 of file User.java.

6.13.2 Constructor & Destructor Documentation

6.13.2.1 User()

```
es.deusto.server.db.data.User.User (
    String login,
    String password )
```

Definition at line 33 of file User.java.

6.13.3 Member Function Documentation

6.13.3.1 addMoney()

```
void es.deusto.server.db.data.User.addMoney (
    int money )
```

Definition at line 38 of file User.java.

6.13.3.2 getLogin()

```
String es.deusto.server.db.data.User.getLogin ( )
```

Definition at line 42 of file User.java.

6.13.3.3 getMoney()

```
int es.deusto.server.db.data.User.getMoney ( )
```

Definition at line 59 of file User.java.

6.13.3.4 getPassword()

```
String es.deusto.server.db.data.User.getPassword ( )
```

Definition at line 46 of file User.java.

6.13.3.5 getSuper()

```
boolean es.deusto.server.db.data.User.getSuper ( )
```

Definition at line 57 of file User.java.

6.13.3.6 removeMoney()

```
void es.deusto.server.db.data.User.removeMoney (
    int money )
```

Definition at line 40 of file User.java.

6.13.3.7 setAmount()

```
void es.deusto.server.db.data.User.setAmount (
    int number )
```

Definition at line 61 of file User.java.

6.13.3.8 setPassword()

```
void es.deusto.server.db.data.User.setPassword (
    String password )
```

Definition at line 50 of file User.java.

6.13.3.9 setSuper()

```
void es.deusto.server.db.data.User.setSuper (
    boolean superU )
```

Definition at line 54 of file User.java.

6.13.3.10 toString()

```
String es.deusto.server.db.data.User.toString ( )
```

Definition at line 63 of file User.java.

The documentation for this class was generated from the following file:

- C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/[User.java](#)

Chapter 7

File Documentation

7.1 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/Client.java File Reference

Classes

- class [es.deusto.client.Client](#)

Packages

- package [es.deusto.client](#)

7.2 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/NewProdWindow.java File Reference

Classes

- class [es.deusto.client.NewProdWindow](#)

Packages

- package [es.deusto.client](#)

7.3 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/DAO.java File Reference

Classes

- class [es.deusto.server.db.dao.DAO](#)

Packages

- package [es.deusto.server.db.dao](#)

7.4 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/IDAO.java File Reference

Classes

- interface [es.deusto.server.db.dao.IDAO](#)

Packages

- package [es.deusto.server.db.dao](#)

7.5 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Money.java File Reference

Classes

- class [es.deusto.server.db.data.Money](#)

Packages

- package [es.deusto.server.db.data](#)

7.6 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/Product.java File Reference

Classes

- class [es.deusto.server.db.data.Product](#)

Packages

- package [es.deusto.server.db.data](#)

7.7 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/User.java File Reference

Classes

- class [es.deusto.server.db.data.User](#)

Packages

- package [es.deusto.server.db.data](#)

7.8 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/DB.java File Reference

Classes

- class [es.deusto.server.db.DB](#)

Packages

- package [es.deusto.server.db](#)

7.9 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/IDB.java File Reference

Classes

- interface [es.deusto.server.db.IDB](#)

Packages

- package [es.deusto.server.db](#)

7.10 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/ITransferer.java File Reference

Classes

- interface [es.deusto.server.remote.ITransferer](#)

Packages

- package [es.deusto.server.remote](#)

7.11 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/Transferer.java File Reference

Classes

- class [es.deusto.server.remote.Transferer](#)

Packages

- package [es.deusto.server.remote](#)

7.12 C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/Server.java File Reference

Classes

- class [es.deusto.server.Server](#)

Packages

- package [es.deusto.server](#)

7.13 C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/JUnitTest.java File Reference

Classes

- class [es.deusto.server.JUnitTest](#)

Packages

- package [es.deusto.server](#)

Index

actionPerformed
 es::deusto::client::Client, 12
 es::deusto::client::NewProdWindow, 35
addMoney
 es::deusto::server::db::data::User, 42
buyProd
 es::deusto::server::db::DB, 17
 es::deusto::server::db::IDB, 22
 es::deusto::server::remote::ITransferer, 24
 es::deusto::server::remote::Transferer, 39
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/
 Client.java, 45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/client/
 NewProdWindow.java, 45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/
 Server.java, 48
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/
 DB.java, 47
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/
 IDB.java, 47
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/
 DAO.java, 45
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/dao/
 IDAO.java, 46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/
 Money.java, 46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/
 Product.java, 46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/db/data/
 User.java, 46
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/
 ITransferer.java, 47
C:/Users/Oihane/git/SPQ03/spq03/src/main/java/es/deusto/server/remote/
 Transferer.java, 47
C:/Users/Oihane/git/SPQ03/spq03/src/test/java/es/deusto/server/
 JUnitTest.java, 48
Client
 es::deusto::client::Client, 11
DAO
 es::deusto::server::db::dao::DAO, 13
DB
 es::deusto::server::db::DB, 16, 17
dnGetuser
 es::deusto::server::db::data::Product, 36
es, 9
es.deusto, 9
es.deusto.client, 9
es.deusto.client.Client, 11
es.deusto.client.NewProdWindow, 34
es.deusto.server, 9
es.deusto.server.db, 10
es.deusto.server.db.dao, 10
es.deusto.server.db.dao.DAO, 13
es.deusto.server.db.dao.IDAO, 19
es.deusto.server.db.data, 10
es.deusto.server.db.data.Money, 32
es.deusto.server.db.data.Product, 36
es.deusto.server.db.data.User, 41
es.deusto.server.db.DB, 16
es.deusto.server.db.IDB, 21
es.deusto.server.JUnitTest, 26
es.deusto.server.remote, 10
es.deusto.server.remote.ITransferer, 23
es.deusto.server.remote.Transferer, 38
es.deusto.server.Server, 38
es::deusto::client::Client
 actionPerformed, 12
 Client, 11
 main, 12
 rellenarTablaProd, 12
 rellenarTablaUser, 12
es::deusto::client::NewProdWindow
 actionPerformed, 35
 NewProdWindow, 35
 setTransferer, 35
es::deusto::server::JUnitTest
 getAmountPerfTest, 26
 getCharacteristicsPerfTest, 27
 getLoginPerfTest, 27
 getMoneyPerfTest, 27
 getNamePerfTest, 27
 getPasswordPerfTest, 27
 getProdPerfTest, 27
 getSenderPerfTest, 28
 RegisterProductTest, 28
 setUp, 28
 setUpUser, 28
 stablishConnection, 28
 suite, 28
 tearDown, 29
 testBuyProduct, 29
 testGetAllProd, 29
 testGetAmount, 29
 testGetCharacteristics, 29
 testGetLogin, 29

- testGetMoney, 30
- testGetName, 30
- testGetPassword, 30
- testGetProd, 30
- testGetSender, 30
- testGetUser, 30
- testRegisterUser, 31
- testRetrieveMoney, 31
- testRetrieveUser, 31
- testSearchProduct, 31
- testSendMoney, 31
- testStoreMoney, 31
- testStoreProduct, 32
- testStoreUser, 32
- testUpdateMoney, 32
- testUpdateProduct, 32
- es::deusto::server::Server
 - main, 38
- es::deusto::server::db::DB
 - buyProd, 17
 - DB, 16, 17
 - getAllProd, 17
 - insertMoney, 17
 - insertProd, 17
 - insertUser, 18
 - showProd, 18
 - showUser, 18
- es::deusto::server::db::IDB
 - buyProd, 22
 - getAllProd, 22
 - insertMoney, 22
 - insertProd, 22
 - insertUser, 22
 - showProd, 23
 - showUser, 23
- es::deusto::server::db::dao::DAO
 - DAO, 13
 - getAllProd, 13
 - getAllUser, 14
 - retrieveMoney, 14
 - retrieveProdSearch, 14
 - retrieveUser, 14
 - storeMoney, 14
 - storeProd, 15
 - storeUser, 15
 - updateMoney, 15
 - updateProd, 15
 - updateUser, 15
- es::deusto::server::db::dao::IDAO
 - getAllProd, 19
 - getAllUser, 19
 - retrieveMoney, 19
 - retrieveProdSearch, 20
 - retrieveUser, 20
 - storeMoney, 20
 - storeProd, 20
 - storeUser, 20
 - updateMoney, 20
 - updateProd, 21
 - updateUser, 21
- es::deusto::server::db::data::Money
 - getAmount, 33
 - getProd, 33
 - getSender, 33
 - Money, 33
 - setProduct, 34
 - setUserSending, 34
 - toString, 34
- es::deusto::server::db::data::Product
 - dnGetuser, 36
 - getBuyersPayment, 36
 - getCharacteristics, 37
 - getName, 37
 - Product, 36
 - setName, 37
 - setOwner, 37
 - toString, 37
 - toStringShort, 37
- es::deusto::server::db::data::User
 - addMoney, 42
 - getLogin, 42
 - getMoney, 42
 - getPassword, 42
 - getSuper, 43
 - removeMoney, 43
 - setAmount, 43
 - setPassword, 43
 - setSuper, 43
 - toString, 43
 - User, 42
- es::deusto::server::remote::ITransferer
 - buyProd, 24
 - getAllProd, 24
 - getAllUser, 24
 - getUser, 24
 - registerProd, 24
 - registerUser, 25
 - searchProd, 25
 - sendMoney, 25
- es::deusto::server::remote::Transferer
 - buyProd, 39
 - getAllProd, 39
 - getAllUser, 40
 - getUser, 40
 - registerProd, 40
 - registerUser, 40
 - searchProd, 40
 - sendMoney, 41
 - Transferer, 39
- getAllProd
 - es::deusto::server::db::DB, 17
 - es::deusto::server::db::IDB, 22
 - es::deusto::server::db::dao::DAO, 13
 - es::deusto::server::db::dao::IDAO, 19
 - es::deusto::server::remote::ITransferer, 24
 - es::deusto::server::remote::Transferer, 39

getAllUser
 es::deusto::server::db::dao::DAO, 14
 es::deusto::server::db::dao::IDAO, 19
 es::deusto::server::remote::ITransferer, 24
 es::deusto::server::remote::Transferer, 40
 getAmount
 es::deusto::server::db::data::Money, 33
 getAmountPerfTest
 es::deusto::server::JUnitTest, 26
 getBuyersPayment
 es::deusto::server::db::data::Product, 36
 getCharacteristics
 es::deusto::server::db::data::Product, 37
 getCharacteristicsPerfTest
 es::deusto::server::JUnitTest, 27
 getLogin
 es::deusto::server::db::data::User, 42
 getLoginPerfTest
 es::deusto::server::JUnitTest, 27
 getMoney
 es::deusto::server::db::data::User, 42
 getMoneyPerfTest
 es::deusto::server::JUnitTest, 27
 getName
 es::deusto::server::db::data::Product, 37
 getNamePerfTest
 es::deusto::server::JUnitTest, 27
 getPassword
 es::deusto::server::db::data::User, 42
 getPasswordPerfTest
 es::deusto::server::JUnitTest, 27
 getProd
 es::deusto::server::db::data::Money, 33
 getProdPerfTest
 es::deusto::server::JUnitTest, 27
 getSender
 es::deusto::server::db::data::Money, 33
 getSenderPerfTest
 es::deusto::server::JUnitTest, 28
 getSuper
 es::deusto::server::db::data::User, 43
 getUser
 es::deusto::server::remote::ITransferer, 24
 es::deusto::server::remote::Transferer, 40

 insertMoney
 es::deusto::server::db::DB, 17
 es::deusto::server::db::IDB, 22
 insertProd
 es::deusto::server::db::DB, 17
 es::deusto::server::db::IDB, 22
 insertUser
 es::deusto::server::db::DB, 18
 es::deusto::server::db::IDB, 22

 main
 es::deusto::client::Client, 12
 es::deusto::server::Server, 38
 Money
 es::deusto::server::db::data::Money, 33

 NewProdWindow
 es::deusto::client::NewProdWindow, 35

 Product
 es::deusto::server::db::data::Product, 36

 registerProd
 es::deusto::server::remote::ITransferer, 24
 es::deusto::server::remote::Transferer, 40
 RegisterProductTest
 es::deusto::server::JUnitTest, 28
 registerUser
 es::deusto::server::remote::ITransferer, 25
 es::deusto::server::remote::Transferer, 40
 rellenarTablaProd
 es::deusto::client::Client, 12
 rellenarTablaUser
 es::deusto::client::Client, 12
 removeMoney
 es::deusto::server::db::data::User, 43
 retrieveMoney
 es::deusto::server::db::dao::DAO, 14
 es::deusto::server::db::dao::IDAO, 19
 retrieveProdSearch
 es::deusto::server::db::dao::DAO, 14
 es::deusto::server::db::dao::IDAO, 20
 retrieveUser
 es::deusto::server::db::dao::DAO, 14
 es::deusto::server::db::dao::IDAO, 20

 searchProd
 es::deusto::server::remote::ITransferer, 25
 es::deusto::server::remote::Transferer, 40
 sendMoney
 es::deusto::server::remote::ITransferer, 25
 es::deusto::server::remote::Transferer, 41
 setAmount
 es::deusto::server::db::data::User, 43
 setName
 es::deusto::server::db::data::Product, 37
 setOwner
 es::deusto::server::db::data::Product, 37
 setPassword
 es::deusto::server::db::data::User, 43
 setProduct
 es::deusto::server::db::data::Money, 34
 setSuper
 es::deusto::server::db::data::User, 43
 setTransferer
 es::deusto::client::NewProdWindow, 35
 setUp
 es::deusto::server::JUnitTest, 28
 setUpUser
 es::deusto::server::JUnitTest, 28
 setUserSending
 es::deusto::server::db::data::Money, 34
 showProd

- es::deusto::server::db::DB, [18](#)
 - es::deusto::server::db::IDB, [23](#)
- showUser
 - es::deusto::server::db::DB, [18](#)
 - es::deusto::server::db::IDB, [23](#)
- stablishConnection
 - es::deusto::server::JUnitTest, [28](#)
- storeMoney
 - es::deusto::server::db::dao::DAO, [14](#)
 - es::deusto::server::db::dao::IDAO, [20](#)
- storeProd
 - es::deusto::server::db::dao::DAO, [15](#)
 - es::deusto::server::db::dao::IDAO, [20](#)
- storeUser
 - es::deusto::server::db::dao::DAO, [15](#)
 - es::deusto::server::db::dao::IDAO, [20](#)
- suite
 - es::deusto::server::JUnitTest, [28](#)
- tearDown
 - es::deusto::server::JUnitTest, [29](#)
- testBuyProduct
 - es::deusto::server::JUnitTest, [29](#)
- testGetAllProd
 - es::deusto::server::JUnitTest, [29](#)
- testGetAmount
 - es::deusto::server::JUnitTest, [29](#)
- testGetCharacteristics
 - es::deusto::server::JUnitTest, [29](#)
- testGetLogin
 - es::deusto::server::JUnitTest, [29](#)
- testGetMoney
 - es::deusto::server::JUnitTest, [30](#)
- testGetName
 - es::deusto::server::JUnitTest, [30](#)
- testGetPassword
 - es::deusto::server::JUnitTest, [30](#)
- testGetProd
 - es::deusto::server::JUnitTest, [30](#)
- testGetSender
 - es::deusto::server::JUnitTest, [30](#)
- testGetUser
 - es::deusto::server::JUnitTest, [30](#)
- testRegisterUser
 - es::deusto::server::JUnitTest, [31](#)
- testRetrieveMoney
 - es::deusto::server::JUnitTest, [31](#)
- testRetrieveUser
 - es::deusto::server::JUnitTest, [31](#)
- testSearchProduct
 - es::deusto::server::JUnitTest, [31](#)
- testSendMoney
 - es::deusto::server::JUnitTest, [31](#)
- testStoreMoney
 - es::deusto::server::JUnitTest, [31](#)
- testStoreProduct
 - es::deusto::server::JUnitTest, [32](#)
- testStoreUser
 - es::deusto::server::JUnitTest, [32](#)
- testUpdateMoney
 - es::deusto::server::JUnitTest, [32](#)
- testUpdateProduct
 - es::deusto::server::JUnitTest, [32](#)
- toString
 - es::deusto::server::db::data::Money, [34](#)
 - es::deusto::server::db::data::Product, [37](#)
 - es::deusto::server::db::data::User, [43](#)
- toStringShort
 - es::deusto::server::db::data::Product, [37](#)
- Transferer
 - es::deusto::server::remote::Transferer, [39](#)
- updateMoney
 - es::deusto::server::db::dao::DAO, [15](#)
 - es::deusto::server::db::dao::IDAO, [20](#)
- updateProd
 - es::deusto::server::db::dao::DAO, [15](#)
 - es::deusto::server::db::dao::IDAO, [21](#)
- updateUser
 - es::deusto::server::db::dao::DAO, [15](#)
 - es::deusto::server::db::dao::IDAO, [21](#)
- User
 - es::deusto::server::db::data::User, [42](#)