

Lurrun Doxygen

Generated by Doxygen 1.8.13

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	Package es	9
5.2	Package es.deusto	9
5.3	Package es.deusto.client	9
5.4	Package es.deusto.server	9
5.5	Package es.deusto.server.db	10
5.6	Package es.deusto.server.db.dao	10
5.7	Package es.deusto.server.db.data	10
5.8	Package es.deusto.server.remote	10

6	Class Documentation	11
6.1	es.deusto.client.Client Class Reference	11
6.1.1	Detailed Description	11
6.1.2	Constructor & Destructor Documentation	11
6.1.2.1	Client()	12
6.1.3	Member Function Documentation	12
6.1.3.1	addGameWindow()	12
6.1.3.2	buyGameWindow()	12
6.1.3.3	loadAllArrayList()	12
6.1.3.4	loginWindow()	12
6.1.3.5	main()	12
6.1.3.6	normalUserWindow()	13
6.1.3.7	superUserWindow()	13
6.2	es.deusto.server.db.data.Company Class Reference	13
6.2.1	Detailed Description	13
6.2.2	Constructor & Destructor Documentation	13
6.2.2.1	Company()	14
6.2.3	Member Function Documentation	14
6.2.3.1	addGame()	14
6.2.3.2	getName()	14
6.2.3.3	toString()	14
6.2.4	Member Data Documentation	14
6.2.4.1	name	14
6.3	es.deusto.server.ContiPerfTest Class Reference	15
6.3.1	Detailed Description	15
6.3.2	Member Function Documentation	15
6.3.2.1	loadGame()	15
6.3.2.2	loadGame2()	15
6.3.2.3	storeGameDuration()	15
6.3.2.4	storeGameInvocationFail()	16

6.3.2.5	suite()	16
6.3.3	Member Data Documentation	16
6.3.3.1	rule	16
6.4	es.deusto.server.db.dao.DAO Class Reference	16
6.4.1	Detailed Description	17
6.4.2	Constructor & Destructor Documentation	17
6.4.2.1	DAO()	17
6.4.3	Member Function Documentation	17
6.4.3.1	getAllCompanies()	17
6.4.3.2	getAllGames()	18
6.4.3.3	getAllGenres()	18
6.4.3.4	getFirstLicense()	19
6.4.3.5	retrieveCompany()	19
6.4.3.6	retrieveGame()	20
6.4.3.7	retrieveGenre()	20
6.4.3.8	retrieveLicense()	21
6.4.3.9	retrieveUser()	21
6.4.3.10	storeGame()	22
6.4.3.11	storeUser()	22
6.4.3.12	updateCompany()	23
6.4.3.13	updateGame()	23
6.4.3.14	updateGenre()	24
6.4.3.15	updateLicense()	24
6.4.3.16	updateUser()	25
6.5	es.deusto.server.DAOMockTest Class Reference	26
6.5.1	Detailed Description	26
6.5.2	Member Function Documentation	26
6.5.2.1	addGameToDBTest()	26
6.5.2.2	setUp()	26
6.5.2.3	suite()	26

6.5.2.4	testGameValid()	27
6.5.2.5	testRegisterUserAlreadyExists()	27
6.5.2.6	testRegisterUserCorrectly()	27
6.6	es.deusto.server.db.DB Class Reference	27
6.6.1	Detailed Description	28
6.6.2	Constructor & Destructor Documentation	28
6.6.2.1	DB() [1/2]	28
6.6.2.2	DB() [2/2]	28
6.6.3	Member Function Documentation	29
6.6.3.1	addGameToDb()	29
6.6.3.2	buyGame()	29
6.6.3.3	getAllCompanies()	30
6.6.3.4	getAllGames()	30
6.6.3.5	getAllGenres()	31
6.6.3.6	getUserGames()	31
6.6.3.7	isSuperUser()	32
6.6.3.8	loginUser()	32
6.6.3.9	registerUser()	33
6.6.3.10	showCompany()	33
6.6.3.11	showGame()	34
6.6.3.12	showGenre()	34
6.6.3.13	showUser()	35
6.7	es.deusto.server.db.data.Game Class Reference	35
6.7.1	Detailed Description	36
6.7.2	Constructor & Destructor Documentation	36
6.7.2.1	Game()	36
6.7.3	Member Function Documentation	36
6.7.3.1	addLicense()	36
6.7.3.2	getCompany()	36
6.7.3.3	getDiscount()	36

6.7.3.4	getGenre()	37
6.7.3.5	getLicenses()	37
6.7.3.6	getName()	37
6.7.3.7	getPrice()	37
6.7.3.8	removeLicense()	37
6.7.3.9	setCompany()	37
6.7.3.10	setGenre()	38
6.7.3.11	toString()	38
6.8	es.deusto.server.db.data.Genre Class Reference	38
6.8.1	Detailed Description	38
6.8.2	Constructor & Destructor Documentation	38
6.8.2.1	Genre()	39
6.8.3	Member Function Documentation	39
6.8.3.1	addGame()	39
6.8.3.2	getName()	39
6.8.3.3	toString()	39
6.9	es.deusto.client.GUI Class Reference	39
6.9.1	Detailed Description	40
6.9.2	Member Function Documentation	40
6.9.2.1	ventanaDeCliente()	40
6.10	es.deusto.server.db.dao.IDAO Interface Reference	40
6.10.1	Detailed Description	41
6.10.2	Member Function Documentation	41
6.10.2.1	getAllCompanies()	41
6.10.2.2	getAllGames()	41
6.10.2.3	getAllGenres()	41
6.10.2.4	getFirstLicense()	41
6.10.2.5	retrieveCompany()	41
6.10.2.6	retrieveGame()	42
6.10.2.7	retrieveGenre()	42

6.10.2.8	retrieveLicense()	42
6.10.2.9	retrieveUser()	42
6.10.2.10	storeGame()	42
6.10.2.11	storeUser()	42
6.10.2.12	updateCompany()	43
6.10.2.13	updateGame()	43
6.10.2.14	updateGenre()	43
6.10.2.15	updateLicense()	43
6.10.2.16	updateUser()	43
6.11	es.deusto.server.db.IDB Interface Reference	44
6.11.1	Detailed Description	44
6.11.2	Member Function Documentation	44
6.11.2.1	addGameToDb()	44
6.11.2.2	buyGame()	45
6.11.2.3	getAllCompanies()	45
6.11.2.4	getAllGames()	45
6.11.2.5	getAllGenres()	45
6.11.2.6	getUserGames()	45
6.11.2.7	isSuperUser()	45
6.11.2.8	loginUser()	46
6.11.2.9	registerUser()	46
6.11.2.10	showCompany()	46
6.11.2.11	showGame()	46
6.11.2.12	showGenre()	46
6.11.2.13	showUser()	47
6.12	es.deusto.server.remote.IRemote Interface Reference	47
6.12.1	Detailed Description	47
6.12.2	Member Function Documentation	47
6.12.2.1	addGame()	48
6.12.2.2	buyGame()	48

6.12.2.3	getAllCompanies()	48
6.12.2.4	getAllGenres()	48
6.12.2.5	getUserWallet()	48
6.12.2.6	isSuperUser()	49
6.12.2.7	loginUser()	49
6.12.2.8	registerUser()	49
6.12.2.9	setUserWallet()	49
6.12.2.10	showGamesInStore()	49
6.12.2.11	showOwnedGames()	50
6.13	es.deusto.server.db.data.License Class Reference	50
6.13.1	Detailed Description	50
6.13.2	Constructor & Destructor Documentation	50
6.13.2.1	License()	50
6.13.3	Member Function Documentation	51
6.13.3.1	getGame()	51
6.13.3.2	getGameKey()	51
6.13.3.3	getUser()	51
6.13.3.4	isUsed()	51
6.13.3.5	setGame()	51
6.13.3.6	setUsed()	52
6.13.3.7	setUser()	52
6.13.3.8	toString()	52
6.14	es.deusto.server.remote.Remote Class Reference	52
6.14.1	Detailed Description	53
6.14.2	Constructor & Destructor Documentation	53
6.14.2.1	Remote()	53
6.14.3	Member Function Documentation	54
6.14.3.1	addGame()	54
6.14.3.2	buyGame()	54
6.14.3.3	finalize()	55

6.14.3.4	getAllCompanies()	55
6.14.3.5	getAllGenres()	56
6.14.3.6	getUserWallet()	56
6.14.3.7	isSuperUser()	57
6.14.3.8	loginUser()	58
6.14.3.9	registerUser()	59
6.14.3.10	setUserWallet()	60
6.14.3.11	showGamesInStore()	60
6.14.3.12	showOwnedGames()	61
6.15	es.deusto.server.Server Class Reference	62
6.15.1	Detailed Description	62
6.15.2	Member Function Documentation	62
6.15.2.1	basicData()	62
6.15.2.2	main()	62
6.16	es.deusto.server.db.data.User Class Reference	62
6.16.1	Detailed Description	63
6.16.2	Constructor & Destructor Documentation	63
6.16.2.1	User() [1/2]	63
6.16.2.2	User() [2/2]	63
6.16.3	Member Function Documentation	63
6.16.3.1	addLicense()	64
6.16.3.2	compareUserTo()	64
6.16.3.3	getLicenses()	64
6.16.3.4	getLogin()	64
6.16.3.5	getMoney()	64
6.16.3.6	getPassword()	64
6.16.3.7	getSuperuser()	65
6.16.3.8	removeLicense()	65
6.16.3.9	setMoney()	65
6.16.3.10	setSuperuser()	65
6.16.3.11	toString()	65

7 File Documentation	67
7.1 src/main/java/es/deusto/client/Client.java File Reference	67
7.2 src/main/java/es/deusto/client/GUI.java File Reference	67
7.3 src/main/java/es/deusto/server/db/dao/DAO.java File Reference	67
7.4 src/main/java/es/deusto/server/db/dao/IDAO.java File Reference	68
7.5 src/main/java/es/deusto/server/db/data/Company.java File Reference	68
7.6 src/main/java/es/deusto/server/db/data/Game.java File Reference	68
7.7 src/main/java/es/deusto/server/db/data/Genre.java File Reference	68
7.8 src/main/java/es/deusto/server/db/data/License.java File Reference	69
7.9 src/main/java/es/deusto/server/db/data/User.java File Reference	69
7.10 src/main/java/es/deusto/server/db/DB.java File Reference	69
7.11 src/main/java/es/deusto/server/db/IDB.java File Reference	69
7.12 src/main/java/es/deusto/server/remote/IRemote.java File Reference	70
7.13 src/main/java/es/deusto/server/remote/Remote.java File Reference	70
7.14 src/main/java/es/deusto/server/Server.java File Reference	70
7.15 src/test/java/es/deusto/server/ContiPerfTest.java File Reference	70
7.16 src/test/java/es/deusto/server/DAOMockTest.java File Reference	70
7.17 src/test/java/es/deusto/server/RMITest.java File Reference	70
Index	71

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

es	9
es.deusto	9
es.deusto.client	9
es.deusto.server	9
es.deusto.server.db	10
es.deusto.server.db.dao	10
es.deusto.server.db.data	10
es.deusto.server.remote	10

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

es.deusto.server.ContiPerfTest	15
es.deusto.server.DAOMockTest	26
es.deusto.client.GUI	39
es.deusto.server.db.dao.IDAO	40
es.deusto.server.db.dao.DAO	16
es.deusto.server.db.IDB	44
es.deusto.server.db.DB	27
es.deusto.server.remote.IRemote	47
es.deusto.server.remote.Remote	52
es.deusto.server.Server	62
JFrame	
es.deusto.client.Client	11
Serializable	
es.deusto.server.db.data.Company	13
es.deusto.server.db.data.Game	35
es.deusto.server.db.data.Genre	38
es.deusto.server.db.data.License	50
es.deusto.server.db.data.User	62
UnicastRemoteObject	
es.deusto.server.remote.Remote	52

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

es.deusto.client.Client	11
es.deusto.server.db.data.Company	13
es.deusto.server.ContiPerfTest	15
es.deusto.server.db.dao.DAO	16
es.deusto.server.DAOMockTest	26
es.deusto.server.db.DB	27
es.deusto.server.db.data.Game	35
es.deusto.server.db.data.Genre	38
es.deusto.client.GUI	39
es.deusto.server.db.dao.IDAO	40
es.deusto.server.db.IDB	44
es.deusto.server.remote.IRemote	47
es.deusto.server.db.data.License	50
es.deusto.server.remote.Remote	52
es.deusto.server.Server	62
es.deusto.server.db.data.User	62

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

src/main/java/es/deusto/client/ Client.java	67
src/main/java/es/deusto/client/ GUI.java	67
src/main/java/es/deusto/server/ Server.java	70
src/main/java/es/deusto/server/db/ DB.java	69
src/main/java/es/deusto/server/db/ IDB.java	69
src/main/java/es/deusto/server/db/dao/ DAO.java	67
src/main/java/es/deusto/server/db/dao/ IDAO.java	68
src/main/java/es/deusto/server/db/data/ Company.java	68
src/main/java/es/deusto/server/db/data/ Game.java	68
src/main/java/es/deusto/server/db/data/ Genre.java	68
src/main/java/es/deusto/server/db/data/ License.java	69
src/main/java/es/deusto/server/db/data/ User.java	69
src/main/java/es/deusto/server/remote/ IRemote.java	70
src/main/java/es/deusto/server/remote/ Remote.java	70
src/test/java/es/deusto/server/ ContiPerfTest.java	70
src/test/java/es/deusto/server/ DAOMockTest.java	70
src/test/java/es/deusto/server/ RMITest.java	70

Chapter 5

Namespace Documentation

5.1 Package es

Packages

- package [deusto](#)

5.2 Package es.deusto

Packages

- package [client](#)
- package [server](#)

5.3 Package es.deusto.client

Classes

- class [Client](#)
- class [GUI](#)

5.4 Package es.deusto.server

Packages

- package [db](#)
- package [remote](#)

Classes

- class [ContiPerfTest](#)
- class [DAOMockTest](#)
- class [Server](#)

5.5 Package es.deusto.server.db

Packages

- package [dao](#)
- package [data](#)

Classes

- class [DB](#)
- interface [IDB](#)

5.6 Package es.deusto.server.db.dao

Classes

- class [DAO](#)
- interface [IDAO](#)

5.7 Package es.deusto.server.db.data

Classes

- class [Company](#)
- class [Game](#)
- class [Genre](#)
- class [License](#)
- class [User](#)

5.8 Package es.deusto.server.remote

Classes


- interface [IRemote](#)
- class [Remote](#)

Chapter 6

Class Documentation

6.1 es.deusto.client.Client Class Reference

Inheritance diagram for es.deusto.client.Client:



Public Member Functions

- void [loadAllArrayList](#) ()
- void [loginWindow](#) ()
- void [normalUserWindow](#) ()
- void [buyGameWindow](#) ()
- void [superUserWindow](#) ()
- void [addGameWindow](#) ()
- [Client](#) ()

Static Public Member Functions

- static void [main](#) (String[] args)

6.1.1 Detailed Description

Definition at line 39 of file `Client.java`.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 Client()

```
es.deusto.client.Client.Client ( )
```

Definition at line 763 of file Client.java.

6.1.3 Member Function Documentation

6.1.3.1 addGameWindow()

```
void es.deusto.client.Client.addGameWindow ( )
```

Definition at line 616 of file Client.java.

6.1.3.2 buyGameWindow()

```
void es.deusto.client.Client.buyGameWindow ( )
```

Definition at line 355 of file Client.java.

6.1.3.3 loadAllArrayList()

```
void es.deusto.client.Client.loadAllArrayList ( )
```

Definition at line 82 of file Client.java.

6.1.3.4 loginWindow()

```
void es.deusto.client.Client.loginWindow ( )
```

Definition at line 104 of file Client.java.

6.1.3.5 main()

```
static void es.deusto.client.Client.main (
    String [] args ) [static]
```

Definition at line 821 of file Client.java.

6.1.3.6 normalUserWindow()

```
void es.deusto.client.Client.normalUserWindow ( )
```

Definition at line 223 of file Client.java.

6.1.3.7 superUserWindow()

```
void es.deusto.client.Client.superUserWindow ( )
```


Definition at line 557 of file Client.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/client/[Client.java](#)

6.2 es.deusto.server.db.data.Company Class Reference

Inheritance diagram for es.deusto.server.db.data.Company:



Public Member Functions

- [Company](#) (String [name](#))
- void [addGame](#) ([Game](#) game)
- String [getName](#) ()
- String [toString](#) ()

Protected Attributes

- String [name](#) =null

6.2.1 Detailed Description

Definition at line 33 of file Company.java.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 Company()

```
es.deusto.server.db.data.Company.Company (
    String name )
```

Definition at line 42 of file Company.java.

6.2.3 Member Function Documentation

6.2.3.1 addGame()

```
void es.deusto.server.db.data.Company.addGame (
    Game game )
```

Definition at line 48 of file Company.java.

6.2.3.2 getName()

```
String es.deusto.server.db.data.Company.getName ( )
```

Definition at line 52 of file Company.java.

6.2.3.3 toString()

```
String es.deusto.server.db.data.Company.toString ( )
```

Definition at line 57 of file Company.java.

6.2.4 Member Data Documentation

6.2.4.1 name

```
String es.deusto.server.db.data.Company.name =null [protected]
```

Definition at line 37 of file Company.java.

The documentation for this class was generated from the following file:

- [src/main/java/es/deusto/server/db/data/Company.java](#)

6.3 es.deusto.server.ContiPerfTest Class Reference

Public Member Functions

- void [storeGameInvocationFail](#) ()
- void [storeGameDuration](#) ()
- void [loadGame](#) ()
- void [loadGame2](#) ()

Static Public Member Functions

- static junit.framework.Test [suite](#) ()

Public Attributes

- ContiPerfRule [rule](#) = new ContiPerfRule()

6.3.1 Detailed Description

Definition at line 52 of file ContiPerfTest.java.

6.3.2 Member Function Documentation

6.3.2.1 loadGame()

```
void es.deusto.server.ContiPerfTest.loadGame ( )
```

Definition at line 118 of file ContiPerfTest.java.

6.3.2.2 loadGame2()

```
void es.deusto.server.ContiPerfTest.loadGame2 ( )
```

Definition at line 126 of file ContiPerfTest.java.

6.3.2.3 storeGameDuration()

```
void es.deusto.server.ContiPerfTest.storeGameDuration ( )
```

Definition at line 103 of file ContiPerfTest.java.

6.3.2.4 storeGameInvocationFail()

```
void es.deusto.server.ContiPerfTest.storeGameInvocationFail ( )
```

Definition at line 77 of file ContiPerfTest.java.

6.3.2.5 suite()

```
static junit.framework.Test es.deusto.server.ContiPerfTest.suite ( ) [static]
```

Definition at line 68 of file ContiPerfTest.java.

6.3.3 Member Data Documentation

6.3.3.1 rule

```
ContiPerfRule es.deusto.server.ContiPerfTest.rule = new ContiPerfRule()
```


Definition at line 66 of file ContiPerfTest.java.

The documentation for this class was generated from the following file:

- [src/test/java/es/deusto/server/ContiPerfTest.java](#)

6.4 es.deusto.server.db.dao.DAO Class Reference

Inheritance diagram for es.deusto.server.db.dao.DAO:



Public Member Functions

- [DAO](#) ()
- boolean [storeUser](#) ([User](#) u)
- [User](#) [retrieveUser](#) (String login)
- boolean [updateUser](#) ([User](#) u)
- [License](#) [retrieveLicense](#) (String gameKey)
- boolean [updateLicense](#) ([License](#) g)
- boolean [storeGame](#) ([Game](#) g)
- [Game](#) [retrieveGame](#) (String name)
- boolean [updateGame](#) ([Game](#) g)
- [Company](#) [retrieveCompany](#) (String name)
- boolean [updateCompany](#) ([Company](#) c)
- [Genre](#) [retrieveGenre](#) (String name)
- boolean [updateGenre](#) ([Genre](#) g)
- List< [Game](#) > [getAllGames](#) ()
- List< [Company](#) > [getAllCompanies](#) ()
- List< [Genre](#) > [getAllGenres](#) ()
- [License](#) [getFirstLicense](#) (String name)

6.4.1 Detailed Description

This class is the link between the database and the server

Author

Version

1.0

Since

24/03/2017

Definition at line 21 of file DAO.java.

6.4.2 Constructor & Destructor Documentation

6.4.2.1 DAO()

```
es.deusto.server.db.dao.DAO.DAO ( )
```

Definition at line 26 of file DAO.java.

6.4.3 Member Function Documentation

6.4.3.1 getAllCompanies()

```
List<Company> es.deusto.server.db.dao.DAO.getAllCompanies ( )
```

This method shows all the companies

Parameters

<i>unused</i>	
---------------	--

Returns

List Returns a list of companies

See also

[es.deusto.server.db.dao.IDAO::getAllCompanies\(\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 424 of file DAO.java.

6.4.3.2 getAllGames()

```
List<Game> es.deusto.server.db.dao.DAO.getAllGames ( )
```

This method shows a list of games

Parameters

<i>unused</i>	
---------------	--

Returns

List Returns a list of games

See also

[es.deusto.server.db.dao.IDAO::getAllGames\(\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 388 of file DAO.java.

6.4.3.3 getAllGenres()

```
List<Genre> es.deusto.server.db.dao.DAO.getAllGenres ( )
```

This method shows all the genres

Parameters

<i>unused</i>	
---------------	--

Returns

List Returns a list of genres

See also

[es.deusto.server.db.dao.IDAO::getAllGenres\(\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 460 of file DAO.java.

6.4.3.4 getFirstLicense()

```
License es.deusto.server.db.dao.DAO.getFirstLicense (
    String name )
```

This method returns the first license stored in the database

Parameters

<i>name</i>	This is the name of a license
-------------	-------------------------------

Returns

License Returns a license

See also

[es.deusto.server.db.dao.IDAO::getFirstLicense\(java.lang.String\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 496 of file DAO.java.

6.4.3.5 retrieveCompany()

```
Company es.deusto.server.db.dao.DAO.retrieveCompany (
    String name )
```

This method retrieves a company

Parameters

<i>name</i>	This is the name of a company
-------------	-------------------------------

Returns

Company Returns a company

See also

[es.deusto.server.db.dao.IDAO::retrieveCompany](#)(java.lang.String)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 270 of file DAO.java.

6.4.3.6 retrieveGame()

```
Game es.deusto.server.db.dao.DAO.retrieveGame (
    String name )
```

This method retrieves a game

Parameters

<i>name</i>	This is the name of a game
-------------	----------------------------

Returns

Game Returns a game

See also

[es.deusto.server.db.dao.IDAO::retrieveGame](#)(java.lang.String)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 211 of file DAO.java.

6.4.3.7 retrieveGenre()

```
Genre es.deusto.server.db.dao.DAO.retrieveGenre (
    String name )
```

This methos retrieves a genre

Parameters

<i>name</i>	This is the name of a genre
-------------	-----------------------------

Returns

Genre Returns a genre

See also

[es.deusto.server.db.dao.IDAO::retrieveGenre](#)(java.lang.String)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 329 of file DAO.java.

6.4.3.8 retrieveLicense()

```
License es.deusto.server.db.dao.DAO.retrieveLicense (
    String gameKey )
```

This method retrieves a license

Parameters

<i>gameKey</i>	This is the key of a license
----------------	------------------------------

Returns

License Returns a license

See also

[es.deusto.server.db.dao.IDAO::retrieveLicense](#)(java.lang.String)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 124 of file DAO.java.

6.4.3.9 retrieveUser()

```
User es.deusto.server.db.dao.DAO.retrieveUser (
    String login )
```

This method retrieves a user

Parameters

<i>login</i>	This is the login name of a user
--------------	----------------------------------

Returns

User Returns a user

See also

[es.deusto.server.db.dao.IDAO::retrieveUser](#)(java.lang.String)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 65 of file DAO.java.

6.4.3.10 storeGame()

```
boolean es.deusto.server.db.dao.DAO.storeGame (  
    Game g )
```

This method stores a game

Parameters

<i>g</i>	This is a game
----------	----------------

Returns

boolean Returns true or false depending on whether the game exists or not

See also

[es.deusto.server.db.dao.IDAO::storeGame](#)(es.deusto.server.db.data.Game)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 183 of file DAO.java.

6.4.3.11 storeUser()

```
boolean es.deusto.server.db.dao.DAO.storeUser (  
    User u )
```

This method stores a user

Parameters

<i>u</i>	This is a user
----------	----------------

Returns

boolean Returns true or false depending on whether the user exists or not

See also

[es.deusto.server.db.dao.IDAO::storeUser\(es.deusto.server.db.data.User\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 36 of file DAO.java.

6.4.3.12 updateCompany()

```
boolean es.deusto.server.db.dao.DAO.updateCompany (
    Company c )
```

This method updates a company

Parameters

<i>c</i>	This is a company
----------	-------------------

Returns

boolean Returns true or false depending on whether the company exists or not

See also

[es.deusto.server.db.dao.IDAO::updateCompany\(es.deusto.server.db.data.Company\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 301 of file DAO.java.

6.4.3.13 updateGame()

```
boolean es.deusto.server.db.dao.DAO.updateGame (
    Game g )
```

This method updates a game

Parameters

<i>g</i>	This is a game
----------	----------------

Returns

boolean Returns true or false depending on whether the game exists or not

See also

[es.deusto.server.db.dao.IDAO::updateGame\(es.deusto.server.db.data.Game\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 242 of file DAO.java.

6.4.3.14 updateGenre()

```
boolean es.deusto.server.db.dao.DAO.updateGenre (
    Genre g )
```

This method updates a genre

Parameters

<i>g</i>	This is a genre
----------	-----------------

Returns

boolean Returns true or false depending on whether the genre exists or not

See also

[es.deusto.server.db.dao.IDAO::updateGenre\(es.deusto.server.db.data.Genre\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 360 of file DAO.java.

6.4.3.15 updateLicense()

```
boolean es.deusto.server.db.dao.DAO.updateLicense (
    License g )
```

This method updates a license

Parameters

<i>g</i>	This is a license
----------	-------------------

Returns

boolean Returns true or false depending on whether the license exists or not

See also

[es.deusto.server.db.dao.IDAO::updateLicense\(es.deusto.server.db.data.License\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 155 of file DAO.java.

6.4.3.16 updateUser()

```
boolean es.deusto.server.db.dao.DAO.updateUser (
    User u )
```

This method updates a user

Parameters

<i>u</i>	This is a user
----------	----------------

Returns

boolean Returns true or false depending on whether the user exists or not

See also

[es.deusto.server.db.dao.IDAO::updateUser\(es.deusto.server.db.data.User\)](#)

Implements [es.deusto.server.db.dao.IDAO](#).

Definition at line 96 of file DAO.java.

The documentation for this class was generated from the following file:

- [src/main/java/es/deusto/server/db/dao/DAO.java](#)

6.5 es.deusto.server.DAOMockTest Class Reference

Public Member Functions

- void [setUp](#) () throws Exception
- void [testRegisterUserCorrectly](#) ()
- void [testRegisterUserAlreadyExists](#) ()
- void [testGameValid](#) () throws Exception
- void [addGameToDBTest](#) ()

Static Public Member Functions

- static junit.framework.Test [suite](#) ()

6.5.1 Detailed Description

Author

cortazar Testing of the Service Layer, mocking the DAO layer

Definition at line 53 of file DAOMockTest.java.

6.5.2 Member Function Documentation

6.5.2.1 addGameToDBTest()

```
void es.deusto.server.DAOMockTest.addGameToDBTest ( )
```

Definition at line 143 of file DAOMockTest.java.

6.5.2.2 setUp()

```
void es.deusto.server.DAOMockTest.setUp ( ) throws Exception
```

Definition at line 69 of file DAOMockTest.java.

6.5.2.3 suite()

```
static junit.framework.Test es.deusto.server.DAOMockTest.suite ( ) [static]
```

Definition at line 64 of file DAOMockTest.java.

6.5.2.4 testGameValid()

```
void es.deusto.server.DAOMockTest.testGameValid ( ) throws Exception
```

Definition at line 116 of file DAOMockTest.java.

6.5.2.5 testRegisterUserAlreadyExists()

```
void es.deusto.server.DAOMockTest.testRegisterUserAlreadyExists ( )
```

Definition at line 99 of file DAOMockTest.java.

6.5.2.6 testRegisterUserCorrectly()

```
void es.deusto.server.DAOMockTest.testRegisterUserCorrectly ( )
```


Definition at line 78 of file DAOMockTest.java.

The documentation for this class was generated from the following file:

- [src/test/java/es/deusto/server/DAOMockTest.java](#)

6.6 es.deusto.server.db.DB Class Reference

Inheritance diagram for es.deusto.server.db.DB:



Public Member Functions

- [DB](#) ()
- [DB](#) (IDAO dao)
- boolean [loginUser](#) ([User](#) u)
- boolean [registerUser](#) ([User](#) u)
- boolean [buyGame](#) (String username, String name)
- List< [Game](#) > [getAllGames](#) ()
- List< [Game](#) > [getUserGames](#) (String username)
- List< String > [getAllCompanies](#) ()
- List< String > [getAllGenres](#) ()
- boolean [addGameToDb](#) ([Game](#) g, [Genre](#) gg, [Company](#) c)
- boolean [isSuperUser](#) (String login)
- [User](#) [showUser](#) (String login)
- [Game](#) [showGame](#) (String name)
- [Company](#) [showCompany](#) (String name)
- [Genre](#) [showGenre](#) (String name)

6.6.1 Detailed Description

This class executes all the basic functions of the database, such as buying a game, registering a user or adding a game for example

Author

Version

1.0

Since

24/03/2017

Definition at line 24 of file DB.java.

6.6.2 Constructor & Destructor Documentation

6.6.2.1 DB() [1/2]

```
es.deusto.server.db.DB.DB ( )
```

This is the first constructor for the database

Parameters

<i>unused</i>	
---------------	--

Returns

nothing

Definition at line 37 of file DB.java.

6.6.2.2 DB() [2/2]

```
es.deusto.server.db.DB.DB (
    IDAO dao )
```

This is the second constructor for the database

Parameters

<i>udao</i>	This is the parameter to the constructor
-------------	--

Returns

nothing

Definition at line 46 of file DB.java.

6.6.3 Member Function Documentation**6.6.3.1 addGameToDb()**

```
boolean es.deusto.server.db.DB.addGameToDb (
    Game g,
    Genre gg,
    Company c )
```

This method adds a new game or updates a existing one into the database

Parameters

<i>g</i>	This is a game
<i>gg</i>	This is a genre
<i>c</i>	This is a company

Returns

boolean Returns true or false depending on whether the game exists in the database or not

See also

[es.deusto.server.db.IDB::addGameToDb\(es.deusto.server.db.data.Game, es.deusto.server.db.data.Genre, es.deusto.server.db.data.Company\)](#)

Implements [es.deusto.server.db.IDB](#).

Definition at line 177 of file DB.java.

6.6.3.2 buyGame()

```
boolean es.deusto.server.db.DB.buyGame (
    String username,
    String name )
```

Method that gives the user a license when buying a game

Parameters

<i>username</i>	This is the login username of a user
<i>name</i>	This is the name of a game

Returns

boolean Returns true when the user has the license

See also

[es.deusto.server.db.IDB::buyGame](#)(java.lang.String, java.lang.String)

Implements [es.deusto.server.db.IDB](#).

Definition at line 96 of file DB.java.

6.6.3.3 getAllCompanies()

```
List<String> es.deusto.server.db.DB.getAllCompanies ( )
```

This method shows a list of companies

Parameters

<i>unused</i>	
---------------	--

Returns

List Returns a list of companies

See also

[es.deusto.server.db.IDB::getAllCompanies](#)()

Implements [es.deusto.server.db.IDB](#).

Definition at line 145 of file DB.java.

6.6.3.4 getAllGames()

```
List<Game> es.deusto.server.db.DB.getAllGames ( )
```

This method shows a list of games

Parameters

<i>unused</i>	
---------------	--

Returns

List Returns a list of games

See also

[es.deusto.server.db.IDB::getAllGames\(\)](#)

Implements [es.deusto.server.db.IDB](#).

Definition at line 120 of file DB.java.

6.6.3.5 getAllGenres()

```
List<String> es.deusto.server.db.DB.getAllGenres ( )
```

This method shows a list of genres

Parameters

<i>unused</i>	
---------------	--

Returns

List Returns a list of genres

See also

[es.deusto.server.db.IDB::getAllGenres\(\)](#)

Implements [es.deusto.server.db.IDB](#).

Definition at line 160 of file DB.java.

6.6.3.6 getUserGames()

```
List<Game> es.deusto.server.db.DB.getUserGames (
    String username )
```

Method that returns the list of games of a user

Parameters

<i>username</i>	This is the login username of a user
-----------------	--------------------------------------

Returns

list Returns a list of games

See also

[es.deusto.server.db.IDB::getUserGames](#)(java.lang.String)

Implements [es.deusto.server.db.IDB](#).

Definition at line 130 of file DB.java.

6.6.3.7 isSuperUser()

```
boolean es.deusto.server.db.DB.isSuperUser (
    String login )
```

This method shows if a user is also superuser or not

Parameters

<i>login</i>	This is the login name of a user
--------------	----------------------------------

Returns

boolean Returns if a user is superuser or not

See also

[es.deusto.server.db.IDB::isSuperUser](#)(java.lang.String)

Implements [es.deusto.server.db.IDB](#).

Definition at line 240 of file DB.java.

6.6.3.8 loginUser()

```
boolean es.deusto.server.db.DB.loginUser (
    User u )
```

This method allows the user to log in

Parameters

<i>u</i>	This is a user
----------	----------------

Returns

boolean Returns true or false depending on whether the user exists or not

See also

[es.deusto.server.db.IDB::loginUser\(es.deusto.server.db.data.User\)](#)

Implements [es.deusto.server.db.IDB](#).

Definition at line 58 of file DB.java.

6.6.3.9 registerUser()

```
boolean es.deusto.server.db.DB.registerUser (
    User u )
```

This method saves a new user

Parameters

<i>u</i>	This is a user
----------	----------------

Returns

boolean Returns true or false depending on whether the user exists or not

See also

[es.deusto.server.db.IDB::registerUser\(es.deusto.server.db.data.User\)](#)

Implements [es.deusto.server.db.IDB](#).

Definition at line 79 of file DB.java.

6.6.3.10 showCompany()

```
Company es.deusto.server.db.DB.showCompany (
    String name )
```

This method shows the company of a game

Parameters

<i>name</i>	This is the name of a company
-------------	-------------------------------

Returns

Company Returns the company of a game

See also

[es.deusto.server.db.IDB::showCompany](#)(java.lang.String)

Implements [es.deusto.server.db.IDB](#).

Definition at line 271 of file DB.java.

6.6.3.11 showGame()

```
Game es.deusto.server.db.DB.showGame (
    String name )
```

This method shows a game

Parameters

<i>name</i>	This is the name of a game return Game Returns a game
-------------	---

See also

[es.deusto.server.db.IDB::showGame](#)(java.lang.String)

Implements [es.deusto.server.db.IDB](#).

Definition at line 259 of file DB.java.

6.6.3.12 showGenre()

```
Genre es.deusto.server.db.DB.showGenre (
    String name )
```

This method shows the genre of a game

Parameters

<i>name</i>	This is the name of a genre
-------------	-----------------------------

Returns

Genre Returns the genre of a game

See also

[es.deusto.server.db.IDB::showGenre](#)(java.lang.String)

Implements [es.deusto.server.db.IDB](#).

Definition at line 283 of file DB.java.

6.6.3.13 showUser()

```
User es.deusto.server.db.DB.showUser (
    String login )
```

Implements [es.deusto.server.db.IDB](#).


Definition at line 247 of file DB.java.

The documentation for this class was generated from the following file:

- [src/main/java/es/deusto/server/db/DB.java](#)

6.7 es.deusto.server.db.data.Game Class Reference

Inheritance diagram for es.deusto.server.db.data.Game:



Public Member Functions

- [Game](#) (String name, double price, double discount)
- String [getName](#) ()
- double [getPrice](#) ()
- double [getDiscount](#) ()
- void [addLicense](#) ([License](#) license)
- void [removeLicense](#) ([License](#) license)
- List< [License](#) > [getLicenses](#) ()
- [Genre](#) [getGenre](#) ()
- void [setGenre](#) ([Genre](#) genre)
- [Company](#) [getCompany](#) ()
- void [setCompany](#) ([Company](#) company)
- String [toString](#) ()

6.7.1 Detailed Description

Definition at line 19 of file Game.java.

6.7.2 Constructor & Destructor Documentation

6.7.2.1 Game()

```
es.deusto.server.db.data.Game.Game (
    String name,
    double price,
    double discount )
```

Definition at line 35 of file Game.java.

6.7.3 Member Function Documentation

6.7.3.1 addLicense()

```
void es.deusto.server.db.data.Game.addLicense (
    License license )
```

Definition at line 53 of file Game.java.

6.7.3.2 getCompany()

```
Company es.deusto.server.db.data.Game.getCompany ( )
```

Definition at line 73 of file Game.java.

6.7.3.3 getDiscount()

```
double es.deusto.server.db.data.Game.getDiscount ( )
```

Definition at line 49 of file Game.java.

6.7.3.4 getGenre()

```
Genre es.deusto.server.db.data.Game.getGenre ( )
```

Definition at line 65 of file Game.java.

6.7.3.5 getLicenses()

```
List<License> es.deusto.server.db.data.Game.getLicenses ( )
```

Definition at line 61 of file Game.java.

6.7.3.6 getName()

```
String es.deusto.server.db.data.Game.getName ( )
```

Definition at line 41 of file Game.java.

6.7.3.7 getPrice()

```
double es.deusto.server.db.data.Game.getPrice ( )
```

Definition at line 45 of file Game.java.

6.7.3.8 removeLicense()

```
void es.deusto.server.db.data.Game.removeLicense (
    License license )
```

Definition at line 57 of file Game.java.

6.7.3.9 setCompany()

```
void es.deusto.server.db.data.Game.setCompany (
    Company company )
```

Definition at line 77 of file Game.java.

6.7.3.10 setGenre()

```
void es.deusto.server.db.data.Game.setGenre (
    Genre genre )
```

Definition at line 69 of file Game.java.

6.7.3.11 toString()

```
String es.deusto.server.db.data.Game.toString ( )
```


Definition at line 81 of file Game.java.

The documentation for this class was generated from the following file:

- [src/main/java/es/deusto/server/db/data/Game.java](#)

6.8 es.deusto.server.db.data.Genre Class Reference

Inheritance diagram for es.deusto.server.db.data.Genre:



Public Member Functions

- [Genre](#) (String name)
- String [getName](#) ()
- void [addGame](#) ([Game](#) game)
- String [toString](#) ()

6.8.1 Detailed Description

Definition at line 14 of file Genre.java.

6.8.2 Constructor & Destructor Documentation

6.8.2.1 Genre()

```
es.deusto.server.db.data.Genre.Genre (
    String name )
```

Definition at line 24 of file Genre.java.

6.8.3 Member Function Documentation

6.8.3.1 addGame()

```
void es.deusto.server.db.data.Genre.addGame (
    Game game )
```

Definition at line 33 of file Genre.java.

6.8.3.2 getName()

```
String es.deusto.server.db.data.Genre.getName ( )
```

Definition at line 29 of file Genre.java.

6.8.3.3 toString()

```
String es.deusto.server.db.data.Genre.toString ( )
```

Definition at line 38 of file Genre.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/server/db/data/[Genre.java](#)

6.9 es.deusto.client.GUI Class Reference

Public Member Functions

- void [ventanaDeCliente](#) ()

6.9.1 Detailed Description

Definition at line 3 of file GUI.java.

6.9.2 Member Function Documentation

6.9.2.1 ventanaDeCliente()

```
void es.deusto.client.GUI.ventanaDeCliente ( )
```


Definition at line 6 of file GUI.java.

The documentation for this class was generated from the following file:

- [src/main/java/es/deusto/client/GUI.java](#)

6.10 es.deusto.server.db.dao.IDAO Interface Reference

Inheritance diagram for es.deusto.server.db.dao.IDAO:



Public Member Functions

- boolean [storeUser](#) ([User](#) u)
- [User](#) [retrieveUser](#) (String login)
- boolean [updateUser](#) ([User](#) u)
- [License](#) [retrieveLicense](#) (String gameKey)
- boolean [updateLicense](#) ([License](#) u)
- boolean [storeGame](#) ([Game](#) g)
- [Game](#) [retrieveGame](#) (String name)
- boolean [updateGame](#) ([Game](#) g)
- [Company](#) [retrieveCompany](#) (String name)
- boolean [updateCompany](#) ([Company](#) c)
- [Genre](#) [retrieveGenre](#) (String name)
- boolean [updateGenre](#) ([Genre](#) g)
- List< [Game](#) > [getAllGames](#) ()
- List< [Company](#) > [getAllCompanies](#) ()
- List< [Genre](#) > [getAllGenres](#) ()
- [License](#) [getFirstLicense](#) (String name)

6.10.1 Detailed Description

Definition at line 6 of file IDAO.java.

6.10.2 Member Function Documentation

6.10.2.1 getAllCompanies()

```
List<Company> es.deusto.server.db.dao.IDAO.getAllCompanies ( )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.2 getAllGames()

```
List<Game> es.deusto.server.db.dao.IDAO.getAllGames ( )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.3 getAllGenres()

```
List<Genre> es.deusto.server.db.dao.IDAO.getAllGenres ( )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.4 getFirstLicense()

```
License es.deusto.server.db.dao.IDAO.getFirstLicense (
    String name )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.5 retrieveCompany()

```
Company es.deusto.server.db.dao.IDAO.retrieveCompany (
    String name )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.6 retrieveGame()

```
Game es.deusto.server.db.dao.IDAO.retrieveGame (
    String name )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.7 retrieveGenre()

```
Genre es.deusto.server.db.dao.IDAO.retrieveGenre (
    String name )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.8 retrieveLicense()

```
License es.deusto.server.db.dao.IDAO.retrieveLicense (
    String gameKey )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.9 retrieveUser()

```
User es.deusto.server.db.dao.IDAO.retrieveUser (
    String login )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.10 storeGame()

```
boolean es.deusto.server.db.dao.IDAO.storeGame (
    Game g )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.11 storeUser()

```
boolean es.deusto.server.db.dao.IDAO.storeUser (
    User u )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.12 updateCompany()

```
boolean es.deusto.server.db.dao.IDAO.updateCompany (
    Company c )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.13 updateGame()

```
boolean es.deusto.server.db.dao.IDAO.updateGame (
    Game g )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.14 updateGenre()

```
boolean es.deusto.server.db.dao.IDAO.updateGenre (
    Genre g )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.15 updateLicense()

```
boolean es.deusto.server.db.dao.IDAO.updateLicense (
    License u )
```

Implemented in [es.deusto.server.db.dao.DAO](#).

6.10.2.16 updateUser()

```
boolean es.deusto.server.db.dao.IDAO.updateUser (
    User u )
```


Implemented in [es.deusto.server.db.dao.DAO](#).

The documentation for this interface was generated from the following file:

- [src/main/java/es/deusto/server/db/dao/IDAO.java](#)

6.11 es.deusto.server.db.IDB Interface Reference

Inheritance diagram for es.deusto.server.db.IDB:



Public Member Functions

- boolean [loginUser](#) ([User](#) u)
- boolean [registerUser](#) ([User](#) u)
- boolean [buyGame](#) (String login, String game)
- List< [Game](#) > [getAllGames](#) ()
- List< [Game](#) > [getUserGames](#) (String login)
- List< String > [getAllCompanies](#) ()
- List< String > [getAllGenres](#) ()
- boolean [addGameToDb](#) ([Game](#) g, [Genre](#) gg, [Company](#) c)
- boolean [isSuperUser](#) (String login)
- [User](#) [showUser](#) (String login)
- [Game](#) [showGame](#) (String name)
- [Company](#) [showCompany](#) (String name)
- [Genre](#) [showGenre](#) (String name)

6.11.1 Detailed Description

Definition at line 7 of file IDB.java.

6.11.2 Member Function Documentation

6.11.2.1 addGameToDb()

```
boolean es.deusto.server.db.IDB.addGameToDb (  
    Game g,  
    Genre gg,  
    Company c )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.2 buyGame()

```
boolean es.deusto.server.db.IDB.buyGame (
    String login,
    String game )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.3 getAllCompanies()

```
List<String> es.deusto.server.db.IDB.getAllCompanies ( )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.4 getAllGames()

```
List<Game> es.deusto.server.db.IDB.getAllGames ( )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.5 getAllGenres()

```
List<String> es.deusto.server.db.IDB.getAllGenres ( )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.6 getUserGames()

```
List<Game> es.deusto.server.db.IDB.getUserGames (
    String login )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.7 isSuperUser()

```
boolean es.deusto.server.db.IDB.isSuperUser (
    String login )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.8 loginUser()

```
boolean es.deusto.server.db.IDB.loginUser (
    User u )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.9 registerUser()

```
boolean es.deusto.server.db.IDB.registerUser (
    User u )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.10 showCompany()

```
Company es.deusto.server.db.IDB.showCompany (
    String name )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.11 showGame()

```
Game es.deusto.server.db.IDB.showGame (
    String name )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.12 showGenre()

```
Genre es.deusto.server.db.IDB.showGenre (
    String name )
```

Implemented in [es.deusto.server.db.DB](#).

6.11.2.13 showUser()

```
User es.deusto.server.db.IDB.showUser (
    String login )
```


Implemented in [es.deusto.server.db.DB](#).

The documentation for this interface was generated from the following file:

- [src/main/java/es/deusto/server/db/IDB.java](#)

6.12 es.deusto.server.remote.IRemote Interface Reference

Inheritance diagram for es.deusto.server.remote.IRemote:



Public Member Functions

- boolean [registerUser](#) (String login, String password) throws RemoteException
- boolean [loginUser](#) (String login, String password) throws RemoteException
- List< [Game](#) > [showGamesInStore](#) () throws RemoteException
- List< [Game](#) > [showOwnedGames](#) (String username) throws RemoteException
- boolean [buyGame](#) (String username, String name) throws RemoteException
- double [getUserWallet](#) (String login) throws RemoteException
- void [setUserWallet](#) (double k, String login) throws RemoteException
- boolean [isSuperUser](#) (String login) throws RemoteException
- boolean [addGame](#) (String gName, double price, double disc, String gg, String c) throws RemoteException
- List< String > [getAllCompanies](#) () throws RemoteException
- List< String > [getAllGenres](#) () throws RemoteException

6.12.1 Detailed Description

Definition at line 9 of file IRemote.java.

6.12.2 Member Function Documentation

6.12.2.1 addGame()

```
boolean es.deusto.server.remote.IRemote.addGame (
    String gName,
    double price,
    double disc,
    String gg,
    String c ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.2 buyGame()

```
boolean es.deusto.server.remote.IRemote.buyGame (
    String username,
    String name ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.3 getAllCompanies()

```
List<String> es.deusto.server.remote.IRemote.getAllCompanies ( ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.4 getAllGenres()

```
List<String> es.deusto.server.remote.IRemote.getAllGenres ( ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.5 getUserWallet()

```
double es.deusto.server.remote.IRemote.getUserWallet (
    String login ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.6 isSuperUser()

```
boolean es.deusto.server.remote.IRemote.isSuperUser (
    String login ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.7 loginUser()

```
boolean es.deusto.server.remote.IRemote.loginUser (
    String login,
    String password ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.8 registerUser()

```
boolean es.deusto.server.remote.IRemote.registerUser (
    String login,
    String password ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.9 setUserWallet()

```
void es.deusto.server.remote.IRemote.setUserWallet (
    double k,
    String login ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.10 showGamesInStore()

```
List<Game> es.deusto.server.remote.IRemote.showGamesInStore ( ) throws RemoteException
```

Implemented in [es.deusto.server.remote.Remote](#).

6.12.2.11 showOwnedGames()

```
List<Game> es.deusto.server.remote.IRemote.showOwnedGames (
    String username ) throws RemoteException
```


Implemented in [es.deusto.server.remote.Remote](#).

The documentation for this interface was generated from the following file:

- [src/main/java/es/deusto/server/remote/IRemote.java](#)

6.13 es.deusto.server.db.data.License Class Reference

Inheritance diagram for es.deusto.server.db.data.License:



Public Member Functions

- [License](#) (String gameKey)
- boolean [isUsed](#) ()
- void [setUsed](#) (boolean isUsed)
- String [getGameKey](#) ()
- [Game](#) [getGame](#) ()
- void [setGame](#) ([Game](#) game)
- [User](#) [getUser](#) ()
- void [setUser](#) ([User](#) user)
- String [toString](#) ()

6.13.1 Detailed Description

Definition at line 9 of file License.java.

6.13.2 Constructor & Destructor Documentation

6.13.2.1 License()

```
es.deusto.server.db.data.License.License (
    String gameKey )
```

Definition at line 20 of file License.java.

6.13.3 Member Function Documentation

6.13.3.1 `getGame()`

`Game` es.deusto.server.db.data.License.getGame ()

Definition at line 38 of file License.java.

6.13.3.2 `getGameKey()`

`String` es.deusto.server.db.data.License.getGameKey ()

Definition at line 34 of file License.java.

6.13.3.3 `getUser()`

`User` es.deusto.server.db.data.License.getUser ()

Definition at line 46 of file License.java.

6.13.3.4 `isUsed()`

`boolean` es.deusto.server.db.data.License.isUsed ()

Definition at line 26 of file License.java.

6.13.3.5 `setGame()`

`void` es.deusto.server.db.data.License.setGame (
 `Game` *game*)

Definition at line 42 of file License.java.

6.13.3.6 `setUsed()`

```
void es.deusto.server.db.data.License.setUsed (
    boolean isUsed )
```

Definition at line 30 of file License.java.

6.13.3.7 `setUser()`

```
void es.deusto.server.db.data.License.setUser (
    User user )
```

Definition at line 50 of file License.java.

6.13.3.8 `toString()`

```
String es.deusto.server.db.data.License.toString ( )
```


Definition at line 55 of file License.java.

The documentation for this class was generated from the following file:

- [src/main/java/es/deusto/server/db/data/License.java](#)

6.14 `es.deusto.server.remote.Remote` Class Reference

Inheritance diagram for `es.deusto.server.remote.Remote`:



Public Member Functions

- `Remote ()` throws `RemoteException`
- boolean `loginUser` (String login, String password) throws `RemoteException`
- boolean `registerUser` (String login, String password) throws `RemoteException`
- List< `Game` > `showGamesInStore ()` throws `RemoteException`
- void `setUserWallet` (double k, String login) throws `RemoteException`
- double `getUserWallet` (String login) throws `RemoteException`
- List< `Game` > `showOwnedGames` (String username) throws `RemoteException`
- boolean `buyGame` (String username, String name) throws `RemoteException`
- boolean `isSuperUser` (String login) throws `RemoteException`
- boolean `addGame` (String gName, double price, double disc, String gg, String c) throws `RemoteException`
- List< String > `getAllCompanies ()`
- List< String > `getAllGenres ()`

Protected Member Functions

- void `finalize` () throws Throwable

6.14.1 Detailed Description

This class checks if the main processes, such as buying a game or registering a user, work correctly

Author

Version

1.0

Since

24/03/2017

Definition at line 27 of file Remote.java.

6.14.2 Constructor & Destructor Documentation

6.14.2.1 Remote()

`es.deusto.server.remote.Remote.Remote ()` throws `RemoteException`

This is the constructor for the `Remote` class

Parameters

<i>unused</i>	
---------------	--

Returns

nothing

Exceptions

<i>RemoteException</i>	
------------------------	--

Definition at line 41 of file Remote.java.

6.14.3 Member Function Documentation

6.14.3.1 addGame()

```
boolean es.deusto.server.remote.Remote.addGame (
    String gName,
    double price,
    double disc,
    String gg,
    String c ) throws RemoteException
```

This method adds a game to the database

Parameters

<i>game</i>	This is the name of a game
<i>genre</i>	This is the genre of a game
<i>company</i>	This is the company of a game

Returns

IDB Returns a game stored in the database

Exceptions

<i>RemoteException</i>	
------------------------	--

See also

[es.deusto.server.remote.IRemote::addGame\(es.deusto.server.db.data.Game, es.deusto.server.db.data.Genre, es.deusto.server.db.data.Company\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 215 of file Remote.java.

6.14.3.2 buyGame()

```
boolean es.deusto.server.remote.Remote.buyGame (
    String username,
    String name ) throws RemoteException
```

This method buys a game and adds it to the user owned list

Parameters

<i>username</i>	This is the name of the user
<i>name</i>	this is the name of a game

Returns

IDB Returns a game stored in the database

Exceptions

<i>RemoteException</i>	
------------------------	--

See also

[es.deusto.server.remote.IRemote::buyGame\(java.lang.String, java.lang.String\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 181 of file Remote.java.

6.14.3.3 finalize()

```
void es.deusto.server.remote.Remote.finalize ( ) throws Throwable [protected]
```

This method finalizes the connection with the database

Parameters

<i>unused</i>	
---------------	--

Returns

none

See also

[java.lang.Object::finalize\(\)](#)

Definition at line 266 of file Remote.java.

6.14.3.4 getAllCompanies()

```
List<String> es.deusto.server.remote.Remote.getAllCompanies ( )
```

This method shows all the companies

Parameters

<i>unused</i>	
---------------	--

Returns

List<String> Returns a list of companies

See also

[es.deusto.server.remote.IRemote::getAllCompanies\(\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 229 of file Remote.java.

6.14.3.5 getAllGenres()

```
List<String> es.deusto.server.remote.Remote.getAllGenres ( )
```

This method shows all the genres

Parameters

<i>unused</i>	
---------------	--

Returns

List<String> Returns a list of genres

See also

[es.deusto.server.remote.IRemote::getAllGenres\(\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 241 of file Remote.java.

6.14.3.6 getUserWallet()

```
double es.deusto.server.remote.Remote.getUserWallet (
    String login ) throws RemoteException
```

This method shows the wallet of a user

Parameters

<i>login</i>	This is the user login name
--------------	-----------------------------

Returns

double Returns the amount of money a user has in the wallet

Exceptions

<i>RemoteException</i>	
------------------------	--

See also

[es.deusto.server.remote.IRemote::getUserWallet\(java.lang.String\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 133 of file Remote.java.

6.14.3.7 isSuperUser()

```
boolean es.deusto.server.remote.Remote.isSuperUser (
    String login ) throws RemoteException
```

This method shows if a user is superuser or not

Parameters

<i>login</i>	This is the login name of a user
--------------	----------------------------------

Returns

boolean Returns if the user is also superuser

See also

[es.deusto.server.remote.IRemote::isSuperUser\(java.lang.String\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 201 of file Remote.java.

6.14.3.8 loginUser()

```
boolean es.deusto.server.remote.Remote.loginUser (  
    String login,  
    String password ) throws RemoteException
```

This method allows a user to log in

Parameters

<i>login</i>	This is the login name of a user
<i>password</i>	This is the login password of a user

Returns

boolean Returns true if the user can log in and false if not

Exceptions

<i>RemoteException</i>	
------------------------	--

See also

[es.deusto.server.remote.IRemote::loginUser](#)(java.lang.String, java.lang.String)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 53 of file Remote.java.

6.14.3.9 registerUser()

```
boolean es.deusto.server.remote.Remote.registerUser (
    String login,
    String password ) throws RemoteException
```

This method checks if the registration process works correctly

Parameters

<i>login</i>	This is the login name of the user
<i>password</i>	This is the password for the login
<i>isSuperUser</i>	This is true if the user is a Superuser or false if not

Returns

IDB Returns the registered user in the database

Exceptions

<i>RemoteException</i>	
------------------------	--

See also

[es.deusto.server.remote.IRemote::registerUser](#)(java.lang.String, java.lang.String, boolean)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 73 of file Remote.java.

6.14.3.10 setUserWallet()

```
void es.deusto.server.remote.Remote.setUserWallet (
    double k,
    String login ) throws RemoteException
```

This method changes the amount of money in the wallet

Parameters

<i>k</i>	This is the amount of money
<i>login</i>	This is the login name of a user

Returns

nothing

Exceptions

<i>RemoteException</i>	
------------------------	--

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 112 of file Remote.java.

6.14.3.11 showGamesInStore()

```
List<Game> es.deusto.server.remote.Remote.showGamesInStore ( ) throws RemoteException
```

This method shows all the games available in the store

Parameters

<i>unused</i>	
---------------	--

Returns

List Returns a list of games stored in the database

Exceptions

<i>RemoteException</i>	
------------------------	--

See also

[es.deusto.server.remote.IRemote::showGamesInStore\(\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 93 of file Remote.java.

6.14.3.12 showOwnedGames()

```
List<Game> es.deusto.server.remote.Remote.showOwnedGames (
    String username ) throws RemoteException
```

This method shows all the games a user owns

Parameters

<i>username</i>	This is the name of the user
-----------------	------------------------------

Returns

List Returns a list of games stored in the database

Exceptions

<i>RemoteException</i>	
------------------------	--

See also

[es.deusto.server.remote.IRemote::showOwnedGames\(java.lang.String\)](#)

Implements [es.deusto.server.remote.IRemote](#).

Definition at line 156 of file Remote.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/server/remote/[Remote.java](#)

6.15 es.deusto.server.Server Class Reference

Static Public Member Functions

- static void [basicData](#) ()
- static void [main](#) (String[] args)

6.15.1 Detailed Description

Definition at line 18 of file Server.java.

6.15.2 Member Function Documentation

6.15.2.1 basicData()

```
static void es.deusto.server.Server.basicData ( ) [static]
```

Definition at line 21 of file Server.java.

6.15.2.2 main()

```
static void es.deusto.server.Server.main (
    String [] args ) [static]
```


Definition at line 55 of file Server.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/server/[Server.java](#)

6.16 es.deusto.server.db.data.User Class Reference

Inheritance diagram for es.deusto.server.db.data.User:



Public Member Functions

- [User](#) (String login, String password, boolean isSuperuser)
- boolean [getSuperuser](#) ()
- void [setSuperuser](#) (boolean isSuperuser)
- [User](#) (String login, String password)
- void [addLicense](#) ([License](#) license)
- void [removeLicense](#) ([License](#) license)
- List< [License](#) > [getLicenses](#) ()
- String [getLogin](#) ()
- String [getPassword](#) ()
- double [getMoney](#) ()
- void [setMoney](#) (double money)
- boolean [compareUserTo](#) ([User](#) u2)
- String [toString](#) ()

6.16.1 Detailed Description

Definition at line 13 of file User.java.

6.16.2 Constructor & Destructor Documentation

6.16.2.1 [User\(\)](#) [1/2]

```
es.deusto.server.db.data.User.User (
    String login,
    String password,
    boolean isSuperuser )
```

Definition at line 25 of file User.java.

6.16.2.2 [User\(\)](#) [2/2]

```
es.deusto.server.db.data.User.User (
    String login,
    String password )
```

Definition at line 41 of file User.java.

6.16.3 Member Function Documentation

6.16.3.1 addLicense()

```
void es.deusto.server.db.data.User.addLicense (
    License license )
```

Definition at line 46 of file User.java.

6.16.3.2 compareUserTo()

```
boolean es.deusto.server.db.data.User.compareUserTo (
    User u2 )
```

Definition at line 75 of file User.java.

6.16.3.3 getLicenses()

```
List<License> es.deusto.server.db.data.User.getLicenses ( )
```

Definition at line 54 of file User.java.

6.16.3.4 getLogin()

```
String es.deusto.server.db.data.User.getLogin ( )
```

Definition at line 59 of file User.java.

6.16.3.5 getMoney()

```
double es.deusto.server.db.data.User.getMoney ( )
```

Definition at line 67 of file User.java.

6.16.3.6 getPassword()

```
String es.deusto.server.db.data.User.getPassword ( )
```

Definition at line 63 of file User.java.

6.16.3.7 getSuperuser()

```
boolean es.deusto.server.db.data.User.getSuperuser ( )
```

Definition at line 33 of file User.java.

6.16.3.8 removeLicense()

```
void es.deusto.server.db.data.User.removeLicense (
    License license )
```

Definition at line 50 of file User.java.

6.16.3.9 setMoney()

```
void es.deusto.server.db.data.User.setMoney (
    double money )
```

Definition at line 71 of file User.java.

6.16.3.10 setSuperuser()

```
void es.deusto.server.db.data.User.setSuperuser (
    boolean isSuperuser )
```

Definition at line 37 of file User.java.

6.16.3.11 toString()

```
String es.deusto.server.db.data.User.toString ( )
```

Definition at line 84 of file User.java.

The documentation for this class was generated from the following file:

- src/main/java/es/deusto/server/db/data/[User.java](#)

Chapter 7

File Documentation

7.1 `src/main/java/es/deusto/client/Client.java` File Reference

Classes

- class [es.deusto.client.Client](#)

Packages

- package [es.deusto.client](#)

7.2 `src/main/java/es/deusto/client/GUI.java` File Reference

Classes

- class [es.deusto.client.GUI](#)

Packages

- package [es.deusto.client](#)

7.3 `src/main/java/es/deusto/server/db/dao/DAO.java` File Reference

Classes

- class [es.deusto.server.db.dao.DAO](#)

Packages

- package [es.deusto.server.db.dao](#)

7.4 `src/main/java/es/deusto/server/db/dao/IDAO.java` File Reference

Classes

- interface [es.deusto.server.db.dao.IDAO](#)

Packages

- package [es.deusto.server.db.dao](#)

7.5 `src/main/java/es/deusto/server/db/data/Company.java` File Reference

Classes

- class [es.deusto.server.db.data.Company](#)

Packages

- package [es.deusto.server.db.data](#)

7.6 `src/main/java/es/deusto/server/db/data/Game.java` File Reference

Classes

- class [es.deusto.server.db.data.Game](#)

Packages

- package [es.deusto.server.db.data](#)

7.7 `src/main/java/es/deusto/server/db/data/Genre.java` File Reference

Classes

- class [es.deusto.server.db.data.Genre](#)

Packages

- package [es.deusto.server.db.data](#)

7.8 src/main/java/es/deusto/server/db/data/License.java File Reference

Classes

- class [es.deusto.server.db.data.License](#)

Packages

- package [es.deusto.server.db.data](#)

7.9 src/main/java/es/deusto/server/db/data/User.java File Reference

Classes

- class [es.deusto.server.db.data.User](#)

Packages

- package [es.deusto.server.db.data](#)

7.10 src/main/java/es/deusto/server/db/DB.java File Reference

Classes

- class [es.deusto.server.db.DB](#)

Packages

- package [es.deusto.server.db](#)

7.11 src/main/java/es/deusto/server/db/IDB.java File Reference

Classes

- interface [es.deusto.server.db.IDB](#)

Packages

- package [es.deusto.server.db](#)

7.12 `src/main/java/es/deusto/server/remote/IRemote.java` File Reference

Classes

- interface [es.deusto.server.remote.IRemote](#)

Packages

- package [es.deusto.server.remote](#)

7.13 `src/main/java/es/deusto/server/remote/Remote.java` File Reference

Classes

- class [es.deusto.server.remote.Remote](#)

Packages

- package [es.deusto.server.remote](#)

7.14 `src/main/java/es/deusto/server/Server.java` File Reference

Classes

- class [es.deusto.server.Server](#)

Packages

- package [es.deusto.server](#)

7.15 `src/test/java/es/deusto/server/ContiPerfTest.java` File Reference

Classes

- class [es.deusto.server.ContiPerfTest](#)

Packages

- package [es.deusto.server](#)

7.16 `src/test/java/es/deusto/server/DAOMockTest.java` File Reference

Classes

- class [es.deusto.server.DAOMockTest](#)

Packages

- package [es.deusto.server](#)

7.17 `src/test/java/es/deusto/server/RMITest.java` File Reference

Index

- addGame
 - es::deusto::server::db::data::Company, 14
 - es::deusto::server::db::data::Genre, 39
 - es::deusto::server::remote::IRemote, 47
 - es::deusto::server::remote::Remote, 54
- addGameToDBTest
 - es::deusto::server::DAOMockTest, 26
- addGameToDb
 - es::deusto::server::db::DB, 29
 - es::deusto::server::db::IDB, 44
- addGameWindow
 - es::deusto::client::Client, 12
- addLicense
 - es::deusto::server::db::data::Game, 36
 - es::deusto::server::db::data::User, 63
- basicData
 - es::deusto::server::Server, 62
- buyGame
 - es::deusto::server::db::DB, 29
 - es::deusto::server::db::IDB, 44
 - es::deusto::server::remote::IRemote, 48
 - es::deusto::server::remote::Remote, 54
- buyGameWindow
 - es::deusto::client::Client, 12
- Client
 - es::deusto::client::Client, 11
- Company
 - es::deusto::server::db::data::Company, 13
- compareUserTo
 - es::deusto::server::db::data::User, 64
- DAO
 - es::deusto::server::db::dao::DAO, 17
- DB
 - es::deusto::server::db::DB, 28
- es, 9
- es.deusto, 9
- es.deusto.client, 9
- es.deusto.client.Client, 11
- es.deusto.client.GUI, 39
- es.deusto.server, 9
- es.deusto.server.ContiPerfTest, 15
- es.deusto.server.DAOMockTest, 26
- es.deusto.server.db, 10
- es.deusto.server.db.dao, 10
- es.deusto.server.db.dao.DAO, 16
- es.deusto.server.db.dao.IDAO, 40
- es.deusto.server.db.data, 10
- es.deusto.server.db.data.Company, 13
- es.deusto.server.db.data.Game, 35
- es.deusto.server.db.data.Genre, 38
- es.deusto.server.db.data.License, 50
- es.deusto.server.db.data.User, 62
- es.deusto.server.db.DB, 27
- es.deusto.server.db.IDB, 44
- es.deusto.server.remote, 10
- es.deusto.server.remote.IRemote, 47
- es.deusto.server.remote.Remote, 52
- es.deusto.server.Server, 62
- es::deusto::client::Client
 - addGameWindow, 12
 - buyGameWindow, 12
 - Client, 11
 - loadAllArrayList, 12
 - loginWindow, 12
 - main, 12
 - normalUserWindow, 12
 - superUserWindow, 13
- es::deusto::client::GUI
 - ventanaDeCliente, 40
- es::deusto::server::ContiPerfTest
 - loadGame, 15
 - loadGame2, 15
 - rule, 16
 - storeGameDuration, 15
 - storeGameInvocationFail, 15
 - suite, 16
- es::deusto::server::DAOMockTest
 - addGameToDBTest, 26
 - setUp, 26
 - suite, 26
 - testGameValid, 26
 - testRegisterUserAlreadyExists, 27
 - testRegisterUserCorrectly, 27
- es::deusto::server::Server
 - basicData, 62
 - main, 62
- es::deusto::server::db::DB
 - addGameToDb, 29
 - buyGame, 29
 - DB, 28
 - getAllCompanies, 30
 - getAllGames, 30
 - getAllGenres, 31
 - getUserGames, 31
 - isSuperUser, 32

- loginUser, 32
- registerUser, 33
- showCompany, 33
- showGame, 34
- showGenre, 34
- showUser, 35
- es::deusto::server::db::IDB
 - addGameToDb, 44
 - buyGame, 44
 - getAllCompanies, 45
 - getAllGames, 45
 - getAllGenres, 45
 - getUserGames, 45
 - isSuperUser, 45
 - loginUser, 45
 - registerUser, 46
 - showCompany, 46
 - showGame, 46
 - showGenre, 46
 - showUser, 46
- es::deusto::server::db::dao::DAO
 - DAO, 17
 - getAllCompanies, 17
 - getAllGames, 18
 - getAllGenres, 18
 - getFirstLicense, 19
 - retrieveCompany, 19
 - retrieveGame, 20
 - retrieveGenre, 20
 - retrieveLicense, 21
 - retrieveUser, 21
 - storeGame, 22
 - storeUser, 22
 - updateCompany, 23
 - updateGame, 23
 - updateGenre, 24
 - updateLicense, 24
 - updateUser, 25
- es::deusto::server::db::dao::IDAO
 - getAllCompanies, 41
 - getAllGames, 41
 - getAllGenres, 41
 - getFirstLicense, 41
 - retrieveCompany, 41
 - retrieveGame, 41
 - retrieveGenre, 42
 - retrieveLicense, 42
 - retrieveUser, 42
 - storeGame, 42
 - storeUser, 42
 - updateCompany, 42
 - updateGame, 43
 - updateGenre, 43
 - updateLicense, 43
 - updateUser, 43
- es::deusto::server::db::data::Company
 - addGame, 14
 - Company, 13
 - getName, 14
 - name, 14
 - toString, 14
- es::deusto::server::db::data::Game
 - addLicense, 36
 - Game, 36
 - getCompany, 36
 - getDiscount, 36
 - getGenre, 36
 - getLicenses, 37
 - getName, 37
 - getPrice, 37
 - removeLicense, 37
 - setCompany, 37
 - setGenre, 37
 - toString, 38
- es::deusto::server::db::data::Genre
 - addGame, 39
 - Genre, 38
 - getName, 39
 - toString, 39
- es::deusto::server::db::data::License
 - getGame, 51
 - getGameKey, 51
 - getUser, 51
 - isUsed, 51
 - License, 50
 - setGame, 51
 - setUsed, 51
 - setUser, 52
 - toString, 52
- es::deusto::server::db::data::User
 - addLicense, 63
 - compareUserTo, 64
 - getLicenses, 64
 - getLogin, 64
 - getMoney, 64
 - getPassword, 64
 - getSuperuser, 64
 - removeLicense, 65
 - setMoney, 65
 - setSuperuser, 65
 - toString, 65
 - User, 63
- es::deusto::server::remote::IRemote
 - addGame, 47
 - buyGame, 48
 - getAllCompanies, 48
 - getAllGenres, 48
 - getUserWallet, 48
 - isSuperUser, 48
 - loginUser, 49
 - registerUser, 49
 - setUserWallet, 49
 - showGamesInStore, 49
 - showOwnedGames, 49
- es::deusto::server::remote::Remote
 - addGame, 54

- buyGame, 54
 - finalize, 55
 - getAllCompanies, 55
 - getAllGenres, 56
 - getUserWallet, 56
 - isSuperUser, 57
 - loginUser, 57
 - registerUser, 59
 - Remote, 53
 - setUserWallet, 60
 - showGamesInStore, 60
 - showOwnedGames, 61
- finalize
- es::deusto::server::remote::Remote, 55
- Game
- es::deusto::server::db::data::Game, 36
- Genre
- es::deusto::server::db::data::Genre, 38
- getAllCompanies
- es::deusto::server::db::DB, 30
 - es::deusto::server::db::IDB, 45
 - es::deusto::server::db::dao::DAO, 17
 - es::deusto::server::db::dao::IDAO, 41
 - es::deusto::server::remote::IRemote, 48
 - es::deusto::server::remote::Remote, 55
- getAllGames
- es::deusto::server::db::DB, 30
 - es::deusto::server::db::IDB, 45
 - es::deusto::server::db::dao::DAO, 18
 - es::deusto::server::db::dao::IDAO, 41
- getAllGenres
- es::deusto::server::db::DB, 31
 - es::deusto::server::db::IDB, 45
 - es::deusto::server::db::dao::DAO, 18
 - es::deusto::server::db::dao::IDAO, 41
 - es::deusto::server::remote::IRemote, 48
 - es::deusto::server::remote::Remote, 56
- getCompany
- es::deusto::server::db::data::Game, 36
- getDiscount
- es::deusto::server::db::data::Game, 36
- getFirstLicense
- es::deusto::server::db::dao::DAO, 19
 - es::deusto::server::db::dao::IDAO, 41
- getGame
- es::deusto::server::db::data::License, 51
- getGameKey
- es::deusto::server::db::data::License, 51
- getGenre
- es::deusto::server::db::data::Game, 36
- getLicenses
- es::deusto::server::db::data::Game, 37
 - es::deusto::server::db::data::User, 64
- getLogin
- es::deusto::server::db::data::User, 64
- getMoney
- es::deusto::server::db::data::User, 64
- getName
- es::deusto::server::db::data::Company, 14
 - es::deusto::server::db::data::Game, 37
 - es::deusto::server::db::data::Genre, 39
- getPassword
- es::deusto::server::db::data::User, 64
- getPrice
- es::deusto::server::db::data::Game, 37
- getSuperuser
- es::deusto::server::db::data::User, 64
- getUser
- es::deusto::server::db::data::License, 51
- getUserGames
- es::deusto::server::db::DB, 31
 - es::deusto::server::db::IDB, 45
- getUserWallet
- es::deusto::server::remote::IRemote, 48
 - es::deusto::server::remote::Remote, 56
- isSuperUser
- es::deusto::server::db::DB, 32
 - es::deusto::server::db::IDB, 45
 - es::deusto::server::remote::IRemote, 48
 - es::deusto::server::remote::Remote, 57
- isUsed
- es::deusto::server::db::data::License, 51
- License
- es::deusto::server::db::data::License, 50
- loadAllArrayList
- es::deusto::client::Client, 12
- loadGame
- es::deusto::server::ContiPerfTest, 15
- loadGame2
- es::deusto::server::ContiPerfTest, 15
- loginUser
- es::deusto::server::db::DB, 32
 - es::deusto::server::db::IDB, 45
 - es::deusto::server::remote::IRemote, 49
 - es::deusto::server::remote::Remote, 57
- loginWindow
- es::deusto::client::Client, 12
- main
- es::deusto::client::Client, 12
 - es::deusto::server::Server, 62
- name
- es::deusto::server::db::data::Company, 14
- normalUserWindow
- es::deusto::client::Client, 12
- registerUser
- es::deusto::server::db::DB, 33
 - es::deusto::server::db::IDB, 46
 - es::deusto::server::remote::IRemote, 49
 - es::deusto::server::remote::Remote, 59
- Remote
- es::deusto::server::remote::Remote, 53

- removeLicense
 - es::deusto::server::db::data::Game, 37
 - es::deusto::server::db::data::User, 65
- retrieveCompany
 - es::deusto::server::db::dao::DAO, 19
 - es::deusto::server::db::dao::IDAO, 41
- retrieveGame
 - es::deusto::server::db::dao::DAO, 20
 - es::deusto::server::db::dao::IDAO, 41
- retrieveGenre
 - es::deusto::server::db::dao::DAO, 20
 - es::deusto::server::db::dao::IDAO, 42
- retrieveLicense
 - es::deusto::server::db::dao::DAO, 21
 - es::deusto::server::db::dao::IDAO, 42
- retrieveUser
 - es::deusto::server::db::dao::DAO, 21
 - es::deusto::server::db::dao::IDAO, 42
- rule
 - es::deusto::server::ContiPerfTest, 16
- setCompany
 - es::deusto::server::db::data::Game, 37
- setGame
 - es::deusto::server::db::data::License, 51
- setGenre
 - es::deusto::server::db::data::Game, 37
- setMoney
 - es::deusto::server::db::data::User, 65
- setSuperuser
 - es::deusto::server::db::data::User, 65
- setUp
 - es::deusto::server::DAOMockTest, 26
- setUsed
 - es::deusto::server::db::data::License, 51
- setUser
 - es::deusto::server::db::data::License, 52
- setUserWallet
 - es::deusto::server::remote::IRemote, 49
 - es::deusto::server::remote::Remote, 60
- showCompany
 - es::deusto::server::db::DB, 33
 - es::deusto::server::db::IDB, 46
- showGame
 - es::deusto::server::db::DB, 34
 - es::deusto::server::db::IDB, 46
- showGamesInStore
 - es::deusto::server::remote::IRemote, 49
 - es::deusto::server::remote::Remote, 60
- showGenre
 - es::deusto::server::db::DB, 34
 - es::deusto::server::db::IDB, 46
- showOwnedGames
 - es::deusto::server::remote::IRemote, 49
 - es::deusto::server::remote::Remote, 61
- showUser
 - es::deusto::server::db::DB, 35
 - es::deusto::server::db::IDB, 46
- src/main/java/es/deusto/client/Client.java, 67
- src/main/java/es/deusto/client/GUI.java, 67
- src/main/java/es/deusto/server/Server.java, 70
- src/main/java/es/deusto/server/db/DB.java, 69
- src/main/java/es/deusto/server/db/IDB.java, 69
- src/main/java/es/deusto/server/db/dao/DAO.java, 67
- src/main/java/es/deusto/server/db/dao/IDAO.java, 68
- src/main/java/es/deusto/server/db/data/Company.java, 68
- src/main/java/es/deusto/server/db/data/Game.java, 68
- src/main/java/es/deusto/server/db/data/Genre.java, 68
- src/main/java/es/deusto/server/db/data/License.java, 69
- src/main/java/es/deusto/server/db/data/User.java, 69
- src/main/java/es/deusto/server/remote/IRemote.java, 70
- src/main/java/es/deusto/server/remote/Remote.java, 70
- src/test/java/es/deusto/server/ContiPerfTest.java, 70
- src/test/java/es/deusto/server/DAOMockTest.java, 70
- src/test/java/es/deusto/server/RMITest.java, 70
- storeGame
 - es::deusto::server::db::dao::DAO, 22
 - es::deusto::server::db::dao::IDAO, 42
- storeGameDuration
 - es::deusto::server::ContiPerfTest, 15
- storeGameInvocationFail
 - es::deusto::server::ContiPerfTest, 15
- storeUser
 - es::deusto::server::db::dao::DAO, 22
 - es::deusto::server::db::dao::IDAO, 42
- suite
 - es::deusto::server::ContiPerfTest, 16
 - es::deusto::server::DAOMockTest, 26
- superUserWindow
 - es::deusto::client::Client, 13
- testGameValid
 - es::deusto::server::DAOMockTest, 26
- testRegisterUserAlreadyExists
 - es::deusto::server::DAOMockTest, 27
- testRegisterUserCorrectly
 - es::deusto::server::DAOMockTest, 27
- toString
 - es::deusto::server::db::data::Company, 14
 - es::deusto::server::db::data::Game, 38
 - es::deusto::server::db::data::Genre, 39
 - es::deusto::server::db::data::License, 52
 - es::deusto::server::db::data::User, 65
- updateCompany
 - es::deusto::server::db::dao::DAO, 23
 - es::deusto::server::db::dao::IDAO, 42
- updateGame
 - es::deusto::server::db::dao::DAO, 23
 - es::deusto::server::db::dao::IDAO, 43
- updateGenre
 - es::deusto::server::db::dao::DAO, 24
 - es::deusto::server::db::dao::IDAO, 43
- updateLicense
 - es::deusto::server::db::dao::DAO, 24
 - es::deusto::server::db::dao::IDAO, 43
- updateUser

- es::deusto::server::db::dao::DAO, [25](#)
 - es::deusto::server::db::dao::IDAO, [43](#)
- User
 - es::deusto::server::db::data::User, [63](#)
- ventanaDeCliente
 - es::deusto::client::GUI, [40](#)