

IronStore Product Catalog

Drones & RC Vehicles

Last reviewed in August 2026

Internal assortment reference

Prices shown in EUR and include applicable standard VAT unless otherwise noted. Availability and warehouse quantities are operational snapshots recorded during the August 2026 review.

Page 1 — Catalog Scope

This catalog contains products assigned to the **Drones & RC Vehicles** category, including:

- Camera and recreational drones
- Racing and FPV drones
- Educational and indoor drones
- Remote-controlled cars, trucks, crawlers, and buggies
- Remote-controlled boats and aircraft
- RC helicopters
- Replacement batteries and selected control accessories

Products are listed using IronStore internal SKUs. SKU prefixes indicate the principal product type:

| Prefix | Product type |

|---|---|

| DRN | Camera, recreational, or industrial-style drones |

| FPV | FPV and racing drones |

| RCV | RC cars, trucks, crawlers, and buggies |

| RCB | RC boats |

| RCA | RC aircraft |

| RCH | RC helicopters |

| RCP | RC parts and accessories |

Warehouse codes:

| Code | Location |

|---|---|

| NL-RTM | Rotterdam, Netherlands |

| DE-HAM | Hamburg, Germany |

| PL-WRO | Wrocław, Poland |

| CZ-BRQ | Brno, Czechia |

| FR-LIL | Lille, France |

| ES-ZAZ | Zaragoza, Spain |

Page 2 — Availability Definitions

In stock

Standard order fulfillment is available from the listed warehouse.

Low stock

Fewer than 10 sellable units were available at the time of review. Replenishment should be checked before accepting larger business orders.

Available to order

No normal shelf stock is held locally. Supplier or inter-warehouse fulfillment is normally expected within 5–12 working days.

Pre-order

The product is approved for sale but has not yet reached the assigned warehouse. Estimated arrival dates are indicative.

Discontinued

The product is no longer replenished. Remaining units may be sold until exhausted. Replacement recommendations should be based on specifications rather than direct equivalence.

Page 3 — Product Index

| SKU | Product | Product type |

|---|---|---|

| DRN-41027 | Aerialis SkyScout S2 | Camera drone |

| DRN-41031 | Aerialis PocketFly P1 | Mini drone |

| DRN-41044 | Northstar Atlas 4K | Camera drone |

| DRN-41058 | HelioWorks Surveyor M2 | Mapping drone |

| FPV-42011 | Vektor Talon 5 | FPV drone |

| FPV-42019 | Vektor Talon Micro | Indoor FPV drone |

| RCV-43006 | TrackForge Ranger 1:12 | RC buggy |

| RCV-43018 | TrackForge TerraCrawler 1:10 | RC crawler |

| RCV-43029 | Motoriq Street GT | RC road car |

RCV-43041	Motoriq HaulMax 6x6	RC truck
RCV-43055	Kestrel Desert Fox	RC off-road buggy
RCB-44007	BlueCurrent WaveRunner 28	RC boat
RCB-44016	BlueCurrent RescueCat 2	RC rescue boat
RCA-45003	AeroCraft Scout Cub	RC trainer aircraft
RCA-45014	AeroCraft Swift 900	RC glider
RCH-46008	HelixAir H120	RC helicopter
RCH-46017	HelixAir TwinLift 230	Coaxial helicopter
RCP-47004	VoltCell 3S 2200 LiPo Pack	RC battery
RCP-47012	SkyLink ELRS Controller 8	Transmitter
RCP-47021	RotorGuard Propeller Set	Drone accessory

Product Records

Page 4 — DRN-41027

Aerialis SkyScout S2

SKU: DRN-41027

Category: Drones & RC Vehicles / Camera Drones

Price: €329.00

Availability: In stock

Warehouse location: NL-RTM — Rotterdam, Netherlands

Short description

Foldable GPS camera drone for recreational aerial photography and entry-level flight training. Supplied with a dedicated controller and two flight batteries.

Key specifications

- Maximum take-off weight: 498 g
- Camera: 1/2.7-inch CMOS sensor
- Still image resolution: 12 MP
- Video: 2.7K at 30 fps; 1080p at 60 fps
- Electronic image stabilisation
- GPS and optical positioning sensors
- Maximum stated flight time: 28 minutes per battery

- Transmission range: up to 6 km in unobstructed conditions
- Battery: 2-cell 2,600 mAh intelligent Li-ion
- Folded dimensions: 145 × 88 × 62 mm
- Includes controller, two batteries, charging hub, propeller set, and carry case

Operational notes

The aircraft is supplied with a European CE declaration. Customer-facing listings must retain the regional flight restrictions notice.

Page 5 — DRN-41031

Aerialis PocketFly P1

SKU: DRN-41031

Category: Drones & RC Vehicles / Mini Drones

Price: €79.90

Availability: In stock

Warehouse location: DE-HAM — Hamburg, Germany

Short description

Compact indoor and outdoor mini drone designed for first-time users. The product uses altitude hold and automatic landing rather than satellite positioning.

Key specifications

- Weight including battery: 118 g
- Camera: fixed 720p wide-angle camera
- Live-view connection: 2.4 GHz Wi-Fi to mobile device
- Maximum flight time: approximately 9 minutes
- USB-C rechargeable battery, 1,000 mAh
- Two flight-speed settings
- One-button take-off and landing
- Optical flow sensor for low-altitude hovering
- Recommended operating range: up to 60 m
- Folded dimensions: 105 × 78 × 45 mm
- Includes two batteries, USB charging cable, controller, guards, and spare propellers

Availability note

Suitable for standard parcel shipment. Lithium battery is installed in equipment for transport.

Page 6 — DRN-41044

Northstar Atlas 4K

SKU: DRN-41044

Category: Drones & RC Vehicles / Camera Drones

Price: €699.00

Availability: Low stock

Warehouse location: PL-WRO — Wrocław, Poland

Short description

Mid-range folding camera drone with three-axis mechanical gimbal, obstacle sensing, and automated return-to-home functions. Intended for experienced recreational users and content-production customers.

Key specifications

- Maximum take-off weight: 742 g
- Camera: 1-inch CMOS sensor
- Still image resolution: 20 MP
- Video recording: 4K at 60 fps; 2.7K at 120 fps
- Three-axis mechanical gimbal
- Forward, rear, and downward obstacle sensing
- GNSS: GPS, Galileo, and GLONASS
- Maximum flight time: 36 minutes
- Controller transmission range: up to 8 km, regional limitations apply
- Internal storage: 8 GB; microSD support up to 256 GB
- Includes one battery, controller, charging cable, and spare propellers

Stock note

Seven complete retail units available at review. Additional batteries are cataloged separately and are not included in the standard package.

Page 7 — DRN-41058

HelioWorks Surveyor M2

SKU: DRN-41058

Category: Drones & RC Vehicles / Professional-Style Camera Drones

Price: €1,249.00

Availability: Available to order

Warehouse location: CZ-BRQ — Brno, Czechia

Short description

Heavy-lift quadcopter platform with interchangeable daylight and thermal camera modules. Listed for specialist inspection, estate documentation, and industrial demonstration use.

Key specifications

- Maximum take-off weight: 1.48 kg with standard camera
- Flight configuration: 4-motor quadcopter
- Standard camera: 1/1.3-inch CMOS, 48 MP
- Optional thermal module: 256 × 192 thermal sensor
- Three-axis gimbal
- Flight time: up to 31 minutes with standard payload
- Obstacle sensing: front, rear, left, right, and downward
- RTK positioning support through optional module
- IP54-rated aircraft body
- Operating temperature: -10°C to 40°C
- Includes aircraft, standard camera, controller, one battery, and hard case

Operational notes

Commercial and public-sector customers may require separate documentation regarding pilot competency, insurance, and local operating restrictions.

Page 8 — FPV-42011

Vektor Talon 5

SKU: FPV-42011

Category: Drones & RC Vehicles / FPV Racing Drones

Price: €459.00

Availability: In stock

Warehouse location: NL-RTM — Rotterdam, Netherlands

Short description

5-inch brushless FPV quadcopter supplied as a ready-to-fly package. The aircraft is configured for manual flight and is not intended as an autonomous camera drone.

Key specifications

- Wheelbase: 225 mm
- Motor size: 2207, 2,450 KV
- Flight controller: F7 processor with 55 A four-in-one ESC
- Video system: 5.8 GHz digital, 1080p recording
- FPV camera: low-latency CMOS
- Receiver: 2.4 GHz long-range protocol
- Recommended battery: 6S LiPo, 1,300–1,800 mAh
- Typical flight time: 4–6 minutes
- Carbon-fibre frame with replaceable arms
- Includes goggles, transmitter, one flight battery, charger, and spare propellers

Availability note

Battery charging must be performed using a compatible balance charger. The product is shipped with propellers removed from the motor shafts.

Page 9 — FPV-42019

Vektor Talon Micro

SKU: FPV-42019

Category: Drones & RC Vehicles / Indoor FPV Drones

Price: €189.00

Availability: In stock

Warehouse location: FR-LIL — Lille, France

Short description

Protected ducted FPV quadcopter for indoor practice and low-speed outdoor flying. The package includes a compact screen-based video receiver rather than full goggles.

Key specifications

- Diagonal motor distance: 95 mm
- All-up weight: 76 g including battery
- Motor type: 1103 brushless
- Video transmission: analogue 5.8 GHz
- Camera angle: adjustable from 10° to 45°
- Flight modes: stabilised, altitude hold, and manual

- Typical flight time: 5–7 minutes
- Recommended battery: 2S 450–650 mAh LiPo
- Ducted propeller guards integrated into frame
- Includes controller, video monitor, two batteries, USB charger, and spare ducts

Operational notes

The compact form factor does not remove the requirement to follow applicable indoor venue and outdoor flight rules.

Page 10 — RCV-43006

TrackForge Ranger 1:12

SKU: RCV-43006

Category: Drones & RC Vehicles / RC Buggies

Price: €119.00

Availability: In stock

Warehouse location: ES-ZAZ — Zaragoza, Spain

Short description

Electric 1:12-scale off-road buggy with four-wheel drive and a brushed motor. Intended for recreational use on compact surfaces, gravel, and short grass.

Key specifications

- Scale: 1:12
- Drive: four-wheel drive
- Motor: 390 brushed motor
- Maximum speed: approximately 32 km/h
- Suspension: independent front and rear
- Radio system: 2.4 GHz, two-channel
- Battery: 7.4 V 1,500 mAh Li-ion
- Typical run time: 12–15 minutes
- Ground clearance: 38 mm
- Includes vehicle, transmitter, battery, USB balance charger, and tools

Service note

Replacement drive shafts and suspension arms are held under the TrackForge spare-parts range. The body shell is supplied in either blue or orange; colour cannot be selected for individual orders.

Page 11 — RCV-43018

TrackForge TerraCrawler 1:10

SKU: RCV-43018

Category: Drones & RC Vehicles / RC Crawlers

Price: €249.00

Availability: In stock

Warehouse location: DE-HAM — Hamburg, Germany

Short description

Low-speed scale crawler for obstacle courses and outdoor trail use. Features portal-style axles, locking differentials, and proportional steering.

Key specifications

- Scale: 1:10
- Drive: four-wheel drive
- Motor: 550 brushed motor
- Transmission: two-speed mechanical gearbox
- Maximum speed: approximately 14 km/h
- Steering: proportional digital servo
- Battery: 7.2 V 3,000 mAh NiMH
- Run time: up to 25 minutes under mixed use
- Waterproof receiver box and splash-resistant electronics
- Includes transmitter, battery, mains charger, and accessory light bar

Operational notes

Water resistance does not indicate full submersion suitability. The vehicle should be dried and cleaned after operation in wet or muddy conditions.

Page 12 — RCV-43029

Motoriq Street GT

SKU: RCV-43029

Category: Drones & RC Vehicles / RC Road Cars

Price: €179.00

Availability: Low stock

Warehouse location: PL-WRO — Wrocław, Poland

Short description

1:10-scale rear-wheel-drive road car with a painted polycarbonate body and adjustable friction dampers. Configured for paved recreational driving.

Key specifications

- Scale: 1:10
- Drive: rear-wheel drive
- Motor: 365 brushed motor
- Maximum speed: approximately 38 km/h
- Radio system: 2.4 GHz, two-channel
- Battery: 7.2 V 2,000 mAh NiMH
- Approximate run time: 15 minutes
- Independent double-wishbone front suspension
- Gear differential with sealed housing
- Includes transmitter, battery, charger, and basic maintenance tool kit

Stock note

Four units available at review. The low-profile tyres are not recommended for gravel or loose soil.

Page 13 — RCV-43041

Motoriq HaulMax 6x6

SKU: RCV-43041

Category: Drones & RC Vehicles / RC Utility Trucks

Price: €389.00

Availability: Available to order

Warehouse location: CZ-BRQ — Brno, Czechia

Short description

Six-wheel-drive utility truck with tipping bed and metal ladder chassis. Intended for scale construction play, collection display, and low-speed outdoor operation.

Key specifications

- Scale: approximately 1:10
- Drive: six-wheel drive
- Motor: 550 brushed motor

- Maximum speed: approximately 16 km/h
- Rear tipping bed operated from transmitter
- Front and rear LED lighting
- Battery: 7.4 V 4,000 mAh Li-ion
- Run time: 20–25 minutes
- Radio system: 2.4 GHz, four-channel
- Includes transmitter, battery, USB charger, and bed support accessory

Operational notes

The tipping mechanism is designed for lightweight demonstration loads only. Do not use stones, wet soil, or other high-density material.

Page 14 — RCV-43055

Kestrel Desert Fox

SKU: RCV-43055

Category: Drones & RC Vehicles / RC Off-Road Buggies

Price: €299.00

Availability: In stock

Warehouse location: NL-RTM — Rotterdam, Netherlands

Short description

High-clearance 1:8-scale off-road buggy with oil-filled shocks and a sealed drivetrain. The product is supplied in a partially assembled ready-to-run configuration.

Key specifications

- Scale: 1:8
- Drive: four-wheel drive
- Motor: 3660 brushless, 2,800 KV
- Electronic speed controller: 60 A, 2S LiPo compatible
- Maximum speed: approximately 55 km/h with optional LiPo battery
- Oil-filled aluminium shock absorbers
- Battery compartment supports 2S hard-case packs
- Radio system: 2.4 GHz, three-channel
- Run time: approximately 12 minutes with recommended battery
- Includes vehicle, transmitter, pinion gear, and tools
- Battery and charger sold separately

Service note

Initial setup requires calibration of the electronic speed controller. The optional wheelie bar is not included in the standard package.

Page 15 — RCB-44007

BlueCurrent WaveRunner 28

SKU: RCB-44007

Category: Drones & RC Vehicles / RC Boats

Price: €159.00

Availability: In stock

Warehouse location: FR-LIL — Lille, France

Short description

Electric 28 cm recreational speedboat with enclosed propeller and automatic low-battery return-to-shore function. Suitable for ponds and sheltered freshwater areas.

Key specifications

- Hull length: 280 mm
- Drive: single surface propeller
- Motor: 390 brushed motor
- Maximum speed: approximately 24 km/h
- Radio system: 2.4 GHz, two-channel
- Battery: 7.4 V 1,500 mAh Li-ion
- Operating time: 8–10 minutes
- Automatic capsizing recovery
- Water-cooled motor housing
- Includes controller, battery, USB charger, and display stand

Operational notes

Use only in water bodies where powered model boats are permitted. The hull must be opened and dried after every session.

Page 16 — RCB-44016

BlueCurrent RescueCat 2

SKU: RCB-44016

Category: Drones & RC Vehicles / RC Utility Boats

Price: €219.00

Availability: Low stock

Warehouse location: ES-ZAZ — Zaragoza, Spain

Short description

Twin-hull RC utility boat with a forward release tray for carrying lightweight floating markers or small recovery items. Designed for controlled freshwater operation.

Key specifications

- Hull length: 430 mm
- Twin independent brushed motors
- Maximum speed: approximately 9 km/h
- Differential thrust steering
- Payload tray capacity: 1 kg maximum
- Radio system: 2.4 GHz, four-channel
- Battery: 7.4 V 5,000 mAh Li-ion
- Typical operating time: 30–35 minutes
- Low-voltage alarm and automatic propulsion cut-off
- Includes controller, battery, charger, and tow marker

Stock note

Three units available at review. The boat is not approved for passenger transport or for operation in flowing water.

Page 17 — RCA-45003

AeroCraft Scout Cub

SKU: RCA-45003

Category: Drones & RC Vehicles / RC Trainer Aircraft

Price: €229.00

Availability: In stock

Warehouse location: DE-HAM — Hamburg, Germany

Short description

Foam-bodied electric trainer aircraft for introductory fixed-wing flying. The aircraft uses a high-mounted wing and assisted stabilisation to support new pilots.

Key specifications

- Wingspan: 850 mm
- Length: 620 mm
- All-up weight: approximately 520 g
- Motor: 2212 brushless outrunner
- Propeller: 8 × 4 folding type
- Battery: 3S 1,300 mAh LiPo
- Flight time: 8–12 minutes
- Flight modes: beginner, intermediate, and manual
- Radio system: 2.4 GHz, six-channel
- Includes aircraft, controller, battery, charger, and spare propeller

Operational notes

Assembly of the horizontal stabiliser and wing is required. The product should be operated only in suitable open areas and under local model-aircraft rules.

Page 18 — RCA-45014

AeroCraft Swift 900

SKU: RCA-45014

Category: Drones & RC Vehicles / RC Gliders

Price: €269.00

Availability: Pre-order

Warehouse location: PL-WRO — Wrocław, Poland

Short description

Electric-assisted foam glider for recreational thermal and slope flying. The long-wing design prioritises stable flight and extended glide performance.

Key specifications

- Wingspan: 900 mm
- Length: 710 mm
- Airframe material: reinforced EPO foam
- Motor: 1806 brushless outrunner
- Battery: 2S 850 mAh LiPo
- Estimated powered flight time: 10 minutes

- Estimated glide duration: dependent on conditions and battery reserve
- Control surfaces: elevator, rudder, and ailerons
- Radio system: 2.4 GHz, six-channel
- Includes assembled fuselage, wings, controller, battery, and charger

Availability note

Next inbound shipment is scheduled for September 2026. Pre-order quantities may be limited by colour selection.

Page 19 — RCH-46008

HelixAir H120

SKU: RCH-46008

Category: Drones & RC Vehicles / RC Helicopters

Price: €139.00

Availability: In stock

Warehouse location: FR-LIL — Lille, France

Short description

Coaxial indoor helicopter with integrated altitude control and protective main-rotor frame. Intended for first-time pilots and indoor recreational flying.

Key specifications

- Rotor diameter: 190 mm
- Configuration: coaxial twin rotor
- Stabilisation: six-axis electronic gyro
- Camera: not included
- Radio system: 2.4 GHz, three-channel
- Battery: 3.7 V 650 mAh LiPo
- Flight time: approximately 8 minutes
- Charging: USB-C
- Approximate control range: 60 m
- Includes helicopter, controller, battery, USB-C cable, and tail rotor

Operational notes

Indoor operation is recommended. The aircraft is sensitive to draughts and should not be flown near curtains, ceiling fans, or open windows.

Page 20 — RCH-46017

HelixAir TwinLift 230

SKU: RCH-46017

Category: Drones & RC Vehicles / RC Helicopters

Price: €319.00

Availability: Available to order

Warehouse location: CZ-BRQ — Brno, Czechia

Short description

Intermediate fixed-pitch electric helicopter with dual brushless motors and electronic stabilisation. Supplied as a ready-to-fly package for outdoor calm-weather use.

Key specifications

- Main rotor diameter: 230 mm
- Configuration: fixed-pitch tandem rotor
- Motor system: dual 1104 brushless motors
- Stabilisation: three-axis gyro with self-level mode
- Battery: 2S 850 mAh LiPo
- Flight time: 7–9 minutes
- Radio system: 2.4 GHz, four-channel
- Maximum recommended wind: 10 km/h
- Includes helicopter, transmitter, two batteries, charger, and rotor tool
- Replacement blades available under HelixAir service parts

Operational notes

Rotor blades must be inspected before every flight. The aircraft is not intended for aerobatic manoeuvres.

Page 21 — RCP-47004

VoltCell 3S 2200 LiPo Pack

SKU: RCP-47004

Category: Drones & RC Vehicles / RC Batteries

Price: €34.90

Availability: In stock

Warehouse location: NL-RTM — Rotterdam, Netherlands

Short description

Three-cell lithium-polymer battery pack for compatible RC cars, aircraft, and larger recreational drones.

Key specifications

- Nominal voltage: 11.1 V
- Capacity: 2,200 mAh
- Continuous discharge rating: 35C
- Burst discharge rating: 70C
- Connector: XT60
- Balance connector: JST-XH
- Dimensions: approximately 105 × 35 × 25 mm
- Weight: approximately 190 g
- Hard-case format
- Includes battery storage pouch

Safety and handling notes

- Charge only with a compatible balance charger.
 - Do not charge unattended or below 0°C.
 - Store at approximately 3.8 V per cell when not in use.
 - Inspect for swelling, puncture, or damaged leads before charging.
 - This product is shipped under applicable lithium battery transport requirements.
-

Page 22 — RCP-47012

SkyLink ELRS Controller 8

SKU: RCP-47012

Category: Drones & RC Vehicles / Radio Transmitters

Price: €149.00

Availability: In stock

Warehouse location: PL-WRO — Wrocław, Poland

Short description

Eight-channel 2.4 GHz radio transmitter for compatible FPV drones, RC cars, boats, and aircraft. Uses an open long-range receiver protocol and colour status display.

Key specifications

- Channels: 8
- Frequency band: 2.4 GHz ISM
- Protocol: ExpressLink-compatible long-range system
- Display: 2.4-inch colour LCD
- Hall-effect gimbals
- Internal battery: 2S 2,000 mAh Li-ion
- USB-C charging and firmware connection
- Adjustable stick length and spring tension
- Model memory: 32 profiles
- Approximate operating time: 8 hours
- Includes transmitter, neck strap, USB-C cable, and configuration guide

Compatibility note

A compatible receiver must be installed in the vehicle or aircraft. The controller does not operate standard 27 MHz, 40 MHz, or proprietary 2.4 GHz receivers.

Page 23 — RCP-47021

RotorGuard Propeller Set

SKU: RCP-47021

Category: Drones & RC Vehicles / Drone Replacement Parts

Price: €18.90

Availability: In stock

Warehouse location: DE-HAM — Hamburg, Germany

Short description

Replacement low-noise propeller set for the Aerialis SkyScout S2 camera drone. Supplied as clockwise and counter-clockwise matched pairs.

Key specifications

- Compatibility: Aerialis SkyScout S2 only
- Set contents: two clockwise and two counter-clockwise propellers
- Diameter: 8.5 inches
- Material: reinforced polymer
- Colour: matte black with orientation markings

- Includes four mounting screws and small screwdriver
- Packed weight: approximately 42 g
- Recommended replacement interval: after visible impact damage or significant edge wear

Service note

Propellers must be replaced in matched pairs where possible. Do not substitute with visually similar propellers from other Aerialis models.

Page 24 — Discontinued Products

HelioWorks AirMapper A1

This product has been discontinued

SKU: DRN-40902

Category: Drones & RC Vehicles / Camera Drones

Price: €249.00

Availability: Discontinued — no replenishment

Warehouse location: NL-RTM — Rotterdam, Netherlands

Short description

Former entry-level GPS camera drone with a two-axis gimbal. The product has been removed from the active range following supplier replacement of the flight-control platform.

Key specifications

- Maximum take-off weight: 610 g
- Camera resolution: 12 MP stills
- Video: 1080p at 30 fps
- Two-axis electronic gimbal
- Maximum stated flight time: 24 minutes
- GPS-assisted return to home
- Battery: 2S 2,200 mAh Li-ion
- Includes controller, one battery, charger, and carry case

Catalog handling

Do not create new purchase orders. Remaining stock may be sold subject to battery condition. The Aerialis SkyScout S2 is the preferred active-range alternative.

Page 25 — Discontinued Products

TrackForge RockRunner 1:10

This product has been discontinued

SKU: RCV-42871

Category: Drones & RC Vehicles / RC Crawlers

Price: €199.00

Availability: Discontinued — remaining stock only

Warehouse location: CZ-BRQ — Brno, Czechia

Short description

Former 1:10-scale trail crawler with four-wheel drive and a brushed motor. The model was superseded by the TerraCrawler 1:10 due to improved waterproofing and parts availability.

Key specifications

- Scale: 1:10
- Drive: four-wheel drive
- Motor: 540 brushed motor
- Maximum speed: approximately 12 km/h
- Battery: 7.2 V 2,000 mAh NiMH
- Run time: approximately 18 minutes
- Radio system: 2.4 GHz, two-channel
- Metal ladder chassis
- Includes transmitter, battery, charger, and spare body clips

Catalog handling

No supplier replenishment is planned. Replacement body panels are no longer regularly stocked. Customer service should verify parts availability before approving post-sale exchanges.

Page 26 — Discontinued Products

BlueCurrent MiniJet 18

This product has been discontinued

SKU: RCB-43910

Category: Drones & RC Vehicles / RC Boats

Price: €89.90

Availability: Discontinued — out of stock

Warehouse location: FR-LIL — Lille, France

Short description

Compact single-propeller electric RC boat for small ponds and indoor display pools. Removed from the assortment because of limited replacement-hull availability.

Key specifications

- Hull length: 180 mm
- Motor: 130 brushed motor
- Maximum speed: approximately 12 km/h
- Radio system: 2.4 GHz, two-channel
- Battery: 3.7 V 600 mAh Li-ion
- Typical operating time: 6 minutes
- Automatic motor cut-off when removed from water
- Includes controller, battery, USB charger, and propeller tool

Catalog handling

Do not offer back-order or substitution at the original price. Recommended active alternative for general recreational use is the BlueCurrent WaveRunner 28.

Page 27 — Range and Service Notes

Battery compatibility

Battery dimensions, connector type, and discharge requirements must be checked before recommending a replacement. Similar voltage alone does not establish compatibility.

- **7.2 V NiMH:** commonly used in entry-level brushed RC vehicles.
- **7.4 V Li-ion or 2S LiPo:** used in compact RC vehicles and drones.
- **11.1 V 3S LiPo:** used in higher-output cars, aircraft, and FPV systems.
- **14.8 V 4S LiPo and above:** not represented in the standard consumer range without explicit product compatibility.

Drone accessories

Drone propellers, batteries, and carrying cases should be mapped to the exact aircraft model. Generic compatibility statements should not be used in customer support responses unless confirmed by the supplier.

Water-operated products

RC boats are not treated as waterproof consumer electronics. Product pages should state that drying, cleaning, and post-use inspection are required. Warranty evaluation may be affected by evidence of saltwater use, submersion, or corrosion.

Page 28 — Catalog Control Information

Catalog: IronStore Product Catalog

Category: Drones & RC Vehicles

Review month: August 2026

Price basis: Retail EUR pricing, VAT included

Primary use: Internal product, fulfillment, service, and retrieval reference

Owner: IronStore Merchandising Operations

Warehouse data: Reviewed against the August 2026 assortment snapshot

General fulfillment rules

1. Verify warehouse availability before confirming quantities above the listed low-stock threshold.
2. Do not combine lithium battery shipments with incompatible transport services.
3. Discontinued products must not be replenished or advertised as newly available.
4. Product substitutions require approval when the replacement changes battery chemistry, radio protocol, camera capability, or vehicle scale.
5. Regional legal and operating requirements must remain visible on drone and model-aircraft product pages.
6. For warranty or return assessment, request photographs of the aircraft, vehicle chassis, battery condition, and charger where relevant.