

# IronStore Product Catalog

## Photography Equipment

*Last reviewed in August 2026*

**Internal catalog edition:** PE-2026.08

**Currency:** EUR

**Availability convention:** In stock, Low stock, Pre-order, Backorder, Discontinued

**Warehouse codes:**

- **NL-RTM:** Rotterdam, Netherlands
  - **DE-HAM:** Hamburg, Germany
  - **PL-WRO:** Wrocław, Poland
  - **ES-ZAZ:** Zaragoza, Spain
  - **IT-MIL:** Milan, Italy
- 

## Page 1 — Catalog Scope and Category Index

This catalog contains products assigned to the **Photography Equipment** category. It includes cameras, lenses, lighting, tripods, bags, memory products, filters, studio accessories, and photographic support equipment.

### *Subcategories*

1. Mirrorless Cameras
2. DSLR and Compact Cameras
3. Camera Lenses
4. Flashes and Continuous Lighting
5. Tripods and Support Equipment
6. Camera Bags and Protection
7. Memory Cards and Storage
8. Filters and Optical Accessories
9. Studio and Product Photography Equipment
10. Cleaning and Maintenance Accessories

### *Stock Status Definitions*

- **In stock:** Available for standard warehouse dispatch.

- **Low stock:** Fewer than ten sellable units currently available.
- **Pre-order:** Supplier allocation received; expected arrival date shown where available.
- **Backorder:** Temporarily unavailable; replenishment order placed.
- **Discontinued:** No further replenishment planned. Existing stock may remain available.

Prices shown are standard consumer prices in euros and include applicable VAT for the destination market unless otherwise stated in an order record.

---

## Page 2 — Mirrorless Cameras

### ***IRON-MC240 — IronStore Lumina M24 Mirrorless Camera***

**SKU:** PE-CAM-MIR-0240

**Category:** Photography Equipment / Mirrorless Cameras

**Price:** €1,149.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Bay P04

**Short description:**

Full-frame mirrorless camera for general photography, events, travel, and video production. Supplied as a body-only configuration with rechargeable battery and USB-C charger.

**Key specifications:**

- 24.2 MP full-frame BSI CMOS sensor
  - ISO range: 100–51,200, expandable to ISO 204,800
  - Hybrid autofocus with 693 phase-detection points
  - Continuous shooting up to 10 frames per second
  - 4K video recording at up to 60 frames per second
  - 3.0-inch vari-angle touchscreen, 1.04 million dots
  - Electronic viewfinder with 3.69 million dots
  - Dual UHS-II SD card slots
  - Wi-Fi 6 and Bluetooth 5.2 connectivity
  - In-body five-axis image stabilization, rated up to 6 stops
  - Battery: IronCell BP-240, approximately 610 still images per charge
  - Included: body cap, battery, USB-C cable, charger, shoulder strap
- 

### ***IRON-MC360 — IronStore Lumina M36 High-Resolution Camera***

**SKU:** PE-CAM-MIR-0360

**Category:** Photography Equipment / Mirrorless Cameras

**Price:** €2,349.00

**Availability:** Low stock — 6 units

**Warehouse location:** DE-HAM, Cage C12

**Short description:**

High-resolution full-frame mirrorless body intended for studio, landscape, architecture, and commercial photography where detailed image files are required.

**Key specifications:**

- 61 MP full-frame CMOS sensor
  - ISO range: 50–32,000, expandable to ISO 102,400
  - Pixel-shift multi-shot mode up to 240.8 MP
  - Subject-recognition autofocus for people, animals, vehicles, and aircraft
  - Continuous shooting up to 8 frames per second
  - 8K video recording at 30 frames per second
  - 4K video recording at 120 frames per second
  - Five-axis sensor stabilization, rated up to 7 stops
  - 3.2-inch tilting LCD touchscreen
  - 5.76-million-dot electronic viewfinder
  - CFexpress Type B and UHS-II SD card slots
  - Full-size HDMI output and USB-C 3.2 Gen 2
  - Included: body, two batteries, USB-C charger, cable, strap
- 

## Page 3 — Mirrorless Cameras

### ***IRON-MC180 — IronStore Lumina M18 Travel Mirrorless Camera***

**SKU:** PE-CAM-MIR-0180

**Category:** Photography Equipment / Mirrorless Cameras

**Price:** €699.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Shelf M18

**Short description:**

Compact APS-C mirrorless camera for travel, family photography, content production, and entry-level interchangeable-lens use.

**Key specifications:**

- 24.1 MP APS-C CMOS sensor
  - ISO range: 100–25,600
  - 425-point hybrid autofocus system
  - Burst shooting up to 11 frames per second
  - 4K video at 30 frames per second
  - Full HD video at up to 120 frames per second
  - 3.0-inch fully articulating touchscreen
  - Electronic viewfinder with 2.36 million dots
  - Single UHS-I SD card slot
  - USB-C charging and data connection
  - Built-in pop-up flash
  - Wi-Fi and Bluetooth mobile connectivity
  - Approximate weight: 402 g with battery and card
  - Included: body, battery, neck strap, USB-C cable
- 

***IRON-MC750 — IronStore Lumina M75 Professional Hybrid Camera***

**SKU:** PE-CAM-MIR-0750

**Category:** Photography Equipment / Mirrorless Cameras

**Price:** €3,799.00

**Availability:** Pre-order — expected receipt 18 September 2026

**Warehouse location:** DE-HAM, Incoming Goods

**Short description:**

Professional full-frame hybrid camera with high-speed readout, weather-resistant construction, and extended video recording features.

**Key specifications:**

- 45.7 MP stacked full-frame sensor
- ISO range: 64–25,600, expandable to ISO 102,400
- Up to 20 frames per second in RAW still mode
- Pre-capture buffer of up to one second
- 8K video at 60 frames per second
- 4K ProRes-compatible internal recording
- 5.76-million-dot electronic viewfinder

- 3.2-inch four-axis tilting touchscreen
  - Dual CFexpress Type B card slots
  - Ten-bit HDMI output
  - In-body stabilization rated up to 8 stops
  - Magnesium-alloy body with sealed controls and ports
  - Approximate weight: 742 g with battery and card
  - Included: body, battery, charger, cable, strap, cable protector
- 

## Page 4 — DSLR and Compact Cameras

### ***IRON-DS900 — IronStore Optix D900 DSLR Camera***

**SKU:** PE-CAM-DSLR-0900

**Category:** Photography Equipment / DSLR Cameras

**Price:** €1,089.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Bay P06

**Short description:**

APS-C DSLR for photography users requiring optical viewfinder operation, long battery life, and compatibility with established IronStore Optix lenses.

**Key specifications:**

- 32.5 MP APS-C CMOS sensor
  - ISO range: 100–25,600, expandable to ISO 51,200
  - 45-point all-cross-type autofocus system
  - Continuous shooting up to 7 frames per second
  - 4K video at 30 frames per second
  - Optical pentaprism viewfinder with 100% coverage
  - 3.0-inch rear touchscreen
  - Single UHS-II SD card slot
  - Built-in pop-up flash
  - Wi-Fi and Bluetooth connectivity
  - Weather-resistant polycarbonate and magnesium construction
  - Battery capacity: approximately 1,240 images
  - Included: camera body, battery, charger, USB cable, strap
-

## ***IRON-CX12 — IronStore PocketView CX12 Compact Camera***

**SKU:** PE-CAM-CMP-0012

**Category:** Photography Equipment / Compact Cameras

**Price:** €329.00

**Availability:** In stock

**Warehouse location:** ES-ZAZ, Bin C22

### **Short description:**

Pocket-sized compact camera with a stabilized zoom lens for travel, events, and everyday documentation.

### **Key specifications:**

- 20.1 MP 1-inch CMOS sensor
  - Integrated 24–120 mm equivalent optical zoom
  - Maximum aperture: f/1.8–2.8
  - Optical image stabilization
  - ISO range: 125–12,800
  - 4K video at 30 frames per second
  - 3.0-inch fixed LCD display
  - Electronic shutter up to 1/16,000 second
  - Built-in flash and stereo microphones
  - USB-C charging
  - Wi-Fi and Bluetooth transfer
  - Approximate weight: 286 g including battery
  - Included: battery, wrist strap, USB-C cable
- 

## ***IRON-ACT8 — IronStore FieldShot ACT8 Action Camera***

**SKU:** PE-CAM-ACT-0008

**Category:** Photography Equipment / Action Cameras

**Price:** €249.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Shelf A03

### **Short description:**

Rugged action camera for cycling, hiking, water sports, and outdoor recording. The housing is waterproof when fitted with the supplied protective case.

**Key specifications:**

- 12 MP 1/2.3-inch CMOS sensor
  - 4K video at 60 frames per second
  - 2.7K video at 120 frames per second
  - Electronic stabilization with horizon leveling
  - Waterproof to 10 m without external case
  - Waterproof to 40 m with supplied case
  - 2.0-inch rear touchscreen
  - Front status display
  - 170-degree wide-angle lens
  - Removable 1,500 mAh battery
  - microSD card support up to 256 GB
  - Included: waterproof case, two mounts, adhesive bases, USB-C cable
- 

## Page 5 — Camera Lenses

### ***IRON-LF2470 — IronStore Optix LF 24–70 mm F2.8 Pro Lens***

**SKU:** PE-LEN-FE-2470

**Category:** Photography Equipment / Full-Frame Zoom Lenses

**Price:** €1,499.00

**Availability:** In stock

**Warehouse location:** DE-HAM, Lens Cabinet L07

**Short description:**

Professional standard zoom lens for full-frame mirrorless cameras. Suitable for events, portraits, documentary work, and general commercial photography.

**Key specifications:**

- Mount: IronStore Lumina full-frame mount
- Focal length: 24–70 mm
- Constant maximum aperture: f/2.8
- Minimum aperture: f/22
- Optical construction: 18 elements in 14 groups
- Three low-dispersion elements
- Two aspherical elements

- Nano-coated front element
  - Dual linear autofocus motors
  - Minimum focusing distance: 0.21 m at 24 mm
  - Maximum magnification: 0.30x
  - Nine-blade rounded diaphragm
  - Dust- and moisture-resistant sealing
  - Filter thread: 82 mm
  - Weight: 856 g
  - Included: front and rear caps, petal hood, soft pouch
- 

## ***IRON-LF5014 — IronStore Optix LF 50 mm F1.4 Prime Lens***

**SKU:** PE-LEN-FE-5014

**Category:** Photography Equipment / Full-Frame Prime Lenses

**Price:** €749.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Lens Rack L14

### **Short description:**

Fast standard prime lens for low-light photography, portraits, street photography, and shallow-depth-of-field work.

### **Key specifications:**

- Mount: IronStore Lumina full-frame mount
- Focal length: 50 mm
- Maximum aperture: f/1.4
- Minimum aperture: f/16
- Optical construction: 12 elements in 10 groups
- Two aspherical elements
- One extra-low-dispersion element
- Linear autofocus motor
- Minimum focusing distance: 0.40 m
- Maximum magnification: 0.18x
- Nine-blade rounded aperture
- Manual aperture de-click switch
- Filter thread: 67 mm
- Weight: 594 g



- Included: caps, hood, soft pouch
- 

## ***IRON-LA1835 — IronStore Optix LA 18–35 mm F2.8 APS-C Lens***

**SKU:** PE-LEN-APS-1835

**Category:** Photography Equipment / APS-C Zoom Lenses

**Price:** €619.00

**Availability:** Low stock — 8 units

**Warehouse location:** PL-WRO, Lens Shelf B09

### **Short description:**

Wide-angle zoom lens for APS-C mirrorless cameras. Intended for interiors, landscapes, architecture, and video production.

### **Key specifications:**

- Mount: IronStore Lumina APS-C mount
  - 35 mm equivalent focal length: 27–52.5 mm
  - Constant maximum aperture: f/2.8
  - Minimum aperture: f/22
  - Optical construction: 16 elements in 12 groups
  - Internal zoom design
  - Stepping motor autofocus
  - Minimum focusing distance: 0.28 m
  - Maximum magnification: 0.21x
  - Seven-blade diaphragm
  - Filter thread: 72 mm
  - Weight: 515 g
  - Included: front and rear caps, hood
- 

## **Page 6 — Camera Lenses**

## ***IRON-LF70200 — IronStore Optix LF 70–200 mm F2.8 Stabilized Lens***

**SKU:** PE-LEN-FE-7020

**Category:** Photography Equipment / Telephoto Zoom Lenses

**Price:** €1,899.00

**Availability:** In stock

**Warehouse location:** DE-HAM, Secure Rack S03

**Short description:**

Professional telephoto zoom for sports, wildlife, weddings, stage work, and compressed-perspective portraits.

**Key specifications:**

- Mount: IronStore Lumina full-frame mount
  - Focal length: 70–200 mm
  - Constant maximum aperture: f/2.8
  - Minimum aperture: f/22
  - Optical image stabilization with three operating modes
  - Stabilization rating: up to 5.5 stops
  - Dual high-torque autofocus motors
  - Minimum focusing distance: 0.96 m
  - Maximum magnification: 0.25x
  - 11-blade rounded diaphragm
  - Tripod collar with removable foot
  - Fluorine-coated front element
  - Filter thread: 77 mm
  - Weight: 1,480 g
  - Included: tripod collar, hood, caps, padded case
- 

## ***IRON-LM90100 — IronStore Optix LM 90 mm F2.8 Macro Lens***

**SKU:** PE-LEN-MAC-9010

**Category:** Photography Equipment / Macro Lenses

**Price:** €679.00

**Availability:** In stock

**Warehouse location:** IT-MIL, Bin L18

**Short description:**

Short telephoto macro lens for close-up photography of products, plants, insects, documents, and small objects.

**Key specifications:**

- Mount: IronStore Lumina full-frame mount
- Focal length: 90 mm
- Maximum aperture: f/2.8

- Minimum aperture: f/32
  - 1:1 reproduction ratio
  - Minimum focusing distance: 0.28 m
  - Internal focusing system
  - Focus limiter switch
  - Optical construction: 14 elements in 11 groups
  - Nine-blade diaphragm
  - Compatible with in-body stabilization
  - Filter thread: 62 mm
  - Weight: 645 g
  - Included: caps, hood, soft case
- 

## Page 7 — Flashes and Continuous Lighting

### ***IRON-FL480 — IronStore FlashPro FL480 Speedlight***

**SKU:** PE-LGT-FLS-0480

**Category:** Photography Equipment / Flash Units

**Price:** €219.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Lighting Bin F04

**Short description:**

TTL-compatible on-camera flash for IronStore Lumina and Optix cameras. Suitable for event, portrait, product, and location photography.

**Key specifications:**

- Guide number: 48 m at ISO 100 and 105 mm
- Zoom coverage: 24–105 mm
- Automatic and manual zoom control
- TTL, manual, multi-flash, and high-speed sync modes
- High-speed sync up to 1/8,000 second
- Flash head tilt: –7° to 90°
- Flash head rotation: 180° left and right
- Optical master and slave modes
- Radio control range: approximately 30 m
- Recycle time: 0.1–2.2 seconds

- Power source: four AA batteries
  - Approximately 420 full-power flashes per battery set
  - Included: stand, diffuser, case
- 

## ***IRON-FL260 — IronStore FlashPro FL260 Mini Flash***

**SKU:** PE-LGT-FLS-0260

**Category:** Photography Equipment / Compact Flash Units

**Price:** €89.00

**Availability:** In stock

**Warehouse location:** ES-ZAZ, Bin F11

### **Short description:**

Compact flash for small mirrorless cameras and travel kits. Supports basic TTL exposure and wireless optical triggering.

### **Key specifications:**

- Guide number: 26 m at ISO 100
  - Coverage: 24 mm equivalent
  - Tilt head: 0° to 90°
  - TTL and manual modes
  - Optical slave mode
  - Recycle time: approximately 0.2–4 seconds
  - Power source: two AA batteries
  - Approximate weight: 190 g
  - Flash exposure compensation:  $\pm 3$  EV
  - Included: diffuser panel, mini stand, soft pouch
- 

## ***IRON-LED120 — IronStore StudioBeam LED 120 Bi-Colour Panel***

**SKU:** PE-LGT-LED-0120

**Category:** Photography Equipment / Continuous Lighting

**Price:** €279.00

**Availability:** Low stock — 7 units

**Warehouse location:** DE-HAM, Studio Equipment Zone

### **Short description:**

Bi-colour LED panel for portrait, product, interview, and tabletop photography. Designed for mains or battery-powered operation.

**Key specifications:**

- Output: 120 W maximum
  - Colour temperature range: 2,700–6,500 K
  - Colour rendering index: CRI 96, TLCI 97
  - Dimming range: 0–100%
  - Beam angle: 110 degrees
  - Wireless control through IronStore StudioLink application
  - Passive cooling with low-noise fan assist
  - Power input: 100–240 V AC
  - Compatible battery: 14.8 V V-mount, battery sold separately
  - Bowens-compatible accessory mount
  - Includes reflector, diffuser, power supply, yoke bracket
  - Dimensions: 285 × 190 × 65 mm
  - Weight: 1.35 kg
- 

## Page 8 — Flashes and Continuous Lighting

### ***IRON-LED60 — IronStore StudioBeam LED 60 Pocket Light***

**SKU:** PE-LGT-LED-0060

**Category:** Photography Equipment / Continuous Lighting

**Price:** €159.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Shelf L06

**Short description:**

Portable bi-colour COB light for mobile product photography, portraits, streaming, and small studio setups.

**Key specifications:**

- Output: 60 W maximum
- Colour temperature range: 2,700–6,500 K
- CRI 95 and TLCI 96
- Nine built-in lighting effects
- Dimming range: 0–100%

- Bowens mini accessory mount
  - Integrated 5,200 mAh battery
  - Battery runtime: up to 70 minutes at full output
  - USB-C PD charging
  - 1/4-inch mounting thread
  - Includes mini reflector, USB-C cable, power adapter, carry pouch
  - Weight: 620 g
- 

## ***IRON-FLS400 — IronStore StudioFlash FLS400 Monolight***

**SKU:** PE-LGT-STF-0400

**Category:** Photography Equipment / Studio Flash Units

**Price:** €449.00

**Availability:** In stock

**Warehouse location:** IT-MIL, Studio Bay S02

### **Short description:**

400 Ws mains-powered studio flash head for portrait, fashion, catalogue, and product photography.

### **Key specifications:**

- Maximum output: 400 Ws
  - Power adjustment: 1/32 to full power
  - Recycle time: 0.1–0.9 seconds
  - Flash duration: 1/2,000 to 1/800 second
  - Colour temperature: 5,600 K  $\pm$ 200 K
  - 150 W modelling lamp
  - Optical slave and 2.4 GHz radio receiver
  - Bowens-compatible reflector mount
  - Built-in overheating protection
  - Front and rear control panels
  - Compatible with IronStore FlashLink transmitter
  - Includes reflector, protective cap, power cable
  - Weight: 2.2 kg
- 

## ***IRON-TX24 — IronStore FlashLink TX24 Radio Trigger***

**SKU:** PE-LGT-TRG-0024

**Category:** Photography Equipment / Flash Triggers

**Price:** €119.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Lighting Bin F09

**Short description:**

Wireless trigger for controlling compatible IronStore speedlights and studio flash units from Lumina and Optix camera bodies.

**Key specifications:**

- 2.4 GHz operating frequency
  - Wireless range up to 80 m in open conditions
  - 32 selectable channels
  - Four group controls
  - TTL, manual, and high-speed sync support
  - High-speed sync up to 1/8,000 second
  - USB-C firmware updates
  - Hot-shoe mounting foot with locking wheel
  - Power source: two AAA batteries
  - Approximate weight: 92 g
  - Compatible with FlashPro FL480, FLS400, and FLS600 series
- 

## Page 9 — Tripods and Support Equipment

### ***IRON-TR154 — IronStore FieldStand TR154 Aluminium Tripod***

**SKU:** PE-SUP-TRI-0154

**Category:** Photography Equipment / Tripods

**Price:** €129.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Tripod Rack T03

**Short description:**

General-purpose aluminium tripod with a three-way head for cameras, compact video cameras, and spotting equipment.

**Key specifications:**

- Maximum working height: 154 cm
  - Minimum working height: 58 cm
  - Folded length: 61 cm
  - Maximum load: 5 kg
  - Four-section legs with twist locks
  - Three-way pan-and-tilt head
  - Quick-release plate with 1/4-inch screw
  - Independent leg-angle adjustment
  - Centre column with hook for ballast
  - Rubber feet with retractable spikes
  - Weight: 1.72 kg
  - Includes padded carry bag
- 

## ***IRON-TR182C — IronStore FieldStand TR182 Carbon Tripod***

**SKU:** PE-SUP-TRI-0182

**Category:** Photography Equipment / Carbon-Fibre Tripods

**Price:** €329.00

**Availability:** Low stock — 5 units

**Warehouse location:** DE-HAM, Long Goods Rack T07

### **Short description:**

Lightweight carbon-fibre tripod for landscape, architecture, travel, and long-exposure photography.

### **Key specifications:**

- Maximum working height: 182 cm
- Minimum working height: 16 cm
- Folded length: 49 cm
- Maximum load: 10 kg
- Five-section carbon-fibre legs
- Reversible centre column
- Independent leg angles: 23°, 55°, and 80°
- Twist-lock leg clamps
- 36 mm ball head with friction adjustment
- Arca-compatible quick-release plate
- Integrated bubble level



- Weight: 1.38 kg
  - Includes padded carry case and spike feet
- 

## ***IRON-MONO5 — IronStore FieldStand Mono 5 Monopod***

**SKU:** PE-SUP-MON-0005

**Category:** Photography Equipment / Monopods

**Price:** €79.00

**Availability:** In stock

**Warehouse location:** ES-ZAZ, Long Goods Rack M02

**Short description:**

Five-section aluminium monopod for sports, wildlife, event, and low-light photography where mobility is required.

**Key specifications:**

- Maximum height: 165 cm
  - Folded length: 45 cm
  - Maximum load: 8 kg
  - Four-section extension system plus base section
  - Flip-lock clamps
  - Reversible 1/4-inch and 3/8-inch mounting screw
  - Rubber foot with removable metal spike
  - Foam grip and wrist strap
  - Weight: 610 g
  - Includes nylon sleeve
- 

## **Page 10 — Tripods and Support Equipment**

### ***IRON-GH3 — IronStore MotionHead GH3 Gimbal Head***

**SKU:** PE-SUP-GMB-0003

**Category:** Photography Equipment / Gimbal Heads

**Price:** €239.00

**Availability:** In stock

**Warehouse location:** DE-HAM, Support Equipment Cage

**Short description:**

Balanced gimbal head for long telephoto lenses and camera combinations used in wildlife, bird, and sports photography.

**Key specifications:**

- Maximum supported load: 8 kg
  - Arca-type sliding platform
  - Adjustable vertical balance range: 105 mm
  - Panning base with numbered scale
  - Independent pan and tilt tension controls
  - 360-degree horizontal rotation
  - 120-degree vertical movement
  - 3/8-inch tripod socket
  - Aluminium alloy construction
  - Includes mounting plate and hex-key set
  - Weight: 1.05 kg
- 

***IRON-SLIDER80 — IronStore MotionTrack Slider 80***

**SKU:** PE-SUP-SLD-0080

**Category:** Photography Equipment / Camera Sliders

**Price:** €289.00

**Availability:** Pre-order — expected receipt 2 October 2026

**Warehouse location:** NL-RTM, Incoming Goods

**Short description:**

Manual camera slider for controlled horizontal movement in product photography, tabletop work, and short-form video production.

**Key specifications:**

- Rail length: 80 cm
- Usable travel: 68 cm
- Maximum load: 6 kg horizontally
- Maximum load: 3 kg at a 45-degree angle
- Adjustable carriage tension
- 1/4-inch and 3/8-inch mounting threads
- Four rubber feet with levelling adjustment
- Compatible with standard fluid heads

- Belt-drive attachment points for motor upgrades
  - Aluminium rail with stainless-steel carriage bearings
  - Weight: 2.4 kg
  - Includes carry bag and mounting screws
- 

## ***IRON-HEADV6 — IronStore VideoHead V6 Fluid Head***

**SKU:** PE-SUP-VHD-0006

**Category:** Photography Equipment / Fluid Heads

**Price:** €189.00

**Availability:** In stock

**Warehouse location:** IT-MIL, Rack V04

### **Short description:**

Compact fluid head for hybrid cameras and lightweight video cameras. Suitable for interviews, product demonstrations, and fixed-position recording.

### **Key specifications:**

- Maximum load: 6 kg
  - 65 mm flat base
  - Fixed counterbalance spring
  - Pan range: 360 degrees
  - Tilt range: +90° to –75°
  - Adjustable pan and tilt drag
  - Sliding quick-release plate
  - Safety lock and secondary release button
  - 1/4-inch and 3/8-inch camera screws
  - Includes removable pan handle
  - Weight: 1.25 kg
- 

## **Page 11 — Camera Bags and Protection**

### ***IRON-BG25 — IronStore CarryPack BG25 Camera Backpack***

**SKU:** PE-BAG-BPK-0025

**Category:** Photography Equipment / Camera Backpacks

**Price:** €149.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Textile Storage B11

**Short description:**

Weather-resistant camera backpack for one mirrorless body, three lenses, a compact drone, and personal accessories.

**Key specifications:**

- Internal capacity: approximately 18 litres
  - Removable padded camera insert
  - Adjustable dividers with hook-and-loop attachment
  - Dedicated 15-inch laptop compartment
  - Side access panel for camera retrieval
  - Tripod carrier on side panel
  - Expandable front pocket
  - Water-resistant 600D recycled polyester outer fabric
  - Padded shoulder straps and ventilated back panel
  - Includes rain cover
  - External dimensions: 46 × 29 × 20 cm
  - Empty weight: 1.25 kg
- 

## ***IRON-SL10 — IronStore SoftCase SL10 Shoulder Bag***

**SKU:** PE-BAG-SHL-0010

**Category:** Photography Equipment / Shoulder Bags

**Price:** €69.00

**Availability:** In stock

**Warehouse location:** ES-ZAZ, Bin B15

**Short description:**

Small padded shoulder bag for a compact camera or entry-level mirrorless body with one attached lens and one spare lens.

**Key specifications:**

- Internal capacity: approximately 8 litres
- Adjustable padded main divider
- Zipped front accessory pocket
- Double-ended main compartment zipper

- Removable shoulder strap
  - Handle with reinforced stitching
  - Water-resistant 420D nylon exterior
  - Padded base and side walls
  - Internal dimensions: 24 × 18 × 12 cm
  - Includes removable rain hood
  - Empty weight: 420 g
- 

## ***IRON-HC200 — IronStore HardGuard HC200 Equipment Case***

**SKU:** PE-BAG-HDC-0200

**Category:** Photography Equipment / Protective Cases

**Price:** €119.00

**Availability:** Low stock — 4 units

**Warehouse location:** DE-HAM, Oversize Storage H03

### **Short description:**

Impact-resistant protective case for cameras, lenses, lighting accessories, and field equipment requiring sealed transport.

### **Key specifications:**

- Internal dimensions: 43 × 29 × 16 cm
  - External dimensions: 47 × 35 × 18 cm
  - IP67 dust and water protection
  - Automatic pressure equalisation valve
  - Two reinforced padlock holes
  - Four removable cubed-foam layers
  - Shock-resistant polypropylene shell
  - Temperature operating range: –20°C to 80°C
  - Folding handle and two-wheel trolley base
  - Empty weight: 3.1 kg
  - Colour: black with grey latches
- 

## **Page 12 — Memory Cards and Storage**

### ***IRON-SD256V90 — IronStore ProSpeed SDXC 256 GB V90***

**SKU:** PE-MEM-SD-2569

**Category:** Photography Equipment / Memory Cards

**Price:** €84.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Secure Media Cabinet

**Short description:**

High-speed SDXC memory card for burst photography and high-bitrate 4K video recording.

**Key specifications:**

- Capacity: 256 GB
  - UHS-II interface
  - Video Speed Class: V90
  - Rated read speed: up to 300 MB/s
  - Rated write speed: up to 260 MB/s
  - Minimum sustained write speed: 90 MB/s
  - U3 and Class 10 compatible
  - Operating temperature: –25°C to 85°C
  - Built-in error correction
  - Includes SD card storage case
  - Five-year limited replacement coverage under supplier terms
- 

## ***IRON-MSD128A2 — IronStore ProSpeed microSDXC 128 GB A2***

**SKU:** PE-MEM-MSD-0128

**Category:** Photography Equipment / microSD Memory Cards

**Price:** €24.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Secure Media Cabinet

**Short description:**

microSDXC card for action cameras, compact cameras, and photographic accessories that support removable microSD media.

**Key specifications:**

- Capacity: 128 GB
- UHS-I interface
- U3 and V30 video rating

- A2 application performance class
  - Rated read speed: up to 170 MB/s
  - Rated write speed: up to 90 MB/s
  - Includes full-size SD adapter
  - Operating temperature: –25°C to 85°C
  - Suitable for 4K recording in compatible devices
  - Includes protective plastic case
- 

## ***IRON-SSD1T — IronStore FieldVault SSD 1 TB***

**SKU:** PE-MEM-SSD-1000

**Category:** Photography Equipment / Portable Storage

**Price:** €139.00

**Availability:** In stock

**Warehouse location:** DE-HAM, Secure Media Cabinet

### **Short description:**

Portable solid-state drive for transferring and backing up camera files while travelling or working on location.

### **Key specifications:**

- Capacity: 1 TB
  - USB-C 3.2 Gen 2 interface
  - Sequential read speed: up to 1,050 MB/s
  - Sequential write speed: up to 1,000 MB/s
  - Compatible with Windows, macOS, iPadOS, and Android
  - Aluminium housing with silicone protective sleeve
  - Shock resistance: up to 1.5 m when fitted with sleeve
  - Hardware encryption support through supplied utility
  - Cable included: USB-C to USB-C
  - Adapter included: USB-C to USB-A
  - Dimensions: 104 × 58 × 12 mm
  - Weight: 92 g
- 

## **Page 13 — Filters and Optical Accessories**

### ***IRON-CPL77 — IronStore Optix CPL Circular Polariser 77 mm***

**SKU:** PE-FLT-CPL-0077

**Category:** Photography Equipment / Polarising Filters

**Price:** €79.00

**Availability:** In stock

**Warehouse location:** IT-MIL, Optical Accessories O05

**Short description:**

Circular polarising filter for reducing reflected glare and increasing contrast in landscape, architectural, and outdoor photography.

**Key specifications:**

- Thread diameter: 77 mm
  - Multi-layer anti-reflective coating
  - Slim aluminium filter ring
  - Front thread for lens cap or secondary filter
  - Rotation ring with knurled grip
  - Approximate light reduction: 1.5–2 stops
  - Neutral colour balance under daylight
  - Compatible with standard 77 mm lens threads
  - Supplied in a hard plastic storage case
- 

## ***IRON-NDSET82 — IronStore Optix ND Filter Set 82 mm***

**SKU:** PE-FLT-NDS-0082

**Category:** Photography Equipment / Neutral-Density Filters

**Price:** €129.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Optical Accessories O08

**Short description:**

Set of fixed neutral-density filters for controlling exposure in bright conditions and enabling longer shutter speeds or wider apertures.

**Key specifications:**

- Filter diameter: 82 mm
- Included filters: ND8, ND64, and ND1000
- Exposure reduction: 3, 6, and 10 stops



- Optical glass construction
  - Multi-coated front and rear surfaces
  - Low-profile threaded frames
  - Includes magnetic stacking storage case
  - Includes microfibre cleaning cloth
  - Individual filter labels etched on frame
  - Compatible with 82 mm threaded lenses and step-up rings
- 

## ***IRON-STEP49 — IronStore Optix Step-Up Ring Set***

**SKU:** PE-FLT-RNG-0049

**Category:** Photography Equipment / Filter Adapters

**Price:** €39.00

**Availability:** In stock

**Warehouse location:** ES-ZAZ, Small Parts Bin O16

### **Short description:**

Aluminium step-up ring set for using larger filters on lenses with smaller front filter threads.

### **Key specifications:**

- Included sizes: 49–58 mm, 52–67 mm, 55–67 mm, 58–77 mm, 62–82 mm
  - Black anodised aluminium construction
  - Front and rear thread protection
  - Low-profile design
  - Knurled outer edge for removal
  - Compatible with circular polarising and neutral-density filters
  - Includes labelled fabric storage pouch
  - Not suitable for mounting filters smaller than the lens thread
- 

## **Page 14 — Studio and Product Photography Equipment**

## ***IRON-TENT80 — IronStore ProductTent 80 Light Tent***

**SKU:** PE-STU-TNT-0080

**Category:** Photography Equipment / Product Photography Tents

**Price:** €99.00

**Availability:** In stock

**Warehouse location:** IT-MIL, Studio Bay P08

**Short description:**

Foldable tabletop light tent for photographing small and medium-sized products with controlled diffuse illumination.

**Key specifications:**

- Internal working area: 80 × 80 × 80 cm
  - Foldable wire-frame construction
  - Four removable background panels
  - Background colours: white, black, grey, and blue
  - Front opening with slit for camera lens
  - Top opening for overhead photography
  - Diffusion panels on left, right, top, and rear
  - Folded diameter: approximately 32 cm
  - Includes carry bag and background clips
  - Maximum recommended product weight: 15 kg
- 

## ***IRON-TENT120 — IronStore ProductTent 120 Professional Light Tent***

**SKU:** PE-STU-TNT-0120

**Category:** Photography Equipment / Product Photography Tents

**Price:** €179.00

**Availability:** Low stock — 3 units

**Warehouse location:** DE-HAM, Oversize Studio Storage

**Short description:**

Large-format light tent for furniture components, appliances, footwear, handbags, and other products requiring a wider shooting area.

**Key specifications:**

- Internal working area: 120 × 120 × 120 cm
- Reinforced collapsible frame
- Front, side, and overhead shooting openings
- Four removable textile backgrounds
- Two translucent side panels
- Reflective internal floor panel
- Carry bag with shoulder strap

- Folded length: 125 cm
  - Recommended for products up to 30 kg
  - Assembly time: approximately five minutes
- 

## ***IRON-BG100 — IronStore StudioBeam BG100 Background Support Kit***

**SKU:** PE-STU-BGS-0100

**Category:** Photography Equipment / Background Support Systems

**Price:** €149.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Long Goods Rack S09

### **Short description:**

Portable support system for paper, vinyl, and textile photographic backgrounds in small studios and temporary workspaces.

### **Key specifications:**

- Maximum background width: 3.0 m
  - Maximum crossbar height: 2.8 m
  - Two aluminium support stands
  - Four-section telescopic crossbar
  - Maximum supported roll weight: 8 kg
  - Stand footprint: approximately 1.1 m
  - Spring-loaded locking pins
  - 1/4-inch accessory mounting points
  - Includes two spring clamps and carry case
  - Packed length: 96 cm
  - Complete kit weight: 4.8 kg
- 

## **Page 15 — Studio and Product Photography Equipment**

### ***IRON-SOFT90 — IronStore StudioBeam Softbox 90 Octagonal***

**SKU:** PE-STU-SBX-0090

**Category:** Photography Equipment / Softboxes

**Price:** €109.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Studio Accessories S15

**Short description:**

Octagonal softbox for use with compatible studio flashes and LED lights. Intended for portraits, product photography, and controlled fill lighting.

**Key specifications:**

- Diameter: 90 cm
  - Bowens-compatible speed ring
  - Removable inner baffle
  - Removable outer diffusion panel
  - Included honeycomb grid
  - Eight reinforced aluminium rods
  - Silver reflective interior
  - Maximum recommended light output: 600 W LED equivalent
  - Collapsed length: 72 cm
  - Includes fabric carry bag
  - Weight: 1.15 kg
- 

## ***IRON-REF5 — IronStore Reflector 5-in-1 110 cm***

**SKU:** PE-STU-REF-0110

**Category:** Photography Equipment / Reflectors

**Price:** €49.00

**Availability:** In stock

**Warehouse location:** ES-ZAZ, Studio Accessories S21

**Short description:**

Collapsible five-surface reflector for modifying natural or artificial light in portrait, tabletop, and product photography.

**Key specifications:**

- Open diameter: 110 cm
- Surfaces: translucent, silver, gold, white, and black
- Steel spring frame
- Double-stitched fabric edges
- Folded diameter: approximately 38 cm
- Includes zippered storage sleeve
- Suitable for handheld or stand-mounted use

- Reflector clamp sold separately
  - Weight: 620 g
- 

## ***IRON-CLAMP2 — IronStore StudioGrip Clamp Set***

**SKU:** PE-STU-CLP-0002

**Category:** Photography Equipment / Studio Clamps

**Price:** €29.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Small Parts Bin S23

**Short description:**

Set of heavy-duty clamps for securing backgrounds, reflectors, diffusion fabric, cables, and light modifiers.

**Key specifications:**

- Set quantity: four clamps
  - Maximum jaw opening: 65 mm
  - Reinforced nylon body
  - Rubberised jaw tips
  - Spring-steel internal mechanism
  - Each clamp includes 1/4-inch accessory thread
  - Maximum recommended static load per clamp: 3 kg
  - Suitable for studio and location use
  - Supplied in reusable zippered pouch
- 

## **Page 16 — Cleaning and Maintenance Accessories**

### ***IRON-CLEAN12 — IronStore Optix LensCare 12 Cleaning Kit***

**SKU:** PE-MNT-CLN-0012

**Category:** Photography Equipment / Cleaning Kits

**Price:** €24.00

**Availability:** In stock

**Warehouse location:** NL-RTM, Maintenance Supplies M04

**Short description:**

General cleaning kit for camera bodies, lenses, filters, viewfinders, and other optical equipment.

**Key specifications:**

- Manual air blower with replaceable intake filter
  - 30 ml alcohol-free lens cleaning solution
  - Two microfiber cloths
  - Ten individually wrapped optical wipes
  - Five cotton-tipped cleaning swabs
  - Lens brush with retractable bristles
  - Plastic storage case
  - Solution suitable for multi-coated optical surfaces
  - Do not apply liquid directly to sensor surfaces
- 

***IRON-SENSOR — IronStore SensorSafe Full-Frame Cleaning Kit***

**SKU:** PE-MNT-SNS-0036

**Category:** Photography Equipment / Sensor Cleaning

**Price:** €39.00

**Availability:** In stock

**Warehouse location:** DE-HAM, Maintenance Supplies M09

**Short description:**

Dry cleaning kit for removing loose dust and particles from full-frame image sensors. Use only with the camera powered according to the camera manufacturer's cleaning procedure.

**Key specifications:**

- Six full-frame sensor swabs
  - One illuminated inspection loupe
  - Manual air blower
  - Non-abrasive sensor brush
  - Swab width: 24 mm
  - Individually sealed swabs
  - Dust-free storage container
  - Suitable for full-frame sensors
  - Not intended for wet cleaning or removal of oil residue
  - Single-use swabs must not be reused
- 

***IRON-BAT240 — IronStore IronCell BP-240 Replacement Battery***

**SKU:** PE-MNT-BAT-0240

**Category:** Photography Equipment / Camera Batteries

**Price:** €59.00

**Availability:** In stock

**Warehouse location:** IT-MIL, Battery Storage B02

**Short description:**

Rechargeable lithium-ion replacement battery for Lumina M24 and compatible IronStore mirrorless camera bodies.

**Key specifications:**

- Nominal voltage: 7.2 V
  - Capacity: 2,280 mAh
  - Battery type: rechargeable lithium-ion
  - Integrated remaining-capacity monitoring
  - Operating temperature: 0°C to 40°C
  - Charging temperature: 5°C to 35°C
  - Compatible cameras: Lumina M24, M18, and M36 with current firmware
  - Protective terminal cover included
  - Approximate weight: 92 g
  - Transport and storage must comply with applicable lithium battery regulations
- 

## Page 17 — Discontinued Products

### ***IRON-CX8 — IronStore PocketView CX8 Compact Camera***

**This product has been discontinued**

**SKU:** PE-CAM-CMP-0008

**Category:** Photography Equipment / Compact Cameras

**Price:** €199.00

**Availability:** Discontinued — 2 units remaining

**Warehouse location:** ES-ZAZ, Clearance Cage C04

**Short description:**

Previous-generation compact camera with an integrated travel zoom. No supplier replenishment is planned.

**Key specifications:**

- 16.0 MP 1/2.3-inch CMOS sensor
  - Integrated 25–250 mm equivalent optical zoom
  - Maximum aperture: f/3.3–6.4
  - Optical image stabilization
  - ISO range: 100–6,400
  - Full HD video recording at 60 frames per second
  - 3.0-inch fixed LCD display
  - Built-in flash
  - Wi-Fi image transfer
  - Battery charged through micro-USB
  - Approximate weight: 315 g
  - Included: battery, charger cable, wrist strap
- 

## ***IRON-FL300 — IronStore FlashPro FL300 Speedlight***

**This product has been discontinued**

**SKU:** PE-LGT-FLS-0300

**Category:** Photography Equipment / Flash Units

**Price:** €119.00

**Availability:** Discontinued — 5 units remaining

**Warehouse location:** NL-RTM, Clearance Shelf F16

### **Short description:**

Previous-generation TTL speedlight for IronStore Optix DSLR cameras. Replacement model: FlashPro FL480.

### **Key specifications:**

- Guide number: 30 m at ISO 100
- Zoom coverage: 24–85 mm
- TTL and manual exposure modes
- Head tilt: –7° to 90°
- Head rotation: 180 degrees left and right
- Optical slave mode
- Recycle time: approximately 0.3–5 seconds
- Power source: four AA batteries
- Includes diffuser, stand, and soft case
- High-speed sync is not supported



---

## ***IRON-TR120 — IronStore FieldStand TR120 Tripod***

**This product has been discontinued**

**SKU:** PE-SUP-TRI-0120

**Category:** Photography Equipment / Tripods

**Price:** €59.00

**Availability:** Discontinued — 9 units remaining

**Warehouse location:** PL-WRO, Clearance Rack T14

**Short description:**

Entry-level aluminium tripod for compact cameras and lightweight mirrorless camera combinations.

**Key specifications:**

- Maximum working height: 120 cm
- Folded length: 43 cm
- Maximum load: 2.5 kg
- Three-section aluminium legs
- Flip-lock leg clamps
- Three-way pan head
- Quick-release plate with 1/4-inch screw
- Rubber feet
- Weight: 940 g
- Includes carry bag

---

## **Page 18 — Specialty and Archival Equipment**

### ***IRON-SCAN35 — IronStore FrameScan 35 Film Scanner***

**SKU:** PE-SPL-FLM-0035

**Category:** Photography Equipment / Film Scanners

**Price:** €329.00

**Availability:** Backorder — expected replenishment 25 August 2026

**Warehouse location:** NL-RTM, Supplier Allocation

**Short description:**

Dedicated scanner for 35 mm negatives and mounted slides. Intended for digitising personal archives and photographic film collections.

**Key specifications:**

- Optical resolution: 3,600 dpi
  - Scanning area: 24 × 36 mm
  - 48-bit colour capture
  - Infrared dust and scratch detection for colour film
  - USB-C computer connection
  - Scan formats: JPEG, TIFF, and DNG
  - Approximate scan time: 45 seconds at 3,600 dpi
  - Supplied holders for strips and mounted slides
  - Compatible with Windows 11 and macOS 14 or later
  - Includes scanning software licence and USB-C cable
  - Dimensions: 155 × 105 × 105 mm
  - Weight: 780 g
- 

***IRON-LIGHTMETER — IronStore MeterPro Incident Light Meter***

**SKU:** PE-SPL-MTR-0001

**Category:** Photography Equipment / Light Meters

**Price:** €169.00

**Availability:** In stock

**Warehouse location:** IT-MIL, Measuring Equipment M03

**Short description:**

Handheld incident and reflected-light meter for studio, portrait, film, and manual-exposure photography.

**Key specifications:**

- Incident and reflected metering modes
- Measurement range: EV –2 to EV 19 at ISO 100
- ISO range: 3–12,800
- Shutter-speed range: 1/8,000 to 60 minutes
- Aperture range: f/1.0 to f/128
- Flash metering with wireless sync input
- 1-degree reflected-light viewfinder
- Backlit monochrome display

- USB-C rechargeable battery
  - Measurement memory for three readings
  - Includes neck lanyard, protective cap, and pouch
  - Weight: 138 g
- 

## ***IRON-REMOTE2 — IronStore ShutterLink Wireless Remote***

**SKU:** PE-SPL-RMT-0002

**Category:** Photography Equipment / Remote Shutter Controls

**Price:** €44.00

**Availability:** In stock

**Warehouse location:** ES-ZAZ, Small Parts Bin P12

### **Short description:**

Wireless remote shutter controller for compatible IronStore cameras. Intended for tripod work, long exposures, wildlife photography, and self-portraits.

### **Key specifications:**

- 2.4 GHz wireless connection
  - Operating distance: up to 60 m in open conditions
  - Single-shot, continuous, bulb, and timed-delay modes
  - Delay settings: 2, 5, 10, and 20 seconds
  - Built-in interval timer
  - USB-C rechargeable remote battery
  - Compatible receiver connection supplied for Lumina and Optix bodies
  - Receiver powered through camera accessory port
  - Includes receiver, remote, USB-C cable, and pouch
  - Weight: 74 g including receiver
- 

## **Page 19 — Specialty and Archival Equipment**

### ***IRON-COPYSTAND — IronStore CopyStand CS60***

**SKU:** PE-SPL-CPS-0060

**Category:** Photography Equipment / Copy Stands

**Price:** €239.00

**Availability:** Low stock — 4 units

**Warehouse location:** DE-HAM, Studio Equipment Zone

**Short description:**

Desktop copy stand for photographing documents, artwork, books, small products, and flat artwork with repeatable camera positioning.

**Key specifications:**

- Maximum column height: 60 cm
  - Baseboard: 50 × 50 cm
  - Maximum camera payload: 4 kg
  - 1/4-inch and 3/8-inch camera mounting screws
  - Graduated height scale
  - Adjustable camera platform
  - Non-slip rubber feet
  - Baseboard includes alignment grid
  - Cable management clips included
  - Steel column and aluminium camera bracket
  - Packed dimensions: 68 × 53 × 12 cm
  - Weight: 6.8 kg
- 

## ***IRON-MICRO — IronStore DetailMicroscope 4K Inspection Camera***

**SKU:** PE-SPL-MIC-0004

**Category:** Photography Equipment / Inspection Cameras

**Price:** €189.00

**Availability:** Pre-order — expected receipt 12 September 2026

**Warehouse location:** NL-RTM, Incoming Goods

**Short description:**

Digital inspection camera with adjustable magnification for close-up documentation of small objects, electronics, materials, and photographic equipment.

**Key specifications:**

- 8 MP sensor
- Video output up to 4K at 30 frames per second
- Magnification range: approximately 10×–200×, dependent on working distance
- Integrated adjustable LED ring light
- 4.3-inch display

- Still image capture to microSD card
  - HDMI output
  - Manual focus adjustment
  - Working distance: 20–80 mm
  - USB-C power input
  - Includes stand, measurement scale, USB-C cable, and microSD card
- 

## ***IRON-UV52 — IronStore Optix UV Protective Filter 52 mm***

**SKU:** PE-FLT-UV-0052

**Category:** Photography Equipment / Protective Filters

**Price:** €29.00

**Availability:** In stock

**Warehouse location:** PL-WRO, Optical Accessories O02

### **Short description:**

Clear protective filter for lenses with a 52 mm front thread. Used primarily to protect the front optical element from dust, fingerprints, and minor contact.

### **Key specifications:**

- Filter diameter: 52 mm
  - Optical glass construction
  - Multi-layer coating on both surfaces
  - Slim aluminium frame
  - Front thread retained for lens caps and additional filters
  - Minimal visible colour shift
  - Supplied with rigid storage case
  - Compatible with standard 52 mm threaded lenses
  - Not intended as a substitute for impact-resistant lens protection
- 

## **Page 20 — Product Selection and Compatibility Notes**

### ***Camera Mount Compatibility***

| Mount family | Compatible equipment |

|---|---|

| Lumina full-frame mount | LF 24–70 mm, LF 50 mm, LF 70–200 mm, LM 90 mm lenses |

| Lumina APS-C mount | LA 18–35 mm lens; compatible with Lumina APS-C bodies |

| Optix DSLR mount | D900 body and legacy Optix DSLR lenses |

| Universal Bowens mount | StudioBeam LED 120, LED 60, FLS400, Softbox 90 |

## ***Recommended Pairings***

- **Travel kit:** Lumina M18, LA 18–35 mm lens, CarryPack BG25, ProSpeed SDXC 256 GB
- **Portrait kit:** Lumina M24, LF 50 mm F1.4, FlashPro FL480, Reflector 5-in-1
- **Studio product kit:** FrameScan-compatible copy workflow, ProductTent 80, LED 120, Softbox 90, FieldVault SSD
- **Wildlife kit:** Lumina M75, LF 70–200 mm F2.8, TR182C tripod, GH3 gimbal head
- **Archive digitisation kit:** FrameScan 35, FieldVault SSD 1 TB, LensCare 12 cleaning kit
- **Compact outdoor kit:** FieldShot ACT8, ProSpeed microSDXC 128 GB, MotionTrack Slider 80

## ***Internal Handling Notes***

- Lithium-ion batteries must be stored in the designated battery cabinets and shipped according to current carrier requirements.
- Memory cards and portable drives are held in secure media cabinets when not allocated to an order.
- Studio lighting equipment must be inspected for damaged power cables before dispatch.
- Tripods, sliders, and copy stands are classified as long or oversize goods where the packed dimensions exceed standard parcel limits.
- Discontinued products may be sold while remaining stock is available, but customer service should not promise replacement stock.
- Product compatibility should be checked against the camera body firmware version before confirming an order for lenses, flashes, or wireless triggers.