

Agent-Native Compliance Platform Powered by WebMCP

Six imperative tools. One declarative form. Zero API keys.

AI agents discover and use AgentBadge without leaving the page.

6

Imperative Tools

1

Declarative Form

145+

Compliance Checks

2

Blockchains

What is AgentBadge?

AgentBadge is the first platform that exposes compliance scanning, on-chain identity, and verification tools directly to AI agents through the browser's native `document.modelContext` interface.

- **Compliance Scanner:** 145+ checks across 18 categories — robots.txt, llms.txt, agents.txt, OpenAPI, WebMCP, SEO/AEO
- **On-Chain Passports:** Issue and verify agent identity NFTs on Hedera and EVM chains
- **Compliance Badges:** Generate SVG badges for visual compliance indicators
- **Rule Library:** Searchable database of 145+ agent readiness rules

WebMCP Discovery

Agents discover available tools automatically via the WebMCP discovery endpoint:

GET /.well-known/webmcp.json

The manifest lists all tools with endpoints, permissions, and descriptions. The browser mediates all calls — agents never need API keys.

Zero Setup

Auto-Discovery

Spec-Ready

```
letty-print
[{"tools":[{"name":"agent-readiness-scan","description":"Scan a website for AI agent readiness compliance. Returns a compliance score and list of checks.", "inputSchema":{"type":"object","properties":{"url":{"type":"string","description":"The URL to scan for agent readiness"},"required":["url"],"annotations":{"readOnlyHint":true,"untrustedContentHint":true,"title":"Agent Readiness Scan"}}, {"name":"badge-generate","description":"Generate a compliance badge SVG for a given URL and score.", "inputSchema":{"type":"object","properties":{"url":{"type":"string","description":"The URL to generate a badge for"},"format":{"type":"string","description":"Output format (svg or png, defaults to svg)"},"required":["url"],"annotations":{"readOnlyHint":true,"untrustedContentHint":false,"title":"Badge Generate"}}, {"name":"passport-issue","description":"Issue an AgentBadge passport NFT for a given account address on Hedera. Response includes webmcp metadata with toolsAvailable, discoveryUrl, complianceScore, and lastScanned.", "inputSchema":{"type":"object","properties":{"address":{"type":"string","description":"Hedera account address (e.g. 0.0.123)"},"tier":{"type":"string","description":"Passport tier (bronze, silver, or gold)"},"required":["address"],"annotations":{"readOnlyHint":false,"untrustedContentHint":false,"title":"Passport Issue"}}, {"name":"passport-verify","description":"Verify an AgentBadge passport NFT by tokenId or DID. Returns validity, owner, tier, and webmcp metadata (toolsAvailable, discoveryUrl, complianceScore, lastScanned).", "inputSchema":{"type":"object","properties":{"tokenId":{"type":"string","description":"The NFT token ID to verify"},"did":{"type":"string","description":"The decentralized identifier to look up"},"required":[""],"annotations":{"readOnlyHint":true,"untrustedContentHint":false,"title":"Passport Verify"}}, {"name":"get-compliance-score","description":"Get the agent readiness compliance score for a given URL. Returns score, grade, and summary.", "inputSchema":{"type":"object","properties":{"url":{"type":"string","description":"The URL to get the compliance score for"},"required":["url"],"annotations":{"readOnlyHint":true,"untrustedContentHint":true,"title":"Get Compliance Score"}}, {"name":"search-rules","description":"Search agent readiness rules by query string or category. Returns matching rule definitions.", "inputSchema":{"type":"object","properties":{"query":{"type":"string","description":"Search query to filter rules by title or description"},"category":{"type":"string","description":"Filter rules by category (e.g. content, mcp, payments)"},"required":[""],"annotations":{"readOnlyHint":true,"untrustedContentHint":false,"title":"Search Rules"}}}]}
```

Six Imperative Tools

Exposed via `document.modelContext.registerTool()`

agent-readiness-scan

Scan any website for AI agent readiness. 145+ checks, 18 categories.

GET /api/scan?url=

readOnly

badge-generate

Generate compliance badge SVG for a given URL and score.

GET /api/badge?url=

Trusted

passport-issue

Issue an AgentBadge passport NFT on Hedera blockchain.

POST /passport/request

Write

passport-verify

Verify passport by tokenId or DID. On-chain identity check.

GET /api/passport/verify

Trusted

get-compliance-score

Quick compliance score (0-100) and grade (A-F) for any URL.

GET /api/score?url=

ReadOnly


search-rules

Search 145+ compliance rules by keyword. Returns definitions.

GET /api/rules/search?q=

Trusted

Compliance Scanner




145+ Checks · 18 Categories

- robots.txt for AI bots
- llms.txt & agents.txt
- OpenAPI spec validation
- WebMCP endpoint check
- Content negotiation
- SEO / AEO readiness
- Bot authentication
- Payment protocol support

Grade: A (90+) · B (80+) · C (70+) · D (60+) · F (<60)

< /p>

On-Chain Agent Passports



Verifiable Agent Identity

Issue and verify on-chain NFT passports for AI agents on two chains:

- **Hedera:** `did:hcs:{tokenId}:{serial}`
- **EVM (Base):** `did:eip155:{chainId}:passport:{address}:{tokenId}`

Agents can verify each other's identity on-chain — no central authority required.

Hedera

Base Sepolia


Compliance Badges

Visual Compliance Indicators

Agents can generate SVG compliance badges for any URL — perfect for displaying on websites or including in reports.

- SVG format — scalable, lightweight
- Score and grade embedded
- Real-time generation from live scan
- No authentication required

```
GET /api/badge?url=https://example.com
```




WebMCP vs Traditional API

Feature	Traditional API	WebMCP (AgentBadge)
Discovery	Manual docs reading	Auto via /.well-known/webmcp.json
Authentication	API keys, OAuth tokens	Browser-mediated, no keys
Integration	SDK setup, config files	Zero integration — browser native
Security	Developer manages secrets	Browser mediates all calls
Trust model	All-or-nothing access	Per-tool trust levels
Agent experience	Read docs → get keys → write code	Discover → call directly

WebMCP vs Traditional MCP

Feature	Traditional MCP	WebMCP (AgentBadge)
Setup	MCP server installation	Zero setup — browser native
Transport	stdio or SSE	HTTP endpoints via browser
Discovery	Manual server config	Auto-discovery endpoint
Security	Developer manages permissions	Browser-mediated trust levels
Agent access	Requires MCP client	Any agent with browser access
Tool registration	Server-side code	<code>document.modelContext.registerTool()</code>

What an Agent Gets



- **Compliance scanning** — 145+ AI readiness checks
- **Identity verification** — issue & verify on-chain passports
- **Compliance badges** — SVG badges for any URL
- **Rule search** — full compliance rule library
- **Score lookup** — quick compliance score
- **Declarative forms** — HTML form-based access
- **Automatic discovery** — no manual setup
- **Browser-mediated security** — no API keys

System Architecture

Frontend

Hono web server · TailwindCSS · Static pages + JSON APIs

Blockchain

Hedera (testnet/mainnet) · EVM (Base Sepolia) · NFT passports

DID Support

did:hcs: (Hedera) · did:eip155: (EVM) · Multi-chain verification

Scoring Engine

18 categories · 145+ rules · 4 pillars · Grades A-F

WebMCP Layer

6 imperative tools · 1 declarative form · Discovery endpoint

Trust Model

Per-tool trust levels · Browser-mediated · No API keys

Agent-Native Compliance Starts Here

AgentBadge exposes six imperative tools and one declarative form through WebMCP. AI agents discover, scan, verify, and issue passports — all without leaving the page.

Try it now

```
curl -s "https://agentbadge.xyz/api/scan?url=https://example.com" | jq .  
curl -s "https://agentbadge.xyz/api/score?url=https://example.com" | jq .  
curl -s "https://agentbadge.xyz/.well-known/webmcp.json" | jq .
```

agentbadge.xyz[View Dashboard](#)[Agent Guide](#)