

# Defect Analysis Report — CircuitGuard AI

Report ID:	RPT-7343E23C
Generated On:	2025-11-12 13:15:36
Model:	ResNet50 (custom)
Device:	cpu


# Executive Summary

Detected 6 defect(s). High:4, Medium:2, Low:0. Avg conf: 79.62%.


Metric	Value
Total Defects	6
High Confidence (>=80%)	4
Medium Confidence (60-80%)	2
Low Confidence (<60%)	0
Average Confidence	79.62%

## Input & Analysis Maps

*Difference Map*




*Binary Mask*




# Statistical Charts


Defect Count by Class




Defect Distribution (Pie)




**Spatial Distribution (size ~ confidence)**



**Confidence Histogram**



Annotated Results & Defect Details



ID	Type	Confidence	Position (X,Y)	Size (WxH)	Area (px²)
#1	open	86.9%	(108,483)	33x24	217
#4	open	81.3%	(237,330)	28x28	200
#6	open	84.6%	(567,287)	47x50	824
#7	open	69.7%	(350,268)	26x25	148
#8	open	84.2%	(167,162)	26x23	124
#10	spur	71.0%	(441,39)	25x22	106

## **Recommendations**

If no defects detected, lower diff threshold or min ROI area. Inspect high-confidence defects first.

## **Conclusion**

Automated inspection completed in 2.20 seconds.