

Unified Military Analytics and Comparison Dashboard-DV

Report for Milestone 1

**INTERNSHIP OF
DATA VISUALIZATION
IN
INFOSYS SPRINGBOARD**

Submitted by

Bhagya P Bijay Kumar

Guided by

Sirisha Mam

Table of Content

Sr no.	Title	Page No.
1	Abstract	3
2	Module 1: 1.1 Methodologies 1.1.1 Development Environment 1.1.2 Data Source 1.1.3 Tools and Libraries 1.2 Steps 1.3 Outcomes	4- 8
3	Module 2 2.1 Methodologies 2.1.1Development Environment 2.1.2Data Source 2.1.3Tools and Libraries 2.2 Steps for Data Cleaning 2.3 Outcomes	9-12
4	Conclusion	13

ABSTRACT

This project aims to develop a fully interactive dashboard suite for analyzing global military power in 2025. Using Python, military metrics will be scraped from GlobalFirepower.com for 140+ countries via a pre-defined list (links_for_military_data.txt).

The project leverages Python-based data pipelines to scrape, clean, and process open-source defense data from GlobalFirepower.com. Unlike traditional single-platform dashboards, GDM emphasizes cross-platform flexibility — allowing deployment in tools like Tableau, Power BI, or Python-based web apps built using Streamlit or Dash.

Dashboards planned:

- Quick Stats – A global overview of rankings, trends, and highlights.
- Nation Overview – Detailed analysis of individual country capabilities.
- Compare Powers – Side-by-side military and economic comparison.
- Coalition Builder – Interactive simulation of alliance strength and combined assets.

The final deliverable is a comprehensive analytics suite that enables users to compare nations, evaluate coalitions, and analyze KPIs like Power Index Rank Gap, Assets per Capita, and Defense Budget-to-GDP Ratio through intuitive and dynamic visualizations.

Milestone 1: Report

Module 1: Scraping Setup and Execution

1.1 Methodologies:

1.1.1 Development Environment:

Google Collab: cloud based platform that can be used for python development, without need of any local installation.

1.1.2 Data Source:

File provided: links_for_military_data.txt

So this file has various links of GlobalFirepower, which is a online platform that provides data related to various countries military strength.

So the urls are:

```
base_url:'https://www.globalfirepower.com/countries-listing.php'
other_sources: {
    'https://www.globalfirepower.com/total-population-by-country.php': 'total_population',
    'https://www.globalfirepower.com/available-military-manpower.php': 'total_military_manpower',
    'https://www.globalfirepower.com/manpower-fit-for-military-service.php': 'fit_for_service',
    'https://www.globalfirepower.com/manpower-reaching-military-age-annually.php':
'population_reaching_military_age_annually',
    'https://www.globalfirepower.com/active-military-manpower.php': 'active_personnel',
    'https://www.globalfirepower.com/active-reserve-military-manpower.php': 'reserve_personnel',
    'https://www.globalfirepower.com/manpower-paramilitary.php': 'paramilitary',
    'https://www.globalfirepower.com/aircraft-total.php': 'total_military_aircraft',
    'https://www.globalfirepower.com/aircraft-total-fighters.php': 'fighter_aircraft',
    'https://www.globalfirepower.com/aircraft-total-attack-types.php': 'attack_aircraft',
    'https://www.globalfirepower.com/aircraft-total-transport.php': 'transport_aircraft',
    'https://www.globalfirepower.com/aircraft-total-trainers.php': 'trainer_aircraft',
    'https://www.globalfirepower.com/aircraft-total-special-mission.php': 'special_mission_aircraft',
    'https://www.globalfirepower.com/aircraft-total-tanker-fleet.php': 'tanker_aircraft',
    'https://www.globalfirepower.com/aircraft-helicopters-total.php': 'total_military_helicopters',
    'https://www.globalfirepower.com/aircraft-helicopters-attack.php': 'attack_helicopters',
    'https://www.globalfirepower.com/armor-tanks-total.php': 'tanks',
    'https://www.globalfirepower.com/armor-apc-total.php': 'armored_fighting_vehicles',
    'https://www.globalfirepower.com/armor-self-propelled-guns-total.php': 'self_propelled_artillery',
    'https://www.globalfirepower.com/armor-towed-artillery-total.php': 'towed_artillery',
    'https://www.globalfirepower.com/armor-mrls-total.php': 'rocket_projectors',
    'https://www.globalfirepower.com/navy-ships.php': 'total_naval_fleet',
    'https://www.globalfirepower.com/navy-force-by-tonnage.php': 'total_naval_fleet_tonnage_mt',
    'https://www.globalfirepower.com/navy-aircraft-carriers.php': 'aircraft_carriers',
    'https://www.globalfirepower.com/navy-helo-carriers.php': 'helicopter_carriers',
```

```

'https://www.globalfirepower.com/navy-submarines.php': 'submarines',
'https://www.globalfirepower.com/navy-destroyers.php': 'destroyers',
'https://www.globalfirepower.com/navy-frigates.php': 'frigates',
'https://www.globalfirepower.com/navy-corvettes.php': 'corvettes',
'https://www.globalfirepower.com/navy-patrol-coastal-craft.php': 'coastal_patrol_craft',
'https://www.globalfirepower.com/navy-mine-warfare-craft.php': 'mine_warfare_craft',
'https://www.globalfirepower.com/defense-spending-budget.php': 'defense_budget_usd',
'https://www.globalfirepower.com/external-debt-by-country.php': 'external_debt_usd',
'https://www.globalfirepower.com/purchasing-power-parity.php': 'purchasing_power_parity_usd',
'https://www.globalfirepower.com/reserves-of-foreign-exchange-and-gold.php':
'foreign_exchange_and_gold_reserves_usd',
'https://www.globalfirepower.com/major-serviceable-airports-by-country.php':
'total_serviceable_airports',
'https://www.globalfirepower.com/labor-force-by-country.php': 'labour_force',
'https://www.globalfirepower.com/major-ports-and-terminals.php': 'major_ports_and_terminals',
'https://www.globalfirepower.com/merchant-marine-strength-by-country.php':
'total_merchant_marine_fleet',
'https://www.globalfirepower.com/railway-coverage.php': 'railway_coverage_km',
'https://www.globalfirepower.com/roadway-coverage.php': 'roadway_coverage_km',
'https://www.globalfirepower.com/oil-production-by-country.php': 'oil_production_bbl',
'https://www.globalfirepower.com/oil-consumption-by-country.php': 'oil_consumption_bbl',
'https://www.globalfirepower.com/proven-oil-reserves-by-country.php': 'proven_oil_reserves_bbl',
'https://www.globalfirepower.com/natural-gas-production-by-country.php':
'natural_gas_production_cum',
'https://www.globalfirepower.com/natural-gas-consumption-by-country.php':
'natural_gas_consumption_cum',
'https://www.globalfirepower.com/proven-natural-gas-reserves-by-country.php':
'proven_natural_gas_reserves_cum',
'https://www.globalfirepower.com/coal-production-by-country.php': 'coal_production_cum',
'https://www.globalfirepower.com/coal-consumption-by-country.php': 'coal_consumption_mt',
'https://www.globalfirepower.com/proven-coal-reserves-by-country.php': 'proven_coal_reserves_cum',
'https://www.globalfirepower.com/square-land-area.php': 'total_land_area_sq_km',
'https://www.globalfirepower.com/coastline-coverage.php': 'coastline_coverage_km',
'https://www.globalfirepower.com/border-coverage.php': 'border_coverage_km',
'https://www.globalfirepower.com/waterway-coverage.php': 'waterway_coverage_km'
}

```

1.1.3 Tools and libraries:

The tools and libraries used for completing this milestone are:

- i. **Requests:** used to send the Http requests and also to fetch the content from the web page.
- ii. **BeautifulSoup (bs4):** used for parsing and extracting the HTML elements
- iii. **pandas:** used for structuring and storing the scraped data.
- iv. **time:** used for polite scraping i.e. to introduce delays between the requests.

1.2 Implementation steps:

i. **Import all necessary libraries:**

Here for this module import BeautifulSoup, pandas, requests and time. If not installed then, run pip install.

ii. **Define the Data Source URLs:**

From the given list of URLs provided in the file **links_for_military.txt**, copy all the URLs and metrics and create a dictionary of that and store it inside variable **URLS** in the format where key represents a URL and the corresponding value represents the metric name.

iii. **Then set the request headers:**

Define a browser-like user agent and helps avoid request blocking by the website.

iv. **Create a empty data structure named `all_data`:**

To store the data i.e the country name and its respective metric values extracted from the website

v. **Next send the requests to the web pages:**

In this step access the urls one by one and also ensure that the pages are loaded successfully.

vi. **Parse the web page content:**

With the help of beautiful soup library extract the html content from the response.

```
soup = BeautifulSoup(response.text, "html.parser")
```

After that for knowing the tag names, open any one of the urls, right click on whatever we want and select inspect, from there we can get div class name.

So the country name is inside - (div.longFormName)

For metric value:

- 2 if metric is `pwr_index` then its `div.pwrIndxContainer`.
- 3 else use `div.valueContainer`.

vii. Store the data:

Use the country name as the common reference key.

`All_data[country][metric]=value`

In case of new values, merge them with the existing country data.

And handle the exceptions using try/except.

viii. Check whether all URLs are successfully scraped.

ix. Then convert the extracted data to DataFrame and save it as `military_raw_data.csv`

1.3 Outcomes:

- All URLs get scrapped successfully

```
URL Success Rate: 100.00%
≥95% URLs scraped successfully
Total countries scraped: 145
```

Figure 1: URL Success Rate

- No of rows and columns extracted:

```
[3]
✓ Os
▶ print("No of rows:",df.shape[0])
  print("No of columns:",df.shape[1])

... No of rows: 145
    No of columns: 56
```

Figure 2: No. of Columns and Rows extracted

- Countries and metrics extracted:

```
print(df['Country'])

...
0      United States
1      Russia
2      China
3      India
4      South Korea
...
140     Kosovo
141     Somalia
142  Central African Republic
143      Benin
144      Bhutan
Name: Country, Length: 145, dtype: object

print(df.columns)

Index(['Country', 'pwr_index', 'total_population', 'total_military_manpower',
      'fit_for_service', 'population_reaching_military_age_annually',
      'active_personnel', 'reserve_personnel', 'paramilitary',
      'total_military_aircraft', 'fighter_aircraft', 'attack_aircraft',
      'transport_aircraft', 'trainer_aircraft', 'special_mission_aircraft',
      'tanker_aircraft', 'total_military_helicopters', 'attack_helicopters',
      'tanks', 'armored_fighting_vehicles', 'self_propelled_artillery',
      'towed_artillery', 'rocket_projectors', 'total_naval_fleet',
      'total_naval_fleet_tonnage_mt', 'aircraft_carriers',
      'helicopter_carriers', 'submarines', 'destroyers', 'frigates',
      'corvettes', 'coastal_patrol_craft', 'mine_warfare_craft',
      'defense_budget_usd', 'external_debt_usd',
      'purchasing_power_parity_usd', 'foreign_exchange_and_gold_reserves_usd',
      'total_serviceable_airports', 'labour_force',
      'major_ports_and_terminals', 'total_merchant_marine_fleet',
      'railway_coverage_km', 'roadway_coverage_km', 'oil_production_bbl',
      'oil_consumption_bbl', 'proven_oil_reserves_bbl',
      'natural_gas_production_cum', 'natural_gas_consumption_cum',
      'proven_natural_gas_reserves_cum', 'coal_production_cum',
      'coal_consumption_mt', 'proven_coal_reserves_cum',
      'total_land_area_sq_km', 'coastline_coverage_km', 'border_coverage_km',
      'waterway_coverage_km'],
      dtype='object')
```

Figure 3: countries and metrics extracted

- military_raw_data.csv

Country	pwr_index	total_population	total_military_manpower	fit_for_service	population_reaching_military_age_annually	active_personnel	reserve_personnel	paramilitary	total_military_aircraft	fighter_aircraft
United States	0.0744	34,19,63,408	15,04,63,900	12,48,16,644	44,45,524	13,28,000	7,99,500	0	13,043	1,790
Russia	0.0788	14,08,20,810	6,90,02,197	4,61,89,226	12,67,387	13,20,000	20,00,000	2,50,000	4,292	833
China	0.0788	1,41,50,43,270	76,41,23,366	62,68,64,169	1,98,10,606	20,35,000	5,10,000	6,25,000	3,309	1,212
India	0.1184	1,40,91,26,296	66,22,90,299	52,27,86,598	2,39,55,181	14,55,550	11,55,000	25,27,000	2,229	513
South Korea	0.1656	5,20,81,799	2,60,40,900	2,13,53,538	4,16,654	6,00,000	31,00,000	1,20,000	1,592	315
United Kingdom	0.1785	6,84,59,055	3,14,91,165	2,51,92,932	7,53,050	1,84,860	9,24,000	0	631	113
France	0.1878	6,83,74,591	3,00,84,820	2,37,94,358	7,52,121	2,00,000	26,000	1,50,000	976	226
Japan	0.1839	12,32,01,945	5,29,76,836	4,28,74,277	11,08,818	2,47,150	56,000	25,000	1,443	217
Turkiye	0.1902	8,41,19,531	4,29,85,080	3,60,87,279	14,30,032	3,55,200	3,78,700	1,50,000	1,083	201
Italy	0.2164	6,09,64,931	2,74,34,219	2,21,91,235	5,48,684	1,65,500	18,500	1,05,000	729	89
Brazil	0.2415	22,00,51,512	11,22,26,271	8,86,80,759	35,20,204	3,60,000	3,60,000	2,00,000	513	43
Pakistan	0.2513	25,23,63,571	10,85,16,336	8,58,03,614	47,94,908	6,54,000	5,50,000	5,00,000	1,399	328
Indonesia	0.2557	28,15,62,465	13,79,65,608	11,45,95,923	47,86,562	4,00,000	4,00,000	2,50,000	459	41
Germany	0.2601	8,41,19,100	3,86,94,786	3,09,55,829	8,41,191	1,81,600	34,000	0	584	129
Israel	0.2661	94,02,617	39,49,099	32,81,513	1,31,637	1,70,000	4,65,000	35,000	611	240
Iran	0.3048	8,83,86,937	4,94,96,685	4,15,41,860	14,14,191	6,10,000	3,50,000	2,20,000	551	188
Spain	0.3242	4,72,80,433	2,17,48,999	1,76,35,602	3,30,963	1,33,282	15,150	78,470	461	137
Australia	0.3298	2,67,68,598	1,12,42,811	92,08,398	2,94,455	57,350	32,050	0	327	24
Egypt	0.3427	11,12,47,248	4,56,11,372	3,82,69,053	16,68,709	4,40,000	4,80,000	3,00,000	1,093	238
Ukraine	0.3755	3,56,61,826	1,81,87,531	1,27,31,272	3,92,280	9,00,000	12,00,000	1,00,000	324	70
Poland	0.3776	3,87,46,310	1,89,85,692	1,55,76,017	4,64,956	2,02,100	3,50,000	50,000	479	59

Figure 4: Snapshot of military_raw_data.csv

Module 2: Data Cleaning and Structuring:

2.1 Methodologies:

2.1.1 Development Environment:

Google Collab: cloud based platform that can be used for python development, without need of any local installation.

2.1.2 Data Source:

military_raw_data.csv

2.1.3 Tools and Libraries:

pandas: Used for loading the dataset, cleaning column values, handling missing data, and saving the cleaned file.

re (Regular Expressions): Used to remove unwanted characters such as commas, percentage signs, and special symbols from numeric values.

2.2 Steps for Data Cleaning:

- i. Import all the necessary libraries.
- ii. Then load the military_raw_data.csv
- iii. Check the data types of the columns:

```
print(df.dtypes)

Country                object
pwr_index              object
total_population       object
total_military_manpower  object
fit_for_service        object
population_reaching_military_age_annually  object
active_personnel       object
reserve_personnel      object
paramilitary           object
total_military_aircraft  object
fighter_aircraft       object
attack_aircraft        int64
transport_aircraft     int64
trainer_aircraft       object
special_mission_aircraft int64
tanker_aircraft        int64
total_military_helicopters  object
attack_helicopters     object
tanks                 object
armored_fighting_vehicles  object
self_propelled_artillery  object
towed_artillery        object
rocket_projectors      object
total_naval_fleet      int64
total_naval_fleet_tonnage_mt  object
aircraft_carriers      int64
helicopter_carriers    int64
submarines             int64
destroyers             int64
frigates              int64
corvettes             int64
coastal_patrol_craft   int64
mine_warfare_craft     int64
defense_budget_usd     object
external_debt_usd      object
purchasing_power_parity_usd  object
foreign_exchange_and_gold_reserves_usd  object
total_serviceable_airports  object
labour_force           object
major_ports_and_terminals  int64
total_merchant_marine_fleet  object
railway_coverage_km    object
roadway_coverage_km    object
oil_production_bbl     object
oil_consumption_bbl    object
proven_oil_reserves_bbl  object
natural_gas_production_cum  object
natural_gas_consumption_cum  object
proven_natural_gas_reserves_cum  object
coal_production_cum    object
coal_consumption_mt    object
proven_coal_reserves_cum  object
total_land_area_sq_km  object
coastline_coverage_km  object
border_coverage_km     object
waterway_coverage_km   object
dtype: object
```

Figure 5: data types using df.dtypes

- iv. Its visible that there is a need to format the columns.
- v. A custom function `clean_value(val)` is created to: Handle missing values, Convert all values into string format, Remove commas, percentage symbols, and extra characters, Retain only numeric values, Convert cleaned values into numeric format.
- vi. **Apply Cleaning Across Columns:** The cleaning function is applied to all columns except the country name, Ensures consistency across all numeric indicators.
- vii. **Standardize Column Names:** Column names are converted into a consistent format: Lowercase, Underscore-separated, Special characters removed, Improves readability and compatibility with analysis tools.
- viii. **Identify Missing Values:** Missing values are counted for each column. Columns containing missing data are identified for validation and review.

```
[25]
✓ Os  missing_metrics = df.isna().sum()
      print("\nMissing metric counts per column:")
      print(missing_metrics)

***
Missing metric counts per column:
Country                                0
pwr_index                              0
total_population                       0
total_military_manpower                0
fit_for_service                       0
population_reaching_military_age_annually 0
active_personnel                      0
reserve_personnel                     0
paramilitary                          0
total_military_aircraft               0
fighter_aircraft                      0
attack_aircraft                      0
transport_aircraft                    0
trainer_aircraft                     0
special_mission_aircraft              0
tanker_aircraft                      0
total_military_helicopters            0
attack_helicopters                   0
tanks                                0
armored_fighting_vehicles              0
self_propelled_artillery              0
towed_artillery                      0
rocket_projectors                    0
total_naval_fleet                    0
total_naval_fleet_tonnage_mt          98
aircraft_carriers                    0
helicopter_carriers                  0
submarines                          0
destroyers                          0
frigates                            0
corvettes                           0
coastal_patrol_craft                 0
mine_warfare_craft                  0
defense_budget_usd                  0
external_debt_usd                   0
purchasing_power_parity_usd         0
foreign_exchange_and_gold_reserves_usd 0
total_serviceable_airports           0
labour_force                        0
major_ports_and_terminals           0
total_merchant_marine_fleet          0
railway_coverage_km                 0
roadway_coverage_km                 0
oil_production_bbl                  0
oil_consumption_bbl                 0
proven_oil_reserves_bbl              0
natural_gas_production_cum           0
natural_gas_consumption_cum          0
proven_natural_gas_reserves_cum      0
coal_production_cum                 0
coal_consumption_mt                 0
proven_coal_reserves_cum             0
total_land_area_sq_km               0
coastline_coverage_km               0
border_coverage_km                  0
waterway_coverage_km                0
```

Figure 6: Checking the columns with missing values

So the column `total_naval_fleet_tonnag_mt` has the missing values. Replace it with 0 for better analysis.

ix. Convert Columns to Integer Where Needed:

Columns representing counts like total_population, total_military_manpower, tanks, submarines, etc., were converted to integer using astype(int). Other columns like budgets, tonnage, or power index were kept as float

x. Then save the cleaned dataset: military_cleaned.csv

2.3 Outcomes:

So after data cleaning:

```
[32] print(df.dtypes)
Country object
pwr_index float64
total_population int64
total_military_manpower int64
fit_for_service int64
population_reaching_military_age_annually int64
active_personnel int64
reserve_personnel int64
paramilitary int64
total_military_aircraft int64
fighter_aircraft int64
attack_aircraft int64
transport_aircraft int64
trainer_aircraft int64
special_mission_aircraft int64
tanker_aircraft int64
total_military_helicopters int64
attack_helicopters int64
tanks int64
armored_fighting_vehicles int64
self_propelled_artillery int64
towed_artillery int64
rocket_projectors int64
total_naval_fleet int64
total_naval_fleet_tonnage_mt float64
aircraft_carriers int64
helicopter_carriers int64
submarines int64
destroyers int64
frigates int64
corvettes int64
coastal_patrol_craft int64
mine_warfare_craft int64
defense_budget_usd float64
external_debt_usd float64
purchasing_power_parity_usd float64
foreign_exchange_and_gold_reserves_usd float64
total_serviceable_airports int64
labour_force float64
major_ports_and_terminals int64
total_merchant_marine_fleet int64
railway_coverage_km float64
roadway_coverage_km float64
oil_production_bbl float64
oil_consumption_bbl float64
proven_oil_reserves_bbl float64
natural_gas_production_cum float64
natural_gas_consumption_cum float64
proven_natural_gas_reserves_cum float64
coal_production_cum float64
coal_consumption_mt float64
proven_coal_reserves_cum float64
total_land_area_sq_km float64
coastline_coverage_km float64
border_coverage_km float64
waterway_coverage_km float64
dtype: object
```

Figure 7: Data types after cleaning the data.

```

# Replace all missing values with 0
df.fillna(0, inplace=True)

# Verify missing values after replacement
print("Missing values after replacement:")
print(df.isna().sum())

... Missing values after replacement:
Country                                0
pwr_index                              0
total_population                       0
total_military_manpower                0
fit_for_service                        0
population_reaching_military_age_annually 0
active_personnel                       0
reserve_personnel                      0
paramilitary                           0
total_military_aircraft                0
fighter_aircraft                       0
attack_aircraft                        0
transport_aircraft                     0
trainer_aircraft                       0
special_mission_aircraft               0
tanker_aircraft                        0
total_military_helicopters              0
attack_helicopters                     0
tanks                                  0
armored_fighting_vehicles               0
self_propelled_artillery                0
towed_artillery                        0
rocket_projectors                      0
total_naval_fleet                      0
total_naval_fleet_tonnage_mt            0
aircraft_carriers                      0
helicopter_carriers                    0
submarines                             0
destroyers                             0
frigates                               0
corvettes                              0
coastal_patrol_craft                   0
mine_warfare_craft                     0
defense_budget_usd                     0
external_debt_usd                      0
purchasing_power_parity_usd            0
foreign_exchange_and_gold_reserves_usd 0
total_serviceable_airports              0
labour_force                           0
major_ports_and_terminals               0
total_merchant_marine_fleet             0
railway_coverage_km                    0
roadway_coverage_km                    0
oil_production_bbl                     0
oil_consumption_bbl                    0
proven_oil_reserves_bbl                 0
natural_gas_production_cum              0
natural_gas_consumption_cum             0
proven_natural_gas_reserves_cum         0
coal_production_cum                     0
coal_consumption_mt                     0
proven_coal_reserves_cum                0
total_land_area_sq_km                   0
coastline_coverage_km                   0
border_coverage_km                      0
waterway_coverage_km                    0
dtype: int64

```

Figure 8: Missing Values after Replacement

	A	B	C	D	E	F	G	H	I	J	K	L
1	Country	pwr_index	total_population	total_military_manpower	fit_for_service	population_reaching_military_age_annually	active_personnel	reserve_personnel	paramilitary	total_military_aircraft	fighter_aircraft	attack
2	United States	0.0744	341963408	150463900	124816644	4445524	1328000	799500	0	13043	1790	
3	Russia	0.0788	140820810	69002197	46189226	1267387	1320000	2000000	250000	4292	833	
4	China	0.0788	1415043270	764123366	626864169	19810606	2035000	510000	625000	3309	1212	
5	India	0.1184	1409128296	662290299	522786598	23955181	1455550	1155000	2527000	2229	513	
6	South Korea	0.1656	52081799	26040900	21353538	416654	600000	3100000	120000	1592	315	
7	United Kingdom	0.1785	68459055	31491165	25192932	753050	184860	924000	0	631	113	
8	France	0.1878	68374591	30084820	23794358	752121	200000	26000	150000	976	226	
9	Japan	0.1839	123201945	52976836	42874277	1108818	247150	56000	25000	1443	217	
10	Turkiye	0.1902	84119531	42985080	36087279	1430032	355200	378700	150000	1083	201	
11	Italy	0.2164	60964931	27434219	22191235	548684	165500	18500	105000	729	89	
12	Brazil	0.2415	220051512	112226271	88680759	3520824	360000	340000	200000	513	43	
13	Pakistan	0.2513	252363571	108516336	85803614	4794908	654000	550000	500000	1399	328	
14	Indonesia	0.2557	281562465	137965608	114595923	4786562	400000	400000	250000	459	41	
15	Germany	0.2601	84119100	38694786	30955829	841191	181600	34000	0	584	129	
16	Israel	0.2661	9402617	3949099	3281513	131637	170000	465000	35000	611	240	
17	Iran	0.3048	88386937	49496685	41541860	1414191	610000	350000	220000	551	188	
18	Spain	0.3242	47280433	21748999	17635602	330963	133282	15150	78470	461	137	

Figure 9: Snapshot of military_cleaned.csv

CONCLUSION

This concludes the report including the methodologies, steps and outcomes of the Web Scraping and Data Cleaning modules, completing the first milestone of the data visualization internship of Infosys Springboard.

Future works include generating new KPIs and creating various dashboards for visualization.