Evidence Vault (Proofly) — Business & Product Requirements Document

Date - Oct 31, 2026

Author - Shanmughapriya Vishwakarma

Purpose – Connector Challenge 2026 Event Hackathon at Seed Infotech

Organizer – E9Rental.ai

Prototype URL - https://evidences-vault.lovable.app/

1. Document control and executive summary

Evidence Vault (dashboard brand: Proofly) turns every customer issue arriving on WhatsApp, Gmail or Google Drive into a numbered ticket with its evidence filed, verified and searchable in one vault, so nothing lives only in an inbox.

Field	Value
Product	Evidence Vault, "Ticketed intake · WhatsApp · Gmail · Drive" (brand in the dashboard design: Proofly Evidence Vault)
Reference site	evidences-vault.lovable.app
Document type	Merged Business Requirements + Product Requirements (BRD/PRD)
Version	1.0 draft
Date	31 Oct 2026
Status	For stakeholder review

Executive summary. Support and operations teams collect proof (receipts, screenshots, contracts, delivery photos, ID documents) across chat, email and shared drives. Evidence gets lost, duplicated or cannot be tied to a case. Evidence Vault gives each issue a ticket ID (format EV-2026-1001), a dedicated evidence folder, an audit log and an automated customer reply loop. It targets SMBs, e-commerce and fintech support desks, logistics and compliance teams.

Source note. This PRD is built from the two dashboard designs and the automation pipeline screen supplied by the requester. The live site could not be loaded by the research tool, so anything not visible in those screens is marked as an assumption in section 9.

2. Business context

The business problem is evidence fragmentation: proof of a customer issue sits in a personal WhatsApp chat, an email thread and a Drive folder, with no ticket tying them together.

Problem statement

- Customers send evidence on the channel they prefer (WhatsApp images, Gmail attachments, Drive links).
- Agents manually copy files into folders, rename them and update trackers, which is slow and error-prone.
- Disputes (duplicate payments, contract discrepancies, damaged shipments, access verification) need an auditable trail that survives staff turnover.
- Leaders cannot see how many issues are open, awaiting evidence or urgent.

Vision. Every customer issue is ticketed, every piece of evidence is filed per ticket, and nothing lives only in an inbox.

Value proposition

Stakeholder	Value delivered
Support agents	One ticket per issue, evidence auto-filed, fewer manual copy-paste steps
Team leads	Live counts of open, in-review and urgent tickets, activity feed across channels
Compliance and legal	Integrity-checked, encrypted, time-stamped evidence with an audit log
Customers	Instant ticket number on WhatsApp or email, clear confirmation when evidence is received

Business model (proposed, to be validated)

Plan	Target	Pricing basis (assumption)
Free / Local	Solo users and evaluation; local vault saved on the device	Limited tickets, simulator only
Team	Small support teams	Per seat per month, includes WhatsApp, Gmail, Drive connectors
Business	Growing ops and compliance teams	Per seat plus evidence storage, MCP connectors, audit exports
Enterprise	Regulated industries	Annual contract, API-key connectors, SSO, retention policies, dedicated support

Competitive positioning. Helpdesk tools (ticketing) and DMS tools (storage) each solve half the problem. Evidence Vault sits between them: chat-native intake plus per-ticket evidence custody.

3. Goals, success metrics and users

The product succeeds when issues are ticketed within seconds of arrival and evidence is complete before an agent opens the case.

Business goals

1. Cut manual evidence handling time per ticket.
2. Raise the share of tickets closed with complete, verified evidence.
3. Give leaders real-time visibility of open, awaiting and urgent work.
4. Make evidence audit-ready for disputes and compliance reviews.

Success metrics (targets are proposals for review)

Metric	Definition	Target
Time to ticket	Inbound message to ticket number sent to customer	Under 30 seconds
Evidence completeness	Tickets with all requested evidence at close	90% or higher
Evidence integrity pass rate	Files passing integrity check (dashboard shows 92% captured)	99% or higher
Manual steps per ticket	Agent clicks to file evidence	Reduced by 70% vs baseline
Connector adoption	Workspaces with 2 or more connectors live	60% within 90 days
Awaiting-review SLA	Urgent tickets reviewed	Within 1 hour

Personas

Persona	Role	Primary needs
Ava Kapoor	Workspace admin	Connect accounts, manage team, monitor vault health, see everything at a glance
Support agent	Handles tickets daily	Inbox, ticket detail, evidence per ticket, reply from one place
Operations or compliance reviewer	Verifies evidence	In-review queue, integrity checks, audit log, exports
Customer (external)	Reports an issue	Simple way to send proof on WhatsApp or email and get a ticket number
Developer or IT admin	Integrates systems	API keys, MCP connectors, webhooks

4. Product scope and user journey

Version 1 covers ticketed intake from three channels, per-ticket evidence custody, a dashboard, an inbox with a simulator, and an automation pipeline for new issues and replies.

In scope (v1)	Out of scope (v1)
Intake from WhatsApp Business, Gmail support inbox, Google Drive vault	Voice calls, social DMs (Instagram, X)
Automatic ticket creation, numbering and folder creation	Full helpdesk features (SLA engine, macros, CSAT)
Evidence upload, linking, integrity check and audit log	Legal e-discovery workflows
Dashboard options, live activity, search (Cmd+K)	Native mobile apps
Connectors: business suites, MCP, API keys	Marketplace of third-party apps
Local vault persistence for demo and offline-first use	On-premise deployment


End-to-end journey

1. A customer messages on WhatsApp or emails the support inbox (for example: "Payment failed twice but amount debited").
2. The ticket router classifies the message as a new issue and creates ticket EV-2026-1001 with a dedicated folder.
3. Ticket details are written to a file and logged as a new row; ticket state is saved.
4. The customer receives the ticket number on WhatsApp or by email; support is notified.
5. The customer replies with evidence (screenshots, receipts, documents).
6. The reply router loads ticket state, uploads the evidence to the folder, updates the ticket log and state, and sends a confirmation.
7. The agent reviews the ticket, which moves from Awaiting evidence to Evidence received, In review, Resolved and Closed.

5. Dashboard Options

Two dashboard designs are proposed: Option A is a light, workspace-style overview for daily agents and managers, and Option B is a dark, pipeline-style console for setup, simulation and automation monitoring. Both read from the same ticket and evidence data.


Option A: Proofly Overview (light theme)




- **Left navigation:** Overview, Tickets (badge 5), Evidence vault, Inbox (badge 2); Workspace group with Team, Connectors (tag "Local") and Settings; a Vault health card ("Secure", all evidence synced and encrypted); user card (Ava Kapoor, Workspace admin).
- **Top bar:** global search for tickets, people or evidence (Cmd+K), notification bell, primary "Add evidence" button.
- **Header:** date and greeting ("Good morning, Ava.") with a "Local vault saved, persistent on this device" status chip.
- **KPI cards:** Open tickets (2, live from stored records), Awaiting review (2, 1 urgent needs attention), Evidence captured (22 across 5 stored tickets, 92% integrity ring).
- **Recent tickets:** source tabs (All sources, WhatsApp, Gmail, Google Drive), status filter, rows with title, priority tag (Urgent, High, Medium, Low), summary, ticket ID, customer, age, status (Open, In review, Resolved) and file count. Examples: EV-2841 Duplicate payment reported; EV-2840 Contract renewal discrepancy; EV-2839 Damaged shipment documentation; EV-2838 Account access verification.
- **Live activity feed:** New evidence received, Email linked to ticket, Evidence verified (8 files passed integrity check), Drive folder synced, with a "View activity log" action.

Option B: Vault Dashboard (dark theme)

a.



b.



- **Top navigation:** Dashboard and Inbox and Simulator tabs; product header "Evidence Vault, Ticketed intake · WhatsApp · Gmail · Drive".
- **Header:** "Vault dashboard" with the line "Every customer issue is ticketed, evidence is filed per ticket, and nothing lives only in an inbox", and a primary "Simulate a customer message" button.
- **KPI cards:** Open tickets (2), Awaiting evidence (1), Evidence received (1), Closed (0).
- **Intake channels:** Google Drive Vault, Gmail Support Inbox, WhatsApp Business, each with a connection badge (Not connected) and a Connect action that uses a dummy login in the demo.
- **Tickets table:** ticket ID (EV-2026-1001, EV-2026-1002), customer and contact, subject, status chip (Awaiting evidence, Evidence received), evidence count (files and messages), and an Open action.
- **Inbox and Simulator:** a Latest channel activity column (customer messages and vault replies with time stamps) beside an Automation pipeline panel with two lanes. NEW ISSUE: Route inbound, Create ticket folder, Write ticket details, Log new ticket, Save ticket state, Send ticket

number, Notify support. REPLY: Route reply, Load ticket state, Upload evidence, Update ticket log, Update ticket state, Send confirmation, Reply to customer.

Option comparison

Criterion	Option A: Proofly Overview	Option B: Vault Dashboard
Theme	Light, workspace SaaS	Dark, operations console
Best for	Daily agents, managers, executives	Admins, integrators, demos and testing
Strength	KPIs, recent tickets with priority, live activity, vault health	Channel connection status, pipeline transparency, message simulator
Priority and urgency display	Priority tags and urgent count	Status chips only
Connector visibility	Sidebar entry tagged Local	Dedicated Intake channels cards
Integrity and security display	Integrity ring (92%), Vault health card	Not shown on dashboard
Recommendation	Default dashboard after onboarding	Setup and automation view, reachable from Connectors and Inbox

Recommendation. Ship both: Option A as the default Overview, and Option B's channel cards and pipeline view inside Connectors and Inbox. Let admins pick a default under Settings.

6. Connectors

Evidence Vault connects to customer data three ways: native business-suite accounts, MCP connectors, and API-key connectors. Every connector writes into the same ticket and evidence model, so the choice depends on who is connecting and how much control they need.

	1. Business account suite	2. MCP connectors	3. API-key connectors
What it is	Platform-enabled connection to a valid business account suite such as Google Workspace, Microsoft 365 or WhatsApp Business	Model Context Protocol servers that expose tools and data from other apps to the vault and its AI features	Direct integration using keys or tokens issued by the target service
Typical sources	Gmail Support Inbox, Google Drive Vault, WhatsApp Business; Outlook and OneDrive as follow-on	CRM, helpdesk, storage, ticketing and internal tools offered as MCP servers	Any REST or webhook service: payment gateways, courier APIs, ERP, custom systems
Who sets it up	Workspace admin	Admin or power user	Developer or IT admin

	1. Business account suite	2. MCP connectors	3. API-key connectors
Authentication	OAuth sign-in with least-privilege scopes; WhatsApp Business via approved provider	Per-server authorization (OAuth or token) as the MCP server requires	API key, secret or token stored encrypted; rotatable
Setup effort	Lowest: guided Connect button	Medium: add server, approve tools	Highest: key entry, endpoint and field mapping
Data direction	Inbound intake plus outbound replies and folder sync	Read and write via approved tools only	Inbound webhooks and outbound calls
Fits when	The business already runs on a mainstream suite	The team wants AI-assisted lookup or actions in other apps	The source has no suite or MCP option, or needs custom logic

6.1 Platform enabled to connect to a desired valid business account suite

- The platform lets an admin connect any supported business account suite that is valid, meaning a verified business tenant, not a personal consumer account.
- Each channel card (Google Drive Vault, Gmail Support Inbox, WhatsApp Business) shows a status: Not connected, Connected, Needs attention. In the demo, Connect uses a dummy login; in production it runs the provider's OAuth flow.
- Validation checks: business domain or verified business profile, required admin consent, and a test read before the connection is marked Connected.
- Scopes are limited to what intake needs (read labelled mail, send replies, read and write one vault folder, send and receive WhatsApp messages). Admins can disconnect any account and revoke tokens at any time.
- Sidebar shows the connector mode (for example "Local" when only the on-device vault is used).

6.2 MCP connectors

- Admins can register MCP servers, review the tools each exposes, and approve or block tools individually.
- Evidence Vault can act as an MCP client (to fetch customer, order or payment context into a ticket) and, in a later phase, publish its own MCP server so assistants can search tickets and evidence.
- Write actions (for example, changing a ticket status in another system) require explicit per-tool approval and are logged.
- Connector output is treated as untrusted data; it never overrides workspace rules.

6.3 Connectors through API keys

- Admins or developers create named connections by entering an API key, base URL and optional webhook secret; keys are encrypted at rest and never shown after saving.

- Inbound: signed webhooks create or update tickets. Outbound: the automation pipeline can call the API (for example, to look up a transaction or courier status).
- Workspace-level API keys let external systems call Evidence Vault to create tickets, attach evidence and read status, with scoped permissions and rate limits.
- Key lifecycle: create, scope, rotate, expire, revoke; every use appears in the audit log.

6.4 Connector requirements

ID	Requirement	Priority
CN-1	Show every connector with status, last sync time and owner	Must
CN-2	Connect, test, disconnect and reconnect from the UI	Must
CN-3	Encrypt credentials and tokens; never display secrets after saving	Must
CN-4	Log every connector action in the audit log	Must
CN-5	Per-connector field mapping to ticket fields	Should
CN-6	Approve or block individual MCP tools	Should
CN-7	Health monitoring with alert on failure or expired token	Should
CN-8	Role-based control over who can add connectors	Must

7. Functional requirements

Priority key: Must = required for launch, Should = target for launch, Could = later.

ID	Area	Requirement	Priority
TK-1	Tickets	Auto-create a ticket for each new issue with ID format EV-YYYY-NNNN, channel, customer, subject and status	Must
TK-2	Tickets	Priority tags (Urgent, High, Medium, Low) set by rules or agent	Must
TK-3	Tickets	Statuses: Awaiting evidence, Evidence received, Open, In review, Resolved, Closed	Must
TK-4	Tickets	Filter by source (All, WhatsApp, Gmail, Google Drive) and by status	Must
TK-5	Tickets	Ticket detail with conversation, evidence list and activity history	Must
EV-1	Evidence	One folder per ticket; files named and stored automatically	Must
EV-2	Evidence	Accept images, PDFs, documents, email attachments and Drive links	Must

ID	Area	Requirement	Priority
EV-3	Evidence	Integrity check on every file (hash and time stamp); show pass rate	Must
EV-4	Evidence	Manual Add evidence action from the top bar	Must
EV-5	Evidence	Evidence vault view: browse, search and filter all evidence across tickets	Must
EV-6	Evidence	Export a ticket's evidence bundle with audit log	Should
IN-1	Inbox	Unified inbox of customer messages and vault replies with time stamps	Must
IN-2	Inbox	Simulator to send a test customer message without live accounts	Must
IN-3	Inbox	Reply to the customer from the ticket on the original channel	Should
AU-1	Automation	New-issue pipeline: route inbound, create folder, write details, log ticket, save state, send ticket number, notify support	Must
AU-2	Automation	Reply pipeline: route reply, load state, upload evidence, update log, update state, send confirmation, reply to customer	Must
AU-3	Automation	Show pipeline steps and run results; allow retry of a failed step	Should
AU-4	Automation	Configurable rules for priority, assignment and templates	Could
DB-1	Dashboard	KPI cards: open tickets, awaiting review or evidence, evidence captured or received, closed	Must
DB-2	Dashboard	Recent tickets list and live activity feed	Must
DB-3	Dashboard	Global search (Cmd+K) across tickets, people and evidence	Must
DB-4	Dashboard	Notifications for urgent tickets and new evidence	Should
TM-1	Team	Invite members; roles Admin, Agent, Reviewer, Viewer	Must
ST-1	Settings	Workspace profile, notification, retention and dashboard default	Should
ST-2	Persistence	Local vault saved on this device, with visible save status	Must

Acceptance example (TK-1 and AU-1). Given a WhatsApp message from a customer with no open ticket, when it arrives, then a ticket with status Awaiting evidence, a folder and a log row exist, the customer receives the ticket number, and support is notified, all within 30 seconds.

8. Data model, lifecycle, non-functional requirements and security

The core model is Ticket, Evidence file, Message, Connector and Audit event, with every evidence file and message belonging to exactly one ticket.

Entity	Key fields
Ticket	ID (EV-2026-1001), subject, customer, channel, priority, status, owner, created, updated, folder link
Evidence file	ID, ticket ID, name, type, size, source, hash, integrity status, captured at, uploaded by
Message	ID, ticket ID, channel, direction (inbound, outbound), body, attachments, time stamp
Connector	ID, type (suite, MCP, API key), provider, status, scopes, last sync, owner
Audit event	ID, actor, action, object, time stamp, before and after values
User	Name, email, role, workspace

Ticket lifecycle: Awaiting evidence, then Evidence received, then Open or In review, then Resolved, then Closed. A customer reply on a Resolved ticket reopens it.

Non-functional requirements

Area	Requirement
Performance	Dashboard loads in under 2 seconds for 10,000 tickets; ticket created within 30 seconds of inbound message
Availability	99.9% monthly for intake and reply pipelines
Security	Encryption in transit and at rest; secrets in a managed vault; least-privilege OAuth scopes
Integrity	Hash and time stamp on every evidence file; tamper-evident audit log
Access control	Role-based access; per-ticket visibility for sensitive cases
Privacy and compliance	Configurable retention and deletion, data export, consent notice on customer channels; alignment with GDPR and India DPDP Act (to be confirmed with counsel)
Scalability	Queue-based pipeline with retries and idempotent steps

Area	Requirement
Accessibility	WCAG 2.1 AA; keyboard shortcuts (Cmd+K); light and dark themes
Observability	Connector health, pipeline run logs and alerts on failure

Security note on connectors. Evidence arrives from untrusted senders, so all files are scanned for malware, size and type limited, and content from customers or connectors is treated as data only, never as instructions to the system or its AI features.

9. Roadmap, risks, assumptions and open questions

The plan is a three-phase release that proves intake first, then scales connectors, then adds governance. Durations are estimates for planning.

Phase	Timing (estimate)	Scope	Exit criteria
1. MVP	Weeks 1 to 8	Dashboard Option A and B, tickets, evidence vault, inbox and simulator, local vault, new-issue and reply pipelines, WhatsApp, Gmail and Drive connection	End-to-end demo with live accounts; time to ticket under 30 seconds
2. Connectors and scale	Weeks 9 to 16	MCP connectors, API-key connectors and webhooks, Outlook and OneDrive, roles, notifications, export bundles	3 pilot customers using 2 or more connectors
3. Governance	Weeks 17 to 26	Retention policies, SSO, audit export, rules engine, Vault MCP server, analytics	Security review passed; first enterprise contract

Risks

Risk	Impact	Mitigation
WhatsApp Business API approval and template limits	Delays launch of the main channel	Start provider application early; use an approved BSP; keep email path live
Token expiry or revoked access breaks intake	Missed customer messages	Health checks, alerts, re-auth prompts
Sensitive documents (IDs, bank receipts) exposed	Legal and reputational harm	Encryption, role-based access, retention limits, audit log
Duplicate tickets from repeated messages	Noise and mis-reporting	Match by customer and open ticket; merge tool
Malicious attachments or prompt-style content in evidence	Security incident	Malware scan, type limits, treat content as data only

Assumptions

- The demo site's behaviour matches the supplied screenshots (ticket IDs, statuses, pipeline steps).
- Pricing tiers, targets and timelines above are proposals, not confirmed business decisions.
- Local vault persistence in the demo becomes cloud-synced storage in production.
- Brand name is Evidence Vault in the product and Proofly in the light dashboard design; one name must be chosen.

Open questions

- ☐ Which brand name goes to market: Evidence Vault or Proofly?
- ☐ Which business suites beyond Google and WhatsApp are required for launch (Microsoft 365, Zoho)?
- ☐ Which regions and data-residency rules apply to first customers?
- ☐ Is AI-assisted summarisation or classification in scope for phase 2?
- ☐ What retention period applies to evidence by default?

Business Prompt used –

Ticket Inputs Mechanism

{Ticket ID, - Complaint (CMP)/ Enquiry(ENQ)}

Customer Name

Timestamp

Enquiry or Complaints might be triggered by Whatsapp or Email through business account id where we can authorize upfront in the platform. All the communications and the evidences alongwith timestamp and customer name & customer id details might move to gdrive for every new thread. And this will be collected in a global monthly sheet with all ticket ids and respective ticket status which is downloadable. Whatsapp number authorized associate must be logged in as the existing mechanism with following 4 time schedule

1. **6 AM to 10 AM**
2. **10 AM to 14 PM**
3. **14 PM to 19 PM**
4. **19 PM to 24 AM**

- **inactive whatsap to notify team leader / CTO / Sales manager**

Drive to store all comm. Thread and store in google sheet Monthly / weekly / daily log files can be generated in the dashboard with Monthly / weekly/ daily options