



DebugBear

Charts showing data between 28 Jul 2026 and 28 Jul 2026



Page Speed Report

forsadesign.co.uk/en/

28 Jul 2026, 14:42

UK

8 Mbps

40 ms RTT

Fast Device

Chrome 147

Lighthouse 13.4.0

Lighthouse Scores

Show Performance Subscores

Performance

+8 83

Accessibility

+0 95

Best Practices

+0 81

SEO

+0 100

Performance Show Large Chart 3



Performance Subscores

METRIC	VALUE	SCORE	CONTRIBUTION TO PERF...	
Total Blocking Time	70 ms		30/30%	<button>View Details</button>
Cumulative Layout Shift	0.001	10	25/25%	<button>View Details</button>
Largest Contentful Paint	3.0 s	3	9/25%	<button>View Details</button>
Speed Index	1.1 s	96%	10/10%	<button>View Details</button>
First Contentful Paint	0.6 s	98%	10/10%	<button>View Details</button>

Audits			All	Performance	Accessibility	Best Practices	SEO	Agentic Browsing
AUDIT		CATEGORY		SCORE				
Reduce unused JavaScript		PERFORMANCE		0				
Use efficient cache lifetimes		PERFORMANCE		0				
Improve image delivery		PERFORMANCE		0				
LCP breakdown		PERFORMANCE		0				
Network dependency tree		PERFORMANCE		0				
Avoid large layout shifts		PERFORMANCE		100				

Show More ▾



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

METRICS

Expand view


● First Contentful Paint
0.6 s

▲ Largest Contentful Paint
3.0 s

● Total Blocking Time
70 ms

● Cumulative Layout Shift
0.001

● Speed Index
1.1 s



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Render-blocking requests — Est savings of 180 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [FCP](#) [LCP](#) [Unscored](#)

URL


Transfer Duration

		Size	
forsadesign.co.uk	1st Party	18.7 KiB	180 ms
/assets/index-BvUyZplw.css	(forsadesign.co.uk)	18.7 KiB	180 ms

▲ Improve image delivery — Est savings of 173 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
forsadesign.co.uk 1st Party	183.7 KiB	172.7 KiB



Forsa Design

/logo-new-sm.png?v=3 (forsadesign.co.uk)

88.2 KiB 87.8 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 62.1 KiB

This image file is larger than it needs to be (400x400) for its displayed dimensions (44x44). Use responsive images to reduce the image download size. 87.1 KiB



Forsa Design
 | | | |
| This image file is larger than it needs to be (1024x1024) for its displayed dimensions (384x384). Use responsive images to reduce the image download size. | | 64.9 KiB |
| /analytics-badge.png (forsadesign.co.uk) | 20.0 KiB | 19.9 KiB |
| This image file is larger than it needs to be (1519x402) for its displayed dimensions (91x24). Use responsive images to reduce the image download size. | | 19.9 KiB |

▲ Use efficient cache lifetimes — Est savings of 24 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#)

FCP LCP **Unscored**


Show 3rd-party resources (2)

Request	Cache TTL	Transfer Size
forsadesign.co.uk 1st Party		21 KiB
...b0da9f4911ba/main.js (forsadesign.co.uk)	4h	21 KiB
Cloudflare Utility		23 KiB
/beacon.min.js (static.cloudflareinsights.com)	1d	11 KiB
/beacon.min.js/v4513226... (static.cloudflareinsights.com)	1d	11 KiB

▲ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. **LCP** **Unscored**

Subpart	Duration
Time to first byte	160 ms
Element render delay	2,790 ms



Over twenty years in international B2B sales taught me one thing. Industrial fi...

```
<p class="text-base md:text-lg text-foreground/60 font-light leading-relaxed mb-6 ma..." style="opacity: 1; transform: none;">
```

▲ Network dependency tree

Avoid chaining critical requests

by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

LCP

Unscored

Maximum critical path latency: 1,231 ms

Initial Navigation

/en/ (forsadesign.co.uk) - 274 ms, 5.77 KiB

/assets/index--poAcIA9.js (forsadesign.co.uk) - 1,231 ms, 330.34 KiB

/assets/index-BvUyZplw.css (forsadesign.co.uk) - 568 ms, 18.68 KiB

/beacon.min.js/v4513226... (static.cloudflareinsights.com) - 511 ms, 11.31 KiB

Preconnected origins

preconnect

 hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https:// fonts.googleapis.com/	head > link <link rel="preconnect" href="https:// fonts.googleapis.com">
https://fonts.gstatic.com/	head > link <link rel="preconnect" href="https:// fonts.gstatic.com" crossorigin="">
https:// fonts.googleapis.com	<https://fonts.googleapis.com>; rel="preconnect"

Preconnect candidates

Add

preconnect

 hints to your most important origins, but try to use no more than 4.

Origin	Est LCP savings
https://www.google.co.uk	130 ms
https://stats.g.doubleclick.net	110 ms
https://www.googletagmanager.com	80 ms

- Layout shift culprits

○ 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS



Reduce unused JavaScript — Est savings of 249 KiB

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP

Unscored


URL	Transfer Size	Est Savings
forsadesign.co.uk 1st Party	546.3 KiB	249.4 KiB
/assets/index--poAclA9.js (forsadesign.co.uk)	328.9 KiB	153.7 KiB
/metrics/ (forsadesign.co.uk)	172.4 KiB	72.8 KiB
/assets/vendor-motion-CphWYRgC.js (forsadesign.co.uk)	45.0 KiB	22.9 KiB



Image elements do not have explicit width and height

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

URL	
forsadesign.co.uk 1st Party	
	Forsa Design

☐

Avoid long main-thread tasks — 3 long tasks found

v

☐

Defer offscreen images

v


More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (19)

Show

Lighthouse Performance Subscores

Performance Subscores				
METRIC	VALUE	SCORE	CONTRIBUTION TO PERF...	
Total Blocking Time	70 ms		30/30%	<button>View Details</button>
Cumulative Layout Shift	0.001	100	25/25%	<button>View Details</button>
Largest Contentful Paint	3.0 s	30	9/25%	<button>View Details</button>
Speed Index	1.1 s	96%	10/10%	<button>View Details</button>
First Contentful Paint	0.6 s	98%	10/10%	<button>View Details</button>



Speed Index -579 ms **1.06 s**

First Cont... -1.13 s **648 ms**

 Seeing score differences between tools? [Learn more.](#)

Lighthouse Report

Open full-page screenshot



Performance



Accessibility



Best Practices



SEO



Agentic Browsing

▲ 0-49

■ 50-89

● 90-100



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

METRICS

Expand view


● First Contentful Paint
0.6 s

● Total Blocking Time
70 ms

● Speed Index
1.1 s

▲ Largest Contentful Paint
3.0 s

● Cumulative Layout Shift
0.001



INSIGHTS

▲ Render-blocking requests — Est savings of 180 ms


Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
forsadesign.co.uk 1st Party	18.7 KiB	180 ms
/assets/index-BvUyZplw.css (forsadesign.co.uk)	18.7 KiB	180 ms

▲ Improve image delivery — Est savings of 173 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
forsadesign.co.uk 1st Party	183.7 KiB	172.7 KiB



Forsa Design

```

```

/logo-new-sm.png?v=3 (forsadesign.co.uk)

88.2 KiB


87.8 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

62.1 KiB

This image file is larger than it needs to be (400x400) for its displayed dimensions (44x44). Use responsive images to reduce the image download size.

87.1 KiB



Forsa Design

/logo-hero.webp?v=11 (forsadesign.co.uk)

75.6 KiB

64.9 KiB

URL

Resource

Size

Est

Savings

This image file is larger than it needs to be (1024x1024) for its displayed dimensions (384x384). Use responsive images to reduce the image download size.

64.9 KiB

/analytics-badge.png (forsadesign.co.uk)

20.0 KiB

19.9 KiB

This image file is larger than it needs to be (1519x402) for its displayed dimensions (91x24). Use responsive images to reduce the image download size.

19.9 KiB

▲ Use efficient cache lifetimes — Est savings of 24 KiB

▲

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#)

FCP

LCP

Unscored

Show 3rd-party resources (2)

Request

Cache TTL

Transfer Size

forsadesign.co.uk 1st Party

21 KiB

...b0da9f4911ba/main.js (forsadesign.co.uk)

4h

21 KiB

Cloudflare Utility

23 KiB

/beacon.min.js (static.cloudflareinsights.com)

1d

11 KiB

/beacon.min.js/v4513226... (static.cloudflareinsights.com)

1d

11 KiB

▲ LCP breakdown

▲

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP

Unscored

Subpart

Duration

Time to first byte


160 ms

Subpart

Duration

Element render delay

2,790 ms



Over twenty years in international B2B sales taught me one thing. Industrial fi...
`<p class="text-base md:text-lg text-foreground/60 font-light leading-relaxed mb-6 ma..." style="opacity: 1; transform: none;">`

▲ Network dependency tree

^

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 1,231 ms

Initial Navigation

- /en/ (forsadesign.co.uk) - 274 ms, 5.77 KiB
- /assets/index--poAclA9.js (forsadesign.co.uk) - 1,231 ms, 330.34 KiB
- /assets/index-BvUyZplw.css (forsadesign.co.uk) - 568 ms, 18.68 KiB
- /beacon.min.js/v4513226... (static.cloudflareinsights.com) - 511 ms, 11.31 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.googleapis.com/	head > link <link rel="preconnect" href="https://fonts.googleapis.com">
https://fonts.gstatic.com/	head > link <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">
https://fonts.googleapis.com	<https://fonts.googleapis.com>; rel="preconnect"

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

Origin	Est LCP savings
https://www.google.co.uk	130 ms

Origin	Est LCP savings
https://stats.g.doubleclick.net	110 ms
https://www.googletagmanager.com	80 ms

- Layout shift culprits
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused JavaScript — Est savings of 249 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP

Unscored

URL	Transfer Size	Est Savings
forsadesign.co.uk 1st Party	546.3 KiB	249.4 KiB
/assets/index--poAclA9.js (forsadesign.co.uk)	328.9 KiB	153.7 KiB
/metrics/ (forsadesign.co.uk)	172.4 KiB	72.8 KiB
/assets/vendor-motion-CphWYRgC.js (forsadesign.co.uk)	45.0 KiB	22.9 KiB

- Image elements do not have explicit [width](#) and [height](#)
- Avoid long main-thread tasks — 3 long tasks found
- Defer offscreen images

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (19)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Failing Elements

Contact person: Miro

```
<p class="text-sm text-foreground/50">
```

FORSA DESIGN Built for scale. Hardcoded for speed. Banff, Aberdeenshire, Scot...

```
<footer class="bg-background py-12 border-t border-border/10">
```

© 2026 Forsa Design. All rights reserved.

```
<p class="text-center md:text-left">
```

FORSA DESIGN Built for scale. Hardcoded for speed. Banff, Aberdeenshire, Scot...

```
<footer class="bg-background py-12 border-t border-border/10">
```

Terms & Conditions

```
<a href="/en/terms" class="hover:text-primary transition-colors mr-4" data-testid="footer-link-terms">
```

FORSA DESIGN Built for scale. Hardcoded for speed. Banff, Aberdeenshire, Scot...

```
<footer class="bg-background py-12 border-t border-border/10">
```

Privacy Policy

```
<a href="/en/privacy" class="hover:text-primary transition-colors mr-4" data-testid="footer-link-privacy">
```

FORSA DESIGN Built for scale. Hardcoded for speed. Banff, Aberdeenshire, Scot...

```
<footer class="bg-background py-12 border-t border-border/10">
```

Failing Elements

Cookie Preferences

```
<button class="hover:text-primary transition-colors" data-testid="footer-link-cookie-preferences">
```

FORSA DESIGN Built for scale. Hardcoded for speed. Banff, Aberdeenshire, Scot...

```
<footer class="bg-background py-12 border-t border-border/10">
```

These are opportunities to improve the legibility of your content.

NAVIGATION

 Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies.

[Learn more about heading order.](#)

Failing Elements

FORSA DESIGN

```
<h4 class="font-serif text-xl tracking-[0.2em] font-bold text-white uppercase mb-4">
```

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

These items address areas which an automated testing tool cannot cover. [Learn more in our guide on conducting an accessibility review.](#)

PASSED AUDITS (23)

[Show](#)

NOT APPLICABLE (38)

[Show](#)



Best Practices

GENERAL

▲ Uses deprecated APIs — 3 warnings found ^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
forsadesign.co.uk 1st Party	
The Shared Storage API is deprecated and will be removed in a future release.	...precursor/ main.js:1:20544 (forsadesign.co.uk)
StorageType.persistent is deprecated. Please use standardized navigator.storage instead.	...precursor/ main.js:1:20544 (forsadesign.co.uk)
The Protected Audience API is deprecated and will be removed in a future release.	...precursor/ main.js:1:20544 (forsadesign.co.uk)

▲ Missing source maps for large first-party JavaScript ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

URL	Map URL
forsadesign.co.uk 1st Party	
/metrics/ (forsadesign.co.uk)	

URL

Map URL

Large JavaScript file is missing a
source map

/assets/index--poAclA9.js (forsadesign.co.uk)

Large JavaScript file is missing a
source map

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks
- ☐ Use a strong HSTS policy
- ☐ Ensure proper origin isolation with COOP
- ☐ Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- ☐ Baseline Features

PASSED AUDITS (11)

Show

NOT APPLICABLE (3)

Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Show

● 3/3

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

WEBMCP

○ WebMCP tools registered



Audits validating WebMCP integration.

PASSED AUDITS (3)

Show

NOT APPLICABLE (2)

Show

📅 Captured at Jul 28, 2026, 2:42 PM GMT+1

🖥️ Emulated Desktop with Lighthouse 13.4.0

👤 Single page session

🕒 Initial page load

🔧 Provided by environment

🔗 Using Chromium 147.0.0.0 with node

Generated by Lighthouse 13.4.0 | [File an issue](#)