

#Challenge-1

Step-1:

Q Remote

Custom Code

Remote Access

Security

Remote Site Settings

Didn't find what you're looking for?
Try using Global Search.

SETUP

Remote Site Settings

Remote Site Edit

Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, Apex, and AJAX proxy callouts will be proxied to the remote site.

Remote Site Edit

Save Save & New Cancel

Remote Site Name

BillingService

Remote Site URL

http://sb-integration-bs.herokuapp.com

Disable Protocol Security

☐ i

Description

Active

☒

Save Save & New Cancel

Q custom settings

Custom Code

Custom Settings

Didn't find what you're looking for?
Try using Global Search.

SETUP

Custom Settings

Custom Settings

Use custom settings to create and manage custom data at the organization, profile, and user levels. Custom settings data is stored in the application efficiently, without the cost of repeated queries. Custom settings data can be used by formula fields, Visualforce, Apex, and the Web Services API.

Get Usage

View: All Create New View

A B C D E F G H I J K L M N O

New

Action	Label ↑	Visibility	Settings Type	Namespace Prefix	Description
Edit Del Manage	ServiceCredentials	Protected	List		Username and password credentials for external services
Edit Del Manage	ServiceTokens	Protected	List		Security tokens for external services

After click on manage create the new custom settings like below Image :
ServiceCredentials Detail

[Back to List](#)

Edit

Name	Label	Visibility	Settings Type	Namespace Prefix	Description
BillingServiceCredential		Protected	List		Username and password credentials for external services
Username	bsUser1				
Password	bsPass1				

After that create a new named Credential :Like below image

Q Named

Security

Named Credentials

Didn't find what you're looking for?
Try using Global Search.



SETUP

Named Credentials

Edit Delete

Label	ProjectService
Name	ProjectService
URL	https://sb-integration-pms-2.herokuapp.com/projects

Authentication

Certificate

Identity Type Named Principal

Authentication Protocol Password Authentication

Username pmsUser1

Callout Options

Generate Authorization Header ☒

Allow Merge Fields in HTTP Header ☐

Allow Merge Fields in HTTP Body ☐

Outbound Network Connection