

Virtual Machine Server

About

This document will go through the steps to add a new folder to the virtual machine's server. It will assume that you are running Ubuntu or something similar.

Configuration

1. Creating New Directory

You will have to create a new directory for hosting your server in a new folder. I suggest that you keep your folder in the `/var/www/` directory along with the already existing `html`. The directory for my example will be named `ese_project_vi` as that is my repo's name.

```
cd /var/www/  
// clone your repo or make your file here  
sudo chown -R $USER:$USER /var/www/ese_project_vi  
sudo chmod -R 755 /var/www
```

2. Create new Virtual Host Config

This will tell our virtual host which files to look at.

```
cd /etc/apache2/sites-available/  
sudo touch ese_project_vi.conf  
sudo nano ese_project_vi.conf
```

Now our config file is created and opened. You can paste the following into the `.conf` file.

```
<VirtualHost *:80>  
    ServerName ese.local  
    DocumentRoot /var/www/ese_project_vi  
  
    <Directory /var/www/ese_project_vi>  
        Options Indexes FollowSymLinks  
        AllowOverride All  
        Require all granted  
    </Directory>  
  
    ErrorLog ${APACHE_LOG_DIR}/ese_error.log
```

```
CustomLog ${APACHE_LOG_DIR}/ese_access.log combined  
</VirtualHost>
```

3. Reload the Server

This is going to reload the server allowing it to start up the one we just created.

```
sudo a2ensite ese_project_vh.conf  
sudo systemctl reload apache2
```

4. Add Custom URL

This is going to add a custom URL. That means you don't have to use localhost!

```
cd /etc/  
sudo nano hosts
```

Then you will want to add the following to the bottom of the file. This will make the link to your website `ese.local`.

```
127.0.0.1 ese.local
```

Open the Website

Open your website and type it `ese.local` or whatever you made your link.