

Conference Copilot

End-to-End Build Plan · May 15, 2026

OBJECTIVE

Connect the Monday.com CRM pipeline to the Conference Copilot frontend so Ryan can walk into any meeting at the conference with an AI-generated brief, log contacts on the floor, track meeting status, and export follow-ups — all from a locally-hosted app that works on poor conference wifi.

FULL PIPELINE



BUILD PHASES

Phase — Connect the pipeline

~1 day

- Batch prep script — run researcher on all monday/out/*.json in one command
- Monday/out import endpoint — load 38 leads into conference-copilot as Exhibitor rows
- Prisma: add Brief model (briefJson, status, runId, verifierPassed, signalQuality)
- Remove @google/genai dependency — Gemini leftover from AI Studio export

**P
h
a
s
e
—
B
r
i
e
f
i
n
t
h
e
I**

~2 days

- POST /api/exhibitors/:id/brief — trigger prep run, return runId, poll status
- GET /api/exhibitors/:id/brief — return stored brief JSON from DB
- Brief drawer component — TL;DR bullets, talking points, red flags, source chips
- Signal quality badge per card (rich / moderate / thin / low)
- Confidence banner for thin/low signal briefs (verbatim from verifier)

**P
h
a
s
a
—
C
o
n
f
e
r
e
n
c
e
X**

~1–2 days

- Today's Meetings tab — companies with meetingAt = today, sorted by time
- Meeting status per company: Not Met / Met ✓ / Follow Up (replaces star)
- Field notes — per-meeting freeform text, separate from AI brief
- Quick contact capture — one tap from exhibitor card, company pre-filled
- Offline resilience — cache-first mode, sync to server in background
- Post-conference export — CSV of contacts + statuses + field notes

Phas4 — Local Hosting

~½ day

- Single startup script — one command boots prep pipeline + frontend
- LAN access — verify phone browser works on same wifi (0.0.0.0:3000 already set)
- DB seed script — import monday/out/*.json and queue brief gen on first run
- Setup guide — one-page doc for conference week (env vars, startup, backup)

UI IDEAS FOR RYAN

■ Today's Meetings Tab

Companies with meetingAt = today, sorted by time. First thing Ryan opens each morning at the conference.

■ Brief Drawer — Scan Mode

TL;DR bullets at the top, then collapsible sections. Optimised for a 30-second pre-meeting scan. Side drawer, not in-place expansion.

■ Signal Quality Dots

Green/yellow/red dot on every card. Rich = green, moderate = yellow, thin/low = red. Ryan knows at a glance how much to trust the brief.

■ Met / Not Met / Follow Up

One-tap three-state toggle per company, replacing the star. Gives actionable data after the conference for Monday follow-ups.

■ Field Notes

Separate from the AI brief — Ryan's live notes during the meeting. Shows below the brief in the drawer. Synced to DB.

■ Post-Conference Export

After the conference: CSV of all contacts + meeting statuses + field notes. Formatted to drop straight back into Monday.

KEY DESIGN DECISIONS

Brief generation timing

Run the batch prep script the night before the conference. Pre-warm all 38 briefs and store them in the DB. The 'Generate' button in the UI is a refresh/fallback, not the primary flow. Briefs take 1–3 min each — you don't want Ryan waiting at a booth.

Offline-first

Flip the current localStorage fallback from reactive to proactive: load from cache first, sync to server in the background. Conference wifi is unreliable — the app should be instant regardless of connectivity.

Brief drawer vs. in-place expansion

The current card chevron-expand is fine for short data (revenue, employees). For a full brief it'll feel cramped. Use a full-height side drawer so Ryan can see the company list on the left and the brief on the right simultaneously.

Local → cloud path

Start with SQLite + Express on Ryan's laptop (already working). When ready to host: Fly.io or Railway both support this stack with a one-command deploy. Migrate SQLite → Postgres at that point.