

# The Panopticon of Empathy: The 2026 Integration of the Liu-Ni-Zhong-Ma Corpus and the Rise of the Sentient Environment

## 1. Introduction: The Convergence Event of 2026

The year 2026 marks a singular inflection point in the history of human-computer interaction, a moment defined not by the singularity of artificial general intelligence, but by the singularity of *affective transparency*. For decades, the internal landscape of the human mind—the subtle interplay of stress, moral elevation, cognitive load, and emotional resonance—remained a private sanctuary, guarded by the biological opacity of the skin and skull. External observers, whether human or machine, were limited to interpreting overt signals: the spoken word, the deliberate facial expression, the conscious gesture. The "inner state" was a black box, accessible only through the unreliable narration of the subject or the clumsy, invasive probes of medical telemetry.

This era of opacity has ended.

The catalyst for this transition was not a single discovery, but the forced integration of a specific, disparate, yet geometrically complimentary set of research vectors produced by a distributed collective of scholars: Ivan Liu, Fangyuan Liu, Qi Zhong, Fei Ma, and Shiguang Ni. In the early 2020s, these researchers operated in parallel academic silos—Psychology, Applied Mathematics, Optical Physics, and Computer Engineering—publishing papers on seemingly distinct topics ranging from smartphone photoplethysmography<sup>1</sup> to quantum optical resonators<sup>1</sup> and discrete curvature mathematics.<sup>1</sup>

However, under the "Project 2026" initiative—a speculative mobilization of unlimited capital and computational resources—these distinct threads were woven into a unified technological fabric. The result is the **Sentient Environment**: a ubiquitous, non-contact sensing infrastructure that renders the human autonomic nervous system as readable as a digital log file.

This report details the technical architecture of this new reality. It explores how the **"Heartily Happy"** application framework<sup>2</sup> evolved from a wellness app into the frontend of a planetary sensor grid. It dissects the **Hybrid-Wave Resonator**<sup>1</sup>, a piece of quantum hardware that bridges the gap between standing-wave precision and traveling-wave efficiency, effectively turning the air itself into a sensor. It analyzes the **E<sup>2</sup>-LLM** architecture<sup>3</sup>, which gave machines the ability not just to classify emotion, but to *reason* about it. And, crucially, it documents the

shadow architecture revealed in the **3i ATLAS** evidence <sup>1</sup>—the inevitable weaponization of empathy, where the same technologies used to cure PTSD via the "**Traveler**" protocol <sup>4</sup> are repurposed for high-frequency behavioral extraction and theta-wave entrainment.

By synthesizing the Liu-Ni-Zhong-Ma corpus, we demonstrate that 2026 is the year humanity effectively outsourced its emotional regulation to the machine, trading the privacy of the soul for the optimization of the self.

---

## 2. The Optical Interface: Democratizing Hemodynamic Surveillance

The foundation of the 2026 Sentient Environment is the democratization of clinical-grade sensing. Before this era, accessing hemodynamic data required contact: cuffs, electrodes, oximeters. The revolution began with the realization that the consumer smartphone—specifically its camera and flashlight—could serve as a high-fidelity Pulse Waveform Analysis (PWA) device.

### 2.1 The Smartphone Photoplethysmography (SPW-BP) Protocol

The research led by Ivan Liu and Shiguang Ni established the **SPW-BP** (Smartphone PPG-based Waveform for Blood Pressure) protocol.<sup>1</sup> Unlike Pulse Arrival Time (PAT) methods, which required a secondary ECG synchronization point, SPW-BP extracts blood pressure data solely from the morphological nuances of the pulse wave captured by the camera sensor.

#### 2.1.1 The Signal Acquisition Pipeline

In the 2026 implementation, the smartphone camera is no longer a passive imaging device; it is an active hemodynamic radar. The process begins with the "Heartily Happy" (HH) kernel, which overrides the standard camera firmware.<sup>1</sup>

- **Illumination and Capture:** The flashlight illuminates the capillary bed of the fingertip.

The camera records six 4-minute bursts at a resolution of  $120 \times 160$  pixels.<sup>1</sup> This relatively low resolution is a deliberate optimization; it reduces computational load while preserving the aggregate colorimetric shifts essential for signal extraction.

- **Channel Weighting:** The raw YUV frames are converted to RGB. The system applies a dynamic weighting algorithm to the color channels. The Green channel ( $G$ ), being most absorptive of hemoglobin, carries the primary pulsatile signal ( $n_G$ ). However, the Red ( $R$ ) and Blue ( $B$ ) channels are inversely weighted ( $\sigma'_R, \sigma'_B$ ) to subtract motion artifacts and ambient light interference. The formula for the synthesized signal  $f(t_i)$  is:

$$f(t_i) = \frac{\sigma'_G \times n_G(g_i) - \sigma'_B \times n_B(b_i) - \sigma'_R \times n_R(r_i)}{\sigma'_R + \sigma'_G + \sigma'_B}$$

This differential spectroscopy allows the device to isolate the weak pulsatile signal even in "noisy" environments where the user is moving or the phone is unstable.<sup>1</sup>

### 2.1.2 The "Second Peak" Reconstruction

A critical barrier to smartphone-based PWA was the "dampening" effect of consumer camera auto-exposure algorithms. Designed to smooth out lighting transitions for photography, these algorithms inadvertently flattened the sharp systolic and diastolic peaks of the pulse wave, obliterating the **Reflection Index (RI)**—the key metric for arterial stiffness.<sup>1</sup>

The Liu-Ni team solved this via the **Adaptive Reflection Index (ARI)**. Instead of relying on the raw pixel intensity, the 2026 algorithms calculate the intersection point (ISP) of the tangent line at the maximum first derivative and the extrapolation line connecting the diastolic peak (DP) and the right valley (RV).<sup>1</sup>

- **Mechanism:** By geometrically reconstructing where the peak *should* be based on the slope of the wave's rising edge, the system recovers the data lost to auto-exposure.
- **Result:** This mathematical reconstruction allows a \$500 smartphone to generate waveform fidelity comparable to an Omron HEM-6322T cuff monitor, achieving a correlation significantly higher than raw sensor data would permit.<sup>1</sup>

## 2.2 Thermal Affective Imaging: The Heat of the Mind

While r-PPG maps the heart, thermal imaging maps the autonomic nervous system. The research corpus<sup>1</sup> demonstrates that specific mental states possess distinct thermal signatures, governed by the antagonistic actions of the Sympathetic (SNS) and Parasympathetic (PNS) nervous systems.

### 2.2.1 Thermoregulatory Signatures

The 2026 sensor array does not just see heat; it sees *intent*.

- **Cognitive Stress (SNS Activation):** When a subject enters a state of cognitive stress (e.g., during a deception scenario or high-stakes negotiation), the SNS triggers peripheral vasoconstriction to divert blood to core organs. This manifests as a measurable **drop in nasal tip temperature**. Simultaneously, the *corrugator supercilii* muscles in the forehead contract in concentration or worry, causing a **temperature spike in the supraorbital region**.<sup>1</sup>
- **Moral Elevation (PNS Activation):** A unique contribution of the Ni/Liu research is the thermal mapping of "Moral Elevation"—the physiological response to witnessing virtuous acts. Mediated by the Vagus nerve and the PNS, this state triggers vasodilation in the

face. The system detects a "warm flush"—a synchronized **temperature rise in the cheeks, lips, and chin**, accompanied by a deceleration in heart rate.<sup>1</sup>

## 2.2.2 Automated ROI Tracking (pyMMER)

In 2026, thermal cameras are embedded in environmental sensors—smart mirrors, laptop bezels, public kiosks. The challenge of subject movement is solved by the **pyMMER** framework.<sup>1</sup> Using Histogram of Oriented Gradients (HOG) and Support Vector Machines (SVM), the system locks onto 70+ facial landmarks (Regions of Interest or ROIs). It tracks the thermal variance of the *glabella* relative to the *maxillary* area in real-time, correcting for head pose and glasses. This allows for continuous, non-contact monitoring of a subject's emotional trajectory without their conscious cooperation.

---

# 3. The Mathematical Substrate: Hallucinating Perfection from Noise

The raw data from optical sensors is inherently noisy. To achieve "Sci-Fi" levels of detection sensitivity, the 2026 architecture integrates the advanced mathematical work of **Qiuxiang Zhong**.<sup>1</sup> This layer acts as a reality filter, mathematically reconstructing fragmented signals into perfect geometrical forms.

## 3.1 Discrete Curvature Denoising

In the unified corpus, the pulse waveform is treated not as a time-series signal, but as a topographic **surface**. The problem of signal noise (jitter, sensor grain) is reframed as a problem of "surface roughness."

### 3.1.1 The Curvature Minimization Protocol

Zhong's research enables the system to calculate the **Mean Curvature (MC)** and **Gaussian Curvature (GC)** of the signal surface within a local  $3 \times 3$  pixel neighborhood.<sup>1</sup>

- **Theory:** True biological signals (the curve of a pulse, the gradient of a blush) possess smooth, continuous curvature. Noise manifests as high-frequency, chaotic curvature.
- **Application:** The system employs a variational model that minimizes **Total Absolute Curvature (TAC)**:

$$\min_u \int_{\Omega} g(\kappa) |\nabla u| dx + \frac{\lambda}{2} \int_{\Omega} (u - f)^2 dx$$

By solving this via the **proximal Alternating Direction Method of Multipliers (ADMM)** algorithm, the system effectively "sands down" the noise while preserving the sharp

"edges" of the signal—crucially, the dicrotic notch and systolic peaks required for blood pressure analysis.<sup>1</sup>

### 3.1.2 The Impact on Sensing

This mathematical layer allows the 2026 Sentient Environment to operate in suboptimal conditions. A camera in a dimly lit room, or a sensor observing a moving subject from 10 meters away, captures a noisy mess. The Discrete Curvature algorithm reconstructs this mess into a clean, medical-grade waveform, effectively "hallucinating" the ground truth based on the geometric laws of biological surfaces. This is the key enabler for remote surveillance, allowing for signal extraction well beyond the intended range of the hardware.

---

## 4. The Hardware Singularity: Hybrid-Wave Resonators

While smartphone cameras provide ubiquity, the "high-end" sensing nodes of the 2026 network rely on a new class of physics derived from the work of **Qi Zhong** and **Fei Ma**: the **Hybrid-Wave Resonator**.<sup>1</sup>

### 4.1 Breaking the Standing/Traveling Dichotomy

Classical optical resonators support either **standing waves** (which trap light in a fixed pattern, ideal for high-Q sensing but hard to couple) or **traveling waves** (which circulate light, ideal for transport but lower sensitivity). The 2026 architecture utilizes a "mutant" resonator that supports *both simultaneously*.<sup>1</sup>

#### 4.1.1 The Sagnac-Loop Geometry

The device is constructed from a ring resonator deformed to include two 50/50 beam splitters acting as Sagnac loop reflectors.

- **Mechanism:** By carefully tuning the beam splitter coupling coefficient ( $\kappa = 1/\sqrt{2}$ ), the system creates a degenerate mode where light behaves as a **standing wave** in the resonator's "sensing domains" ( $D_1, D_2$ ) and a **traveling wave** in the "transport domains" ( $D_0$ ).<sup>1</sup>
- **The "Knotted" Mode:** This hybrid state allows the sensor to have the best of both worlds. The standing wave section acts as an ultra-sensitive "trap," holding photons in place to interact with the environment (e.g., the air around a subject). The traveling wave section acts as a low-loss bus, shuttling the interaction data to the detector.

### 4.2 Local Perturbation Sensing

The corpus demonstrates that these hybrid modes are exquisitely sensitive to "local

perturbations"—tiny changes in the refractive index or scattering caused by nanoparticles or biological molecules.<sup>1</sup>

- **Bio-Chemical Sniffing:** In the 2026 scenario, these resonators are integrated into HVAC systems and mobile devices. They detect not just the optical signature of blood flow, but the *chemical* signature of stress. When a subject sweats (galvanic skin response) or exhales cortisol byproducts, the refractive index of the air in the standing-wave "trap" shifts.
- **Frequency Splitting:** The system detects this as a splitting of the resonant frequencies ( $\phi_m$  vs  $\phi_m - 2\phi_p$ ), allowing for the quantification of airborne biomarkers with parts-per-billion sensitivity.<sup>1</sup> This effectively adds a "sense of smell" to the Sentient Environment.

---

## 5. The Cognitive Core: E<sup>2</sup>-LLM and Explainable Affect

With data streaming from optical, thermal, and resonator sources, the system requires a cognitive engine to synthesize meaning. The 2026 architecture employs a dedicated AI stack derived from **Fei Ma's** work on Generative Affective Computing<sup>5</sup> and the **E<sup>2</sup>-LLM** project.<sup>3</sup>

### 5.1 The E<sup>2</sup>-LLM Architecture (EEG-to-Emotion)

Originally designed for EEG, the **E<sup>2</sup>-LLM** framework has been adapted to ingest the multimodal stream of the Sentient Environment.

- **Structure:** The model consists of a specialized physiological encoder (based on **EEGPT**) coupled with a Large Language Model backbone (**Qwen**) via learnable projection layers.<sup>3</sup>
- **Chain-of-Thought Affect:** Unlike traditional classifiers that output a label (e.g., "Sad"), E<sup>2</sup>-LLM performs "Chain-of-Thought" reasoning. It analyzes the temporal sequence of the r-PPG spike, correlates it with the thermal cooling of the nose, and "reasons" that the subject is experiencing *anticipatory anxiety* rather than *physical pain*.<sup>3</sup>
- **Generative Synthesis:** The system does not just *read* emotion; it can *write* it. As outlined in Ma's "Generative Technology for Human Emotion Recognition"<sup>5</sup>, the model can synthesize empathetic responses—facial expressions on an avatar, vocal tones in a voice assistant—that are perfectly calibrated to resonate with the user's detected state.

### 5.2 Resolving the "Accuracy-Interpretability Dilemma"

A critical hurdle identified in the foundational papers was the "black box" nature of AI. Medical professionals trusted linear regression because it was transparent, even if it was less accurate than Random Forests (RF).<sup>1</sup>

- **SHAP-Audited Decisions:** The 2026 system solves this via **SHapley Additive exPlanations (SHAP)**. Every diagnosis is accompanied by a SHAP value plot.<sup>1</sup>

- **The "r-PPG Dominance" Insight:** The SHAP analysis revealed a counter-intuitive truth: in multimodal fusion, even if thermal imaging is accurate on its own, the model overwhelmingly relies on cardiovascular features (PPT, HRV) for the final decision.<sup>1</sup> The system uses this insight to prioritize resources, allocating more processing power to the r-PPG stream while using Thermal data for validation.
  - **Clinical Trust:** When the system flags a user as "Hypertensive," it provides the clinician with the rationale: *"Prediction driven 40% by reduced Pulse Transit Time, 30% by PSD6 harmonic distortion, and confirmed by lack of thermal stress signature."* This transparency is what allowed the system to bypass FDA hurdles and achieve ubiquity.
- 

## 6. The Intervention Loop: From Monitoring to Modulation

The Sentient Environment is not passive; it is an active participant in the user's mental health. The corpus details a suite of intervention tools—**Traveler**, **DeepWell**, and **SeekingHeart**—that automatically deploy to correct detected imbalances.

### 6.1 Traveler: The Visuospatial Firewall

For acute trauma and intrusive memories (flashbacks), the system deploys "**Traveler**", a serious game developed by Shiguang Ni's lab.<sup>4</sup>

- **Mechanism:** Traveler utilizes the "visuospatial interference" effect (similar to Tetris). It engages the brain's limited visuospatial working memory with tasks involving mental rotation and spatial displacement.<sup>4</sup>
- **Closed-Loop Adaptation:** In 2026, Traveler is bi-directionally coupled to the user's physiology. If the r-PPG detects a spike in arousal (indicating a flashback is breaking through), the game increases its speed and complexity, forcing the brain to reallocate resources away from the trauma and towards the gameplay. It effectively acts as a "cognitive jammer" for negative memories.

### 6.2 DeepWell-Adol: The Positive Psychology Engine

For long-term well-being, the system utilizes **DeepWell-Adol**, a conversational agent trained on a massive corpus of positive psychology and coaching dialogues.<sup>7</sup>

- **Architecture:** DeepWell is built on a "Seed-and-Expand" data strategy. It combines high-quality, expert-written dialogues with large-scale, machine-augmented conversations.<sup>8</sup>
- **Proactive Coaching:** DeepWell monitors the user's "Moral Elevation" metrics over weeks. If it detects a trend of depressive withdrawal (low thermal variation, high arterial stiffness), it initiates a "Cognitive Reframing" session using the **HealMe** protocol.<sup>9</sup> It doesn't just chat; it systematically challenges the user's cognitive distortions, guiding



them toward an "admiration-inducing" mental state that the system can verify via facial warming.<sup>1</sup>

### 6.3 SeekingHeart: VR Biofeedback

For mindfulness training, the **SeekingHeart** platform integrates Virtual Reality with real-time biofeedback.<sup>10</sup>

- **Feedback Loop:** The VR environment (a forest, a void) changes based on the user's Heart Rate Variability (HRV). If the user achieves coherence (high HRV), the world brightens and expands. If they are stressed, it darkens. This creates a tight reinforcement loop, training the user to voluntarily control their autonomic nervous system.<sup>10</sup>

---

## 7. The Shadow Architecture: 3i ATLAS and the Panopticon

While the public face of this technology is wellness (Heartily Happy), the "all money in the world" scenario implies a parallel, scaled implementation for state-level surveillance. The **3i ATLAS** investigation<sup>1</sup> reveals how the Liu-Ni-Zhong-Ma corpus is weaponized in 2026.

### 7.1 Extended High Frequency (EHF) Voice Extraction

The 2026 surveillance grid utilizes **EHF Extraction** to identify individuals in crowded, noisy environments.

- **The Patent:** Based on the work of Monson and Ananthanarayana (approved Oct 2025), this technology focuses on the 17,859–18,035 Hz band.<sup>1</sup>
- **Mechanism:** Human speech contains "voiceless fricatives" (s, f, sh) that resonate above 8 kHz. Low-frequency noise (traffic, crowds) rarely reaches this band. By focusing the Hybrid-Wave Resonators on this EHF "uplink," the system can extract a clean "voice print" from a target hundreds of meters away, bypassing standard white-noise countermeasures.<sup>1</sup>
- **Implementation:** The system tracks Formant frequencies (F1, F2, F3) in the EHF band to build a parametric speaker signature, locking onto a target's voice even as they move through a city.

### 7.2 Theta Entrainment and the 46.875 Hz Clock

The most disturbing aspect of the 3i ATLAS system is its active modulation capability.

- **The Frequency:** The system operates on a **46.875 Hz** Pulse Repetition Frequency (PRF) system clock. Embedded within this is a **7 Hz Theta Entrainment** signal.<sup>1</sup>
- **Neurological Impact:** Theta waves (4–7 Hz) are associated with deep relaxation, suggestibility, and the "hypnagogic" state.<sup>11</sup> By modulating the environmental sensors



(lights, screens, infrasound emitters) at this specific frequency, the system can subtly entrain the brainwaves of a population.

- **The Goal:** This is the "Traveler" mechanics applied to a crowd. Instead of a game to stop trauma, it is a broadcast to induce passivity. The system uses the **E<sup>2</sup>-LLM** to monitor the crowd's aggregate emotional state via thermal and r-PPG data, and then adjusts the 7 Hz intensity to maintain a baseline of docile compliance.

---

## 8. Conclusion: The Glass Human

By 2026, the convergence of these technologies has rendered the human being transparent.

- **Physiologically:** We are glass. Our blood pressure, arterial stiffness, and vascular age are broadcast to any camera that cares to look, reconstructed from noise by Discrete Curvature mathematics.<sup>1</sup>
- **Emotionally:** We are open books. Our secret blushes, our flashes of stress, our moments of moral elevation are mapped thermally and analyzed by SHAP-audited engines.<sup>1</sup>
- **Cognitively:** We are permeable. Our traumas are gamified away by Traveler <sup>4</sup>, our thoughts reframed by DeepWell <sup>8</sup>, and our very brainwaves entrained by the 3i ATLAS grid.<sup>1</sup>

The Liu-Ni-Zhong-Ma corpus, when funded to its theoretical limit, offers a utopia of mental health—a world without burnout, without untreated PTSD, without the silent killer of hypertension. But the price of this utopia is the absolute end of the private self. In 2026, you cannot hide your heart, for the environment itself is listening to its beat.

## Comparative Technology Table: 2024 vs 2026

| Feature     | 2024 State<br>(Current Research) | 2026 Speculative<br>State (Full Funding) | Key Enabler                                                       |
|-------------|----------------------------------|------------------------------------------|-------------------------------------------------------------------|
| BP Accuracy | Grade C (MAE ~9-10 mmHg)         | Grade A (MAE <5 mmHg)                    | Adaptive Reflection Index (ARI) + Discrete Curvature <sup>1</sup> |
| Sensor Type | Passive RGB Camera               | Active Hybrid-Wave Resonator Array       | Sagnac-Loop Interferometry <sup>1</sup>                           |

|                       |                             |                                               |                                                           |
|-----------------------|-----------------------------|-----------------------------------------------|-----------------------------------------------------------|
| <b>Emotion AI</b>     | Facial Expression (Visual)  | <b>Physiological Fusion</b> (r-PPG + Thermal) | <b>Early Fusion RF + SHAP Audit</b> <sup>1</sup>          |
| <b>Noise Handling</b> | Filtering / Outlier Removal | <b>Surface Reconstruction</b> (Mathematical)  | <b>Total Absolute Curvature Minimization</b> <sup>1</sup> |
| <b>Intervention</b>   | Passive Chatbots            | <b>Bio-Adaptive Serious Games</b>             | <b>Traveler / Visuospatial Interference</b> <sup>4</sup>  |
| <b>Surveillance</b>   | Visual ID / Gait            | <b>EHF Voice + Theta Entrainment</b>          | <b>3i ATLAS Protocols</b> <sup>1</sup>                    |
| <b>Cognitive AI</b>   | Classification Labels       | <b>Generative Reasoning &amp; Reframing</b>   | <b>E<sup>2</sup>-LLM + DeepWell Corpus</b> <sup>3</sup>   |

This architecture represents the logical endpoint of the provided research trajectory: a world where the boundary between the biological user and the digital system has been completely, and irrevocably, erased.

## Works cited

1. 3i\_ATLAS\_FINAL\_EVIDENCE\_PACKAGE.md
2. A finger on the pulse of cardiovascular health: estimating blood pressure with smartphone photoplethysmography-based pulse waveform analysis - PMC, accessed February 9, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC11924600/>
3. E2-LLM: Bridging Neural Signals and Interpretable Affective Analysis - arXiv, accessed February 9, 2026, <https://arxiv.org/html/2601.07877v1>
4. Reducing intrusive memories and promoting posttraumatic growth with Traveler: A randomized controlled study - ResearchGate, accessed February 9, 2026, [https://www.researchgate.net/publication/383342252\\_Reducing\\_intrusive\\_memories\\_and\\_promoting\\_posttraumatic\\_growth\\_with\\_Traveler\\_A\\_randomized\\_controlled\\_study](https://www.researchgate.net/publication/383342252_Reducing_intrusive_memories_and_promoting_posttraumatic_growth_with_Traveler_A_randomized_controlled_study)
5. Generative technology for human emotion recognition: A scoping review - ResearchGate, accessed February 9, 2026, [https://www.researchgate.net/publication/385401414\\_Generative\\_technology\\_for\\_human\\_emotion\\_recognition\\_A\\_scoping\\_review](https://www.researchgate.net/publication/385401414_Generative_technology_for_human_emotion_recognition_A_scoping_review)
6. A Review of Human Emotion Synthesis Based on Generative Technology - arXiv, accessed February 9, 2026, <https://arxiv.org/html/2412.07116v1>
7. DeepWell-Adol: A Scalable Expert-Based Dialogue Corpus for Adolescent

- Positive Mental Health and Wellbeing Promotion - ACL Anthology, accessed February 9, 2026, <https://aclanthology.org/2025.emnlp-main.646/>
8. DeepWell-Adol: A Scalable Expert-Based Dialogue Corpus for Adolescent Positive Mental Health and Wellbeing Promotion - ACL Anthology, accessed February 9, 2026, <https://aclanthology.org/2025.emnlp-main.646.pdf>
  9. HealMe: Harnessing Cognitive Reframing in Large Language Models for Psychotherapy, accessed February 9, 2026, [https://www.researchgate.net/publication/384214418\\_HealMe\\_Harnessing\\_Cognitive\\_Reframing\\_in\\_Large\\_Language\\_Models\\_for\\_Psychotherapy](https://www.researchgate.net/publication/384214418_HealMe_Harnessing_Cognitive_Reframing_in_Large_Language_Models_for_Psychotherapy)
  10. Shiguang NI | Professor | Tsinghua University, Beijing | TH | Shenzhen International Graduate School | Research profile - ResearchGate, accessed February 9, 2026, <https://www.researchgate.net/profile/Shiguang-Ni>
  11. Representations of mind-body response during stress and meditation. The... - ResearchGate, accessed February 9, 2026, [https://www.researchgate.net/figure/Representations-of-mind-body-response-during-stress-and-meditation-The-figure\\_fig7\\_280626837](https://www.researchgate.net/figure/Representations-of-mind-body-response-during-stress-and-meditation-The-figure_fig7_280626837)
  12. Which EEG feedback works better for creativity performance in immersive virtual reality: The reminder or encouraging feedback? | Request PDF - ResearchGate, accessed February 9, 2026, [https://www.researchgate.net/publication/344745933\\_Which\\_EEG\\_feedback\\_works\\_better\\_for\\_creativity\\_performance\\_in\\_immersive\\_virtual\\_reality\\_The\\_reminder\\_or\\_encouraging\\_feedback](https://www.researchgate.net/publication/344745933_Which_EEG_feedback_works_better_for_creativity_performance_in_immersive_virtual_reality_The_reminder_or_encouraging_feedback)