



Comment	Description	Designator	Footprint	LibRef	Quantity
		15, S4, S5, S6, S7, S8, S9, S10,			
AJ		S11, S12, S13,	SKOE	贴片按键	16
		S14, S16, S17,			
Im		S18, S19		100 11 001	_
螺丝孔		A, B, C, D, E	LUOSIKONG	螺丝孔	5
BELL		BEEP	BUZZER	BELL	1
		C1, C2, C5, C7, C8, C9, C11,			
0.1U		C12, C13, C14,	C0805	С	14
		C15, C16, C17,			
		C22			
10		C3, CR1	C0805	С	2
3.3U		C4	C0805	С	1
330P		C6	C0805	С	1
47U		C10, C18, C19, C20, C27	RVT 16V	贴片电解电容	5
10U		C21	RVT 16V	贴片电解电容	1
		C23, C24, C25,			
10P		C26	C0805	С	4
D		D1, D2, D3, D4	D-DIODE-0805	D	4
DS4X8		DS1, DS2	DPY-4X8	DS4X8	2
COM2		DSP, JSP	SIP-2	COM2	2
WR2.5		J1	PW 2.5	PWR2.5	1
DP6		J2	SIP-3X2	OP6	1
20		J3, J10, J11	SIP-20 -	P20	3
			duplicate		
COM3		J5, J13, LSP	SIP-3	COM3	3
COM4		J7	SIP-4	COM4	1
COM5X2		J12	SIP-5X2	COM5X2	1
?		JS1	RT-16	JS	1
Г		JS2	RT-16	JS	1
<2		k1	HK-4100-F	K2	1
		L1, L2, L3, L4,			
.ED		L5, L6, L7, L8,	L0805	LED	12
ona.		L9, L10, L11, L12	SID 47	LCD16	
.CD16		LCD1	SIP-16		1
_CD20		LCD2	SIP-20	LCD20	1
NF		LD1	LED-LNF	INF	1
官方logo2		logo	官方LOGO2.0	官方logo2	1
10K		R1, R3, R6, R7,	R0805	R	10
IUK		R9, R11, R13, R14, R27, R31	RUBUS	K	10
10		R2, R23	R0805	R	2
1K		R4, R10, R12	R0805	R	3
200K		R5	R0805	R	1
100		R8	R0805	R	1
		R15, R16, R17,			
		R18, R19, R20,			
300		R21, R22, R24,	R0805	R	18
		R28, R32, R33,			
		R40, R41, R42,			
1001/		R43, R44, R45 R34, R35, R36,	DOOOF		
100K		R37, R38, R39	R0805	R	6
10K		RB1, RB4	VR-3 10	RB	2
RB		RB2, RB3	VR-3 10	RB	2
RD		RD1	AXIAL-0.2	RD	1
SW		S1	SKOE	贴片按键	1
(G		S3	SW-PB	KG	1
		U1	LQFP44 -		1
STC15			duplicate	STC15	
CH340C		U3	SOP-16	CH340C	1
AT24C02		U4	SOP-8	AT24C02	1
18B20		U5	TO-92	18B20	1
CH573		U6, U7, U8, U9	TSOP-20(宽体)	CH573	4
JLM2003		U10	SOP-16	ULM2003	1
CX20106A		U11	DIP-8	CX20106A	1
.M386		U14	SOP-8	LM386	1
NE555		U15	SOP-8	NE555	1
PCF8951		U16	TSOP-16(宽体)	PCF8951	1
74LS04		U18	SOP-14	74LS04	1
OS1302		U19	SOP-8	DS1302	1
1838		U20	TO-92-A	1838	1
HALL		U21	TO92-3	HALL	1
DS8X8		U22	DPY-8X8	DS8X8	1
74HC138		U24	SOP-16	74HC138	1
74HC02		U25	SOP-14	74HC02	1
.M324		U26	SOP-14	LM324	1
		U33	D0	洞洞板	1
			USB-B	USB_A	1
USB_A 32.768K		USB1 Y3	XTAL1-37K	Y3	1