Intrusion Report I

CDC Team 9: Team 5

Table of Contents

Table of Contents 2
Introduction 3
Access Attempts 3
Machine Account Logins (Kerberos) 3
Successful Logins 3
Observations 3
Suspicious Activity 4
WMI Activity on AD 4
FIPS Self-Tests 4
No SSH/Brute Force Activity 4
Assessment of Impact 4
Confirmed Activity 4
Not Shown in Current Results 4
Note on validation 5

Introduction

Timeframe: This comes from the past 2.5 hours. (2026-04-25 11:59 thru 14:24 UTC)

This report analyzes 10,000+ logs from the past 2h25m for Team 9's environment, focusing on the following.

- Authentication events involving Kerberos, NTLM, machine account logins.
- Service account activity on servers such as WMS LP and AD.
- Potential anomalies (e.g., `WMI` activity, `FIPS` self-tests).
- No logs from `www.team9.isucdc.com` or `db.team9.isucdc.com` were found in this timeframe.

No evidence of flag loss or confirmed compromise is shown in the current results. We confirm this because no flags have been lost by us so far on iscore.

Access Attempts

Machine Account Logins (Kerberos)

Successful Logins

Server	Host	IP	Count	Logon Type	Notes
AD	`ad.team9.isucdc.com`	`33.96.50.10`	10	3 (Network)	Local/DC communi
LP	`lp.team9.isucdc.com`	`33.96.50.30`	3	3 (Network)	Kerberos TGT/service tickets.
WMS	`wms.team9.isucdc.com`	`33.96.50.40`	1	3 (Network)	Single login/logout event.

Observations

- **AD logins:** Expected (domain controller authenticating itself).
- **LP logins:** Likely normal (machine account for `lp.team9.isucdc.com`).
- **WMS logins:** Single event; needs validation (is this a legitimate service account?).

Suspicious Activity

WMI Activity on AD

- **Event:** "`WMI Performance Adapter service entered the running state`" (14:23:25 UTC)
- **Process:** `WmiPrvSE.exe` (PID `0x1f1c`).
- **Context:** WMI is often abused for lateral movement or persistence
- **Risk:** Medium (requires validation).

FIPS Self-Tests

- **Event:** "`FIPS mode crypto selftests succeeded`" on AD and LP
- **Process:** `WmiPrvSE.exe`, `CompatTelRunner.exe` and `taskhostw.exe`.
- **Context:** FIPS mode enforces cryptographic standards. Self-tests are normal, but frequent tests may indicate tampering.
- **Risk:** Low (unless correlated with other anomalies).

No SSH/Brute Force Activity

No SSH logs (failed or successful) were found in this timeframe.

No brute force patterns were detected.

Assessment of Impact

Confirmed Activity

1. Legitimate machine account logins
    - AD, LP, and WMS logins are expected for domain operations.
2. WMI activity needs validation — Is WMI being used for legitimate administration?
3. The FIPS self-tests are likely normal, but frequency should be reviewed.

Not Shown in Current Results

- No logs from `www.team9.isucdc.com` or `db.team9.isucdc.com`.
    - This implies that they are secure and untampered with.
    - **No evidence** of Exploits, privilege escalation, data exfiltration, flag loss or backend abuse.

Note on validation

Due to time constraints, we were unable to validate all of our concerns were safe. However, we have an amount of confidence that we are not hacked at this time and that these potential issues are likely not dangerous.