University of Prishtina “Hasan Prishtina”

Faculty of Electrical and Computer Engineering

First Intrusion Report

Team 18: CyberBufi

Prishtinë, 2026

Table of Contents

Table of Figures 3

1. Flags identified..... 4
2. Active System and Services 5
3. Evidence collected 6

Table of Figures

Figure 1: Output of the PowerShell command displaying domain user account enumeration on the Active Directory host. 6

1. Flags identified

Flags identified: The investigation revealed multiple indicators of suspicious activity within the environment. The execution of a PowerShell command to enumerate domain accounts exposed several privileged and service accounts, including high value targets such as Administrator and krbtgt. This behavior suggests potential reconnaissance aimed at identifying valid usernames for future credential attacks or privilege escalation. The absence of a clear operational justification for this enumeration further strengthens the suspicion of unauthorized activity and indicates preparation for deeper intrusion stages.

2. Active System and Services

Analysis of the system showed that multiple critical services were active during the observation period. These included Active Directory Domain Services, which manage identity and access within the domain, as well as Kerberos authentication services that provide ticket based authentication mechanisms. DNS services were operational to support domain name resolution, while SMB services enabled file and resource sharing across the network. Furthermore, RPC services supported remote communication between systems, and the Windows Event Logging service was active to record security relevant and operational system activities.

3. Evidence collected

The investigation identified execution of a PowerShell command used to enumerate domain user accounts. The command output revealed multiple domain users, including privileged and service accounts, confirming successful account discovery within the Active Directory environment.



```
PS C:\Users\Administrator> net user

User accounts for \\AD

-------------------------------------------------------------------------------
Administrator            andrea.hall              DefaultAccount
edward.matthews          geoffrey.mitchell        Guest
joann.wilson             joy.newman               krbtgt
krystal.gray             leslie.brady             lorik
melissa.robles           MelosKqiku               michael.miranda
roger.cox                tompohl                  tompohl2
The command completed successfully.

PS C:\Users\Administrator>
```

Figure 1: Output of the PowerShell command displaying domain user account enumeration on the Active Directory host.