off & on again

Intrusion Report #3 - Team 3

Table of Contents

Table of Contents....2
AD....3
WWW....3
LP....7
WMS....8
DB....8

AD

At 14:09 we checked logs on AD for IPBan, and found two login failures for RDP. There were no LDAP requests in this period. The compromised low-level accounts are being actively monitored, and the bulk of activity happened elsewhere in the network during this period.

```
ndows-RemoteDesktopServices-RdpCoreTS/Operational'><Select Path='Microsoft-Windows-RemoteDesktopServices-RdpCoreTS/Operational'>*[System[(band(Keywords,4611686018427387904)
)]]</Select></Query><Query Id='11' Path='Application'><Select Path='Application'>*[System[(band(Keywords,36028797018963968))]]</Select></Query><Query Id='12' Path='System'>
<Select Path='System'>*[System[(band(Keywords,36028797018963968))]]</Select></Query><Query Id='13' Path='Security'><Select Path='Security'>*[System[(band(Keywords,923237923
6109516800))]]</Select></Query><Query Id='14' Path='Microsoft-Windows-TerminalServices-LocalSessionManager/Operational'><Select Path='Microsoft-Windows-TerminalServices-Loc
alSessionManager/Operational'>*[System[(band(Keywords,1152921504606846976))]]</Select></Query><Query Id='15' Path='Application'><Select Path='Application'>*[System[(band(Ke
ywords,36028797018963968))]]</Select></Query><Query Id='16' Path='Application'><Select Path='Application'>*[System[(band(Keywords,36028797018963968))]]</Select></Query><Que
ry Id='17' Path='System'><Select Path='System'>*[System[(band(Keywords,9232379236109516800))]]</Select></Query><Query Id='18' Path='Application'><Select Path='Application'>
*[System[(band(Keywords,4503599627370960))]]</Select></Query></QueryList>
2026-04-24 21:59:05.0723|WARN|IPBan|Ignoring event viewer paths: OpenSSH/Operational,VisualSVNServer,Microsoft-Windows-TerminalServices-Gateway/Operational,OpenSSH/Operatio
nal
2026-04-24 21:59:05.1491|INFO|IPBan|Local ip address: 192.168.1.10
2026-04-24 21:59:06.3003|INFO|IPBan|Remote ip address: 129.186.205.34
2026-04-24 21:59:06.3003|INFO|IPBan|FQDN: team3.isucdc.com.ad
2026-04-24 21:59:06.3424|WARN|IPBan|Updating firewall with 0 entries...
2026-04-24 21:59:06.3424|INFO|IPBan|Firewall entries updated:
2026-04-24 21:59:06.3586|WARN|IPBan|IPBan is running correctly. You can perform a failed ssh or rdp login and watch this log to verify functionality.
2026-04-24 22:03:06.7335|WARN|IPBan|Login succeeded, address: 199.100.16.101, user name: oaoa, source: RDP
2026-04-24 22:20:53.3907|WARN|IPBan|Login failure: 199.100.16.101, , RDP, 1, 14, reason:
2026-04-24 22:25:23.8002|WARN|IPBan|Login failure: 199.100.16.101, , RDP, 2, 14, reason:
PS C:\Users\Administrator>
```

WWW

Doing rounds at 12:39 logs for WWW. Checked seclog, and found normal activity. Jacqueline closed multiple sessions, nothing malicious suspected. Checked ‘who’ no users logged in.

```
acqueline.elliott by (uid=0)
Apr 25 12:34:58 www sshd[496551]: pam_unix(sshd:session): session opened for user jacqueline.e
lliott by (uid=0)
Apr 25 12:34:58 www sshd[496551]: pam_unix(sshd:session): session closed for user jacqueline.e
lliott
Apr 25 12:35:08 www systemd[496597]: pam_unix(systemd-user:session): session closed for user j
acqueline.elliott
```

At 12:45 we checked error logs for WWW and found that the red team is scanning our server (possibly using nmap). The red team has also created new users on the server, going to monitor this for now.

```
None
[2026-04-25 11:24:58,562] WARNING in __init__: Rejected request: invalid Host
'0.0.0.0' from 12.110.242.155
[2026-04-25 11:24:58,585] WARNING in __init__: Rejected request: invalid Host
'0.0.0.0' from 12.110.242.155
[2026-04-25 11:24:58 -0500] [1549] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP Version: 'RTSP/1.0'
[2026-04-25 11:25:03,607] WARNING in __init__: Rejected request: invalid Host
'0.0.0.0' from 12.110.242.155
```

```
[2026-04-25 11:25:03 -0500] [1518] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP request line: ''
[2026-04-25 11:25:18 -0500] [1524] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP request line: 'HELP'
[2026-04-25 11:25:23 -0500] [1524] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP request line: '\x03\x00\x00*%à\x00\x00\x00\x00\x00Cookie:
mstshash=nmap'
[2026-04-25 11:25:53 -0500] [1519] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP Version: 'SIP/2.0'
[2026-04-25 11:26:18,492] INFO in auth: [user.name] registered new account from
49.10.235.223
[2026-04-25 11:26:29,344] INFO in auth: [user.name] logged in from 49.10.235.223
[2026-04-25 11:26:32,751] INFO in auth: [user.name] logged out from 49.10.235.223
[2026-04-25 11:27:58,838] INFO in auth: [test] registered new account from
12.110.226.164
[2026-04-25 11:28:03,629] INFO in auth: [test] logged in from 12.110.226.164
[2026-04-25 11:28:20,258] WARNING in __init__: Rejected request: invalid Host
'0.0.0.0' from 12.110.242.155
[2026-04-25 11:28:20,283] WARNING in __init__: Rejected request: invalid Host
'0.0.0.0' from 12.110.242.155
[2026-04-25 11:28:20 -0500] [1544] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP Version: 'RTSP/1.0'
[2026-04-25 11:28:25,303] WARNING in __init__: Rejected request: invalid Host
'0.0.0.0' from 12.110.242.155
[2026-04-25 11:28:25 -0500] [1524] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP request line: ''
[2026-04-25 11:28:40 -0500] [1518] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP request line: 'HELP'
[2026-04-25 11:28:45 -0500] [1518] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP request line: '\x03\x00\x00*%à\x00\x00\x00\x00\x00Cookie:
mstshash=nmap'
[2026-04-25 11:29:15 -0500] [1524] [WARNING] Invalid request from ip=12.110.242.155:
Invalid HTTP Version: 'SIP/2.0'
[2026-04-25 11:30:20,091] INFO in auth: [lpalmer] registered new account from
12.110.242.118
[2026-04-25 11:30:25,703] INFO in auth: [lpalmer] logged in from 12.110.242.118
[2026-04-25 11:31:38,530] INFO in auth: [test] logged in from 12.110.226.164
[2026-04-25 12:32:43,503] INFO in auth: [taco] registered new account from
12.110.242.128
[2026-04-25 12:32:51,154] INFO in auth: [taco] logged in from 12.110.242.128
```

Continuing to monitor error logs we are still getting invalid requests from IP address 12.110.226.162 on WWW. Going to keep a close eye on users with open shells on

WWW.

```
2.110.226.162
[2026-04-25 12:58:09 -0500] [1544] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP Version: 'RTSP/1.0'
[2026-04-25 12:58:14,251] WARNING in __init__: Rejected request: invalid Host '0.0.0.0' from 1
2.110.226.162
[2026-04-25 12:58:14 -0500] [1466] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP request line: ''
[2026-04-25 12:58:29 -0500] [1519] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP request line: 'HELP'
[2026-04-25 12:58:34 -0500] [1519] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP request line: '\x03\x00\x00*%à\x00\x00\x00\x00\x00Cookie: mstshash=nmap'
[2026-04-25 12:59:04 -0500] [1466] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP Version: 'SIP/2.0'
[root@www ~]#
```

13:19 readbeard failed to login to WWW, watching logs VERY closely now. Groped securelog, no admin activity from redbeard.

```
 from 12.110.242.128
[2026-04-25 13:19:55,844] WARNING in auth: [redbeard] failed login from 12.110.242.127
[root@www ~]#
```

Checked sessions on WWW at 13:06, no suspicious activity. Jacqueline open and closing sessions.

```
uid=0 tty=ssh ruser= rhost=12.110.242.175 user=jacqueline.elliott
Apr 25 12:59:58 www systemd[508455]: pam_unix(systemd-user:session): session opened for user j
acqueline.elliott by (uid=0)
Apr 25 12:59:58 www sshd[508448]: pam_unix(sshd:session): session opened for user jacqueline.e
lliott by (uid=0)
Apr 25 12:59:58 www sshd[508448]: pam_unix(sshd:session): session closed for user jacqueline.e
lliott
Apr 25 13:00:08 www systemd[508458]: pam_unix(systemd-user:session): session closed for user j
acqueline.elliott
Apr 25 13:04:57 www sshd[510810]: pam_sss(sshd:auth): authentication success; logname= uid=0 e
uid=0 tty=ssh ruser= rhost=68.32.254.50 user=jacqueline.elliott
Apr 25 13:04:58 www systemd[510844]: pam_unix(systemd-user:session): session opened for user j
acqueline.elliott by (uid=0)
Apr 25 13:04:58 www sshd[510810]: pam_unix(sshd:session): session opened for user jacqueline.e
lliott by (uid=0)
Apr 25 13:04:58 www sshd[510810]: pam_unix(sshd:session): session closed for user jacqueline.e
lliott
```

Checked error logs at 13:16 and saw that Palmer placed an order and taco updated credit card information on the site. No issues so far, going to closely monitor this log.

host-03 - Proxmox Console - Google Chrome

pve.iseage.org/?console=kvm&xtermjs=1&vmid=197&vmname=Team-03-WWW&node=host-03&cmd=

```
[2026-04-25 12:58:14 -0500] [1466] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP request line: ''
[2026-04-25 12:58:29 -0500] [1519] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP request line: 'HELP'
[2026-04-25 12:58:34 -0500] [1519] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP request line: '\x03\x00\x00*%à\x00\x00\x00\x00\x00Cookie: mstshash=nmap'
[2026-04-25 12:59:04 -0500] [1466] [WARNING] Invalid request from ip=12.110.226.162: Invalid H
TTP Version: 'SIP/2.0'
[2026-04-25 13:08:37,335] INFO in auth: [lpalmer] logged in from 12.110.242.118
[2026-04-25 13:14:16,568] INFO in order: [lpalmer] updated payment info (card last4=0126) from
 12.110.242.118
[2026-04-25 13:14:24,762] INFO in order: [lpalmer] placing order barcode=19Es0fHsCY items=[1x2
] user_id=18 from 12.110.242.118
[2026-04-25 13:14:25,053] INFO in order: [lpalmer] order placed successfully (barcode=19Es0fHs
CY) from 12.110.242.118
[2026-04-25 13:15:06,752] INFO in order: [taco] updated payment info (card last4=0005) from 12
.110.242.128
[root@www ~]#
```

Checked seclog on WWW and found that a user tried getting root access and failed. Continuing to monitor seclog.

```
Apr 25 14:07:38 www sshd[540072]: pam_unix(sshd:auth): authentication failure; logname= uid=
0 euid=0 tty=ssh ruser= rhost=12.110.242.127  user=root
Apr 25 14:07:47 www unix_chkpwd[540075]: password check failed for user (root)
Apr 25 14:07:55 www unix_chkpwd[540084]: password check failed for user (root)
Apr 25 14:07:58 www sshd[540072]: PAM 2 more authentication failures; logname= uid=0 euid=0
tty=ssh ruser= rhost=12.110.242.127  user=root
```

User registered/created on WWW for rusty, no malicious activity in seclog.

```
 12.110.242.128
[2026-04-25 14:23:35,155] INFO in auth: [rusty.shackleford] registered new account from 12.1
10.206.199
[2026-04-25 14:23:41,961] INFO in auth: [rusty.shackleford] logged in from 12.110.206.199
```

Rusty Shackleford is a malicious user attempting to use MySQL injection on orders. More details in the DB section. Below shows this user attempting to insert unsafe characters:

```
[2026-04-25 13:19:55,844] WARNING in auth: [redbeard] failed login from 12.110.242.127
[2026-04-25 13:30:32,999] INFO in auth: [lori.petersen] logged in from 49.10.235.223
[2026-04-25 13:55:25,176] WARNING in __init__: Rejected request: invalid Host '0.0.0.0' from 12.110.242.128
[2026-04-25 13:55:25,240] WARNING in __init__: Rejected request: invalid Host '0.0.0.0' from 12.110.242.128
[2026-04-25 13:55:30,285] WARNING in __init__: Rejected request: invalid Host '0.0.0.0' from 12.110.242.128
[2026-04-25 14:23:35,155] INFO in auth: [rusty.shackleford] registered new account from 12.110.206.199
[2026-04-25 14:23:41,961] INFO in auth: [rusty.shackleford] logged in from 12.110.206.199
[2026-04-25 14:24:37,423] INFO in order: [rusty.shackleford] updated payment info (card last4=0000) from 12.110.206.199
[2026-04-25 14:24:49,418] INFO in auth: [rusty.shackleford] updated shipping address (length=142 chars) from 12.110.206.199
[2026-04-25 14:25:17,442] INFO in order: [rusty.shackleford] placing order barcode=ZvUNPNFGo1 items=[1x1] user_id=20 from 12.110.206.199
[2026-04-25 14:25:17,759] INFO in order: [rusty.shackleford] order placed successfully (barcode=ZvUNPNFGo1) from 12.110.206.199
[2026-04-25 14:26:09,812] WARNING in auth: [select * from users;] failed login (invalid username format) from 12.110.242.127
[2026-04-25 14:26:24,016] WARNING in order: [rusty.shackleford] order rejected: invalid barcode from 12.110.206.199
[2026-04-25 14:27:42,992] WARNING in order: [rusty.shackleford] order rejected: invalid barcode from 12.110.206.199
[2026-04-25 14:27:47,202] INFO in order: [rusty.shackleford] placing order barcode=asdf items=[1x1] user_id=20 from 12.110.206.199
[2026-04-25 14:27:47,452] INFO in order: [rusty.shackleford] order placed successfully (barcode=asdf) from 12.110.206.199
[2026-04-25 14:28:29,061] WARNING in order: [rusty.shackleford] order rejected: invalid cart payload from 12.110.206.199
[2026-04-25 14:28:42,032] WARNING in order: [rusty.shackleford] order rejected: invalid cart payload from 12.110.206.199
[2026-04-25 14:28:57,202] WARNING in order: [rusty.shackleford] order rejected: invalid barcode from 12.110.206.199
[2026-04-25 14:38:22 -0500] [1224] [CRITICAL] WORKER TIMEOUT (pid:1524)
[2026-04-25 14:38:22 -0500] [1524] [ERROR] Error handling request (no URI read)
Traceback (most recent call last):
  File "/var/www/cdc-frontend/www/.venv/lib64/python3.8/site-packages/gunicorn/workers/sync.py", line 133, in handle
```

LP

The LP experienced standard share access:

Audit Success	4/25/2026 1:33:26 PM	Microsoft Windows security ...	5145	Detailed File S
Audit Success	4/25/2026 1:33:23 PM	Microsoft Windows security ...	5145	Detailed File S
Audit Success	4/25/2026 1:33:15 PM	Microsoft Windows security ...	5145	Detailed File S
Audit Success	4/25/2026 1:33:15 PM	Microsoft Windows security ...	5145	Detailed File S
Audit Success	4/25/2026 1:33:13 PM	Microsoft Windows security ...	5145	Detailed File S
Audit Success	4/25/2026 1:33:13 PM	Microsoft Windows security ...	5145	Detailed File S
Audit Success	4/25/2026 1:33:08 PM	Microsoft Windows security ...	5145	Detailed File S
Audit Success	4/25/2026 1:33:05 PM	Microsoft Windows security ...	5145	Detailed File S

However, the known-compromised sandra.henderson account, who is a customer with no reason to access the share, also attempted:

A network share object was checked to see whether client can be granted desired access.

Subject:

Security ID:	TEAM3\sandra.henderson
Account Name:	sandra.henderson
Account Domain:	TEAM3
Logon ID:	0x10120B0

Network Information:

Object Type:	File

We have verified that no foothold was planted and that Sandra was correctly denied access.

FROM: Combustion Dynamics Corp.
1832 SW Executive Center Dr.
Boca Raton, FL 33431

SHIP TO: Rusty Shackleford
'; CREATE USER 'backdoor'@'%' IDENTIFIED BY '

WEIGHT: 1 lb 4 oz

A rendered label shows remnants of failed SQL injection. More is detailed in other areas of this document.

WMS

We flushed fail2ban and relaxed our rules per white team instructions. Afterwards, new fail2ban activity began.

Apr 25, 2026 @ 18:01:38.072	wms.team3.isucdc.com	-	68.32.238.119	Fail2ban activity: Unban for IP 68.32.238.119 in jail sshd	Apr 25 18:01:48 wms.team3.isucdc.com fail2ban.actions[356388]: NOTICE [sshd] Unban 68.32.238.119	Unban	-
Apr 25, 2026 @ 18:01:38.002	wms.team3.isucdc.com	-	68.32.238.119	Fail2ban activity: Unban for IP 68.32.238.119 in jail sshd	2026-04-25T18:01:48.565892+00:00 wms fail2ban.actions[356388]: NOTICE [sshd] Unban 68.32.238.119	Unban	-

Apr 25, 2026 @ 17:57:44.443	DB	-	-	Fail2ban activity: for IP in jail	Apr 25 17:57:54 db.team3.isucdc.com fail2ban.actions[22265]: INFO Set banTime = 600	-	-
Apr 25, 2026 @ 17:57:44.283	DB	-	-	Fail2ban activity: for IP in jail	Apr 25 12:57:54 db fail2ban.actions[22265]: INFO Set banTime = 600	-	-

After attempting and failing to brute force or escalate a normal user, attackers attempted SQL injection and other website entry escape methods. We verified that no errors occurred in WMS and all API requests executed as intended.

```
Apr 25 19:27:50 wms.team3.isucdc.com java[758]: 2026-04-25T19:27:50.215Z  INFO [af24f963e53d4fc8a6f5c2455c212bff] [io-8080-exec-13] com.iseage.wms.access
http_request method=POST path=/api/order/place status=200 durationMs=122 clientIp=192.168.1.20 principal=www-connect
Apr 25 19:29:59 wms.team3.isucdc.com java[758]: 2026-04-25T19:29:59.954Z  INFO [260b6fd4f6db43ddb5abd3e2bab83e69] [nio-8080-exec-3] com.iseage.wms.access
http_request method=GET path=/api/item/all status=200 durationMs=18 clientIp=12.110.242.206 principal=anonymous
Apr 25 19:34:59 wms.team3.isucdc.com java[758]: 2026-04-25T19:34:59.621Z  INFO [a6b053b3c4664876ab0f2724b2c6857c] [nio-8080-exec-9] com.iseage.wms.access
http_request method=GET path=/api/item/all status=200 durationMs=22 clientIp=68.32.254.50 principal=anonymous
Apr 25 19:39:59 wms.team3.isucdc.com java[758]: 2026-04-25T19:39:59.495Z  INFO [084df89f9d4c48ee82f476328049268b] [nio-8080-exec-5] com.iseage.wms.access
http_request method=GET path=/api/item/all status=200 durationMs=19 clientIp=12.110.242.207 principal=anonymous
Apr 25 19:44:59 wms.team3.isucdc.com java[758]: 2026-04-25T19:44:59.517Z  INFO [4a51b8e00a2b4e1185abe515e37dcc3b] [io-8080-exec-12] com.iseage.wms.access
http_request method=GET path=/api/item/all status=200 durationMs=30 clientIp=68.32.254.50 principal=anonymous
Apr 25 19:45:22 wms.team3.isucdc.com java[758]: 2026-04-25T19:45:22.684Z  INFO [d58acd51ce8a4ef78acaffde12b02824] [io-8080-exec-13] com.iseage.wms.access
http_request method=GET path=/api/item/all status=200 durationMs=13 clientIp=192.168.1.20 principal=www-connect
Apr 25 19:45:41 wms.team3.isucdc.com java[758]: 2026-04-25T19:45:41.860Z  INFO [fefd3f95171f44e7aa12bac54011e430] [nio-8080-exec-3] com.iseage.wms.Label.LabelGenerator
label_file_written
Apr 25 19:45:41 wms.team3.isucdc.com java[758]: 2026-04-25T19:45:41.887Z  INFO [fefd3f95171f44e7aa12bac54011e430] [nio-8080-exec-3] com.iseage.wms.Order.OrderController
order_placed_success
Apr 25 19:45:41 wms.team3.isucdc.com java[758]: 2026-04-25T19:45:41.889Z  INFO [fefd3f95171f44e7aa12bac54011e430] [nio-8080-exec-3] com.iseage.wms.access
http_request method=POST path=/api/order/place status=200 durationMs=105 clientIp=192.168.1.20 principal=www-connect
Apr 25 19:48:58 wms.team3.isucdc.com java[758]: 2026-04-25T19:48:58.230Z  INFO [635de1af8f034db59fa1cc0fe123ee19] [nio-8080-exec-9] com.iseage.wms.access
http_request method=GET path=/api/item/all status=200 durationMs=26 clientIp=192.168.1.20 principal=www-connect
Apr 25 19:49:59 wms.team3.isucdc.com java[758]: 2026-04-25T19:49:59.495Z  INFO [492430ad94a24d26b006fd8cf407c3d5] [nio-8080-exec-5] com.iseage.wms.access
http_request method=GET path=/api/item/all status=200 durationMs=14 clientIp=12.110.242.209 principal=anonymous
Apr 25 19:50:45 wms.team3.isucdc.com java[758]: 2026-04-25T19:50:45.324Z  INFO [ceb3d51f2cf94f0cb134c2dd5cd27358] [io-8080-exec-12] com.iseage.wms.Label.LabelGenerator
label_file_written
Apr 25 19:50:45 wms.team3.isucdc.com java[758]: 2026-04-25T19:50:45.360Z  INFO [ceb3d51f2cf94f0cb134c2dd5cd27358] [io-8080-exec-12] com.iseage.wms.Order.OrderController
order_placed_success
Apr 25 19:50:45 wms.team3.isucdc.com java[758]: 2026-04-25T19:50:45.363Z  INFO [ceb3d51f2cf94f0cb134c2dd5cd27358] [io-8080-exec-12] com.iseage.wms.access
http_request method=POST path=/api/order/place status=200 durationMs=108 clientIp=192.168.1.20 principal=www-connect
```

DB

At 12:54 when reviewing the logs, Jennifer experienced a failed ssh login attempt. The white team “coincidentally” after that informed us that the red team was encountering ssh issues because of an existing rule we have in place I have pieced together. We will

continue to closely monitor this user for any malicious activity.

```
pve.iseage.org/?console=kvm&xtermjs=1&vmid=174&vmname=Team-03-DB&node=host-03&cmd=
2
Apr 25 12:44:59 db sshd[17520]: pam_unix(sshd:auth): authentication failure; logname= uid=0 eu
id=0 tty=ssh ruser= rhost=68.32.254.50  user=jennifer.freeman
Apr 25 12:44:59 db sssd_be: GSSAPI client step 1
Apr 25 12:44:59 db sssd_be: message repeated 2 times: [ GSSAPI client step 1]
Apr 25 12:44:59 db sssd_be: GSSAPI client step 2
Apr 25 12:44:59 db sssd_be: GSSAPI client step 1
Apr 25 12:44:59 db sssd_be: message repeated 2 times: [ GSSAPI client step 1]
Apr 25 12:44:59 db sssd_be: GSSAPI client step 2
Apr 25 12:44:59 db sshd[17520]: pam_sss(sshd:auth): authentication success; logname= uid=0 eui
d=0 tty=ssh ruser= rhost=68.32.254.50 user=jennifer.freeman
Apr 25 12:45:00 db sshd[17520]: Accepted password for jennifer.freeman from 68.32.254.50 port
48362 ssh2
Apr 25 12:45:00 db sshd[17520]: pam_unix(sshd:session): session opened for user jennifer.freem
an by (uid=0)
Apr 25 12:45:00 db systemd-logind[1376]: New session 199 of user jennifer.freeman.
Apr 25 12:45:00 db systemd: pam_unix(systemd-user:session): session opened for user jennifer.f
reeman by (uid=0)
```

We flushed fail2ban and relaxed our rules per white team instructions. Afterwards, new fail2ban activity began.

SSH Inspect

Apr 25, 2026 @ 17:58:48.242	DB	-	199.100.199.192	Fail2ban activity: Found for IP 199.100.199.192 in jail sshd	Apr 25 12:58:59 db fail2ban.filter[22265]: INFO [sshd] Found 199.100.199.192	Found	-
Apr 25, 2026 @ 17:58:48.242	DB	-	199.100.199.192	Fail2ban activity: Found for IP 199.100.199.192 in jail sshd	Apr 25 12:58:58 db fail2ban.filter[22265]: INFO [sshd] Found 199.100.199.192	Found	-
Apr 25, 2026 @ 17:58:48.242	DB	-	199.100.199.192	Fail2ban activity: Found for IP 199.100.199.192 in jail sshd	Apr 25 17:58:58 db.team3.isucdc.com fail2ban.filter[22265]: INFO [sshd] Found 199.100.199.192	Found	-
Apr 25, 2026 @ 17:58:48.242	DB	-	199.100.199.192	Fail2ban activity: Found for IP 199.100.199.192 in jail sshd	Apr 25 17:58:58 db.team3.isucdc.com fail2ban.filter[22265]: INFO	Found	-

As noted in other sections, a website account named Rusty Shackleford attempted SQL injection by setting their address to an escaped user creation query. This failed due to our sanitization precautions, and the user has been disabled.

```
2026-04-25T19:24:52.013805Z        998 Connect   www-db-access@192.168.1.20 on iseage_db using SSL/TLS
2026-04-25T19:24:52.014357Z        998 Query     SET NAMES utf8
2026-04-25T19:24:52.014910Z        998 Query     set autocommit=0
2026-04-25T19:24:52.015339Z        998 Query     SELECT * FROM users WHERE user_id = 20
2026-04-25T19:24:52.016168Z        998 Query     UPDATE users SET address = '\'; CREATE USER \'backdoor\'@\'%\' IDENTIFIED BY \'P@ssw0rd123!\'; GRANT ALL PRIVILEGES ON *.*
TO \'backdoor\'@\'%\' WITH GRANT OPTION; FLUSH PRIVILEGES;' WHERE user_id = 20
2026-04-25T19:24:52.016721Z        998 Query     commit
2026-04-25T19:24:52.036883Z        998 Quit
```