➔ ifconfig

```
root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog # ifconfig
vtnet0: flags=8863<UP,BROADCAST,RUNNING,SIMPLEX,MULTICAST> metric 0 mtu 1500
        options=4c07bb<RXCSUM,TXCSUM,VLAN_MTU,VLAN_HWTAGGING,JUMBO_MTU,VLAN_HWCSUM,TSO4,TSO6,LRO,VLAN_HWTSO,LINKSTATE,TXCSUM_IPV6>
        ether 00:50:56:45:77:4e
        media: Ethernet autoselect (10Gbase-T <full-duplex>)
        status: active
        nd6 options=8021<PERFORMNUD,AUTO_LINKLOCAL,DEFAULTIF>
lo0: flags=8049<UP,LOOPBACK,RUNNING,MULTICAST> metric 0 mtu 16384
        options=680003<RXCSUM,TXCSUM,LINKSTATE,RXCSUM_IPV6,TXCSUM_IPV6>
        groups: lo
        nd6 options=21<PERFORMNUD,AUTO_LINKLOCAL>
lo1: flags=8049<UP,LOOPBACK,RUNNING,MULTICAST> metric 0 mtu 16384
        options=680003<RXCSUM,TXCSUM,LINKSTATE,RXCSUM_IPV6,TXCSUM_IPV6>
        inet 127.0.1.30 netmask 0xffffffff
        groups: lo
        nd6 options=21<PERFORMNUD,AUTO_LINKLOCAL>
lo2: flags=8049<UP,LOOPBACK,RUNNING,MULTICAST> metric 0 mtu 16384
        options=680003<RXCSUM,TXCSUM,LINKSTATE,RXCSUM_IPV6,TXCSUM_IPV6>
        inet 192.168.1.30 netmask 0xffffffff
        inet6 2a02:c206:2103:9465::1f prefixlen 128
        groups: lo
        nd6 options=21<PERFORMNUD,AUTO_LINKLOCAL>
pflog0: flags=141<UP,RUNNING,PROMISC> metric 0 mtu 33160
        groups: pflog
root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog #
```

➔ su

➔ sysrc local_unbound_enable=YES

```
afnog@N1-Adventist-May-buregeyarichard_gmail_com:~ % su
root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog # sysrc local_unbound_enable=YES
local_unbound_enable: NO -> YES
```

➔ service local_unbound start

```
root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog # service local_unbound start
Performing initial setup.
destination:
Extracting forwarders from /etc/resolv.conf.
/var/unbound/forward.conf created
/var/unbound/lan-zones.conf created
/var/unbound/control.conf created
/var/unbound/unbound.conf created
/etc/resolvconf.conf created
Original /etc/resolv.conf saved as /var/backups/resolv.conf.20240610.153227
```

➔ vim /var/unbound/unbound.conf

server:

interface: 192.168.1.30 (use the IP, you got from the 'ifconfig' command above)

port: 53

access-control: 192.168.1.0/24 allow

verbosity: 1

```
server:
        username: unbound
        directory: /var/unbound
        chroot: /var/unbound
        pidfile: /var/run/local_unbound.pid
        auto-trust-anchor-file: /var/unbound/root.key
server:
        interface: 192.168.1.30
        port: 53
        access-control: 192.168.1.0/24 allow
        verbosity: 1
include: /var/unbound/forward.conf
include: /var/unbound/lan-zones.conf
include: /var/unbound/control.conf
include: /var/unbound/conf.d/*.conf
```

➔ sudo service local_unbound restart

```
root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog # service local_unbound restart
Stopping local_unbound.
Waiting for PIDS: 62366.
Starting local_unbound.
Waiting for nameserver to start... good
root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog #
```

➔ Dig @192.168.1.30 google.com (replace 192.168.1.30 with your IP)

```
root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog # dig @192.168.1.30 google.com

; <<>> DiG 9.18.26 <<>> @192.168.1.30 google.com
; (1 server found)
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 32469
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; QUESTION SECTION:
;google.com.                    IN      A

;; ANSWER SECTION:
google.com.             294     IN      A       142.250.186.46

;; Query time: 64 msec
;; SERVER: 192.168.1.30#53(192.168.1.30) (UDP)
;; WHEN: Mon Jun 10 16:42:00 CEST 2024
;; MSG SIZE  rcvd: 55

root@N1-Adventist-May-buregeyarichard_gmail_com:/home/afnog #
```