```
import yfinance as yf
import requests
import time

# ========================================
# 🔑 Telegram
# ========================================
TOKEN = 8246559774:AAGYTkmrQUx6vDfOUOqqAtbRBPhzMA04kPo
CHAT_ID = 836106772

# ========================================
# 📲 إرسال رسالة
# ========================================
def send(msg):

url = f"https://api.telegram.org/bot
8246559774:AAGYTkmrQUx6vDfOUOqqAtbRBPhzMA04kPo/sendMessage"

requests.post(
url,
data={
"chat_id": 836106772,
"text": msg
}
)

# ========================================
# 🟢 أسهم شرعية
# ========================================
symbols = {
"2320.SR": "البابطين",
"1120.SR": "الراجحي",
"7010.SR": "STC",
"1211.SR": "معادن",
"2010.SR": "سابك"
}

# ========================================
```

```
# 💰 القيمة العادلة
# ========================================
def fair_value(price):

    growth = 0.08
    discount = 0.10
    years = 5

    future = price × ((1 + growth) ** years)

    fair = future / ((1 + discount) ** years)

    return fair

# ========================================
# 🔍 فحص السوق
# ========================================
def run_scan():

    results = []

    for s in symbols:

        print("فحص:", s)

        try:

            df = yf×download(
                s,
                period="30d",
                interval="1d",
                progress=False
            )

            if df is None or df.empty or len(df) < 20:
                continue

            last = df×iloc[-1]
```

```
prev = df.iloc[-2]

price = float(last["Close"])

volume_ratio = (
float(last["Volume"])
/ float(df["Volume"].mean())
)

old_price = float(df["Close"].iloc[-5])

change_5d = (
(price - old_price)
/ old_price
) * 100

fair = fair_value(price)

discount_value = (
(price - fair)
/ fair
) * 100

score = 0

# 📉 نزول
if change_5d < -5:
score += 3

# 📊 سيولة
if volume_ratio > 1.5:
score += 3

# 💰 أقل من القيمة العادلة
if discount_value < -10:
score += 2

if score >= 5:
```

```
msg = f"""
💎 فرصة شرعية

🏢 السهم:
{symbols[s]}

💰 السعر:
{round(price,2)}

📊 القيمة العادلة:
{round(fair,2)}

📉 الفرق:
{round(discount_value,2)}%

📈 السيولة:
{round(volume_ratio,2)}x

⭐ التقييم:
{score}/10
"""

results.append(msg)

except Exception as e:

print("خطأ:", s, e)

# ==========================================
# 📲 إرسال النتائج
# ==========================================
if results:

final_msg = "📊 أفضل الفرص اليوم:\n\n"

final_msg += "\n\n".join(results[:3])
```

```
send(final_msg)

else:

send("📉 لا توجد فرص قوية اليوم")

# ==========================================
# 🚀 تشغيل البوت
# ==========================================
send("🟢 تم تشغيل البوت بنجاح")

while True:

print("🔍 بدء الفحص...")

run_scan()

print("⏳ انتظار ساعة...")

time.sleep(3600)
```