

Last login: Mon Jun 4 10:31:10 on ttys002

```
Candice@CANDYLAND ~  
$ cd Documents/classwork-code-immersion  
Candice@CANDYLAND ~/Documents/classwork-code-immersion  
$ md Scaffold Free  
Candice@CANDYLAND ~/Documents/classwork-code-immersion  
$ rails new lack-o-scaff
```

```
create  
create README.md  
create Rakefile  
create .ruby-version  
create config.ru  
create .gitignore  
create Gemfile  
run git init from "."
```

Initialized empty Git repository in /Users/Candice/Documents/classwork-code-immersion/lack-o-scaff/.git
/

```
create package.json  
create app  
create app/assets/config/manifest.js  
create app/assets/javascripts/application.js  
create app/assets/javascripts/cable.js  
create app/assets/stylesheets/application.css  
create app/channels/application_cable/channel.rb  
create app/channels/application_cable/connection.rb  
create app/controllers/application_controller.rb  
create app/helpers/application_helper.rb  
create app/jobs/application_job.rb  
create app/mailers/application_mailer.rb  
create app/models/application_record.rb  
create app/views/layouts/application.html.erb  
create app/views/layouts/mailer.html.erb  
create app/views/layouts/mailer.text.erb  
create app/assets/images/.keep  
create app/assets/javascripts/channels  
create app/assets/javascripts/channels/.keep  
create app/controllers/concerns/.keep  
create app/models/concerns/.keep  
create bin  
create bin/bundle  
create bin/rails  
create bin/rake  
create bin/setup  
create bin/update  
create bin/yarn  
create config  
create config/routes.rb  
create config/application.rb  
create config/environment.rb  
create config/cable.yml  
create config/puma.rb  
create config/spring.rb  
create config/storage.yml  
create config/environments  
create config/environments/development.rb  
create config/environments/production.rb  
create config/environments/test.rb  
create config/initializers  
create config/initializers/application_controller_renderer.rb  
create config/initializers/assets.rb  
create config/initializers/backtrace_silencers.rb  
create config/initializers/content_security_policy.rb  
create config/initializers/cookies_serializer.rb  
create config/initializers/cors.rb  
create config/initializers/filter_parameter_logging.rb  
create config/initializers/inflections.rb  
create config/initializers/mime_types.rb
```

```

create config/initializers/new_framework_defaults_5_2.rb
create config/initializers/wrap_parameters.rb
create config/locales
create config/locales/en.yml
create config/master.key
append .gitignore
create config/boot.rb
create config/database.yml
create db
create db/seeds.rb
create lib
create lib/tasks
create lib/tasks/.keep
create lib/assets
create lib/assets/.keep
create log
create log/.keep
create public
create public/404.html
create public/422.html
create public/500.html
create public/apple-touch-icon-precomposed.png
create public/apple-touch-icon.png
create public/favicon.ico
create public/robots.txt
create tmp
create tmp/.keep
create tmp/cache
create tmp/cache/assets
create vendor
create vendor/.keep
create test/fixtures
create test/fixtures/.keep
create test/fixtures/files
create test/fixtures/files/.keep
create test/controllers
create test/controllers/.keep
create test/mailers
create test/mailers/.keep
create test/models
create test/models/.keep
create test/helpers
create test/helpers/.keep
create test/integration
create test/integration/.keep
create test/test_helper.rb
create test/system
create test/system/.keep
create test/application_system_test_case.rb
create storage
create storage/.keep
create tmp/storage
create tmp/storage/.keep
remove config/initializers/cors.rb
remove config/initializers/new_framework_defaults_5_2.rb
run bundle install

```

The dependency tzinfo-data (>= 0) will be unused by any of the platforms Bundler is installing for. Bundler is installing for ruby but the dependency is only for x86-mingw32, x86-mswin32, x64-mingw32, java. To add those platforms to the bundle, run `bundle lock --add-platform x86-mingw32 x86-mswin32 x64-mingw32 java`.

Fetching gem metadata from <https://rubygems.org/>.....

Fetching gem metadata from <https://rubygems.org/>.

Resolving dependencies...

Using rake 12.3.1

Using concurrent-ruby 1.0.5

Using i18n 1.0.1

Using minitest 5.11.3

Using thread_safe 0.3.6
Using tzinfo 1.2.5
Using activesupport 5.2.0
Using builder 3.2.3
Using erubi 1.7.1
Using mini_portile2 2.3.0
Using nokogiri 1.8.2
Using rails-dom-testing 2.0.3
Using crass 1.0.4
Using loofah 2.2.2
Using rails-html-sanitizer 1.0.4
Using actionview 5.2.0
Using rack 2.0.5
Using rack-test 1.0.0
Using actionpack 5.2.0
Using nio4r 2.3.1
Using websocket-extensions 0.1.3
Using websocket-driver 0.7.0
Using actioncable 5.2.0
Using globalid 0.4.1
Using activejob 5.2.0
Using mini_mime 1.0.0
Using mail 2.7.0
Using actionmailer 5.2.0
Using activemodel 5.2.0
Using arel 9.0.0
Using activerecord 5.2.0
Using mimemagic 0.3.2
Using marcel 0.3.2
Using activestorage 5.2.0
Using public_suffix 3.0.2
Using addressable 2.5.2
Using io-like 0.3.0
Using archive-zip 0.11.0
Using bindex 0.5.0
Using msgpack 1.2.4
Using bootsnap 1.3.0
Using bundler 1.16.1
Using byebug 10.0.2
Using xpath 3.1.0
Fetching capybara 3.2.1
Installing capybara 3.2.1
Fetching ffi 1.9.25
Installing ffi 1.9.25 with native extensions
Using childprocess 0.9.0
Using chromedriver-helper 1.2.0
Using coffee-script-source 1.12.2
Using execjs 2.7.0
Using coffee-script 2.4.1
Using method_source 0.9.0
Using thor 0.20.0
Using railties 5.2.0
Using coffee-rails 4.2.2
Using multi_json 1.13.1
Using jbuilder 2.7.0
Using rb-fsevent 0.10.3
Using rb-inotify 0.9.10
Using ruby_dep 1.5.0
Using listen 3.1.5
Using puma 3.11.4
Using sprockets 3.7.1
Using sprockets-rails 3.2.1
Using rails 5.2.0
Using rubyzip 1.2.1
Using sass-listen 4.0.0
Using sass 3.5.6
Using tilt 2.0.8

```

Using sass-rails 5.0.7
Using selenium-webdriver 3.12.0
Using spring 2.0.2
Using spring-watcher-listen 2.0.1
Using sqlite3 1.3.13
Using turbolinks-source 5.1.0
Using turbolinks 5.1.1
Fetching uglifier 4.1.11
Installing uglifier 4.1.11
Using web-console 3.6.2
Bundle complete! 18 Gemfile dependencies, 78 gems now installed.
Use `bundle info [gemname]` to see where a bundled gem is installed.
    run bundle exec spring binstub --all
* bin/rake: spring inserted
* bin/rails: spring inserted
Candice@CANDYLAND ~/Documents/classwork-code-immersion
└─$ cd lack-o-scaff
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$ rails g model User name:integer
Running via Spring preloader in process 16569
    invoke active_record
    create db/migrate/20180605132556_create_users.rb
    create app/models/user.rb
    invoke test_unit
    create test/models/user_test.rb
    create test/fixtures/users.yml
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$ rails g Product name:price:double quantity:integer
Running via Spring preloader in process 16580
Could not find generator 'Product'. Maybe you meant 'model', 'resource' or 'job'
Run `rails generate --help` for more options.
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$ rails g model Product name:price:double quantity:integer
Running via Spring preloader in process 16593
    invoke active_record
    create db/migrate/20180605132752_create_products.rb
    create app/models/product.rb
    invoke test_unit
    create test/models/product_test.rb
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$ atom .
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$ rails db:migrate
== 20180605132556 CreateUsers: migrating =====
-- create_table(:users)
   -> 0.0019s
== 20180605132556 CreateUsers: migrated (0.0020s) =====

== 20180605132752 CreateProducts: migrating =====
-- create_table(:products)
   -> 0.0022s
== 20180605132752 CreateProducts: migrated (0.0023s) =====

Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$ rails g Controller Welcome index users products
Running via Spring preloader in process 16802
Could not find generator 'Controller'. Maybe you meant 'controller', 'erb:controller' or 'erb:mailer'
Run `rails generate --help` for more options.
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$ rails g controller Welcome index users products
Running via Spring preloader in process 16815
    create app/controllers/welcome_controller.rb
    route get 'welcome/index'
get 'welcome/users'
get 'welcome/products'
    invoke erb
    create app/views/welcome

```

```
create    app/views/welcome/index.html.erb
create    app/views/welcome/users.html.erb
create    app/views/welcome/products.html.erb
invoke    test_unit
create    test/controllers/welcome_controller_test.rb
invoke    helper
create    app/helpers/welcome_helper.rb
invoke    test_unit
invoke    assets
invoke    coffee
create    app/assets/javascripts/welcome.coffee
invoke    scss
create    app/assets/stylesheets/welcome.scss
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$
Candice@CANDYLAND ~/Documents/classwork-code-immersion/lack-o-scaff <master*>
└─$
```