CARTER MACHINERY COMPANY, INC. - - Fluids Analysis Laboratory - -
1330 Lynchburg Turnpike Salem, VA 24153-5457 USA
PHONE: 540-682-2621
Web: www.cartermachinery.com Email: FluidAnalysis@cartermachinery.com

TRANSMISSION | **EQUIP NUM: 3X0902** | **SERIAL NUMBER: 3X0902**

OTHER UNK_OTHER

D100-56013-0532
SAMPLE SHIP TIME (days) : 7
GRAND SLAM DIESEL SERVICES
RECEIVED DATE: 13-Jan-26

No Action Required

Interp By: Robert W Hobson
Interpreted On: 13-Jan-26

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

SAMPLE INFORMATION

Sampled Date	06-Jan-26
Sample Id	D100-56013-0532
Lab Date	13-Jan-26
Meter [Hr]	1843
Comp Meter [Hr]	1843
Meter On Fluid	1843
Fluid Brand	
Fluid Weight	40
Fluid Type	
Fluid Change	U
Filter Change	U

PREVIOUS SAMPLE

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

CONDITION / CONTAMINATION

06-Jan-26

VISCOSITY (CENTISTOKES) ASTM D445

V100	Viscosity at 100 C	12.70

INFRARED (UFM) ASTM E2412

ST	Soot	0
OXI	Oxidation	6
SUL	Sulfate By-Product	13
NIT	Nitration	0

WATER

W	Water	N

ANTIFREEZE

A	Antifreeze	N

WEAR LEVELS / ADDITIVES

06-Jan-26

ELEMENTAL ANALYSIS (PPM) ASTM D5185 [OIL] / ASTM D6130 [COOLANT]

Cu	Copper	81
Fe	Iron	28
Cr	Chromium	0
Al	Aluminum	3
Pb	Lead	22
Sn	Tin	3
Si	Silicon	3
Na	Sodium	4
K	Potassium	1
Mo	Molybdenum	86
Ni	Nickel	0
Ag	Silver	0
Ti	Titanium	0
V	Vanadium	1
Ca	Calcium	2092
P	Phosphorus	903
Zn	Zinc	977
Mg	Magnesium	411
B	Boron	24

CLEANLINESS

06-Jan-26

PARTICLE COUNT - ISO11171:1999 reported per ISO 4406

ISO	ISO Code Rating	23/21/16
4µ	4µ	51048
6µ	6µ	16050
10µ	10µ	1951
14µ	14µ	541
21µ	21µ	213
38µ	38µ	33

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

TRANSMISSION
SERIAL NUMBER: 3X0902
EQUIP NUM: 3X0902
OTHER UNK_OTHER

D100-56013-0532
No Action Required













Report Comment

VisionLink® will be the new home for S·O·SSM Services fluid analysis. Begin the transition to VisionLink now - Sign up or log into vl.cat.com to update your settings, manage your fleet, configure your jobsites (groups), and view your samples. The ability for users to submit samples, track samples, view and graph sample history, and download reports are coming to VisionLink soon.

GRAND SLAM
GRAND SLAM DIESEL SERVICES

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

CARTER MACHINERY COMPANY, INC. - - Fluids Analysis Laboratory - -
1330 Lynchburg Turnpike Salem, VA 24153-5457 USA
PHONE: 540-682-2621
Web: www.cartermachinery.com Email: FluidAnalysis@cartermachinery.com

ENGINE MARINE STARBOARD

EQUIP NUM: STBD UNKNOWN 6V92_UNKNOWN

SERIAL NUMBER: 6VF207378

D100-56012-0146

SAMPLE SHIP TIME (days) : 6

GRAND SLAM DIESEL SERVICES

RECEIVED DATE: 12-Jan-26

No Action Required

Interp By: Fluid Interpreter
Interpreted On: 12-Jan-26

NORMAL WEAR METAL READINGS. NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

SAMPLE INFORMATION

Sampled Date	06-Jan-26
Sample Id	D100-56012-0146
Lab Date	12-Jan-26
Meter [Hr]	1843
Meter On Fluid	75
Fluid Brand	
Fluid Weight	40
Fluid Type	
Fluid Change	U
Filter Change	U

PREVIOUS SAMPLE

NORMAL WEAR METAL READINGS. NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

CONDITION / CONTAMINATION

06-Jan-26

VISCOSITY (CENTISTOKES) ASTM D445

V100	Viscosity at 100 C	15.50

INFRARED (UFM) ASTM E2412

ST	Soot	4
OXI	Oxidation	6
SUL	Sulfate By-Product	13
NIT	Nitration	0

WATER

W	Water	N

ANTIFREEZE

A	Antifreeze	N

FUEL

F	Fuel	N

WEAR LEVELS / ADDITIVES

06-Jan-26

ELEMENTAL ANALYSIS (PPM) ASTM D5185 [OIL] / ASTM D6130 [COOLANT]

Cu	Copper	16
Fe	Iron	20
Cr	Chromium	1
Al	Aluminum	0
Pb	Lead	2
Sn	Tin	5
Si	Silicon	2
Na	Sodium	3
K	Potassium	0
Mo	Molybdenum	78
Ni	Nickel	0
Ag	Silver	0
Ti	Titanium	0
V	Vanadium	0
Ca	Calcium	1923
P	Phosphorus	749
Zn	Zinc	908
Mg	Magnesium	63
B	Boron	5

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

ENGINE MARINE STARBOARD
SERIAL NUMBER: 6VF207378
EQUIP NUM: STBD
UNKNOWN 6V92_UNKNOWN

D100-56012-0146

No Action Required













Report Comment

VisionLink® will be the new home for S·O·SSM Services fluid analysis. Begin the transition to VisionLink now - Sign up or log into vl.cat.com to update your settings, manage your fleet, configure your jobsites (groups), and view your samples. The ability for users to submit samples, track samples, view and graph sample history, and download reports are coming to VisionLink soon.

GRAND SLAM
GRAND SLAM DIESEL SERVICES

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

CARTER MACHINERY COMPANY, INC. - - Fluids Analysis Laboratory - -
1330 Lynchburg Turnpike Salem, VA 24153-5457 USA
PHONE: 540-682-2621
Web: www.cartermachinery.com Email: FluidAnalysis@cartermachinery.com

ENGINE MARINE PORT | **EQUIP NUM: PORT** | **SERIAL NUMBER: 6VF207382**

OTHER 6V92_OTHER

D100-56012-0144
SAMPLE SHIP TIME (days) : 6
GRAND SLAM DIESEL SERVICES
RECEIVED DATE: 12-Jan-26

No Action Required

Interp By: Robert W Hobson
Interpreted On: 12-Jan-26

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

SAMPLE INFORMATION

Sampled Date	06-Jan-26
Sample Id	D100-56012-0144
Lab Date	12-Jan-26
Meter [Hr]	1837
Meter On Fluid	70
Fluid Brand	
Fluid Weight	40
Fluid Type	
Fluid Change	U
Filter Change	U

PREVIOUS SAMPLE

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

CONDITION / CONTAMINATION

06-Jan-26

VISCOSITY (CENTISTOKES) ASTM D445

V100	Viscosity at 100 C	13.70

INFRARED (UFM) ASTM E2412

ST	Soot	7
OXI	Oxidation	7
SUL	Sulfate By-Product	13
NIT	Nitration	0

WATER

W	Water	N

ANTIFREEZE

A	Antifreeze	N

FUEL

F	Fuel	N

WEAR LEVELS / ADDITIVES

06-Jan-26

ELEMENTAL ANALYSIS (PPM) ASTM D5185 [OIL] / ASTM D6130 [COOLANT]

Cu	Copper	16
Fe	Iron	36
Cr	Chromium	1
Al	Aluminum	0
Pb	Lead	3
Sn	Tin	9
Si	Silicon	3
Na	Sodium	4
K	Potassium	0
Mo	Molybdenum	97
Ni	Nickel	0
Ag	Silver	0
Ti	Titanium	0
V	Vanadium	0
Ca	Calcium	2409
P	Phosphorus	933
Zn	Zinc	1103
Mg	Magnesium	88
B	Boron	8

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

ENGINE MARINE PORT
SERIAL NUMBER: 6VF207382
EQUIP NUM: PORT
OTHER 6V92_OTHER

D100-56012-0144
No Action Required













Report Comment

VisionLink® will be the new home for S·O·SSM Services fluid analysis. Begin the transition to VisionLink now - Sign up or log into vl.cat.com to update your settings, manage your fleet, configure your jobsites (groups), and view your samples. The ability for users to submit samples, track samples, view and graph sample history, and download reports are coming to VisionLink soon.

GRAND SLAM
GRAND SLAM DIESEL SERVICES

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

CARTER MACHINERY COMPANY, INC. - - Fluids Analysis Laboratory - -
1330 Lynchburg Turnpike Salem, VA 24153-5457 USA
PHONE: 540-682-2621
Web: www.cartermachinery.com Email: FluidAnalysis@cartermachinery.com

ENGINE MARINE GENSET | **EQUIP NUM: U2232-ED304/GEN GENSET WESTERBEKE** | **SERIAL NUMBER: U2232-ED304**

D100-56012-0145
SAMPLE SHIP TIME (days) : 6
GRAND SLAM DIESEL SERVICES
RECEIVED DATE: 12-Jan-26

No Action Required

Interp By: Robert W Hobson
Interpreted On: 12-Jan-26

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

SAMPLE INFORMATION

Sampled Date	06-Jan-26
Sample Id	D100-56012-0145
Lab Date	12-Jan-26
Meter [Hr]	2124
Meter On Fluid	2124
Fluid Brand	
Fluid Weight	
Fluid Type	
Fluid Change	U
Filter Change	U

PREVIOUS SAMPLE

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

CONDITION / CONTAMINATION

06-Jan-26

VISCOSITY (CENTISTOKES) ASTM D445

V100	Viscosity at 100 C	14.30

INFRARED (UFM) ASTM E2412

ST	Soot	3
OXI	Oxidation	14
SUL	Sulfate By-Product	19
NIT	Nitration	0

WATER

W	Water	N

ANTIFREEZE

A	Antifreeze	N

FUEL

F	Fuel	N

WEAR LEVELS / ADDITIVES

06-Jan-26

ELEMENTAL ANALYSIS (PPM) ASTM D5185 [OIL] / ASTM D6130 [COOLANT]

Cu	Copper	1
Fe	Iron	5
Cr	Chromium	0
Al	Aluminum	0
Pb	Lead	0
Sn	Tin	2
Si	Silicon	14
Na	Sodium	12
K	Potassium	0
Mo	Molybdenum	44
Ni	Nickel	0
Ag	Silver	0
Ti	Titanium	0
V	Vanadium	1
Ca	Calcium	1827
P	Phosphorus	1110
Zn	Zinc	1317
Mg	Magnesium	491
B	Boron	44

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

ENGINE MARINE GENSET
SERIAL NUMBER: U2232-ED304
EQUIP NUM: U2232-ED304/GEN
GENSET WESTERBEKE

D100-56012-0145

No Action Required













Report Comment

VisionLink® will be the new home for S·O·SSM Services fluid analysis. Begin the transition to VisionLink now - Sign up or log into vl.cat.com to update your settings, manage your fleet, configure your jobsites (groups), and view your samples. The ability for users to submit samples, track samples, view and graph sample history, and download reports are coming to VisionLink soon.

GRAND SLAM
GRAND SLAM DIESEL SERVICES

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

CARTER MACHINERY COMPANY, INC. - - Fluids Analysis Laboratory - -
1330 Lynchburg Turnpike Salem, VA 24153-5457 USA
PHONE: 540-682-2621
Web: www.cartermachinery.com Email: FluidAnalysis@cartermachinery.com

TRANSMISSION | **EQUIP NUM: X0901** | **SERIAL NUMBER: X0901**

OTHER UNK_OTHER

D100-56013-0531
SAMPLE SHIP TIME (days) : 12
GRAND SLAM DIESEL SERVICES
RECEIVED DATE: 13-Jan-26

No Action Required

Interp By: Robert W Hobson
Interpreted On: 13-Jan-26

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

SAMPLE INFORMATION

Sampled Date	01-Jan-26
Sample Id	D100-56013-0531
Lab Date	13-Jan-26
Meter [Hr]	1837
Meter On Fluid	1837
Fluid Brand	
Fluid Weight	
Fluid Type	
Fluid Change	N
Filter Change	N

PREVIOUS SAMPLE

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

CONDITION / CONTAMINATION

01-Jan-26

VISCOSITY (CENTISTOKES) ASTM D445

V100	Viscosity at 100 C	12.80

INFRARED (UFM) ASTM E2412

ST	Soot	0
OXI	Oxidation	6
SUL	Sulfate By-Product	14
NIT	Nitration	0

WATER

W	Water	N

ANTIFREEZE

A	Antifreeze	N

WEAR LEVELS / ADDITIVES

01-Jan-26

ELEMENTAL ANALYSIS (PPM) ASTM D5185 [OIL] / ASTM D6130 [COOLANT]

Cu	Copper	61
Fe	Iron	27
Cr	Chromium	0
Al	Aluminum	2
Pb	Lead	11
Sn	Tin	3
Si	Silicon	4
Na	Sodium	4
K	Potassium	2
Mo	Molybdenum	84
Ni	Nickel	0
Ag	Silver	0
Ti	Titanium	0
V	Vanadium	1
Ca	Calcium	2077
P	Phosphorus	908
Zn	Zinc	981
Mg	Magnesium	414
B	Boron	22

CLEANLINESS

01-Jan-26

PARTICLE COUNT - ISO11171:1999 reported per ISO 4406

ISO	ISO Code Rating	22/20/14
4µ	4µ	37687
6µ	6µ	7205
10µ	10µ	626
14µ	14µ	129
21µ	21µ	25
38µ	38µ	2

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.

TRANSMISSION
SERIAL NUMBER: X0901
EQUIP NUM: X0901
OTHER UNK_OTHER

D100-56013-0531
No Action Required













Report Comment

VisionLink® will be the new home for S·O·SSM Services fluid analysis. Begin the transition to VisionLink now - Sign up or log into vl.cat.com to update your settings, manage your fleet, configure your jobsites (groups), and view your samples. The ability for users to submit samples, track samples, view and graph sample history, and download reports are coming to VisionLink soon.

GRAND SLAM
GRAND SLAM DIESEL SERVICES

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or component thereof.