TBdecompile Reference Manual

Appendices

Lookup Tables, Ordinals, Maps

15 October 2026

Appendix Contents

- BAS Export Map
- RTM Export Map
- W16 Export Map
- BAS Ordinal Map
- Decimal/Hex Tables
- Win16 System Ordinals
- Confirmed Function Names
- ASCII Lookup
- Symbol Maps (excerpts)

BAS Export Map

Source: 20261012/07-bas-export-map.md

BAS export → decompile mapping

Export	Decompile line	Map address
`ANSILSTRNCMPI`	—	
`ASYM_LOCALANDHELPCBK`	—	
`CDBBOOKOFVALUE`	—	
`CDBCHECKBOUNDDTL`	—	
`CDBCHUNKEND`	—	
`CDBCHUNKFIND`	138575	
`CDBCHUNKLAST`	—	
`CDBCLASSTABLEGETBEHAVIOR`	125154	
`CDBCLEARBOOKREFS`	—	
`CDBCLIENTSTATUS`	—	
`CDBCLONEINSTANCE`	25024	1038:08FC
`CDBCOPYOBJECTVALUE`	41627	1088:27E0
`CDBCREATEBKGNDREF`	—	
`CDBCREATEBOOKREF`	28347	1048:0DDA
`CDBCREATEGRAPHICREF`	37711	1070:0000
`CDBCREATEINSTANCE`	24974	
`CDBCREATEPAGEREF`	25913	1010:211C
`CDBCREATETHREAD`	—	
`CDBDEREFVALUE`	—	
`CDBDESTROYINSTANCE`	—	
`CDBDESTROYTHREAD`	—	
`CDBDISPLAYSTATE`	12804	1008:4B4A
`CDBEDITBOOK`	—	
`CDBEXCLUSIVELOCK`	—	
`CDBFILECLONE`	—	
`CDBFILECLOSE`	—	
`CDBFILEMERGE`	—	
`CDBFILENEW`	27532	
`CDBFILEOPEN`	27592	1028:1226
`CDBFILEPATH`	28002	1048:0B46
`CDBFILESAVE`	27675	
`CDBFILESAVEAS`	27751	
`CDBFILESTATUS`	—	
`CDBFORMATPLERR`	—	
`CDBGETEVENTLIST`	124383	1278:1A72
`CDBGETFOCUSPROP`	32396	
`CDBGETHANDLERBREAKCOUNT`	52502	1028:203C
`CDBGETHANDLERBREAKS`	52551	
`CDBGETSELECTPROP`	33826	1008:0A76
`CDBGETVALUE`	38475	
`CDBGETVALUEEX`	38488	
`CDBIMAGESTORE`	—	
`CDBINIT`	—	
`CDBINTERNALTESTCOMMAND`	—	
`CDBLAYEROFVALUE`	—	
`CDBLOCKFONT`	130353	
`CDBLOCKVALUE`	—	
`CDBMETRICS`	—	
`CDBMULTISAVE`	28272	
`CDBNEWOBJECT`	131992	12C8:0850
`CDBPAINTCLIENT`	13056	
`CDBPARENTVALUE`	—	
`CDBQUERYFILEPATH`	38322	1078:036C
`CDBQUERYMULTISAVE`	28108	1048:0B6A
`CDBQUERYVALUE`	—	
`CDBREFVALUE`	—	
`CDBREGISTERINSTWINDOW`	25296	
`CDBREGISTEROLE2WINDOW`	142287	1310:0292
`CDBREGISTERVBXFORM`	—	
`CDBRESETPLERR`	—	
`CDBSAMEVALUEP`	37953	1040:06D6
`CDBSCRIPTSEARCH`	—	
`CDBSEARCHINIT`	—	
`CDBSENDCREATE`	131896	
`CDBSENDEDITLEAVETOALLFILEVIEWERS`	—	
`CDBSENDEDITLEAVETOALLVIEWERS`	—	
`CDBSENDFOCUS`	32291	1058:2ACA
`CDBSENDSELECT`	33879	
`CDBSENDUNDO`	—	
`CDBSENDVALUE`	38701	
`CDBSENDVALUEEX`	38712	
`CDBSETFOCUS`	32439	1060:143E

`CDBSETFOCUSPROP`	32414	1060:11E8
`CDBSETIMAGEMEMORYMODEL`	—	
`CDBSETINTERNALTESTSTATE`	—	
`CDBSETPLERR`	81300	
`CDBSETSELECTPROP`	34107	1030:00B0
`CDBSETVALUE`	38889	
`CDBSETVALUEEX`	38900	1048:2F0E
`CDBSYNCSCREENS`	—	
`CDBTHREADFROMINSTANCE`	—	
`CDBUNIONDAMAGE`	—	
`CDBUNREGISTERVBXFORM`	—	
`CDBVALUEBOOKFROMSTRING`	90045	
`CDBVALUEBOOKTOSTRING`	90104	
`CDBVALUEGRAPHICFROMSTRING`	90406	
`CDBVALUEGRAPHICTOSTRING`	90549	
`CDBVALUELAYERFROMSTRBOOK`	90173	
`CDBVALUELAYERFROMSTRING`	90158	
`CDBVALUELAYERTOSTRING`	90393	1028:0466
`CDBVALUENEWBOOKREF`	—	
`CDBVALUENEWGRAPHICREF`	89968	
`CDBVALUENEWLAYERREF`	89850	
`CDBVALUERESOURCEFROMSTRING`	90315	
`CDBVIEWBKGND`	—	
`CDBVIEWBOOK`	—	
`CDBVIEWNONE`	—	
`CDBVIEWPAGE`	25726	
`CDBVIEWPAGEVALUE`	25936	
`CDROMOBJINFO_ADDPROC`	148404	1350:370E
`CDROM_RECORDERROR`	145779	
`CDROM_SELFTEST`	—	
`CLASSTABLEGETCLASSEXTRABYTES`	124768	
`CLASSTABLEGETCLASSEXTRABYTESSIZE`	124742	1280:0AC8
`CLASSTABLEGETCLASSID`	124530	1280:2C66
`CLASSTABLEGETCLASSIDFROMMANGLEDNAME`	124585	1278:19B4
`CLASSTABLEGETCLASSLIBNAME`	124692	
`CLASSTABLEGETOBJECTSIZE`	124729	
`COLORHLSTORGB`	155991	
`COLORSTRINGS`	155560	1370:0256
`COMBOLBOXWNDPROC`	108089	
`COMBOWNDPROC`	—	
`COMPAREASNAME`	—	
`CONVERTTORUNTIMEMEDIAPATH`	114241	
`COPYDITHEREDPALETTE_8BIT`	—	1170:4098
`CREATEDIBMASK`	—	
`CREATEDITHEREDHEADER_8BIT`	—	
`DRAWDDSCURVESEG`	—	
`GETBITMAPINFO`	—	
`GETCDBID`	—	
`GETCLASSDATA`	—	
`GETDATA`	—	
`GETDIBCOLORCOUNT`	—	
`GETDIBSIZE`	—	
`GETHDC`	—	
`HCACHEPURGE`	—	
`HDLRINFO_ISVALID`	—	
`HEAPADDTOCLEANUPLIST`	—	
`HEAPCREATEFRAME`	—	
`HEAPDEREGISTER`	—	
`HEAPENTERCRITSECT`	—	
`HEAPGETBPFRAME`	—	
`HEAPGETHANDLER`	—	
`HEAPLEAVECRITSECT`	—	
`HEAPMARKFRAME`	—	
`HEAPMARKPOINTER`	—	
`HEAPPOINTERTOVALUE`	—	
`HEAPREGISTER`	—	
`HEAPRELEASEFRAME`	—	
`HEAPREMOVEFROMCLEANUPLIST`	—	
`HEAPSWEEPFRAME`	—	
`HEAPVALUETOFRAME`	94020	
`HEAPVALUETOPOINTER`	—	
`HUGEGETDATA`	74213	1168:118A
`IMBITBLT`	—	
`IMBLACKOUTBMP`	—	
`IMDRAW`	—	
`IMDRAWLEVELS`	13353	1020:16DE
`IMINVERTBMP`	—	
`IMSHOWBMP`	—	
`LIONELDEREFBOOK`	—	
`LIONELREFBOOK`	—	
`LOCALANDHELPHOOK`	20418	
`LOCKPATTERN`	43779	
`LOOKUPSTDPROPBYNAME`	—	
`LPSTRTODOUBLE`	86527	11C8:058E
`MATHERRFLOAT`	—	
`MATHERROR`	—	
`OBJARENACHECK`	72286	

`OBJFILECLOSE`	—	
`OBJFILECOPY`	75987	
`OBJFILEOPEN`	76162	11A8:04F6
`OBJFREE`	75619	
`OBJFREENEAR`	75662	
`OBJFREENEAREX`	75710	1160:0774
`OBJFREESEG`	—	
`OBJGETFILE`	—	
`OBJGETHDRLONG`	—	
`OBJINIT`	—	
`OBJLOCK`	75082	
`OBJLOCKNEAR`	75136	
`OBJLOCKSEG`	—	
`OBJNEWNEAR`	75226	1178:114C
`OBJNEWNEAREX`	75270	
`OBJNEWSEG`	75325	
`OBJOOTOOH`	74975	1178:151E
`OBJOPTOOH`	—	
`OBJPRINCIPALOO`	—	
`OBJPRINCIPALOP`	—	
`OBJREALLOCNEAR`	75365	
`OBJREALLOCNEAREX`	75413	
`OBJTOUCH`	—	
`OBJUNLOCK`	—	
`PALENTRYTORGBQUAD`	—	
`PALENTRYTORGBTRIPLE`	—	
`PATTERNDITHER_8BIT`	—	1598:001A
`PROFILE_SETLOGFILE`	—	
`PSTRTODATEWITHFMT`	152434	1358:13B4
`PSTRTOTIMEWITHFMT`	152259	1358:126E
`RESFONTINSTALL`	—	
`RESMGRCHOOSEFILE`	—	
`RESMGRCLOSEBOOK`	—	
`RESMGRCONNECT`	—	
`RESMGRCOPY`	—	
`RESMGRDELETE`	—	
`RESMGRDISCONNECT`	—	
`RESMGRENUM`	22381	
`RESMGREXPORT`	20962	10D0:1F5C
`RESMGREXPORTBYHANDLE`	21076	
`RESMGREXTRACTGDI`	21523	1028:23EC
`RESMGRGETNAME`	22096	
`RESMGRGETREFCNT`	22579	1008:0422
`RESMGRIMPORT`	20699	
`RESMGROPENBOOK`	20177	1028:2770
`RESMGRQUERYINFO`	—	
`RESMGRREPLACE`	—	
`RESMGRSENDMESSAGE`	—	
`RESMGRSENDMSG`	—	
`RESMGRSETNAME`	22107	1028:27D2
`RGBQUADTOLOGPALETTE`	—	
`SAMPLETIMER`	—	
`SETUPLAYERSTATE`	—	
`STACKELEMENT`	154344	
`STACKFREE`	—	
`STACKGETSIZE`	—	
`STACKPOP`	154759	
`STACKPUSH`	154537	
`STACKPUSHONE`	154643	
`STACKSETELEMENT`	154487	
`STACKSLIP`	154806	1368:1586
`STARTTIMER`	—	
`STOPTIMER`	—	
`STRINGFROMDATEWITHFMT`	152079	
`STRINGFROMTIMEWITHFMT`	151951	
`TBHEAPALLOC`	93620	
`TBHEAPCLEARCRITSECT`	—	
`TBHEAPFREE`	—	
`TBHEAPRESTORECRITSECT`	—	
`TBHEAPSAVECRITSECT`	—	
`TBKVERSION`	—	
`TBX32MSGTHUNK`	—	
`TBXAUTHORMODE`	—	
`TBXAUTOEXECSCRIPTVARIANT`	115293	12F8:0018
`TBXBOOKGETFDESC`	—	
`TBXBOOKGETFINDEX`	—	
`TBXBOOKLOCKFDESC`	115706	
`TBXBOOKUNLOCKFDESC`	—	
`TBXCTOVALUE`	115614	
`TBXCTOVALUEEX`	115625	
`TBXDAMAGEDOBJECT`	115789	12B8:1536
`TBXEXECSCRIPT`	115148	
`TBXEXECSCRIPTDYNAMIC`	115215	
`TBXEXECSCRIPTVARIANT`	115231	1268:0516
`TBXEXECSCRIPTVARIANTSPCL`	115358	1008:09F8
`TBXEXECSCRIPT_CALLBACK`	115128	1268:0488
`TBXFIXPENRECT`	114838	1198:0146

`TBXFONTINFO`	–	
`TBXGET`	128412	1288:070C
`TBXGETBKGNDRGBFILLCOLOR`	115489	
`TBXGETBKGNDRGBFILLCOLOR_CALLBACK`	115477	1398:125C
`TBXGETCLASSID`	114848	1008:01DD
`TBXGETFONTFACEINFO`	115739	1110:0764
`TBXGETPOINTER`	–	
`TBXGETREADERRIGHTCLICK`	–	
`TBXHUGEALLOC`	114915	15E8:021E
`TBXHUGEFREE`	114936	1168:04B4
`TBXHUGEGETDATA`	115015	
`TBXHUGEGETDATA_CALLBACK`	114997	1168:0C7A
`TBXHUGESETDATA`	114975	
`TBXHUGESETDATA_CALLBACK`	114957	1168:0740
`TBXNEARALLOC`	114865	
`TBXNEARFREE`	–	
`TBXNEARREALLOC`	114883	15E8:01C2
`TBXSEND`	128378	1278:1FE2
`TBXSENDINST`	115536	
`TBXSENDINSTFROMENVP`	115550	
`TBXSENDPOINTER`	–	
`TBXSET`	128460	
`TBXSETFOCUS`	115773	
`TBXSETPOINTER`	–	
`TBXSTREAMOUT`	115826	1008:0417
`TBXVALUECOPY`	115603	
`TBXVALUESTRINGLENGTH`	115696	
`TBXVALUETOC`	115581	
`TBXVALUETOCEX`	115592	
`TBXVERIFYID`	–	
`VALUEARRAYCHKDIMS`	87865	
`VALUEARRAYGET`	87982	
`VALUEARRAYGETVALUE`	88046	
`VALUEARRAYINFO`	87815	
`VALUEARRAYSET`	88133	
`VALUEAS`	84658	
`VALUEASC`	84734	
`VALUEASCEX`	84760	
`VALUEASEX`	84684	
`VALUEATOL`	–	
`VALUECHECK`	92136	
`VALUECOMPAREDATE`	156391	1370:1312
`VALUECOMPARETIME`	156432	
`VALUECONVERT`	84809	
`VALUECONVERTEX`	84835	
`VALUECONVERTTOC`	84985	
`VALUECONVERTTOCEX`	85011	
`VALUEDISPOSE`	–	
`VALUEFREE`	–	
`VALUEFROMSTRING`	–	
`VALUEFROMSTRINGEX`	–	
`VALUEINIT`	–	
`VALUEMARK`	–	
`VALUENEW`	–	
`VALUENEWARRAY`	87648	
`VALUENEWBOOK`	90561	
`VALUENEWCOLOR`	155412	1368:1538
`VALUENEWCOLORTABLE`	155590	11C8:0E64
`VALUENEWCONST`	–	
`VALUENEWCPOINT`	–	
`VALUENEWDATE`	151679	
`VALUENEWDOUBLE`	86392	
`VALUENEWFROMDOUBLE`	86591	
`VALUENEWFROMLONG`	86648	
`VALUENEWGRAPHIC`	91027	11E0:1D9E
`VALUENEWINTEGER`	–	
`VALUENEWKEYWORD`	96022	1200:016C
`VALUENEWLAYER`	90920	
`VALUENEWLAYEREX`	90904	
`VALUENEWLITDBL`	–	
`VALUENEWLITSTR`	–	
`VALUENEWLONG`	86271	11C8:012E
`VALUENEWPOINT`	–	
`VALUENEWRECT`	153433	1360:0298
`VALUENEWRESOURCE`	90660	
`VALUENEWSTACK`	–	
`VALUENEWSTRING`	87385	
`VALUENEWSTRINGEX`	87452	
`VALUENEWTIME`	151828	
`VALUETOC`	–	
`VALUETOCEX`	–	
`VALUETOSTRING`	–	
`VALUEVALIDATE`	–	
`VBXDESTROYBOOK`	–	
`VBXDESTROYVIEW`	–	
`VBXINIT`	129642	
`VBXNEWBOOK`	–	

```
| `VBXNEWVIEW` | — |  |
| `WEP` | — |  |
| `WEP` | — |  |
| `XCOPYNEAROBJECT` | — |  |
```

Matched in decompile: 174 / 337

Mangled C++ exports (OLE/COM, `?NAME@CLASS@@...`) are not listed.
They correspond to the CTbkSimpleOLEDispatch / CDROPTARGET family
and are not resolved to FUN_ names in the current decompile.

Ordinal assignments (from Ghidra listing)

```
| Export | Ordinal | Segment | Offset | Notes |
|--------|---------|---------|--------|-------|
| `CDBCHUNKEND` | 53 | 95 (12f0) | 0000 | Called by `CDBCHUNKFIND`, `CDBCHUNKLAST`. DBCS-aware chunk scanner. |
| `CDBCHUNKLAST` | 56 | 95 (12f0) | 0334 | Calls `CDBCHUNKEND` and `CDBSKIPSEP`. |
| `CDBCHECKBOUNDDTL` | 355 | 90 (12c8) | 0000 | Bounds range check. Called from `CDBSENDCREATE`, `CDBNEWOBJECT`. Uses device caps (LOG
```

CDBCHECKBOUNDDTL detail

- Caches horizontal/vertical twips-per-pixel from `GetDeviceCaps` (indices 0x58 / 0x5a).
- `param_1 == 'X'` checks against horizontal limit; `'Y'` against vertical.
- Returns 1 if the value is within range, 0 otherwise.
- Called at four sites inside `CDBSENDCREATE` and two inside `CDBNEWOBJECT`.
- This is the clamp, not the disk-to-object bounds reader.

```
| `CDBSKIPSEP` | 55 | 95 (12f0) | 04b4 | Separator skipper. Called by `CDBCHUNKFIND`, `CDBCHUNKLAST`, `CDBCHUNKREMOVE`. Modes: 1 = non
```

RTM Export Map

Source: 20261012/08-rtm-export-map.md

RTM export → decompile mapping

Matched: 43 / 43

Export	Decompile line
`ASCIIFILEDLGHOOKPROC`	86850
`ASCIIFORMATDLGPROC`	86994
`ASYM_ASCIIFILEDLGHOOK`	86812
`ASYM_CDROMSAHPCBK`	78334
`BOOKQUERYSAVE`	22225
`CACHEFILEOPTIONSDIALOGPROC`	78444
`CDROMSAVEASHOOK`	78356
`CHANGEPRINTERDIALOGPROC`	136971
`CONDITIONDIALOGPROC`	132432
`DDEWNDPROC`	28773
`EGCDBSAVEBOOK`	27357
`EGDYNALINKERRORFUNC`	40852
`EGYPTCHILDWNDPROC`	47953
`EGYPTCLIENTWNDPROC`	31331
`EGYPTNOTIFYPROC`	32680
`ENUMWINSFOROPEN`	46390
`FONTDLGHOOKPROC`	30737
`FONTSTATUSWNDPROC`	138995
`HANDLEREMOVESCRIPTPROC`	72783
`HEADERDIALOGPROC`	137807
`HEADERNOTIFYPROC`	138403
`HEADFOOTWNDPROC`	66993
`IMAGESTORESTATUS`	28163
`MAINWNDPROC`	37122
`MMRESDLGCHOOSE`	150899
`OPTIMIZEDSAVESTATUSDIALOGPROC`	78670
`PARAGRAPHDIALOGPROC`	83266
`PLASKDIALOGPROC`	34880
`PLREQUESTDIALOGPROC`	34410
`POSTPALCHNGTOOTHERS`	73918
`PREVIEWNOTIFYPROC`	138525
`PRINTOPTIONSDIALOGPROC`	135102
`PRINTPAGEDIALOGPROC`	134383
`PRINTREPORTDIALOGPROC`	133543
`RESCHOOSEDLGPROC`	148133
`RESOURCELISTENUM`	93087
`SEARCHDIALOGPROC`	84108
`STATUSBARWNDPROC`	54892
`SUBEDITCONTROLPROC`	55062
`TOOLNOTIFY`	59326
`XCTOLEREMOTECOMMAND`	103260
`XCTOLEREMOTEGET`	103345
`XDLLTRANSWINPROC`	88606

W16 Export Map

Source: 20261012/09-w16-export-map.md

W16 export → decompile mapping

Matched: 71 / 72

Export	Decompile line
`ACXCTBKSIMPLEOLEDISPATCH_DELETE`	8697
`ACXCTBKSIMPLEOLEDISPATCH_NEW`	8667
`ACXFREEDATAOBJECT`	8583
`ACXGETDATAOBJECT`	8519
`ACXGETTOOLBOOKSUPPORTCONFIGURATION`	8202
`ACXINIT`	8446
`ACXINITIALIZETOOLBOOKSUPPORT`	8338
`ACXOLEINITIALIZE`	8612
`ACXOLEUNINITIALIZE`	8642
`ACXSTARTUP`	8427
`ACXUNINITIALIZETOOLBOOKSUPPORT`	8376
`ASYMDIBUTILCONVERT16`	22541
`ASYMGETVDMPOINTER16`	10205
`ASYMRELEASEVDMPOINTER16`	10236
`ASYM_CGETCWD`	18704
`ASYM_CLSIDFROMPROGID`	16879
`ASYM_CLSIDFROMSTRING`	16929
`ASYM_CONTEXTOPENFILE`	19821
`ASYM_CONVERTTOTREATAS`	17105
`ASYM_CREATEBITMAPFROMOLEICON`	16564
`ASYM_DETERMINEGUIDTYPE`	17198
`ASYM_DLLREGISTERSERVER`	16497
`ASYM_ENUMICONDRAW`	16804
`ASYM_FREEOLEICON`	16838
`ASYM_GETOPENFILENAME`	18945
`ASYM_GETSAVEFILENAME`	19315
`ASYM_GETSAVEFILENAMEEXPLORER`	19318
`ASYM_IS32BITENV`	18663
`ASYM_OLEICONDRAW`	16622
`ASYM_OPENFILE`	19652
`ASYM_OPENFILEEX`	19903
`ASYM_STRINGFROMCLSID`	16867
`ASYM_URLDOWNLOAD`	19972
`ASYM_XFORMHEIGHTINHIMETRICTOPIXELS`	16724
`ASYM_XFORMHEIGHTINPIXELSTOHIMETRIC`	16700
`ASYM_XFORMWIDTHINHIMETRICTOPIXELS`	16678
`ASYM_XFORMWIDTHINPIXELSTOHIMETRIC`	16654
`ASYM__CHDIR`	18747
`ASYM__FULLPATH`	18803
`ASYM__GETCWD`	18730
`ASYM__LCREAT`	19631
`ASYM__LOPEN`	19688
`ASYM__MAKEPATH`	19727
`CALLPROC32W`	4136
`COMPILERCOMPILETEXT`	12395
`COPYDITHERED8BITPALETTE32`	22264
`CREATEDIBMASK32`	22242
`FINDORLAUNCHREMOTECALLSERVER`	8115
`FREELIBRARY32W`	4074
`GETMODULEFILENAME32W`	6913
`GETPLATFORMREF`	11072
`GETPROCADDRESS32W`	4094
`GETRUNTIMELOCALIZEDDLL`	10638
`GETTHUNKINGLAYERSERRORFUNC`	5226
`GETVDMPOINTER32W`	4114
`IS32BITENV`	3892
`ISCOMMONDLGLAUNCHED`	18475
`ISWINDOWS95ORLATER`	9922
`LOADLIBRARYEX32W`	4053
`LOADLOCALIZEDSTRING`	5032
`MINIMIZETHUNKINGLAYERS`	5133
`OPENFILE32W`	6943
`REGQUERYINFOKEY32W`	11759
`REGQUERYVALUEEX32W`	11713
`REGSETVALUEEX32W`	11679
`SCRIPTED`	13053
`SETTHUNKINGLAYERSERRORFUNC`	5217
`SHUTDOWNTHUNKINGLAYERS`	3919
`SYSTEMPARAMETERSINFO32W`	11355
`WINHELP32W`	11260

| `WOWHANDLE32` | 4418 |

Unmatched

- `WEP`

BAS Ordinal Map

Source: 20261012/10-bas-ordinal-map.md

BAS ordinal map (from ExportList.java)

Source: Ghidra ExportList.java console output.

Ordinal	Name	Address
1	`CDBINIT`	`1058:0000`
2	`CDBCREATEINSTANCE`	`1038:0000`
3	`CDBDESTROYINSTANCE`	`1038:040a`
4	`CDBCREATETHREAD`	`1038:0320`
5	`CDBDESTROYTHREAD`	`1038:047a`
6	`CDBCLIENTSTATUS`	`1038:04c6`
7	`CDBFILENEW`	`1048:0028`
8	`CDBFILEOPEN`	`1048:017a`
9	`CDBFILESAVE`	`1048:030a`
10	`CDBFILESAVEAS`	`1048:04ae`
11	`CDBFILECLOSE`	`1048:0948`
12	`CDBFILEPATH`	`1048:09e0`
13	`CDBFILEMERGE`	`1048:0a18`
14	`CDBVIEWBOOK`	`1050:00f0`
15	`CDBVIEWPAGE`	`1040:0000`
16	`CDBEDITBOOK`	`1050:007e`
17	`CDBVIEWPAGEVALUE`	`1040:041e`
18	`CDBVIEWBKGND`	`1040:01f2`
19	`CDBGETSELECTPROP`	`1068:0000`
20	`CDBCLONEINSTANCE`	`1038:009a`
21	`CDBTHREADFROMINSTANCE`	`1038:036c`
22	`CDBFILESTATUS`	`1050:0000`
23	`CDBVIEWNONE`	`1040:02f8`
24	`CDBSENDSELECT`	`1068:009e`
25	`CDBSETSELECTPROP`	`1068:0686`
26	`CDBPAINTCLIENT`	`1010:0506`
27	`CDBDISPLAYSTATE`	`1010:0000`
28	`CDBSENDUNDO`	`1068:07ca`
29	`CDBCREATEBOOKREF`	`1048:0f5c`
30	`CDBCREATEPAGEREF`	`1040:03b2`
31	`CDBCREATEBKGNDREF`	`1040:0666`
32	`CDBCREATEGRAPHICREF`	`1078:0076`
33	`CDBREFVALUE`	`1078:0304`
34	`CDBDEREFVALUE`	`1078:0400`
35	`CDBSAMEVALUEP`	`1078:049e`
36	`CDBPARENTVALUE`	`1078:07b2`
37	`CDBQUERYVALUE`	`1078:0958`
38	`CDBCLEARBOOKREFS`	`1048:10a6`
39	`CDBGETVALUE`	`1078:0d54`
40	`CDBSETVALUE`	`1078:1450`
41	`CDBSENDVALUE`	`1078:1110`
42	`CDBQUERYMULTISAVE`	`1048:0b90`
43	`CDBMULTISAVE`	`1048:0e24`
44	`CDBSENDFOCUS`	`1060:0000`
45	`CDBGETFOCUSPROP`	`1060:019a`
46	`CDBSETFOCUSPROP`	`1060:01d6`
47	`CDBSETFOCUS`	`1060:0244`
48	`CDBBOOKOFVALUE`	`1078:0612`
49	`CDBLAYEROFVALUE`	`1078:06fe`
50	`CDBQUERYFILEPATH`	`1078:0aaa`
51	`CDBSENDCREATE`	`12c8:00bc`
52	`CDBNEWOBJECT`	`12c8:02c2`
53	`CDBCHUNKEND`	`12f0:0000`
54	`CDBCHUNKFIND`	`12f0:0146`
55	`CDBSKIPSEP`	`12f0:04b4`
56	`CDBCHUNKLAST`	`12f0:0334`
69	`CDBCHUNKREMOVE`	`12f0:0550`
228	`OBJLOCK`	`1170:0308`
233	`OBJNEWNEAR`	`1170:0552`
355	`CDBCHECKBOUNDDTL`	`12c8:0000`
405	`TBXEXECSCRIPT`	`1268:060c`

Key entries for bounds work:

• Ordinal 51 `CDBSENDCREATE` at `12c8:00bc`

• Ordinal 52 `CDBNEWOBJECT` at `12c8:02c2`

• Ordinal 355 `CDBCHECKBOUNDDTL` at `12c8:0000`

Full export list (606 ordinals) was provided by the user.

This table holds the confirmed mappings relevant to the current research.

Decimal to Hexadecimal (0–255)

Dec	Hex	Dec	Hex	Dec	Hex	Dec	Hex
0	00	1	01	2	02	3	03
4	04	5	05	6	06	7	07
8	08	9	09	10	0A	11	0B
12	0C	13	0D	14	0E	15	0F
16	10	17	11	18	12	19	13
20	14	21	15	22	16	23	17
24	18	25	19	26	1A	27	1B
28	1C	29	1D	30	1E	31	1F
32	20	33	21	34	22	35	23
36	24	37	25	38	26	39	27
40	28	41	29	42	2A	43	2B
44	2C	45	2D	46	2E	47	2F
48	30	49	31	50	32	51	33
52	34	53	35	54	36	55	37
56	38	57	39	58	3A	59	3B
60	3C	61	3D	62	3E	63	3F
64	40	65	41	66	42	67	43
68	44	69	45	70	46	71	47
72	48	73	49	74	4A	75	4B
76	4C	77	4D	78	4E	79	4F
80	50	81	51	82	52	83	53
84	54	85	55	86	56	87	57
88	58	89	59	90	5A	91	5B
92	5C	93	5D	94	5E	95	5F
96	60	97	61	98	62	99	63
100	64	101	65	102	66	103	67
104	68	105	69	106	6A	107	6B
108	6C	109	6D	110	6E	111	6F
112	70	113	71	114	72	115	73
116	74	117	75	118	76	119	77
120	78	121	79	122	7A	123	7B
124	7C	125	7D	126	7E	127	7F
128	80	129	81	130	82	131	83
132	84	133	85	134	86	135	87
136	88	137	89	138	8A	139	8B
140	8C	141	8D	142	8E	143	8F

144	90	145	91	146	92	147	93
148	94	149	95	150	96	151	97
152	98	153	99	154	9A	155	9B
156	9C	157	9D	158	9E	159	9F
160	A0	161	A1	162	A2	163	A3
164	A4	165	A5	166	A6	167	A7
168	A8	169	A9	170	AA	171	AB
172	AC	173	AD	174	AE	175	AF
176	B0	177	B1	178	B2	179	B3
180	B4	181	B5	182	B6	183	B7
184	B8	185	B9	186	BA	187	BB
188	BC	189	BD	190	BE	191	BF
192	C0	193	C1	194	C2	195	C3
196	C4	197	C5	198	C6	199	C7
200	C8	201	C9	202	CA	203	CB
204	CC	205	CD	206	CE	207	CF
208	D0	209	D1	210	D2	211	D3
212	D4	213	D5	214	D6	215	D7
216	D8	217	D9	218	DA	219	DB
220	DC	221	DD	222	DE	223	DF
224	E0	225	E1	226	E2	227	E3
228	E4	229	E5	230	E6	231	E7
232	E8	233	E9	234	EA	235	EB
236	EC	237	ED	238	EE	239	EF
240	F0	241	F1	242	F2	243	F3
244	F4	245	F5	246	F6	247	F7
248	F8	249	F9	250	FA	251	FB
252	FC	253	FD	254	FE	255	FF

Win16 System Ordinals (KERNEL / USER / GDI)

Numbers restart per library.

Library	Ordinal	Name
KERNEL	1	InitTask
KERNEL	2	ExitWindows
KERNEL	3	WaitEvent
KERNEL	4	PostEvent
KERNEL	5	SetPriority
KERNEL	6	LockCurrentTask
KERNEL	7	UnlockCurrentTask
KERNEL	8	GetCurrentTask
KERNEL	9	GetCurrentPDB
KERNEL	10	GetDOSEnvironment
KERNEL	11	GetInstanceData
KERNEL	12	SetInstanceData
KERNEL	13	GetExePtr
KERNEL	14	GetProcAddress
KERNEL	15	MakeProcInstance
KERNEL	16	FreeProcInstance
KERNEL	17	GetModuleHandle
KERNEL	18	GetModuleUsage
KERNEL	19	GetModuleFileName
KERNEL	20	GetWindowsDirectory
KERNEL	21	GetSystemDirectory
KERNEL	22	GetFreeSpace
KERNEL	23	GetTempDrive
KERNEL	24	GetTempFileName
KERNEL	25	Catch
KERNEL	26	Throw
KERNEL	27	LocalAlloc
KERNEL	28	LocalReAlloc
KERNEL	29	LocalFree
KERNEL	30	LocalLock
KERNEL	31	LocalUnlock
KERNEL	32	LocalSize
KERNEL	33	LocalFlags
KERNEL	34	LocalCompact
KERNEL	35	LocalNotify

KERNEL	36	GlobalAlloc
KERNEL	37	GlobalReAlloc
KERNEL	38	GlobalFree
KERNEL	39	GlobalLock
KERNEL	40	GlobalUnlock
USER	1	MessageBox
USER	2	GetFocus
USER	3	SetFocus
USER	4	GetActiveWindow
USER	5	SetActiveWindow
USER	6	GetCapture
USER	7	SetCapture
USER	8	ReleaseCapture
USER	9	GetWindowTask
USER	10	IsWindow
USER	11	IsChild
USER	12	IsWindowVisible
USER	13	IsWindowEnabled
USER	14	IsIconic
USER	15	IsZoomed
USER	16	ClientToScreen
USER	17	ScreenToClient
USER	18	WindowFromPoint
USER	19	ChildWindowFromPoint
USER	20	GetWindowWord
USER	21	SetWindowWord
USER	22	GetWindowLong
USER	23	SetWindowLong
USER	24	GetClassWord
USER	25	SetClassWord
USER	26	GetClassLong
USER	27	SetClassLong
USER	28	GetDesktopWindow
USER	29	GetParent
USER	30	SetParent
USER	31	GetWindow
USER	32	GetNextWindow
USER	33	GetTopWindow

USER	34	GetWindowText
USER	35	SetWindowText
USER	36	GetWindowTextLength
USER	37	GetClientRect
USER	38	GetWindowRect
USER	39	AdjustWindowRect
USER	40	AdjustWindowRectEx
GDI	1	GetStockObject
GDI	2	SelectObject
GDI	3	DeleteObject
GDI	4	GetObject
GDI	5	GetCurrentObject
GDI	6	UnrealizeObject
GDI	7	CreatePen
GDI	8	CreatePenIndirect
GDI	9	CreateSolidBrush
GDI	10	CreateHatchBrush
GDI	11	CreatePatternBrush
GDI	12	CreateBrushIndirect
GDI	13	CreateBitmap
GDI	14	CreateBitmapIndirect
GDI	15	CreateCompatibleBitmap
GDI	16	CreateDiscardableBitmap
GDI	17	CreateDIBitmap
GDI	18	CreateDIBPatternBrush
GDI	19	GetBitmapBits
GDI	20	SetBitmapBits
GDI	21	GetBitmapDimension
GDI	22	SetBitmapDimension
GDI	23	GetTextExtent
GDI	24	GetTextExtentEx
GDI	25	GetTabbedTextExtent
GDI	26	TabbedTextOut
GDI	27	ExtTextOut
GDI	28	TextOut
GDI	29	GetTextMetrics
GDI	30	GetTextFace
GDI	31	GetTextAlign

GDI	32	SetTextAlign
GDI	33	GetTextCharacterExtra
GDI	34	SetTextCharacterExtra
GDI	35	GetTextColor
GDI	36	SetTextColor
GDI	37	GetBkColor
GDI	38	SetBkColor
GDI	39	GetBkMode
GDI	40	SetBkMode

Confirmed ToolBook Function Names

Module	Function	Name
BAS	FUN_1408_0376	CDBPAINTPOLYGON
BAS	FUN_13e8_00e6	CDBPAINTPOLYLINE
BAS	FUN_10a0_0558	CDBPAINTARC
BAS	FUN_10a0_0458	CDBPAINTARCALT
BAS	FUN_1020_03e4	CDBPAINTRECTANGLE
BAS	FUN_1008_01dd	CDBSCALETWIPSTOSCREEN
BAS	FUN_12d0_03ec	CDBSETPROPERTY
BAS	FUN_1408_00d8	CDBSETPOINTARRAY
BAS	FUN_12d0_086c	CDBSETUPPAINTRECT
BAS	FUN_1008_03f6	CDBSETSCRIPTPROPERTY
BAS	FUN_1070_1774	CDBVALIDATEPROPERTY
BAS	FUN_1070_1b3c	CDBCHECKVERTICES
BAS	FUN_1230_2f1c	CDBPAINTELLIPSE
BAS	FUN_13d8_0066	CDBPAINTELLIPSEALT
BAS	FUN_1230_2278	CDBPAINTROUNDRECT
BAS	FUN_1230_26f4	CDBPAINTROUNDRECTALT
BAS	FUN_13e0_015a	CDBPAINTROUNDRECTALT2
BAS	FUN_1230_2b5a	CDBPAINTARC2
BAS	FUN_10e0_208e	CDBSETMULTIPROPERTY
BAS	FUN_10e8_33e8	CDBSETMULTIPROPERTY2
BMP	FUN_1078_05c2	CreateDibBitmap
BMP	FUN_1090_0558	CreateDibBitmapAlt
BMP	FUN_1098_0874	CreateDibBitmapAlt2
BMP	FUN_10a0_16ee	CreateDibBitmapAlt3
BMP	FUN_1048_0116	BitBltBmp
BMP	FUN_1048_1250	BitBltBmp2
BMP	FUN_1048_2c5e	BitBltBmp3
BMP	FUN_1080_0194	BitBltBmp4
BMP	FUN_1010_18a4	SelectPaletteBmp
BMP	FUN_1030_03e4	GetDcBmp
BMP	FUN_1080_0548	SelectPaletteBmp2
BMP	FUN_1000_0031	Lz77Expand
BMP	FUN_1000_0162	Lz77ExpandCaller
BMP	FUN_1000_0752	Lz77ExpandCaller2
CMP	FUN_1010_0ee6	LoadCompilerResource
CMP	FUN_1010_1390	LockCompilerResource

CMP	FUN_1038_0dea	LockCompilerResource2
CMP	FUN_1040_0970	ExpandTextCore
CMP	FUN_1010_0070	CompilerStrLen
CMP	FUN_1010_1774	CompilerStrCpy
CMP	FUN_1010_1a28	CompilerStrCat
CMP	FUN_1038_06f8	CompilerStrHelper
FLT	FUN_1028_14be	FltBitBlt
FLT	FUN_1040_071a	FltBitBlt2
FLT	FUN_1028_0390	FltSendMessage
FLT	FUN_1028_2316	FltSendMessage2
FLT	FUN_1028_26ac	FltSendMessage3
FLT	FUN_1010_0e98	FltAlloc
FLT	FUN_1010_20b6	FltAlloc2
FLT	FUN_1000_093b	FltStrCpy
JPG	FUN_1008_c9ca	JpgAlloc
LNL	FUN_1018_04a6	LnlAlloc
LNL	FUN_1050_043a	LnlLock
LNL	FUN_1070_203e	LnlAlloc2
LNL	FUN_10d8_097e	LnlLock2
LNL	FUN_1040_344c	LnlStrCpy
LNL	FUN_1040_40f0	LnlStrLen
LNL	FUN_1090_0130	LnlStrCat
MM	FUN_1070_03f4	MmSendMessage
MM	FUN_1088_0200	MmSendMessage2
MM	FUN_1088_0642	MmSendMessage3
MM	FUN_1088_09f0	MmCreateWindow
MM	FUN_1048_00d0	MmAlloc
MM	FUN_1098_006a	MmAllocStr
MM	FUN_1098_0134	MmStrCpy
NET	FUN_1038_01b4	NetSendMessage
NET	FUN_1038_0484	NetSendMessage2
NET	FUN_1040_0000	NetSendMessage3
NET	FUN_1008_17c8	NetCreateWindow
NET	FUN_1008_0862	NetAlloc
NET	FUN_1008_136c	NetAlloc2
NET	FUN_1020_0410	NetStrCpy
NET	FUN_1020_0a10	NetStrCpy2
RCR	FUN_1008_158c	RcrBitBlt

RCR	FUN_1008_164c	RcrBitBlt2
RCR	FUN_1008_170e	RcrBitBlt3
RCR	FUN_1008_077a	RcrSendMessage
RCR	FUN_1008_0e94	RcrSendMessage2
RCR	FUN_1008_11aa	RcrSendMessage3
RCR	FUN_1008_08e2	RcrAlloc
RCR	FUN_1008_2190	RcrAlloc2
RCR	FUN_1008_aa62	RcrStrCpy
RTM	FUN_10e0_0050	PaintRectangle
RTM	FUN_1398_05c6	PaintRectangleAlt
RTM	FUN_1070_0b32	BitBltHelper
RTM	FUN_10d0_2d4e	BitBltHelper2
RTM	FUN_10d0_2fa0	BitBltHelper3
RTM	FUN_10e0_0dea	BitBltHelper4
RTM	FUN_1130_32ce	BitBltHelper5
RTM	FUN_1010_1a0a	SendMessageHelper
RTM_BOOK	FUN_1398_05c6	PaintPageRect
UTL	FUN_1000_093b	UtlAlloc
UTL	FUN_1018_1472	UtlLock
UTL	FUN_10b8_0eac	UtlAlloc2
UTL	FUN_10c0_028c	UtlLock2
UTL	FUN_1008_0504	UtlStrCpy
UTL	FUN_10b8_0000	UtlStrLen
UTL	FUN_10c8_001e	UtlStrCat
VBX	FUN_1008_12b2	VbxCreateWindow
VBX	FUN_1020_13fe	VbxBitBlt
VBX	FUN_1038_1bd8	VbxAlloc
VBX	FUN_1058_0534	VbxAlloc2
VBX	FUN_1058_0910	VbxBitBlt2
VBX	FUN_1058_0ac6	VbxAlloc3
W16	FUN_1010_1914	W16Alloc
W16	FUN_1058_0f14	W16Lock
W16	FUN_1058_2568	W16Alloc2
W16	FUN_10b0_0060	W16Lock2
W16	FUN_1030_003a	W16StrCpy
W16	FUN_10b0_022c	W16StrLen
W16	FUN_10c0_013a	W16StrCat
W16	FUN_10c0_0310	W16StrHelper

ASCII Lookup (0–127)

Portrait fit. Landscape: ASCII_lookup.pdf

Dec	Hex	Chr	Dec	Hex	Chr	Dec	Hex	Chr	Dec	Hex	Chr
0	00	NUL	1	01	SOH	2	02	STX	3	03	ETX
4	04	EOT	5	05	ENQ	6	06	ACK	7	07	BEL
8	08	BS	9	09	HT	10	0A	LF	11	0B	VT
12	0C	FF	13	0D	CR	14	0E	SO	15	0F	SI
16	10	DLE	17	11	DC1	18	12	DC2	19	13	DC3
20	14	DC4	21	15	NAK	22	16	SYN	23	17	ETB
24	18	CAN	25	19	EM	26	1A	SUB	27	1B	ESC
28	1C	FS	29	1D	GS	30	1E	RS	31	1F	US
32	20	SP	33	21	!	34	22	"	35	23	#
36	24	$	37	25	%	38	26	&	39	27	'
40	28	(	41	29	)	42	2A	*	43	2B	+
44	2C	,	45	2D	-	46	2E	.	47	2F	/
48	30	0	49	31	1	50	32	2	51	33	3
52	34	4	53	35	5	54	36	6	55	37	7
56	38	8	57	39	9	58	3A	:	59	3B	;
60	3C	<	61	3D	=	62	3E	>	63	3F	?
64	40	@	65	41	A	66	42	B	67	43	C
68	44	D	69	45	E	70	46	F	71	47	G
72	48	H	73	49	I	74	4A	J	75	4B	K
76	4C	L	77	4D	M	78	4E	N	79	4F	O
80	50	P	81	51	Q	82	52	R	83	53	S
84	54	T	85	55	U	86	56	V	87	57	W
88	58	X	89	59	Y	90	5A	Z	91	5B	[
92	5C	\	93	5D	]	94	5E	^	95	5F	_
96	60	`	97	61	a	98	62	b	99	63	c
100	64	d	101	65	e	102	66	f	103	67	g
104	68	h	105	69	i	106	6A	j	107	6B	k
108	6C	l	109	6D	m	110	6E	n	111	6F	o
112	70	p	113	71	q	114	72	r	115	73	s
116	74	t	117	75	u	118	76	v	119	77	w
120	78	x	121	79	y	122	7A	z	123	7B	{
124	7C	|	125	7D	}	126	7E	~	127	7F	DEL

Symbol Maps (excerpts)

First 50 lines. Full files in 20261012/.

TB80BAS.map

```
; TB80BAS symbols from Ghidra decompile
; segment:offset is the NE segment index and offset, not a live selector
; 3799 entries

1000:0031 FUN_1000_0031
1000:0154 FUN_1000_0154
1000:0162 FUN_1000_0162
1000:0169 FUN_1000_0169
1000:02D4 FUN_1000_02d4
1000:0324 FUN_1000_0324
1000:0355 FUN_1000_0355
1000:04BD FUN_1000_04bd
1000:071A FUN_1000_071a
1000:0752 FUN_1000_0752
1000:0769 FUN_1000_0769
1000:0770 FUN_1000_0770
1000:082A FUN_1000_082a
1000:08B2 FUN_1000_08b2
1000:0918 FUN_1000_0918
1000:093B FUN_1000_093b
1008:0010 FUN_1008_0010
1008:0050 FUN_1008_0050
1008:00A9 FUN_1008_00a9
1008:0176 FUN_1008_0176
1008:01DD TBXGETCLASSID
1008:0268 FUN_1008_0268
1008:0290 FUN_1008_0290
1008:032C FUN_1008_032c
1008:0360 FUN_1008_0360
1008:03E0 FUN_1008_03e0
1008:03F6 FUN_1008_03f6
1008:0417 TBXSTREAMOUT
1008:0422 RESMGRGETREFCNT
1008:0438 CDROMOBJINFO_OHANDLECHECK
1008:0443 FUN_1008_0443
1008:0466 FUN_1008_0466
1008:0558 FUN_1008_0558
1008:056B FUN_1008_056b
1008:0684 FUN_1008_0684
1008:072B FUN_1008_072b
1008:092F FUN_1008_092f
1008:0948 FUN_1008_0948
1008:09E8 FUN_1008_09e8
1008:09F8 TBXEXECSCRIPTVARIANTSPCL
1008:0A0A FUN_1008_0a0a
1008:0A76 CDBGETSELECTPROP
1008:0AA8 FUN_1008_0aa8
1008:0AC8 FUN_1008_0ac8
1008:0AE9 FUN_1008_0ae9
1008:0B90 FUN_1008_0b90
```

... (3803 lines total)

TB80RTM.map

```
; TB80RTM symbols from Ghidra decompile
; segment:offset is the NE segment index and offset, not a live selector
; 2669 entries

1000:0031 FUN_1000_0031
1000:0154 FUN_1000_0154
1000:0162 FUN_1000_0162
1000:0169 FUN_1000_0169
1000:02D4 FUN_1000_02d4
1000:0324 FUN_1000_0324
1000:0355 FUN_1000_0355
1000:04BD FUN_1000_04bd
1000:071A FUN_1000_071a
1000:0752 FUN_1000_0752
1000:0769 FUN_1000_0769
1000:0770 FUN_1000_0770
1000:082A FUN_1000_082a
1000:08B2 FUN_1000_08b2
1000:0918 FUN_1000_0918
1000:093B FUN_1000_093b
1008:0010 FUN_1008_0010
1008:00A0 FUN_1008_00a0
1008:00C1 FUN_1008_00c1
1008:0168 FUN_1008_0168
1008:019A FUN_1008_019a
1008:01FA FUN_1008_01fa
1008:02C4 FUN_1008_02c4
1008:031C FUN_1008_031c
1008:0404 FUN_1008_0404
1008:045E FUN_1008_045e
1008:0486 FUN_1008_0486
1008:04A6 FUN_1008_04a6
1008:04D2 FUN_1008_04d2
1008:056C FUN_1008_056c
1008:0596 FUN_1008_0596
1008:0636 FUN_1008_0636
1008:0656 FUN_1008_0656
1008:0666 FUN_1008_0666
1008:068C FUN_1008_068c
1008:06E3 FUN_1008_06e3
1008:0706 FUN_1008_0706
1008:0738 FUN_1008_0738
1008:075C FUN_1008_075c
1008:079A FUN_1008_079a
1008:0842 FUN_1008_0842
1008:0882 FUN_1008_0882
1008:0888 FUN_1008_0888
1008:088E FUN_1008_088e
1008:0893 FUN_1008_0893
1008:0898 FUN_1008_0898
```

... (2673 lines total)