Appendix D — Address Maps

NE segment to Ghidra space, and one boot's WDW selectors.

Date: 16 October 2026

Each map below is the current file, complete. NE segment numbers are not Ghidra `CodeN` names. Segment 1 is `1000`, segment 2 is `1008`, and the usual step is 8, with gaps. Live selectors change every boot. Offsets inside a segment do not. The symbol maps are not reprinted. They are unsifted decompiler names and were removed from this edition. They remain on disk under `TBdecompile/20261015/20261012/`.

NE segment to Ghidra address

> Trail, 2026-10-16. Lookup. NE segment to the Ghidra base used for this load. Not a finding. A live selector is not this base. If this file and `TBdecompile/record/` disagree, the record wins.

NE segment number, file offset, length, and flags were checked against the unpacked binaries in `Toolbook/_unpacked`. They match, file for file, including BAS (199) and RTM (139).

The Ghidra base is not stored in the DLL. It is `0x1000 + (NE - 1) * 8`, and the block is `CodeN` or `DataN`. That is how these listings were loaded. The DLL confirms the segment index. The listing confirms the address Ghidra gave it.

A listing address `Code35:1110:04e8` is NE segment 35, offset `0x04E8`.

`tbwp0023/rtm-ne-to-ghidra.md` drifts by 8 bytes at NE `0x2D`. The binary and the RTM `-5` listing both have `Code45:1160`.

`TB80OLE.DLL` is in this table from the unpacked binary. Its HTML export is one raw block (`CODE_0:1000`) and has no segment table. The Ghidra names for OLE follow the same formula. They have not been seen in a listing.

`TB80ATH.EXE`, `DIBUTIL.DLL`, and `decrypt.exe` are listing-only. Those three binaries are not in `_unpacked`.

OCX segments 50 and 51 have file offset 0 and a length word of 0. Minimum allocation is `0x0E`. There are no file bytes. That is not a 64K segment.

PE files, no NE table: `TB80ACX`, `TB80ENU2`, `TB80F32L`, `TB80MAIN`, `TB80RMT`, `TB80RUN`, `TB80W32`, `Tbload`, `zlib1`.

Index

File	Segments	Entry	Auto data	Data segments	Source
DIBUTIL.DLL.html	5	NE 2 → `1008:961E`	NE 5 → `1020`	4,5	listing only
TB80ATH.EXE.html	184	NE 2 → `1008:063A`	NE 184 → `15B8`	184	listing only
TB80BAS.DLL-4.html	199	NE 2 → `1008:089E`	NE 199 → `1630`	193,194,195,196,197,198,199	DLL matches listing
TB80BMP.DLL.html	27	NE 2 → `1008:02D8`	NE 27 → `10D0`	26,27	DLL matches listing
TB80CMP.ghidra.dll.html	47	NE 2 → `1008:00BE`	NE 47 → `1170`	35,36,37,38,39,40,41,42,43,44,45,46,47	DLL matches listing

File	Segments	Entry	Auto data	Data segments	Source
TB80ENU1.DLL.html	8	NE 6 → `1028:0054`	NE 8 → `1038`	8	DLL matches listing
TB80FLT.DLL.html	28	NE 23 → `10B0:0484`	NE 28 → `10D8`	27,28	DLL matches listing
TB80JPG.DLL.html	3	NE 2 → `1008:A5C2`	NE 3 → `1010`	3	DLL matches listing
TB80LNL.DLL.html	39	NE 15 → `1070:0054`	NE 39 → `1130`	37,38,39	DLL matches listing
TB80MM.DLL.html	22	NE 3 → `1010:0054`	NE 22 → `10A8`	22	DLL matches listing
TB80NET.EXE.html	45	NE 2 → `1008:0120`	NE 45 → `1160`	44,45	DLL matches listing
TB80OCX.DLL.html	53	NE 1 → `1000:0054`	NE 53 → `11A0`	47,48,49,50,51,52,53	DLL matches listing
TB80RCR.DLL.html	5	NE 2 → `1008:A998`	NE 5 → `1020`	4,5	DLL matches listing
TB80RTM.EXE-5.html	139	NE 2 → `1008:035A`	NE 139 → `1450`	139	DLL matches listing
TB80UTL.DLL.html	32	NE 4 → `1018:0526`	NE 32 → `10F8`	30,31,32	DLL matches listing
TB80VBX.DLL.html	47	NE 2 → `1008:00DA`	NE 47 → `1170`	47	DLL matches listing
TB80W16.DLL.html	56	NE 3 → `1010:027A`	NE 56 → `11B8`	35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56	DLL matches listing
TBCBT.DLL.html	16	NE 2 → `1008:0054`	NE 16 → `1078`	16	DLL matches listing
TBDB3.DLL.html	72	NE 2 → `1008:0628`	NE 72 → `1238`	70,71,72	DLL matches listing
TBDLG.DLL.html	19	NE 17 → `1080:027A`	NE 19 → `1090`	19	DLL matches listing
TBDOS.DLL.html	7	NE 2 → `1008:027A`	NE 7 → `1030`	7	DLL matches listing
TBFILE32.DLL.html	9	NE 3 → `1010:0054`	NE 9 → `1040`	9	DLL matches listing
TBPDX.DLL.html	5	NE 4 → `1018:0068`	NE 5 → `1020`	5	DLL matches listing
TBREG.DLL.html	11	NE 2 → `1008:0064`	NE 11 → `1050`	11	DLL matches listing
TBWIN.DLL.html	28	NE 2 → `1008:0946`	NE 28 → `10D8`	28	DLL matches listing

File	Segments	Entry	Auto data	Data segments	Source
decrypt.exe.html	3	NE 2 → `1008:15A4`	NE 3 → `1010`	3	listing only
TB80OLE.DLL	32	NE 2 → `1008:0054`	NE 32 → `10F8`	31,32	DLL only

DIBUTIL.DLL.html

Entry NE 2 at `1008:961E`. Auto data NE 5 at `1020`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (`0x01`)	`Code1:1000`	Code	`0x440`	`0x9F2`	`0x0D50`
2 (`0x02`)	`Code2:1008`	Code	`0xE50`	`0xC3C9`	`0x1D50`
3 (`0x03`)	`Code3:1010`	Code	`0xDC50`	`0x6930`	`0x1D50`
4 (`0x04`)	`Data4:1018`	Data	`0x14950`	`0x16`	`0x0C71`
5 (`0x05`)	`Data5:1020`	Data	`0x14970`	`0x3478`	`0x0D71`

TB80ATH.EXE.html

Entry NE 2 at `1008:063A`. Auto data NE 184 at `15B8`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (`0x01`)	`Code1:1000`	Code	`0x1F60`	`0x9F2`	`0x0D50`
2 (`0x02`)	`Code2:1008`	Code	`0x2980`	`0x6800`	`0x0D40`
3 (`0x03`)	`Code3:1010`	Code	`0x9B00`	`0x1F50`	`0x1D50`
4 (`0x04`)	`Code4:1018`	Code	`0xBC60`	`0x2B2E`	`0x1D50`
5 (`0x05`)	`Code5:1020`	Code	`0xEA00`	`0x30C8`	`0x1D50`
6 (`0x06`)	`Code6:1028`	Code	`0x11D20`	`0x55E`	`0x1D50`
7 (`0x07`)	`Code7:1030`	Code	`0x122A0`	`0x50C`	`0x1D50`
8 (`0x08`)	`Code8:1038`	Code	`0x12880`	`0x38A`	`0x1D50`
9 (`0x09`)	`Code9:1040`	Code	`0x12CC0`	`0x9EE`	`0x1D50`
10 (`0x0A`)	`Code10:1048`	Code	`0x13780`	`0x792`	`0x1D50`
11 (`0x0B`)	`Code11:1050`	Code	`0x14060`	`0x1A92`	`0x1D50`
12 (`0x0C`)	`Code12:1058`	Code	`0x15C20`	`0xAF4`	`0x1D50`
13 (`0x0D`)	`Code13:1060`	Code	`0x168A0`	`0x1A46`	`0x1D50`
14 (`0x0E`)	`Code14:1068`	Code	`0x18600`	`0x430`	`0x1D50`
15 (`0x0F`)	`Code15:1070`	Code	`0x18AE0`	`0x21C4`	`0x1D50`
16 (`0x10`)	`Code16:1078`	Code	`0x1AFA0`	`0x1E96`	`0x1D50`
17 (`0x11`)	`Code17:1080`	Code	`0x1D040`	`0xEE4`	`0x1D50`
18 (`0x12`)	`Code18:1088`	Code	`0x1E060`	`0x3D2`	`0x1D50`
19 (`0x13`)	`Code19:1090`	Code	`0x1E4A0`	`0x638`	`0x1D50`
20 (`0x14`)	`Code20:1098`	Code	`0x1EB80`	`0x314A`	`0x1D50`
21 (`0x15`)	`Code21:10A0`	Code	`0x220E0`	`0x1066`	`0x1D50`
22 (`0x16`)	`Code22:10A8`	Code	`0x23240`	`0x250A`	`0x1D50`
23 (`0x17`)	`Code23:10B0`	Code	`0x25A80`	`0x340C`	`0x1D50`
24 (`0x18`)	`Code24:10B8`	Code	`0x29020`	`0x359E`	`0x1D50`
25 (`0x19`)	`Code25:10C0`	Code	`0x2C8A0`	`0x36CA`	`0x1D50`
26 (`0x1A`)	`Code26:10C8`	Code	`0x30340`	`0x22A6`	`0x1D50`
27 (`0x1B`)	`Code27:10D0`	Code	`0x32720`	`0x1EC`	`0x1D50`
28 (`0x1C`)	`Code28:10D8`	Code	`0x329A0`	`0x3558`	`0x1D50`
29 (`0x1D`)	`Code29:10E0`	Code	`0x36160`	`0x47E`	`0x1D50`
30 (`0x1E`)	`Code30:10E8`	Code	`0x366A0`	`0xEAA`	`0x1D50`
31 (`0x1F`)	`Code31:10F0`	Code	`0x376E0`	`0x153C`	`0x1D50`
32 (`0x20`)	`Code32:10F8`	Code	`0x38DC0`	`0x2200`	`0x1D50`
33 (`0x21`)	`Code33:1100`	Code	`0x3B340`	`0x5272`	`0x1D50`

NE	Ghidra	Kind	File offset	Length	Flags
34 (0x22)	Code34:1108	Code	0x408A0	0x994	0x1D50
35 (0x23)	Code35:1110	Code	0x41320	0x994	0x1D50
36 (0x24)	Code36:1118	Code	0x41D60	0x59F8	0x1D50
37 (0x25)	Code37:1120	Code	0x479A0	0x3DE	0x1D50
38 (0x26)	Code38:1128	Code	0x47DE0	0x127A	0x1D50
39 (0x27)	Code39:1130	Code	0x49200	0x102A	0x1D50
40 (0x28)	Code40:1138	Code	0x4A360	0x4134	0x1D50
41 (0x29)	Code41:1140	Code	0x4E680	0x1A1A	0x1D50
42 (0x2A)	Code42:1148	Code	0x501A0	0xB5A	0x1D50
43 (0x2B)	Code43:1150	Code	0x50DC0	0x67A	0x1D50
44 (0x2C)	Code44:1158	Code	0x514A0	0x258	0x1D50
45 (0x2D)	Code45:1160	Code	0x51720	0x101A	0x1D50
46 (0x2E)	Code46:1168	Code	0x527E0	0x1E68	0x1C50
47 (0x2F)	Code47:1170	Code	0x54660	0x15BC	0x1D50
48 (0x30)	Code48:1178	Code	0x55EA0	0x1394	0x1D50
49 (0x31)	Code49:1180	Code	0x57360	0x15E4	0x1D50
50 (0x32)	Code50:1188	Code	0x58B40	0x1B84	0x1D50
51 (0x33)	Code51:1190	Code	0x5A960	0x1486	0x1D50
52 (0x34)	Code52:1198	Code	0x5BF20	0x2C58	0x1D50
53 (0x35)	Code53:11A0	Code	0x5EF00	0x1AE0	0x1D50
54 (0x36)	Code54:11A8	Code	0x60B40	0xCE2	0x1D50
55 (0x37)	Code55:11B0	Code	0x61960	0xFAE	0x1D50
56 (0x38)	Code56:11B8	Code	0x62AC0	0x17A4	0x1D50
57 (0x39)	Code57:11C0	Code	0x64300	0x50E	0x1D50
58 (0x3A)	Code58:11C8	Code	0x648A0	0x5EC	0x1D50
59 (0x3B)	Code59:11D0	Code	0x64EC0	0x84	0x1D50
60 (0x3C)	Code60:11D8	Code	0x64F60	0x854	0x1D50
61 (0x3D)	Code61:11E0	Code	0x658E0	0xC84	0x1D50
62 (0x3E)	Code62:11E8	Code	0x66660	0x196E	0x1D10
63 (0x3F)	Code63:11F0	Code	0x68180	0x2FF8	0x1D10
64 (0x40)	Code64:11F8	Code	0x6B500	0x39B2	0x1D10
65 (0x41)	Code65:1200	Code	0x6F240	0x2CB8	0x1D10
66 (0x42)	Code66:1208	Code	0x72220	0x214	0x1D10
67 (0x43)	Code67:1210	Code	0x724A0	0x850	0x1D10
68 (0x44)	Code68:1218	Code	0x72DC0	0x16A	0x1D10
69 (0x45)	Code69:1220	Code	0x72F80	0x1674	0x1D10
70 (0x46)	Code70:1228	Code	0x74760	0x50A	0x1D10
71 (0x47)	Code71:1230	Code	0x74D40	0xF46	0x1D10
72 (0x48)	Code72:1238	Code	0x75DC0	0xC04	0x1D10
73 (0x49)	Code73:1240	Code	0x76AA0	0x22	0x1D10
74 (0x4A)	Code74:1248	Code	0x76AE0	0x4E6	0x1D10
75 (0x4B)	Code75:1250	Code	0x77080	0x3240	0x1D10
76 (0x4C)	Code76:1258	Code	0x7A4A0	0x71E	0x1D10
77 (0x4D)	Code77:1260	Code	0x7AD20	0xD8C	0x1D10
78 (0x4E)	Code78:1268	Code	0x7BC00	0x6D94	0x1D10
79 (0x4F)	Code79:1270	Code	0x82D20	0x4C	0x1D10
80 (0x50)	Code80:1278	Code	0x82D80	0x1B0	0x1D10
81 (0x51)	Code81:1280	Code	0x82F60	0x496	0x1D10
82 (0x52)	Code82:1288	Code	0x83440	0xACE	0x1D10
83 (0x53)	Code83:1290	Code	0x83FA0	0xC7E	0x1D10
84 (0x54)	Code84:1298	Code	0x84D80	0x2AEA	0x1D10
85 (0x55)	Code85:12A0	Code	0x87C60	0x2638	0x1D10
86 (0x56)	Code86:12A8	Code	0x8A4E0	0x11DE	0x1D10
87 (0x57)	Code87:12B0	Code	0x8B840	0x372E	0x1D10
88 (0x58)	Code88:12B8	Code	0x8F2A0	0x8EE0	0x1D10

NE	Ghidra	Kind	File offset	Length	Flags
89 (0x59)	Code89:12C0	Code	0x98700	0x2088	0x1D10
90 (0x5A)	Code90:12C8	Code	0x9A9A0	0xD28	0x1D10
91 (0x5B)	Code91:12D0	Code	0x9B7C0	0x32E	0x1D10
92 (0x5C)	Code92:12D8	Code	0x9BB60	0x17F0	0x1D10
93 (0x5D)	Code93:12E0	Code	0x9D400	0x1B00	0x1D10
94 (0x5E)	Code94:12E8	Code	0x9F060	0xA80	0x1D10
95 (0x5F)	Code95:12F0	Code	0x9FBC0	0xBE2	0x1D10
96 (0x60)	Code96:12F8	Code	0xA0820	0x35A8	0x1D10
97 (0x61)	Code97:1300	Code	0xA4020	0x1822	0x1D10
98 (0x62)	Code98:1308	Code	0xA59C0	0x592	0x1D10
99 (0x63)	Code99:1310	Code	0xA5FA0	0x96E	0x1D10
100 (0x64)	Code100:1318	Code	0xA69C0	0x138	0x1D10
101 (0x65)	Code101:1320	Code	0xA6B40	0x14E	0x1D10
102 (0x66)	Code102:1328	Code	0xA6CE0	0x5BE	0x1D10
103 (0x67)	Code103:1330	Code	0xA7320	0x6C6	0x1D10
104 (0x68)	Code104:1338	Code	0xA7AC0	0x464	0x1C10
105 (0x69)	Code105:1340	Code	0xA7F40	0x75E	0x1D10
106 (0x6A)	Code106:1348	Code	0xA8720	0x784	0x1D10
107 (0x6B)	Code107:1350	Code	0xA8EE0	0xD9E	0x1D10
108 (0x6C)	Code108:1358	Code	0xA9D80	0x258	0x1D10
109 (0x6D)	Code109:1360	Code	0xAA020	0x1EF0	0x1D10
110 (0x6E)	Code110:1368	Code	0xAC120	0xC4C	0x1D10
111 (0x6F)	Code111:1370	Code	0xACE40	0x2308	0x1D10
112 (0x70)	Code112:1378	Code	0xAF880	0xDAA	0x1D10
113 (0x71)	Code113:1380	Code	0xB0700	0xAE	0x1D10
114 (0x72)	Code114:1388	Code	0xB07C0	0x7FA	0x1D10
115 (0x73)	Code115:1390	Code	0xB1040	0x38D0	0x1D10
116 (0x74)	Code116:1398	Code	0xB5FC0	0x22E0	0x1D10
117 (0x75)	Code117:13A0	Code	0xB8460	0x854	0x1D10
118 (0x76)	Code118:13A8	Code	0xB8D60	0x91A	0x1D10
119 (0x77)	Code119:13B0	Code	0xB9780	0x19B6	0x1D10
120 (0x78)	Code120:13B8	Code	0xBB340	0x1A70	0x1D10
121 (0x79)	Code121:13C0	Code	0xBCFC0	0x118	0x1D10
122 (0x7A)	Code122:13C8	Code	0xBD120	0x2E	0x1C10
123 (0x7B)	Code123:13D0	Code	0xBD160	0xB1A	0x1D10
124 (0x7C)	Code124:13D8	Code	0xBDD60	0xFCA	0x1D10
125 (0x7D)	Code125:13E0	Code	0xBEE40	0x1510	0x1D10
126 (0x7E)	Code126:13E8	Code	0xC0560	0xE0A	0x1D10
127 (0x7F)	Code127:13F0	Code	0xC15A0	0xD54	0x1D10
128 (0x80)	Code128:13F8	Code	0xC2400	0xA84	0x1D10
129 (0x81)	Code129:1400	Code	0xC2F80	0x1E8	0x1D10
130 (0x82)	Code130:1408	Code	0xC31E0	0x56C	0x1D10
131 (0x83)	Code131:1410	Code	0xC3820	0x2D8	0x1D10
132 (0x84)	Code132:1418	Code	0xC3B80	0x5A0	0x1D10
133 (0x85)	Code133:1420	Code	0xC4220	0x122A	0x1D10
134 (0x86)	Code134:1428	Code	0xC56A0	0x63A	0x1D10
135 (0x87)	Code135:1430	Code	0xC5D40	0x1A98	0x1D10
136 (0x88)	Code136:1438	Code	0xC7980	0x498	0x1D10
137 (0x89)	Code137:1440	Code	0xC7E80	0xF2E	0x1D10
138 (0x8A)	Code138:1448	Code	0xC8E60	0x396	0x1D10
139 (0x8B)	Code139:1450	Code	0xC9260	0x197A	0x1D10
140 (0x8C)	Code140:1458	Code	0xCAE80	0x720	0x1D10
141 (0x8D)	Code141:1460	Code	0xCB700	0x140	0x1D10
142 (0x8E)	Code142:1468	Code	0xCB880	0x136	0x1D10
143 (0x8F)	Code143:1470	Code	0xCBA00	0x1D4	0x1D10

NE	Ghidra	Kind	File offset	Length	Flags
144 (0x90)	Code144:1478	Code	0xCBC00	0xDF8	0x1D10
145 (0x91)	Code145:1480	Code	0xCCAA0	0x9F2	0x1D10
146 (0x92)	Code146:1488	Code	0xCD560	0xA4A	0x1D10
147 (0x93)	Code147:1490	Code	0xCE040	0xCBE	0x1D10
148 (0x94)	Code148:1498	Code	0xCEDA0	0x48C	0x1D10
149 (0x95)	Code149:14A0	Code	0xCF240	0x8B6	0x1D10
150 (0x96)	Code150:14A8	Code	0xCFB60	0xC34	0x1D10
151 (0x97)	Code151:14B0	Code	0xD0820	0x112	0x1D10
152 (0x98)	Code152:14B8	Code	0xD0980	0x9BC	0x1D10
153 (0x99)	Code153:14C0	Code	0xD13C0	0x15D2	0x1D10
154 (0x9A)	Code154:14C8	Code	0xD2B20	0x974	0x1D10
155 (0x9B)	Code155:14D0	Code	0xD35E0	0x584	0x1D10
156 (0x9C)	Code156:14D8	Code	0xD3C00	0x162E	0x1D10
157 (0x9D)	Code157:14E0	Code	0xD53A0	0x1A62	0x1D10
158 (0x9E)	Code158:14E8	Code	0xD6FA0	0xCC6	0x1D10
159 (0x9F)	Code159:14F0	Code	0xD7DE0	0x202	0x1D10
160 (0xA0)	Code160:14F8	Code	0xD8080	0xF40	0x1D10
161 (0xA1)	Code161:1500	Code	0xD9140	0x840	0x1D10
162 (0xA2)	Code162:1508	Code	0xD9A20	0x41BC	0x1D10
163 (0xA3)	Code163:1510	Code	0xDDFA0	0x139C	0x1D10
164 (0xA4)	Code164:1518	Code	0xDF4A0	0x37E	0x1D10
165 (0xA5)	Code165:1520	Code	0xDF8A0	0x41EE	0x1D10
166 (0xA6)	Code166:1528	Code	0xE3D00	0x10BC	0x1D10
167 (0xA7)	Code167:1530	Code	0xE4F40	0x181A	0x1D10
168 (0xA8)	Code168:1538	Code	0xE68C0	0x766	0x1D10
169 (0xA9)	Code169:1540	Code	0xE7100	0x540C	0x1D10
170 (0xAA)	Code170:1548	Code	0xEC860	0x1552	0x1D10
171 (0xAB)	Code171:1550	Code	0xEDFE0	0x2D68	0x1D10
172 (0xAC)	Code172:1558	Code	0xF1020	0x24EA	0x1D10
173 (0xAD)	Code173:1560	Code	0xF3680	0x2242	0x1D10
174 (0xAE)	Code174:1568	Code	0xF5A80	0x14C6	0x1D10
175 (0xAF)	Code175:1570	Code	0xF70C0	0xC0C	0x1D10
176 (0xB0)	Code176:1578	Code	0xF7D60	0x1C6	0x1D10
177 (0xB1)	Code177:1580	Code	0xF7F60	0x974	0x1D10
178 (0xB2)	Code178:1588	Code	0xF8940	0x140	0x1D10
179 (0xB3)	Code179:1590	Code	0xF8AA0	0x8D8	0x1D10
180 (0xB4)	Code180:1598	Code	0xF93C0	0xE4	0x1C10
181 (0xB5)	Code181:15A0	Code	0xF94C0	0x26A	0x1D10
182 (0xB6)	Code182:15A8	Code	0xF97A0	0x1DA	0x1D10
183 (0xB7)	Code183:15B0	Code	0xF99A0	0x227	0x1C10
184 (0xB8)	Data184:15B8	Data	0xF9BE0	0x5940	0x0D51

TB80BAS.DLL-4.html

Entry NE 2 at `1008:089E`. Auto data NE 199 at `1630`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x4760	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x5180	0x4B4B	0x1D70
3 (0x03)	Code3:1010	Code	0xA5E0	0x5390	0x1D70
4 (0x04)	Code4:1018	Code	0xFB80	0x1B50	0x1D70
5 (0x05)	Code5:1020	Code	0x117C0	0x1C4C	0x1D70
6 (0x06)	Code6:1028	Code	0x13640	0x44EA	0x1D70
7 (0x07)	Code7:1030	Code	0x17D00	0xD22	0x1D70
8 (0x08)	Code8:1038	Code	0x18AA0	0xC34	0x1D70

NE	Ghidra	Kind	File offset	Length	Flags
9 (0x09)	Code9:1040	Code	0x19740	0x1E02	0x1D70
10 (0x0A)	Code10:1048	Code	0x1B5E0	0x2FF2	0x1D70
11 (0x0B)	Code11:1050	Code	0x1E7A0	0x162	0x1D70
12 (0x0C)	Code12:1058	Code	0x1E920	0x2C2C	0x1D70
13 (0x0D)	Code13:1060	Code	0x216C0	0x1B1E	0x1D70
14 (0x0E)	Code14:1068	Code	0x23260	0x1E3C	0x1D70
15 (0x0F)	Code15:1070	Code	0x251E0	0x2806	0x1D70
16 (0x10)	Code16:1078	Code	0x27AA0	0x2BA4	0x1D70
17 (0x11)	Code17:1080	Code	0x2A720	0x226	0x1D70
18 (0x12)	Code18:1088	Code	0x2A960	0x2CD8	0x1D70
19 (0x13)	Code19:1090	Code	0x2D780	0x454	0x1D70
20 (0x14)	Code20:1098	Code	0x2DC20	0xF04	0x1D70
21 (0x15)	Code21:10A0	Code	0x2EC40	0x7BE	0x1D70
22 (0x16)	Code22:10A8	Code	0x2F4C0	0x644	0x1D70
23 (0x17)	Code23:10B0	Code	0x2FB60	0x5B6E	0x1D70
24 (0x18)	Code24:10B8	Code	0x35880	0xD70	0x1D70
25 (0x19)	Code25:10C0	Code	0x36640	0xD6C	0x1D70
26 (0x1A)	Code26:10C8	Code	0x373E0	0x28E2	0x1D70
27 (0x1B)	Code27:10D0	Code	0x39E00	0x238E	0x1D70
28 (0x1C)	Code28:10D8	Code	0x3C240	0x1AAE	0x1D70
29 (0x1D)	Code29:10E0	Code	0x3DDC0	0x217C	0x1D70
30 (0x1E)	Code30:10E8	Code	0x3FFC0	0x34BE	0x1D70
31 (0x1F)	Code31:10F0	Code	0x435A0	0x289E	0x1D70
32 (0x20)	Code32:10F8	Code	0x45F20	0xB24	0x1D70
33 (0x21)	Code33:1100	Code	0x46A80	0x275E	0x1D70
34 (0x22)	Code34:1108	Code	0x492A0	0x1CE	0x1D70
35 (0x23)	Code35:1110	Code	0x494A0	0xAE4	0x1D70
36 (0x24)	Code36:1118	Code	0x49FE0	0xAF0	0x1D70
37 (0x25)	Code37:1120	Code	0x4AB40	0x2D0	0x1D70
38 (0x26)	Code38:1128	Code	0x4AE40	0x222A	0x1D70
39 (0x27)	Code39:1130	Code	0x4D0E0	0x2BA8	0x1D70
40 (0x28)	Code40:1138	Code	0x4FDE0	0x1CA0	0x1D70
41 (0x29)	Code41:1140	Code	0x51B20	0x738	0x1D70
42 (0x2A)	Code42:1148	Code	0x522A0	0x1156	0x1D70
43 (0x2B)	Code43:1150	Code	0x53480	0x383	0x1D70
44 (0x2C)	Code44:1158	Code	0x53820	0x1194	0x1D70
45 (0x2D)	Code45:1160	Code	0x54A20	0x1094	0x1D70
46 (0x2E)	Code46:1168	Code	0x55B40	0x18BA	0x1D70
47 (0x2F)	Code47:1170	Code	0x57460	0x4362	0x1D70
48 (0x30)	Code48:1178	Code	0x5B940	0x1FC8	0x1D70
49 (0x31)	Code49:1180	Code	0x5D9A0	0x4D6	0x1D70
50 (0x32)	Code50:1188	Code	0x5DEC0	0xB42	0x1D70
51 (0x33)	Code51:1190	Code	0x5EA40	0x3E8	0x1D70
52 (0x34)	Code52:1198	Code	0x5EE80	0x57E	0x1D70
53 (0x35)	Code53:11A0	Code	0x5F440	0xC7A	0x1D70
54 (0x36)	Code54:11A8	Code	0x60100	0xEA6	0x1D70
55 (0x37)	Code55:11B0	Code	0x61080	0xF7A	0x1D70
56 (0x38)	Code56:11B8	Code	0x62020	0x1AE	0x1D70
57 (0x39)	Code57:11C0	Code	0x621E0	0x1DB4	0x1D70
58 (0x3A)	Code58:11C8	Code	0x64080	0x13CA	0x1D70
59 (0x3B)	Code59:11D0	Code	0x65540	0x3C8	0x1D70
60 (0x3C)	Code60:11D8	Code	0x65960	0x2D8E	0x1D70
61 (0x3D)	Code61:11E0	Code	0x68780	0x27BC	0x1D70
62 (0x3E)	Code62:11E8	Code	0x6B000	0x148E	0x1D70
63 (0x3F)	Code63:11F0	Code	0x6C660	0x2C96	0x1D70

NE	Ghidra	Kind	File offset	Length	Flags
64 (0x40)	Code64:11F8	Code	0x6F3A0	0x4C	0x1D70
65 (0x41)	Code65:1200	Code	0x6F420	0xC52	0x1D70
66 (0x42)	Code66:1208	Code	0x70120	0x1E24	0x1D70
67 (0x43)	Code67:1210	Code	0x72000	0x606	0x1D70
68 (0x44)	Code68:1218	Code	0x72660	0x480	0x1D70
69 (0x45)	Code69:1220	Code	0x72B20	0x348C	0x1D70
70 (0x46)	Code70:1228	Code	0x760E0	0x746	0x1D70
71 (0x47)	Code71:1230	Code	0x768A0	0x5EE8	0x1D70
72 (0x48)	Code72:1238	Code	0x7CA20	0x3B9E	0x1D70
73 (0x49)	Code73:1240	Code	0x808C0	0x137E	0x1D70
74 (0x4A)	Code74:1248	Code	0x81D00	0x38FA	0x1D70
75 (0x4B)	Code75:1250	Code	0x85840	0x618	0x1D70
76 (0x4C)	Code76:1258	Code	0x85EA0	0x11A0	0x1D70
77 (0x4D)	Code77:1260	Code	0x87140	0xCAE	0x1D70
78 (0x4E)	Code78:1268	Code	0x87EC0	0x2312	0x1D70
79 (0x4F)	Code79:1270	Code	0x8A420	0x22	0x1D70
80 (0x50)	Code80:1278	Code	0x8A460	0x7B56	0x1D70
81 (0x51)	Code81:1280	Code	0x92220	0x4070	0x1D70
82 (0x52)	Code82:1288	Code	0x96380	0xA2E	0x1D70
83 (0x53)	Code83:1290	Code	0x96E80	0xF30	0x1D70
84 (0x54)	Code84:1298	Code	0x97E60	0x422	0x1D70
85 (0x55)	Code85:12A0	Code	0x98320	0x3C	0x0D60
86 (0x56)	Code86:12A8	Code	0x98380	0x2C	0x1D30
87 (0x57)	Code87:12B0	Code	0x983C0	0x68A	0x1D30
88 (0x58)	Code88:12B8	Code	0x98AC0	0x179A	0x1D30
89 (0x59)	Code89:12C0	Code	0x9A3A0	0x230	0x1D30
90 (0x5A)	Code90:12C8	Code	0x9A600	0x1646	0x1D30
91 (0x5B)	Code91:12D0	Code	0x9BD00	0x1C16	0x1D30
92 (0x5C)	Code92:12D8	Code	0x9D9C0	0x2412	0x1D30
93 (0x5D)	Code93:12E0	Code	0x9FFC0	0x2034	0x1D30
94 (0x5E)	Code94:12E8	Code	0xA20A0	0x26DA	0x1D30
95 (0x5F)	Code95:12F0	Code	0xA4880	0x654	0x1D30
96 (0x60)	Code96:12F8	Code	0xA4F00	0x3F4	0x1D30
97 (0x61)	Code97:1300	Code	0xA5320	0x4C2	0x1D30
98 (0x62)	Code98:1308	Code	0xA5840	0x25B0	0x1D30
99 (0x63)	Code99:1310	Code	0xA7EE0	0xD3A	0x1D30
100 (0x64)	Code100:1318	Code	0xA8C60	0x948	0x1D30
101 (0x65)	Code101:1320	Code	0xA95E0	0x4AA	0x1D30
102 (0x66)	Code102:1328	Code	0xA9B00	0x12	0x1C30
103 (0x67)	Code103:1330	Code	0xA9B20	0x60	0x1D30
104 (0x68)	Code104:1338	Code	0xA9BC0	0x1026	0x1D30
105 (0x69)	Code105:1340	Code	0xAAC60	0x25DC	0x1D30
106 (0x6A)	Code106:1348	Code	0xAD2A0	0xF06	0x1D30
107 (0x6B)	Code107:1350	Code	0xAE2A0	0x642A	0x1D30
108 (0x6C)	Code108:1358	Code	0xB4860	0x1974	0x1D30
109 (0x6D)	Code109:1360	Code	0xB6280	0xD86	0x1D30
110 (0x6E)	Code110:1368	Code	0xB7080	0x15B4	0x1D30
111 (0x6F)	Code111:1370	Code	0xB86E0	0x134E	0x1D30
112 (0x70)	Code112:1378	Code	0xB9D80	0x4D4	0x1D30
113 (0x71)	Code113:1380	Code	0xBA280	0x186	0x1D30
114 (0x72)	Code114:1388	Code	0xBA440	0x6A	0x1C30
115 (0x73)	Code115:1390	Code	0xBA4C0	0xC0C	0x1D30
116 (0x74)	Code116:1398	Code	0xBB120	0x3D50	0x1D30
117 (0x75)	Code117:13A0	Code	0xBF040	0xDCE	0x1D30
118 (0x76)	Code118:13A8	Code	0xBFE40	0x63A	0x1D30

NE	Ghidra	Kind	File offset	Length	Flags
119 (0x77)	Code119:13B0	Code	0xC0520	0x2D1C	0x1D30
120 (0x78)	Code120:13B8	Code	0xC3440	0x1EA8	0x1D30
121 (0x79)	Code121:13C0	Code	0xC53E0	0x7DE	0x1D30
122 (0x7A)	Code122:13C8	Code	0xC5C60	0xC86	0x1D30
123 (0x7B)	Code123:13D0	Code	0xC6B00	0x96E	0x1D30
124 (0x7C)	Code124:13D8	Code	0xC74E0	0x1D2	0x1D30
125 (0x7D)	Code125:13E0	Code	0xC76E0	0x322	0x1D30
126 (0x7E)	Code126:13E8	Code	0xC7A40	0x35C	0x1D30
127 (0x7F)	Code127:13F0	Code	0xC7DE0	0x3246	0x1D30
128 (0x80)	Code128:13F8	Code	0xCB1E0	0x654	0x1D30
129 (0x81)	Code129:1400	Code	0xCB8A0	0x1744	0x1D30
130 (0x82)	Code130:1408	Code	0xCD0C0	0x540	0x1D30
131 (0x83)	Code131:1410	Code	0xCD680	0x1D2	0x1D30
132 (0x84)	Code132:1418	Code	0xCD880	0xF30	0x1D30
133 (0x85)	Code133:1420	Code	0xCE840	0x120E	0x1D30
134 (0x86)	Code134:1428	Code	0xCFB60	0xF3C	0x1D30
135 (0x87)	Code135:1430	Code	0xD0B20	0xD9C	0x1D30
136 (0x88)	Code136:1438	Code	0xD1940	0xAF4	0x1D30
137 (0x89)	Code137:1440	Code	0xD2500	0xD9A	0x1D30
138 (0x8A)	Code138:1448	Code	0xD3340	0x11B6	0x1D30
139 (0x8B)	Code139:1450	Code	0xD45A0	0xA7E	0x1D30
140 (0x8C)	Code140:1458	Code	0xD50A0	0xAB6	0x1D30
141 (0x8D)	Code141:1460	Code	0xD5C40	0x12C6	0x1D30
142 (0x8E)	Code142:1468	Code	0xD6F80	0xC60	0x1D30
143 (0x8F)	Code143:1470	Code	0xD7CA0	0x169A	0x1D30
144 (0x90)	Code144:1478	Code	0xD93E0	0xBC6	0x1D30
145 (0x91)	Code145:1480	Code	0xDA000	0x15E	0x1D30
146 (0x92)	Code146:1488	Code	0xDA180	0x652	0x1D30
147 (0x93)	Code147:1490	Code	0xDA860	0x1322	0x1D30
148 (0x94)	Code148:1498	Code	0xDBC20	0xCC8	0x1D30
149 (0x95)	Code149:14A0	Code	0xDC980	0x82E	0x1D30
150 (0x96)	Code150:14A8	Code	0xDD240	0xD2A	0x1D30
151 (0x97)	Code151:14B0	Code	0xDDFE0	0x307C	0x1D30
152 (0x98)	Code152:14B8	Code	0xE1240	0x1156	0x1D30
153 (0x99)	Code153:14C0	Code	0xE2440	0x13FE	0x1D30
154 (0x9A)	Code154:14C8	Code	0xE3A00	0x1C5C	0x1D30
155 (0x9B)	Code155:14D0	Code	0xE5700	0x1924	0x1D30
156 (0x9C)	Code156:14D8	Code	0xE70C0	0x754	0x1D30
157 (0x9D)	Code157:14E0	Code	0xE7840	0x1638	0x1D30
158 (0x9E)	Code158:14E8	Code	0xE9000	0x17DC	0x1D30
159 (0x9F)	Code159:14F0	Code	0xEA920	0x1F34	0x1D30
160 (0xA0)	Code160:14F8	Code	0xEC9A0	0x10EE	0x1D30
161 (0xA1)	Code161:1500	Code	0xEDBC0	0xAE4	0x1D30
162 (0xA2)	Code162:1508	Code	0xEE700	0x49B8	0x1D30
163 (0xA3)	Code163:1510	Code	0xF3160	0x8C	0x1D30
164 (0xA4)	Code164:1518	Code	0xF3200	0x19C	0x1D30
165 (0xA5)	Code165:1520	Code	0xF33C0	0x1B8E	0x1D30
166 (0xA6)	Code166:1528	Code	0xF5080	0x4D2	0x1D30
167 (0xA7)	Code167:1530	Code	0xF5580	0xBF6	0x1D30
168 (0xA8)	Code168:1538	Code	0xF61C0	0x4BA	0x1D30
169 (0xA9)	Code169:1540	Code	0xF66C0	0x90E	0x1D30
170 (0xAA)	Code170:1548	Code	0xF7020	0x30C	0x1D30
171 (0xAB)	Code171:1550	Code	0xF7360	0x2A8	0x1D30
172 (0xAC)	Code172:1558	Code	0xF7660	0x1EA	0x1D30
173 (0xAD)	Code173:1560	Code	0xF7880	0x30E	0x1D30

NE	Ghidra	Kind	File offset	Length	Flags
174 (0xAE)	Code174:1568	Code	0xF7BC0	0x5C4	0x1D30
175 (0xAF)	Code175:1570	Code	0xF81E0	0x1D04	0x1D30
176 (0xB0)	Code176:1578	Code	0xF9FA0	0x3512	0x1D30
177 (0xB1)	Code177:1580	Code	0xFD5A0	0x754	0x1D30
178 (0xB2)	Code178:1588	Code	0xFDD80	0x300	0x1D30
179 (0xB3)	Code179:1590	Code	0xFE0E0	0x532	0x1D30
180 (0xB4)	Code180:1598	Code	0xFE660	0x1180	0x1D30
181 (0xB5)	Code181:15A0	Code	0xFF820	0x8D8	0x1D30
182 (0xB6)	Code182:15A8	Code	0x100140	0x610	0x1D30
183 (0xB7)	Code183:15B0	Code	0x100780	0x163A	0x1D30
184 (0xB8)	Code184:15B8	Code	0x101E40	0x16C	0x1D30
185 (0xB9)	Code185:15C0	Code	0x101FC0	0x140	0x1D30
186 (0xBA)	Code186:15C8	Code	0x102120	0xEE6	0x1D30
187 (0xBB)	Code187:15D0	Code	0x103060	0x956	0x1D30
188 (0xBC)	Code188:15D8	Code	0x1039E0	0x86	0x1D30
189 (0xBD)	Code189:15E0	Code	0x103A80	0x59CC	0x1D30
190 (0xBE)	Code190:15E8	Code	0x109620	0x23A	0x1D30
191 (0xBF)	Code191:15F0	Code	0x1098A0	0xE2	0x1D30
192 (0xC0)	Code192:15F8	Code	0x1099A0	0xE2E	0x1D30
193 (0xC1)	Data193:1600	Data	0x10A800	0x2A0	0x0C71
194 (0xC2)	Data194:1608	Data	0x10AAA0	0x55C	0x0D71
195 (0xC3)	Data195:1610	Data	0x10B040	0x3F0	0x0C71
196 (0xC4)	Data196:1618	Data	0x10B440	0x1E	0x0C71
197 (0xC5)	Data197:1620	Data	0x10B460	0x1A72	0x0C71
198 (0xC6)	Data198:1628	Data	0x10CEE0	0x80	0x0C71
199 (0xC7)	Data199:1630	Data	0x10CF60	0x3BB8	0x0D71

TB80BMP.DLL.html

Entry NE 2 at 1008:02D8. Auto data NE 27 at 10D0.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xB20	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1540	0x3343	0x1D70
3 (0x03)	Code3:1010	Code	0x4EE0	0x220A	0x1D70
4 (0x04)	Code4:1018	Code	0x72A0	0x32A	0x1D70
5 (0x05)	Code5:1020	Code	0x7620	0x1E6	0x1D70
6 (0x06)	Code6:1028	Code	0x7860	0x54	0x1D70
7 (0x07)	Code7:1030	Code	0x78E0	0xAC0	0x1D70
8 (0x08)	Code8:1038	Code	0x84C0	0x40C	0x1D70
9 (0x09)	Code9:1040	Code	0x88E0	0x1BE	0x1D70
10 (0x0A)	Code10:1048	Code	0x8B00	0x8DAA	0x1D70
11 (0x0B)	Code11:1050	Code	0x11F20	0x3C	0x0D60
12 (0x0C)	Code12:1058	Code	0x11F80	0xB0	0x1D30
13 (0x0D)	Code13:1060	Code	0x12060	0x3E4	0x1D30
14 (0x0E)	Code14:1068	Code	0x12480	0x65A	0x1D30
15 (0x0F)	Code15:1070	Code	0x12B80	0x126A	0x1D30
16 (0x10)	Code16:1078	Code	0x13F20	0x136C	0x1D30
17 (0x11)	Code17:1080	Code	0x153A0	0x996	0x1D30
18 (0x12)	Code18:1088	Code	0x15DE0	0x946	0x1D30
19 (0x13)	Code19:1090	Code	0x168A0	0xB76	0x1D30
20 (0x14)	Code20:1098	Code	0x174A0	0xBBC	0x1D30
21 (0x15)	Code21:10A0	Code	0x18100	0x1A8A	0x1D30
22 (0x16)	Code22:10A8	Code	0x19C20	0x3CC	0x1D30
23 (0x17)	Code23:10B0	Code	0x1A020	0x1C4	0x1D30

NE	Ghidra	Kind	File offset	Length	Flags
24 (0x18)	Code24:10B8	Code	0x1A240	0x2E1	0x1D30
25 (0x19)	Code25:10C0	Code	0x1A580	0x43B	0x1D30
26 (0x1A)	Data26:10C8	Data	0x1AB20	0x6	0x0C71
27 (0x1B)	Data27:10D0	Data	0x1AB40	0x23AE	0x0D71

TB80CMP.ghidra.dll.html

Entry NE 2 at 1008:00BE. Auto data NE 47 at 1170.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x520	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0xF40	0x224D	0x1D50
3 (0x03)	Code3:1010	Code	0x3360	0x1CC4	0x1D50
4 (0x04)	Code4:1018	Code	0x51E0	0x3C	0x0D40
5 (0x05)	Code5:1020	Code	0x5240	0x12	0x1C10
6 (0x06)	Code6:1028	Code	0x5260	0x8EB6	0x1D10
7 (0x07)	Code7:1030	Code	0xE180	0xED8	0x1D10
8 (0x08)	Code8:1038	Code	0xF0A0	0x1166	0x1D10
9 (0x09)	Code9:1040	Code	0x10280	0x10D0	0x1D10
10 (0x0A)	Code10:1048	Code	0x113C0	0x1F4A	0x1D10
11 (0x0B)	Code11:1050	Code	0x13360	0xF0E	0x1D10
12 (0x0C)	Code12:1058	Code	0x142A0	0x632	0x1D10
13 (0x0D)	Code13:1060	Code	0x14940	0x2AE	0x1D10
14 (0x0E)	Code14:1068	Code	0x14C20	0xAC0	0x1D10
15 (0x0F)	Code15:1070	Code	0x15740	0x15BC	0x1D10
16 (0x10)	Code16:1078	Code	0x16D80	0x2320	0x1D10
17 (0x11)	Code17:1080	Code	0x19140	0x1AAE	0x1D10
18 (0x12)	Code18:1088	Code	0x1AC80	0x25FA	0x1D10
19 (0x13)	Code19:1090	Code	0x1D360	0x42E	0x1D10
20 (0x14)	Code20:1098	Code	0x1D7C0	0x1490	0x1D10
21 (0x15)	Code21:10A0	Code	0x1ECA0	0x1EE6	0x1D10
22 (0x16)	Code22:10A8	Code	0x20BE0	0x263A	0x1D10
23 (0x17)	Code23:10B0	Code	0x232A0	0x312C	0x1D10
24 (0x18)	Code24:10B8	Code	0x26460	0x23DA	0x1D10
25 (0x19)	Code25:10C0	Code	0x28880	0x150C	0x1D10
26 (0x1A)	Code26:10C8	Code	0x29DE0	0xF60	0x1D10
27 (0x1B)	Code27:10D0	Code	0x2ADA0	0x95E	0x1D10
28 (0x1C)	Code28:10D8	Code	0x2B740	0x1822	0x1D10
29 (0x1D)	Code29:10E0	Code	0x2CFA0	0x1CF0	0x1D10
30 (0x1E)	Code30:10E8	Code	0x2ECE0	0x138C	0x1D10
31 (0x1F)	Code31:10F0	Code	0x300A0	0x4FAC	0x1D10
32 (0x20)	Code32:10F8	Code	0x35080	0x7BC	0x1D10
33 (0x21)	Code33:1100	Code	0x35880	0x22	0x1C10
34 (0x22)	Code34:1108	Code	0x358C0	0x249C	0x1D10
35 (0x23)	Data35:1110	Data	0x37E20	0x9CFE	0x0CF1
36 (0x24)	Data36:1118	Data	0x41B20	0x14	0x0C71
37 (0x25)	Data37:1120	Data	0x41B40	0x28	0x0C71
38 (0x26)	Data38:1128	Data	0x41B80	0xF0	0x0C71
39 (0x27)	Data39:1130	Data	0x41C80	0xA	0x0C71
40 (0x28)	Data40:1138	Data	0x41CA0	0x4D4	0x0C71
41 (0x29)	Data41:1140	Data	0x42180	0x508	0x0C71
42 (0x2A)	Data42:1148	Data	0x426A0	0x6A0	0x0C71
43 (0x2B)	Data43:1150	Data	0x42D40	0xC40	0x0C71
44 (0x2C)	Data44:1158	Data	0x43980	0x8C0	0x0C71
45 (0x2D)	Data45:1160	Data	0x44240	0x1F3F	0x0C71

NE	Ghidra	Kind	File offset	Length	Flags
46 (0x2E)	Data46:1168	Data	0x46180	0x2	0x0C71
47 (0x2F)	Data47:1170	Data	0x461A0	0x74C8	0x0D71

TB80ENU1.DLL.html

Entry NE 6 at 1028:0054. Auto data NE 8 at 1038.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x8C0	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x12E0	0x42	0x1D70
3 (0x03)	Code3:1010	Code	0x1340	0x24	0x1D70
4 (0x04)	Code4:1018	Code	0x1380	0x84	0x1C70
5 (0x05)	Code5:1020	Code	0x1420	0x2C	0x1C70
6 (0x06)	Code6:1028	Code	0x1460	0x74D	0x1D70
7 (0x07)	Code7:1030	Code	0x1C40	0x54	0x1D70
8 (0x08)	Data8:1038	Data	0x1CC0	0x172	0x0C71

TB80FLT.DLL.html

Entry NE 23 at 10B0:0484. Auto data NE 28 at 10D8.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xC40	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1660	0x3C	0x0D60
3 (0x03)	Code3:1010	Code	0x16C0	0x2F86	0x1D30
4 (0x04)	Code4:1018	Code	0x4800	0xF02	0x1D30
5 (0x05)	Code5:1020	Code	0x57C0	0x40	0x1D30
6 (0x06)	Code6:1028	Code	0x5840	0x2F64	0x1D30
7 (0x07)	Code7:1030	Code	0x8A40	0x746C	0x1D30
8 (0x08)	Code8:1038	Code	0x102A0	0x19C	0x1D30
9 (0x09)	Code9:1040	Code	0x10480	0x17B2	0x1D30
10 (0x0A)	Code10:1048	Code	0x11E20	0x2734	0x1D30
11 (0x0B)	Code11:1050	Code	0x14740	0xF1E	0x1D30
12 (0x0C)	Code12:1058	Code	0x157C0	0xF18	0x1D30
13 (0x0D)	Code13:1060	Code	0x16880	0x1B66	0x1D30
14 (0x0E)	Code14:1068	Code	0x184E0	0xC16	0x1D30
15 (0x0F)	Code15:1070	Code	0x191C0	0x31A	0x1D30
16 (0x10)	Code16:1078	Code	0x19540	0x1D0A	0x1D30
17 (0x11)	Code17:1080	Code	0x1B2E0	0x890	0x1D30
18 (0x12)	Code18:1088	Code	0x1BBC0	0x6C4	0x1D30
19 (0x13)	Code19:1090	Code	0x1C360	0x1180	0x1D30
20 (0x14)	Code20:1098	Code	0x1D520	0x64	0x1D30
21 (0x15)	Code21:10A0	Code	0x1D5C0	0xE6	0x1D30
22 (0x16)	Code22:10A8	Code	0x1D6C0	0xC0E	0x1D30
23 (0x17)	Code23:10B0	Code	0x1E360	0x24C5	0x1D70
24 (0x18)	Code24:10B8	Code	0x20A60	0x8D8	0x1D30
25 (0x19)	Code25:10C0	Code	0x21380	0x140	0x1D30
26 (0x1A)	Code26:10C8	Code	0x214E0	0x21F	0x1D30
27 (0x1B)	Data27:10D0	Data	0x21740	0x90	0x0C71
28 (0x1C)	Data28:10D8	Data	0x217E0	0x3218	0x0D71

TB80JPG.DLL.html

Entry NE 2 at `1008:A5C2`. Auto data NE 3 at `1010`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x250	0x3B	0x0D60
2 (0x02)	Code2:1008	Code	0x2A0	0xDB9C	0x1D70
3 (0x03)	Data3:1010	Data	0xE8A0	0xEA5	0x0D71

TB80LNL.DLL.html

Entry NE 15 at `1070:0054`. Auto data NE 39 at `1130`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xBC0	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x15E0	0x21A	0x1D70
3 (0x03)	Code3:1010	Code	0x1840	0x454	0x1D70
4 (0x04)	Code4:1018	Code	0x1E20	0x5EC	0x1D70
5 (0x05)	Code5:1020	Code	0x2480	0x906	0x1D70
6 (0x06)	Code6:1028	Code	0x2DE0	0x52E	0x1D70
7 (0x07)	Code7:1030	Code	0x3340	0x160E	0x1D70
8 (0x08)	Code8:1038	Code	0x4A80	0x90E	0x1D70
9 (0x09)	Code9:1040	Code	0x5440	0x4C26	0x1D70
10 (0x0A)	Code10:1048	Code	0xA1C0	0x2004	0x1D70
11 (0x0B)	Code11:1050	Code	0xC280	0xEA2	0x1D70
12 (0x0C)	Code12:1058	Code	0xD280	0x1E3A	0x1D70
13 (0x0D)	Code13:1060	Code	0xF0E0	0x32B6	0x1D70
14 (0x0E)	Code14:1068	Code	0x12460	0x3C	0x0D60
15 (0x0F)	Code15:1070	Code	0x124C0	0x2181	0x1D70
16 (0x10)	Code16:1078	Code	0x14840	0x40	0x1C30
17 (0x11)	Code17:1080	Code	0x14880	0x136	0x1D30
18 (0x12)	Code18:1088	Code	0x149E0	0x204	0x1D30
19 (0x13)	Code19:1090	Code	0x14C00	0x1648	0x1D30
20 (0x14)	Code20:1098	Code	0x16300	0x68A	0x1D30
21 (0x15)	Code21:10A0	Code	0x169E0	0x3780	0x1D30
22 (0x16)	Code22:10A8	Code	0x1A280	0x3AC8	0x1D30
23 (0x17)	Code23:10B0	Code	0x1DE20	0xF34	0x1D30
24 (0x18)	Code24:10B8	Code	0x1EEA0	0xABE	0x1D30
25 (0x19)	Code25:10C0	Code	0x1FA00	0x392	0x1D30
26 (0x1A)	Code26:10C8	Code	0x1FDE0	0x45F2	0x1D30
27 (0x1B)	Code27:10D0	Code	0x244A0	0x858	0x1D30
28 (0x1C)	Code28:10D8	Code	0x24D60	0x1A08	0x1D30
29 (0x1D)	Code29:10E0	Code	0x26840	0x818	0x1D30
30 (0x1E)	Code30:10E8	Code	0x270C0	0xA16	0x1D30
31 (0x1F)	Code31:10F0	Code	0x27B40	0xDF6	0x1D30
32 (0x20)	Code32:10F8	Code	0x289A0	0x1E26	0x1D30
33 (0x21)	Code33:1100	Code	0x2A880	0xF8C	0x1D30
34 (0x22)	Code34:1108	Code	0x2B8A0	0x8D8	0x1D30
35 (0x23)	Code35:1110	Code	0x2C1C0	0xE2	0x1D30
36 (0x24)	Code36:1118	Code	0x2C2E0	0x140	0x1D30
37 (0x25)	Data37:1120	Data	0x2C440	0x10	0x0C71
38 (0x26)	Data38:1128	Data	0x2C460	0x10	0x0C71
39 (0x27)	Data39:1130	Data	0x2C480	0x31B8	0x0D71

TB80MM.DLL.html

Entry NE 3 at `1010:0054`. Auto data NE 22 at `10A8`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x480	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0xEA0	0x26	0x0D60
3 (0x03)	Code3:1010	Code	0xEE0	0xC63	0x1D70
4 (0x04)	Code4:1018	Code	0x1C00	0x3CA	0x1D70
5 (0x05)	Code5:1020	Code	0x2060	0x5E2	0x1D70
6 (0x06)	Code6:1028	Code	0x26A0	0xBC	0x1D70
7 (0x07)	Code7:1030	Code	0x2780	0x1838	0x1D70
8 (0x08)	Code8:1038	Code	0x4080	0x8C8	0x1D70
9 (0x09)	Code9:1040	Code	0x49A0	0x40C	0x1D70
10 (0x0A)	Code10:1048	Code	0x4DC0	0x1BE	0x1D70
11 (0x0B)	Code11:1050	Code	0x4FE0	0x210	0x1D70
12 (0x0C)	Code12:1058	Code	0x5220	0x3C	0x0D60
13 (0x0D)	Code13:1060	Code	0x5280	0xA3E	0x1D30
14 (0x0E)	Code14:1068	Code	0x5D20	0x70A	0x1D30
15 (0x0F)	Code15:1070	Code	0x6460	0x53E	0x1D30
16 (0x10)	Code16:1078	Code	0x6A20	0x464	0x1D30
17 (0x11)	Code17:1080	Code	0x6F00	0x142	0x1D30
18 (0x12)	Code18:1088	Code	0x7080	0xB4A	0x1D30
19 (0x13)	Code19:1090	Code	0x7C80	0x446	0x1D30
20 (0x14)	Code20:1098	Code	0x8120	0xC9A	0x1D30
21 (0x15)	Code21:10A0	Code	0x8F00	0x1C4	0x1D30
22 (0x16)	Data22:10A8	Data	0x9120	0x13D2	0x0D71

TB80NET.EXE.html

Entry NE 2 at `1008:0120`. Auto data NE 45 at `1160`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x3A0	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0xDC0	0x17F4	0x1D50
3 (0x03)	Code3:1010	Code	0x2660	0x16A8	0x1D10
4 (0x04)	Code4:1018	Code	0x3F00	0x206	0x1D10
5 (0x05)	Code5:1020	Code	0x4140	0x1904	0x1D10
6 (0x06)	Code6:1028	Code	0x5B20	0xBA4	0x1D10
7 (0x07)	Code7:1030	Code	0x6700	0x7A	0x1D10
8 (0x08)	Code8:1038	Code	0x67A0	0xBEC	0x1D10
9 (0x09)	Code9:1040	Code	0x7400	0x930	0x1D10
10 (0x0A)	Code10:1048	Code	0x7DC0	0x8D8	0x1D10
11 (0x0B)	Code11:1050	Code	0x86E0	0x1BA	0x1D10
12 (0x0C)	Code12:1058	Code	0x8900	0x974	0x1D10
13 (0x0D)	Code13:1060	Code	0x92E0	0xB60	0x1D10
14 (0x0E)	Code14:1068	Code	0x9EA0	0x3F0	0x1D10
15 (0x0F)	Code15:1070	Code	0xA2C0	0xE4	0x1D10
16 (0x10)	Code16:1078	Code	0xA3E0	0x140	0x1D10
17 (0x11)	Code17:1080	Code	0xA540	0x26A	0x1D10
18 (0x12)	Code18:1088	Code	0xA820	0x1DA	0x1D10
19 (0x13)	Code19:1090	Code	0xAA20	0x698	0x1D10
20 (0x14)	Code20:1098	Code	0xB100	0x1C6	0x1D10
21 (0x15)	Code21:10A0	Code	0xB300	0x1040	0x1D10
22 (0x16)	Code22:10A8	Code	0xC3A0	0x9A4	0x1D10
23 (0x17)	Code23:10B0	Code	0xCD80	0x9A	0x1D10

NE	Ghidra	Kind	File offset	Length	Flags
24 (0x18)	Code24:10B8	Code	0xCE40	0xA28	0x1D10
25 (0x19)	Code25:10C0	Code	0xD8A0	0x1CA4	0x1D10
26 (0x1A)	Code26:10C8	Code	0xF560	0x9D6	0x1D10
27 (0x1B)	Code27:10D0	Code	0xFF60	0x64	0x1D10
28 (0x1C)	Code28:10D8	Code	0xFFE0	0x1D6E	0x1D10
29 (0x1D)	Code29:10E0	Code	0x11D60	0x25A	0x1D10
30 (0x1E)	Code30:10E8	Code	0x11FE0	0xDEC	0x1D10
31 (0x1F)	Code31:10F0	Code	0x12E00	0x1CE	0x1C10
32 (0x20)	Code32:10F8	Code	0x12FE0	0x6AA	0x1C10
33 (0x21)	Code33:1100	Code	0x136A0	0x918	0x1D10
34 (0x22)	Code34:1108	Code	0x13FE0	0x50A	0x1D10
35 (0x23)	Code35:1110	Code	0x14500	0x162	0x1D10
36 (0x24)	Code36:1118	Code	0x146C0	0x1E4C	0x1D10
37 (0x25)	Code37:1120	Code	0x16640	0x772	0x1D10
38 (0x26)	Code38:1128	Code	0x16DE0	0xEBD	0x1D10
39 (0x27)	Code39:1130	Code	0x17D00	0x45A	0x1D10
40 (0x28)	Code40:1138	Code	0x18200	0x80A	0x1D10
41 (0x29)	Code41:1140	Code	0x18A40	0xB9E	0x1D10
42 (0x2A)	Code42:1148	Code	0x196E0	0x1F1	0x1D10
43 (0x2B)	Code43:1150	Code	0x19920	0x662	0x1D10
44 (0x2C)	Data44:1158	Data	0x1A020	0xE	0x0C71
45 (0x2D)	Data45:1160	Data	0x1A040	0x2DB0	0x0D71

TB80OCX.DLL.html

Entry NE 1 at `1000:0054`. Auto data NE 53 at `11A0`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x3360	0x2AC5	0x1D50
2 (0x02)	Code2:1008	Code	0x8420	0x6A7	0x1D10
3 (0x03)	Code3:1010	Code	0x8B60	0x10CC	0x1D10
4 (0x04)	Code4:1018	Code	0x9D00	0x536F	0x1D10
5 (0x05)	Code5:1020	Code	0xF2A0	0x336	0x1D10
6 (0x06)	Code6:1028	Code	0xF600	0x2CC	0x1D10
7 (0x07)	Code7:1030	Code	0xF900	0x8E3	0x1D10
8 (0x08)	Code8:1038	Code	0x10240	0x882	0x1D10
9 (0x09)	Code9:1040	Code	0x10B20	0x1D9C	0x1D10
10 (0x0A)	Code10:1048	Code	0x129E0	0x370	0x1D10
11 (0x0B)	Code11:1050	Code	0x12DA0	0x2511	0x1D10
12 (0x0C)	Code12:1058	Code	0x153E0	0x947	0x1D10
13 (0x0D)	Code13:1060	Code	0x15D80	0x231	0x1D10
14 (0x0E)	Code14:1068	Code	0x15FE0	0x5A6	0x1D10
15 (0x0F)	Code15:1070	Code	0x16600	0x1B67	0x1D10
16 (0x10)	Code16:1078	Code	0x182C0	0x21AE	0x1D10
17 (0x11)	Code17:1080	Code	0x1A5A0	0x121E	0x1D10
18 (0x12)	Code18:1088	Code	0x1B8A0	0x133D	0x1D10
19 (0x13)	Code19:1090	Code	0x1CC80	0x1C26	0x1D10
20 (0x14)	Code20:1098	Code	0x1E980	0x1112	0x1D10
21 (0x15)	Code21:10A0	Code	0x1FB20	0x755	0x1D10
22 (0x16)	Code22:10A8	Code	0x202C0	0x720	0x1D10
23 (0x17)	Code23:10B0	Code	0x20A40	0x1078	0x1D10
24 (0x18)	Code24:10B8	Code	0x21B60	0x9E0	0x1D10
25 (0x19)	Code25:10C0	Code	0x225A0	0x11F8	0x1D10
26 (0x1A)	Code26:10C8	Code	0x23880	0x760	0x1D10
27 (0x1B)	Code27:10D0	Code	0x24040	0x7BE	0x1D10

NE	Ghidra	Kind	File offset	Length	Flags
28 (0x1C)	Code28:10D8	Code	0x24880	0x15A	0x1D10
29 (0x1D)	Code29:10E0	Code	0x24A00	0x7C7	0x1D10
30 (0x1E)	Code30:10E8	Code	0x25240	0x444	0x1D10
31 (0x1F)	Code31:10F0	Code	0x256C0	0x3CE	0x1D10
32 (0x20)	Code32:10F8	Code	0x25AC0	0x2DA	0x1D10
33 (0x21)	Code33:1100	Code	0x25DE0	0x25C	0x1D10
34 (0x22)	Code34:1108	Code	0x26060	0x2E3	0x1D10
35 (0x23)	Code35:1110	Code	0x26360	0x4714	0x1D10
36 (0x24)	Code36:1118	Code	0x2AC00	0xE0	0x1D10
37 (0x25)	Code37:1120	Code	0x2AD00	0xCC6	0x1D10
38 (0x26)	Code38:1128	Code	0x2B9E0	0x2055	0x1D10
39 (0x27)	Code39:1130	Code	0x2DA80	0x41C	0x1D10
40 (0x28)	Code40:1138	Code	0x2DF00	0x14E	0x1D10
41 (0x29)	Code41:1140	Code	0x2E060	0x21F	0x1D10
42 (0x2A)	Code42:1148	Code	0x2E2C0	0x6C3	0x1D10
43 (0x2B)	Code43:1150	Code	0x2EA60	0x117F	0x1D10
44 (0x2C)	Code44:1158	Code	0x2FC20	0x14DA	0x1D10
45 (0x2D)	Code45:1160	Code	0x31120	0x53	0x1D10
46 (0x2E)	Code46:1168	Code	0x311A0	0xD4A	0x1D10
47 (0x2F)	Data47:1170	Data	0x6060	0x20	0x0C71
48 (0x30)	Data48:1178	Data	0x60A0	0x9C	0x0D71
49 (0x31)	Data49:1180	Data	0x6160	0x20	0x0C71
50 (0x32)	Data50:1188	Data	0x0	0x0	0x0C71
51 (0x33)	Data51:1190	Data	0x0	0x0	0x0C71
52 (0x34)	Data52:1198	Data	0x61A0	0x90	0x0C71
53 (0x35)	Data53:11A0	Data	0x6240	0x2148	0x0D71

TB80RCR.DLL.html

Entry NE 2 at `1008:A998`. Auto data NE 5 at `1020`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xCC0	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x16D0	0xD7F7	0x1D50
3 (0x03)	Code3:1010	Code	0xF9E0	0xCD02	0x1D50
4 (0x04)	Data4:1018	Data	0x1CE70	0x6	0x0C71
5 (0x05)	Data5:1020	Data	0x1CE80	0x1C17	0x0D71

TB80RTM.EXE-5.html

Entry NE 2 at `1008:035A`. Auto data NE 139 at `1450`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x1420	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1E40	0x4A7C	0x0D40
3 (0x03)	Code3:1010	Code	0x7240	0x1AFA	0x1D50
4 (0x04)	Code4:1018	Code	0x8EE0	0x276E	0x1D50
5 (0x05)	Code5:1020	Code	0xB860	0x2ACC	0x1D50
6 (0x06)	Code6:1028	Code	0xE540	0x55E	0x1D50
7 (0x07)	Code7:1030	Code	0xEAC0	0x41A	0x1D50
8 (0x08)	Code8:1038	Code	0xEF80	0x38A	0x1D50
9 (0x09)	Code9:1040	Code	0xF3C0	0x9D0	0x1D50
10 (0x0A)	Code10:1048	Code	0xFE60	0x6AA	0x1D50
11 (0x0B)	Code11:1050	Code	0x10640	0x1A7C	0x1D50
12 (0x0C)	Code12:1058	Code	0x121E0	0xAD2	0x1D50

NE	Ghidra	Kind	File offset	Length	Flags
13 (0x0D)	Code13:1060	Code	0x12E40	0x16AA	0x1D50
14 (0x0E)	Code14:1068	Code	0x147C0	0x430	0x1D50
15 (0x0F)	Code15:1070	Code	0x14CA0	0x1D44	0x1D50
16 (0x10)	Code16:1078	Code	0x16C80	0x1510	0x1D50
17 (0x11)	Code17:1080	Code	0x18320	0x9E6	0x1D50
18 (0x12)	Code18:1088	Code	0x18E00	0x3B8	0x1D50
19 (0x13)	Code19:1090	Code	0x19220	0x638	0x1D50
20 (0x14)	Code20:1098	Code	0x19900	0x2C9A	0x1D50
21 (0x15)	Code21:10A0	Code	0x1C920	0x1066	0x1D50
22 (0x16)	Code22:10A8	Code	0x1DA80	0x22B8	0x1D50
23 (0x17)	Code23:10B0	Code	0x20040	0x3314	0x1D50
24 (0x18)	Code24:10B8	Code	0x234E0	0x351A	0x1D50
25 (0x19)	Code25:10C0	Code	0x26CE0	0x3612	0x1D50
26 (0x1A)	Code26:10C8	Code	0x2A6A0	0x1E18	0x1D50
27 (0x1B)	Code27:10D0	Code	0x2C5C0	0x3320	0x1D50
28 (0x1C)	Code28:10D8	Code	0x2FB40	0x44C	0x1D50
29 (0x1D)	Code29:10E0	Code	0x30060	0xEAA	0x1D50
30 (0x1E)	Code30:10E8	Code	0x310A0	0x153C	0x1D50
31 (0x1F)	Code31:10F0	Code	0x32780	0x2090	0x1D50
32 (0x20)	Code32:10F8	Code	0x34B40	0x43CE	0x1D50
33 (0x21)	Code33:1100	Code	0x39160	0x994	0x1D50
34 (0x22)	Code34:1108	Code	0x39BE0	0x994	0x1D50
35 (0x23)	Code35:1110	Code	0x3A620	0x58C0	0x1D50
36 (0x24)	Code36:1118	Code	0x40120	0x3DE	0x1D50
37 (0x25)	Code37:1120	Code	0x40560	0x127A	0x1D50
38 (0x26)	Code38:1128	Code	0x41980	0xA6C	0x1D50
39 (0x27)	Code39:1130	Code	0x424C0	0x40E2	0x1D50
40 (0x28)	Code40:1138	Code	0x467A0	0xB5A	0x1D50
41 (0x29)	Code41:1140	Code	0x473C0	0x2C	0x1C50
42 (0x2A)	Code42:1148	Code	0x47400	0xDD8	0x1D50
43 (0x2B)	Code43:1150	Code	0x48360	0x50A	0x1D50
44 (0x2C)	Code44:1158	Code	0x488E0	0x5EC	0x1D50
45 (0x2D)	Code45:1160	Code	0x48F00	0x84	0x1D50
46 (0x2E)	Code46:1168	Code	0x48FA0	0x854	0x1D50
47 (0x2F)	Code47:1170	Code	0x49920	0xC76	0x1D50
48 (0x30)	Code48:1178	Code	0x4A680	0x1022	0x1D10
49 (0x31)	Code49:1180	Code	0x4B7A0	0x1D00	0x1D10
50 (0x32)	Code50:1188	Code	0x4D6A0	0x35B6	0x1D10
51 (0x33)	Code51:1190	Code	0x50F80	0x1914	0x1D10
52 (0x34)	Code52:1198	Code	0x52AE0	0x204	0x1D10
53 (0x35)	Code53:11A0	Code	0x52D40	0x81A	0x1D10
54 (0x36)	Code54:11A8	Code	0x53620	0x16A	0x1D10
55 (0x37)	Code55:11B0	Code	0x537E0	0x50A	0x1D10
56 (0x38)	Code56:11B8	Code	0x53DC0	0xD54	0x1D10
57 (0x39)	Code57:11C0	Code	0x54C40	0x9F2	0x1D10
58 (0x3A)	Code58:11C8	Code	0x556E0	0x22	0x1D10
59 (0x3B)	Code59:11D0	Code	0x55720	0x106	0x1D10
60 (0x3C)	Code60:11D8	Code	0x55840	0xD72	0x1D10
61 (0x3D)	Code61:11E0	Code	0x56680	0x14	0x1C10
62 (0x3E)	Code62:11E8	Code	0x566A0	0xD72	0x1D10
63 (0x3F)	Code63:11F0	Code	0x57560	0x4C	0x1D10
64 (0x40)	Code64:11F8	Code	0x575C0	0x1B0	0x1D10
65 (0x41)	Code65:1200	Code	0x577A0	0x496	0x1D10
66 (0x42)	Code66:1208	Code	0x57C80	0xA82	0x1D10
67 (0x43)	Code67:1210	Code	0x587A0	0xC7E	0x1D10

NE	Ghidra	Kind	File offset	Length	Flags
68 (0x44)	Code68:1218	Code	0x59580	0x34B8	0x1D10
69 (0x45)	Code69:1220	Code	0x5CD60	0x8A74	0x1D10
70 (0x46)	Code70:1228	Code	0x65D20	0x2080	0x1D10
71 (0x47)	Code71:1230	Code	0x67FC0	0xCF4	0x1D10
72 (0x48)	Code72:1238	Code	0x68DA0	0x32E	0x1D10
73 (0x49)	Code73:1240	Code	0x69140	0x17F0	0x1D10
74 (0x4A)	Code74:1248	Code	0x6A9E0	0x1890	0x1D10
75 (0x4B)	Code75:1250	Code	0x6C3C0	0xA80	0x1D10
76 (0x4C)	Code76:1258	Code	0x6CF20	0xBE2	0x1D10
77 (0x4D)	Code77:1260	Code	0x6DB80	0x31FC	0x1D10
78 (0x4E)	Code78:1268	Code	0x70FC0	0x1742	0x1D10
79 (0x4F)	Code79:1270	Code	0x72880	0x138	0x1D10
80 (0x50)	Code80:1278	Code	0x72A00	0x14E	0x1D10
81 (0x51)	Code81:1280	Code	0x72BA0	0x57E	0x1D10
82 (0x52)	Code82:1288	Code	0x73160	0x784	0x1D10
83 (0x53)	Code83:1290	Code	0x73920	0xD9E	0x1D10
84 (0x54)	Code84:1298	Code	0x747C0	0xC4C	0x1D10
85 (0x55)	Code85:12A0	Code	0x754E0	0x96E	0x1D10
86 (0x56)	Code86:12A8	Code	0x75F00	0x22F6	0x1D10
87 (0x57)	Code87:12B0	Code	0x78920	0xDAA	0x1D10
88 (0x58)	Code88:12B8	Code	0x797A0	0x258	0x1D10
89 (0x59)	Code89:12C0	Code	0x79A40	0x1EF0	0x1D10
90 (0x5A)	Code90:12C8	Code	0x7BB40	0xAE	0x1D10
91 (0x5B)	Code91:12D0	Code	0x7BC00	0x7B6	0x1D10
92 (0x5C)	Code92:12D8	Code	0x7C440	0x38D0	0x1D10
93 (0x5D)	Code93:12E0	Code	0x813C0	0x20EA	0x1D10
94 (0x5E)	Code94:12E8	Code	0x83660	0x854	0x1D10
95 (0x5F)	Code95:12F0	Code	0x83F60	0x78A	0x1D10
96 (0x60)	Code96:12F8	Code	0x847A0	0x18DE	0x1D10
97 (0x61)	Code97:1300	Code	0x86260	0x185E	0x1D10
98 (0x62)	Code98:1308	Code	0x87C80	0x118	0x1D10
99 (0x63)	Code99:1310	Code	0x87DE0	0x2E	0x1C10
100 (0x64)	Code100:1318	Code	0x87E20	0xB12	0x1D10
101 (0x65)	Code101:1320	Code	0x88A00	0xFB0	0x1D10
102 (0x66)	Code102:1328	Code	0x89AC0	0x14FA	0x1D10
103 (0x67)	Code103:1330	Code	0x8B1C0	0xE0A	0x1D10
104 (0x68)	Code104:1338	Code	0x8C200	0xD4A	0x1D10
105 (0x69)	Code105:1340	Code	0x8D060	0xA7C	0x1D10
106 (0x6A)	Code106:1348	Code	0x8DBE0	0x1E8	0x1D10
107 (0x6B)	Code107:1350	Code	0x8DE40	0x56C	0x1D10
108 (0x6C)	Code108:1358	Code	0x8E480	0x2D8	0x1D10
109 (0x6D)	Code109:1360	Code	0x8E7E0	0x560	0x1D10
110 (0x6E)	Code110:1368	Code	0x8EE20	0x122A	0x1D10
111 (0x6F)	Code111:1370	Code	0x902A0	0x4D4	0x1D10
112 (0x70)	Code112:1378	Code	0x907E0	0x1A98	0x1D10
113 (0x71)	Code113:1380	Code	0x92420	0x498	0x1D10
114 (0x72)	Code114:1388	Code	0x92920	0xF2E	0x1D10
115 (0x73)	Code115:1390	Code	0x93900	0x197A	0x1D10
116 (0x74)	Code116:1398	Code	0x95520	0x720	0x1D10
117 (0x75)	Code117:13A0	Code	0x95DA0	0x140	0x1D10
118 (0x76)	Code118:13A8	Code	0x95F20	0x2FE	0x1D10
119 (0x77)	Code119:13B0	Code	0x962A0	0x136	0x1D10
120 (0x78)	Code120:13B8	Code	0x96420	0x1D4	0x1D10
121 (0x79)	Code121:13C0	Code	0x96620	0xDF8	0x1D10
122 (0x7A)	Code122:13C8	Code	0x974C0	0x9F2	0x1D10

NE	Ghidra	Kind	File offset	Length	Flags
123 (0x7B)	Code123:13D0	Code	0x97F80	0xB50	0x1D10
124 (0x7C)	Code124:13D8	Code	0x98B60	0x2C2A	0x1D10
125 (0x7D)	Code125:13E0	Code	0x9BA80	0x516A	0x1D10
126 (0x7E)	Code126:13E8	Code	0xA0F20	0x100	0x1D10
127 (0x7F)	Code127:13F0	Code	0xA1060	0x24EA	0x1D10
128 (0x80)	Code128:13F8	Code	0xA36C0	0x2242	0x1D10
129 (0x81)	Code129:1400	Code	0xA5AC0	0x14C6	0x1D10
130 (0x82)	Code130:1408	Code	0xA7100	0xC0C	0x1D10
131 (0x83)	Code131:1410	Code	0xA7DA0	0x1C6	0x1D10
132 (0x84)	Code132:1418	Code	0xA7FA0	0x974	0x1D10
133 (0x85)	Code133:1420	Code	0xA8980	0x140	0x1D10
134 (0x86)	Code134:1428	Code	0xA8AE0	0x8D8	0x1D10
135 (0x87)	Code135:1430	Code	0xA9400	0xE4	0x1C10
136 (0x88)	Code136:1438	Code	0xA9500	0x26A	0x1D10
137 (0x89)	Code137:1440	Code	0xA97E0	0x1DA	0x1D10
138 (0x8A)	Code138:1448	Code	0xA99E0	0x227	0x1C10
139 (0x8B)	Data139:1450	Data	0xA9C20	0x4250	0x0D51

TB80UTL.DLL.html

Entry NE 4 at `1018:0526`. Auto data NE 32 at `10F8`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x1000	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1A20	0x84C	0x0D60
3 (0x03)	Code3:1010	Code	0x2340	0x3C	0x0D60
4 (0x04)	Code4:1018	Code	0x23A0	0x3217	0x1D70
5 (0x05)	Code5:1020	Code	0x5DA0	0x844	0x1D70
6 (0x06)	Code6:1028	Code	0x6600	0x56	0x1C70
7 (0x07)	Code7:1030	Code	0x6660	0x488	0x1D70
8 (0x08)	Code8:1038	Code	0x6B60	0xFB0	0x1D70
9 (0x09)	Code9:1040	Code	0x7BA0	0x1CE	0x1D70
10 (0x0A)	Code10:1048	Code	0x7DC0	0x7DA	0x1C70
11 (0x0B)	Code11:1050	Code	0x85A0	0x18	0x1C70
12 (0x0C)	Code12:1058	Code	0x85C0	0x11E	0x1D70
13 (0x0D)	Code13:1060	Code	0x8700	0x48A	0x1D70
14 (0x0E)	Code14:1068	Code	0x8EA0	0x17C	0x1D70
15 (0x0F)	Code15:1070	Code	0x9040	0x168	0x1D70
16 (0x10)	Code16:1078	Code	0x9280	0xCBA	0x1D70
17 (0x11)	Code17:1080	Code	0x9FA0	0xA30	0x1D70
18 (0x12)	Code18:1088	Code	0xAA40	0x88E	0x1D70
19 (0x13)	Code19:1090	Code	0xB360	0x3A	0x1D70
20 (0x14)	Code20:1098	Code	0xB3C0	0x132	0x1D30
21 (0x15)	Code21:10A0	Code	0xB520	0xBA	0x1D30
22 (0x16)	Code22:10A8	Code	0xB620	0x5CE	0x1D30
23 (0x17)	Code23:10B0	Code	0xBC80	0x25C	0x1D30
24 (0x18)	Code24:10B8	Code	0xBF00	0xEC6	0x1D30
25 (0x19)	Code25:10C0	Code	0xCE60	0x3E2	0x1D30
26 (0x1A)	Code26:10C8	Code	0xD280	0x8D8	0x1D30
27 (0x1B)	Code27:10D0	Code	0xDBA0	0x140	0x1D30
28 (0x1C)	Code28:10D8	Code	0xDD00	0x1C0	0x1D30
29 (0x1D)	Code29:10E0	Code	0xDF00	0x3A	0x1D30
30 (0x1E)	Data30:10E8	Data	0xDF60	0x200	0x0C71
31 (0x1F)	Data31:10F0	Data	0xE160	0x6	0x0C71
32 (0x20)	Data32:10F8	Data	0xE180	0x1AB0	0x0D71

TB80VBX.DLL.html

Entry NE 2 at `1008:00DA`. Auto data NE 47 at `1170`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xC60	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1680	0x2123	0x1D50
3 (0x03)	Code3:1010	Code	0x39C0	0x3C	0x0D40
4 (0x04)	Code4:1018	Code	0x3A20	0x179	0x1D10
5 (0x05)	Code5:1020	Code	0x3C40	0x153A	0x1D10
6 (0x06)	Code6:1028	Code	0x5340	0x1EA	0x1D10
7 (0x07)	Code7:1030	Code	0x5560	0x664	0x1D10
8 (0x08)	Code8:1038	Code	0x5C60	0x1BF0	0x1D10
9 (0x09)	Code9:1040	Code	0x7960	0xD86	0x1D10
10 (0x0A)	Code10:1048	Code	0x87C0	0xA94	0x1D10
11 (0x0B)	Code11:1050	Code	0x9280	0x3B8	0x1D10
12 (0x0C)	Code12:1058	Code	0x9660	0x1D6A	0x1D10
13 (0x0D)	Code13:1060	Code	0xB640	0x4F6	0x1D10
14 (0x0E)	Code14:1068	Code	0xBBA0	0x27C	0x1D10
15 (0x0F)	Code15:1070	Code	0xBE40	0x41A	0x1D10
16 (0x10)	Code16:1078	Code	0xC2C0	0x5DC	0x1D10
17 (0x11)	Code17:1080	Code	0xC8E0	0x160	0x1D10
18 (0x12)	Code18:1088	Code	0xCA60	0x1242	0x1D10
19 (0x13)	Code19:1090	Code	0xDDC0	0x6E4	0x1D10
20 (0x14)	Code20:1098	Code	0xE4E0	0x132	0x1D10
21 (0x15)	Code21:10A0	Code	0xE640	0x9AA	0x1D10
22 (0x16)	Code22:10A8	Code	0xF0C0	0xC77	0x1D10
23 (0x17)	Code23:10B0	Code	0xFDC0	0x1A2	0x1D10
24 (0x18)	Code24:10B8	Code	0xFFA0	0x130	0x1D10
25 (0x19)	Code25:10C0	Code	0x10120	0x1B4	0x1D10
26 (0x1A)	Code26:10C8	Code	0x10300	0x56	0x1D10
27 (0x1B)	Code27:10D0	Code	0x10360	0x9A	0x1D10
28 (0x1C)	Code28:10D8	Code	0x10420	0x38FE	0x1D10
29 (0x1D)	Code29:10E0	Code	0x13EC0	0x12FE	0x1D10
30 (0x1E)	Code30:10E8	Code	0x15260	0x46	0x1D10
31 (0x1F)	Code31:10F0	Code	0x152E0	0x4C	0x1C10
32 (0x20)	Code32:10F8	Code	0x15340	0x68E	0x1D10
33 (0x21)	Code33:1100	Code	0x15A80	0x2C4	0x1D10
34 (0x22)	Code34:1108	Code	0x15DA0	0xB74	0x1D10
35 (0x23)	Code35:1110	Code	0x169E0	0x3AC	0x1D10
36 (0x24)	Code36:1118	Code	0x16E20	0x528	0x1D10
37 (0x25)	Code37:1120	Code	0x173E0	0xE88	0x1D10
38 (0x26)	Code38:1128	Code	0x18320	0x78C	0x1D10
39 (0x27)	Code39:1130	Code	0x18AE0	0x107A	0x1D10
40 (0x28)	Code40:1138	Code	0x19BE0	0x248	0x1D10
41 (0x29)	Code41:1140	Code	0x19E60	0x3A	0x1C10
42 (0x2A)	Code42:1148	Code	0x19EA0	0xA20	0x1D10
43 (0x2B)	Code43:1150	Code	0x1A920	0x19E	0x1D10
44 (0x2C)	Code44:1158	Code	0x1AAE0	0x1C20	0x1D10
45 (0x2D)	Code45:1160	Code	0x1C720	0x370	0x1D10
46 (0x2E)	Code46:1168	Code	0x1CAA0	0xF0	0x1D10
47 (0x2F)	Data47:1170	Data	0x1CBE0	0x2778	0x0D71

TB80W16.DLL.html

Entry NE 3 at `1010:027A`. Auto data NE 56 at `11B8`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x3CE0	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x4700	0x3C	0x0D60
3 (0x03)	Code3:1010	Code	0x4760	0x1FF9	0x1D70
4 (0x04)	Code4:1018	Code	0x6800	0x6E	0x1D70
5 (0x05)	Code5:1020	Code	0x68A0	0x654	0x1D70
6 (0x06)	Code6:1028	Code	0x6F40	0x234	0x1D70
7 (0x07)	Code7:1030	Code	0x71C0	0x916	0x1D70
8 (0x08)	Code8:1038	Code	0x7B40	0xD30	0x1D30
9 (0x09)	Code9:1040	Code	0x8940	0x50A	0x1D30
10 (0x0A)	Code10:1048	Code	0x8EA0	0x49C	0x1D30
11 (0x0B)	Code11:1050	Code	0x9380	0x14FE	0x1D30
12 (0x0C)	Code12:1058	Code	0xA8E0	0x2AF0	0x1D30
13 (0x0D)	Code13:1060	Code	0xD4C0	0xFE	0x1D30
14 (0x0E)	Code14:1068	Code	0xD600	0xA42	0x1D30
15 (0x0F)	Code15:1070	Code	0xE0C0	0x1D6	0x1D30
16 (0x10)	Code16:1078	Code	0xE2C0	0x53A	0x1D30
17 (0x11)	Code17:1080	Code	0xE860	0xCA2	0x1D30
18 (0x12)	Code18:1088	Code	0xF560	0xB7E	0x1D30
19 (0x13)	Code19:1090	Code	0x10120	0x68A	0x1D30
20 (0x14)	Code20:1098	Code	0x107E0	0x4CBE	0x1D30
21 (0x15)	Code21:10A0	Code	0x15500	0x1CE8	0x1D30
22 (0x16)	Code22:10A8	Code	0x17380	0x770	0x1D30
23 (0x17)	Code23:10B0	Code	0x17B40	0x3470	0x1D30
24 (0x18)	Code24:10B8	Code	0x1B0E0	0x25C	0x1D30
25 (0x19)	Code25:10C0	Code	0x1B380	0x3CC	0x1D30
26 (0x1A)	Code26:10C8	Code	0x1B7A0	0x2D2	0x1D30
27 (0x1B)	Code27:10D0	Code	0x1BAC0	0x4E6	0x1D30
28 (0x1C)	Code28:10D8	Code	0x1C000	0x4E8	0x1D30
29 (0x1D)	Code29:10E0	Code	0x1C520	0x582	0x1D30
30 (0x1E)	Code30:10E8	Code	0x1CB20	0x8D8	0x1D30
31 (0x1F)	Code31:10F0	Code	0x1D440	0x268	0x1D30
32 (0x20)	Code32:10F8	Code	0x1D720	0x140	0x1D30
33 (0x21)	Code33:1100	Code	0x1D880	0x1C0	0x1D30
34 (0x22)	Code34:1108	Code	0x1DA80	0x1234	0x1D30
35 (0x23)	Data35:1110	Data	0x1ED60	0x6	0x0C71
36 (0x24)	Data36:1118	Data	0x1ED80	0xA	0x0C71
37 (0x25)	Data37:1120	Data	0x1EDA0	0x8	0x0C71
38 (0x26)	Data38:1128	Data	0x1EDC0	0xA	0x0C71
39 (0x27)	Data39:1130	Data	0x1EDE0	0x8	0x0C71
40 (0x28)	Data40:1138	Data	0x1EE00	0x8	0x0C71
41 (0x29)	Data41:1140	Data	0x1EE20	0xA	0x0C71
42 (0x2A)	Data42:1148	Data	0x1EE40	0x24	0x0C71
43 (0x2B)	Data43:1150	Data	0x1EE80	0x10	0x0C71
44 (0x2C)	Data44:1158	Data	0x1EEA0	0x14	0x0C71
45 (0x2D)	Data45:1160	Data	0x1EEC0	0xA	0x0C71
46 (0x2E)	Data46:1168	Data	0x1EEE0	0xA	0x0C71
47 (0x2F)	Data47:1170	Data	0x1EF00	0x8	0x0C71
48 (0x30)	Data48:1178	Data	0x1EF20	0x8	0x0C71
49 (0x31)	Data49:1180	Data	0x1EF40	0x1C	0x0C71
50 (0x32)	Data50:1188	Data	0x1EF60	0x8	0x0C71
51 (0x33)	Data51:1190	Data	0x1EF80	0xA	0x0C71
52 (0x34)	Data52:1198	Data	0x1EFA0	0x10	0x0C71

NE	Ghidra	Kind	File offset	Length	Flags
53 (0x35)	Data53:11A0	Data	0x1EFC0	0xA	0x0C71
54 (0x36)	Data54:11A8	Data	0x1EFE0	0xA	0x0C71
55 (0x37)	Data55:11B0	Data	0x1F000	0x8	0x0C71
56 (0x38)	Data56:11B8	Data	0x1F020	0x2194	0x0D71

TBCBT.DLL.html

Entry NE 2 at 1008:0054. Auto data NE 16 at 1078.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x760	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1180	0x232B	0x1D70
3 (0x03)	Code3:1010	Code	0x3880	0x80	0x1D30
4 (0x04)	Code4:1018	Code	0x3940	0xE8	0x1D30
5 (0x05)	Code5:1020	Code	0x3A60	0x296	0x1D30
6 (0x06)	Code6:1028	Code	0x3D60	0xFD8	0x1D30
7 (0x07)	Code7:1030	Code	0x4F80	0x11F0	0x1D30
8 (0x08)	Code8:1038	Code	0x6200	0x7A6	0x1D30
9 (0x09)	Code9:1040	Code	0x6A40	0x748	0x1D30
10 (0x0A)	Code10:1048	Code	0x7200	0x1996	0x1D30
11 (0x0B)	Code11:1050	Code	0x8D00	0x8A2	0x1D30
12 (0x0C)	Code12:1058	Code	0x9620	0x59E	0x1D30
13 (0x0D)	Code13:1060	Code	0x9C00	0xDD6	0x1D30
14 (0x0E)	Code14:1068	Code	0xAC00	0x4D4	0x1D30
15 (0x0F)	Code15:1070	Code	0xB160	0x1C4	0x1D30
16 (0x10)	Data16:1078	Data	0xB380	0x296E	0x0D71

TBDB3.DLL.html

Entry NE 2 at 1008:0628. Auto data NE 72 at 1238.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xA00	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1420	0x32DC	0x1D70
3 (0x03)	Code3:1010	Code	0x4C40	0x3C	0x0D60
4 (0x04)	Code4:1018	Code	0x4CA0	0x76C	0x1D30
5 (0x05)	Code5:1020	Code	0x5460	0x96C	0x1D30
6 (0x06)	Code6:1028	Code	0x5EA0	0x90A	0x1D30
7 (0x07)	Code7:1030	Code	0x6820	0x126	0x1D30
8 (0x08)	Code8:1038	Code	0x6980	0x2C	0x1C30
9 (0x09)	Code9:1040	Code	0x69C0	0x82	0x1D30
10 (0x0A)	Code10:1048	Code	0x6A60	0x6E	0x1D30
11 (0x0B)	Code11:1050	Code	0x6AE0	0x38	0x1C30
12 (0x0C)	Code12:1058	Code	0x6B20	0x142	0x1D30
13 (0x0D)	Code13:1060	Code	0x6CA0	0x280	0x1D30
14 (0x0E)	Code14:1068	Code	0x6FA0	0x7AE	0x1D30
15 (0x0F)	Code15:1070	Code	0x7800	0x336	0x1D30
16 (0x10)	Code16:1078	Code	0x7BA0	0xABA	0x1D30
17 (0x11)	Code17:1080	Code	0x86C0	0x318	0x1D30
18 (0x12)	Code18:1088	Code	0x8A40	0x152	0x1D30
19 (0x13)	Code19:1090	Code	0x8C00	0xE6	0x1D30
20 (0x14)	Code20:1098	Code	0x8D00	0x46	0x1C30
21 (0x15)	Code21:10A0	Code	0x8D60	0x716	0x1D30
22 (0x16)	Code22:10A8	Code	0x9500	0xC4A	0x1D30
23 (0x17)	Code23:10B0	Code	0xA220	0x106	0x1D30

NE	Ghidra	Kind	File offset	Length	Flags
24 (0x18)	Code24:10B8	Code	0xA360	0x43E	0x1D30
25 (0x19)	Code25:10C0	Code	0xA820	0x352	0x1D30
26 (0x1A)	Code26:10C8	Code	0xABE0	0x258	0x1D30
27 (0x1B)	Code27:10D0	Code	0xAE80	0x23A	0x1D30
28 (0x1C)	Code28:10D8	Code	0xB140	0x3FA	0x1D30
29 (0x1D)	Code29:10E0	Code	0xB5A0	0x116	0x1D30
30 (0x1E)	Code30:10E8	Code	0xB6E0	0x1098	0x1D30
31 (0x1F)	Code31:10F0	Code	0xC860	0xEA	0x1D30
32 (0x20)	Code32:10F8	Code	0xC960	0x63C	0x1D30
33 (0x21)	Code33:1100	Code	0xCFC0	0x848	0x1D30
34 (0x22)	Code34:1108	Code	0xD8E0	0xF0	0x1D30
35 (0x23)	Code35:1110	Code	0xDA20	0xF6	0x1D30
36 (0x24)	Code36:1118	Code	0xDB60	0x168	0x1D30
37 (0x25)	Code37:1120	Code	0xDD20	0xAA	0x1D30
38 (0x26)	Code38:1128	Code	0xDDE0	0x8A	0x1D30
39 (0x27)	Code39:1130	Code	0xDEA0	0xCA	0x1D30
40 (0x28)	Code40:1138	Code	0xDFA0	0x21C	0x1D30
41 (0x29)	Code41:1140	Code	0xE200	0xAA	0x1D30
42 (0x2A)	Code42:1148	Code	0xE2C0	0x20C	0x1D30
43 (0x2B)	Code43:1150	Code	0xE560	0x94	0x1D30
44 (0x2C)	Code44:1158	Code	0xE620	0x24	0x1C30
45 (0x2D)	Code45:1160	Code	0xE660	0x76E	0x1D30
46 (0x2E)	Code46:1168	Code	0xEE80	0x47C	0x1D30
47 (0x2F)	Code47:1170	Code	0xF340	0xBC	0x1D30
48 (0x30)	Code48:1178	Code	0xF420	0x660	0x1D30
49 (0x31)	Code49:1180	Code	0xFAE0	0x192	0x1D30
50 (0x32)	Code50:1188	Code	0xFCA0	0xA6C	0x1D30
51 (0x33)	Code51:1190	Code	0x107A0	0xC6	0x1D30
52 (0x34)	Code52:1198	Code	0x10880	0x19E	0x1D30
53 (0x35)	Code53:11A0	Code	0x10A40	0x16A	0x1D30
54 (0x36)	Code54:11A8	Code	0x10BE0	0x82	0x1D30
55 (0x37)	Code55:11B0	Code	0x10C80	0xCE	0x1D30
56 (0x38)	Code56:11B8	Code	0x10D80	0x264	0x1C30
57 (0x39)	Code57:11C0	Code	0x11000	0x110	0x1D30
58 (0x3A)	Code58:11C8	Code	0x11140	0x16	0x1C30
59 (0x3B)	Code59:11D0	Code	0x11160	0x50	0x1C30
60 (0x3C)	Code60:11D8	Code	0x111C0	0x16	0x1C30
61 (0x3D)	Code61:11E0	Code	0x111E0	0x99A	0x1D30
62 (0x3E)	Code62:11E8	Code	0x11BC0	0xEE6	0x1D30
63 (0x3F)	Code63:11F0	Code	0x12C80	0xB4E	0x1D30
64 (0x40)	Code64:11F8	Code	0x13820	0x94	0x1C30
65 (0x41)	Code65:1200	Code	0x138C0	0xE34	0x1D30
66 (0x42)	Code66:1208	Code	0x147A0	0x4E	0x1D30
67 (0x43)	Code67:1210	Code	0x14800	0x1C4	0x1D30
68 (0x44)	Code68:1218	Code	0x14A20	0x8A2	0x1D30
69 (0x45)	Code69:1220	Code	0x15340	0x59E	0x1D30
70 (0x46)	Data70:1228	Data	0x15920	0x107	0x0C71
71 (0x47)	Data71:1230	Data	0x15A40	0x114	0x0C71
72 (0x48)	Data72:1238	Data	0x15B60	0x17D8	0x0D71

TBDLG.DLL.html

Entry NE 17 at `1080:027A`. Auto data NE 19 at `1090`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xA60	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1480	0x3C	0x0D40
3 (0x03)	Code3:1010	Code	0x14E0	0x1A7C	0x1D50
4 (0x04)	Code4:1018	Code	0x30E0	0x5BE	0x1D50
5 (0x05)	Code5:1020	Code	0x3700	0x18C	0x1D50
6 (0x06)	Code6:1028	Code	0x38C0	0x336	0x1D50
7 (0x07)	Code7:1030	Code	0x3C40	0x78A	0x1D50
8 (0x08)	Code8:1038	Code	0x4420	0x374	0x1D50
9 (0x09)	Code9:1040	Code	0x4820	0x1DC	0x1D50
10 (0x0A)	Code10:1048	Code	0x4A40	0xC56	0x1D50
11 (0x0B)	Code11:1050	Code	0x5780	0x263A	0x1D50
12 (0x0C)	Code12:1058	Code	0x7F60	0x4A2	0x1D50
13 (0x0D)	Code13:1060	Code	0x8440	0x290	0x1D50
14 (0x0E)	Code14:1068	Code	0x87A0	0xAC	0x1D50
15 (0x0F)	Code15:1070	Code	0x8860	0x8A2	0x1D50
16 (0x10)	Code16:1078	Code	0x9180	0x59E	0x1D50
17 (0x11)	Code17:1080	Code	0x9760	0xC75	0x1D50
18 (0x12)	Code18:1088	Code	0xA4A0	0x748	0x1D50
19 (0x13)	Data19:1090	Data	0xAC60	0x9821	0x0C71

TBDOS.DLL.html

Entry NE 2 at `1008:027A`. Auto data NE 7 at `1030`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x560	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0xF80	0xCE3	0x1D70
3 (0x03)	Code3:1010	Code	0x1D40	0x3C	0x0D60
4 (0x04)	Code4:1018	Code	0x1DA0	0x2C1A	0x1D30
5 (0x05)	Code5:1020	Code	0x4B00	0x59E	0x1D30
6 (0x06)	Code6:1028	Code	0x50E0	0x8A2	0x1D30
7 (0x07)	Data7:1030	Data	0x5A00	0x1792	0x0D71

TBFILE32.DLL.html

Entry NE 3 at `1010:0054`. Auto data NE 9 at `1040`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x760	0x1F82	0x1D70
2 (0x02)	Code2:1008	Code	0x27C0	0x54	0x0D60
3 (0x03)	Code3:1010	Code	0x2840	0xAB8	0x1D70
4 (0x04)	Code4:1018	Code	0x36C0	0x4A	0x1D30
5 (0x05)	Code5:1020	Code	0x3720	0xC0E	0x1D30
6 (0x06)	Code6:1028	Code	0x43C0	0x8D8	0x1D30
7 (0x07)	Code7:1030	Code	0x4CE0	0x13F	0x1D30
8 (0x08)	Code8:1038	Code	0x4E40	0x1C3	0x1D30
9 (0x09)	Data9:1040	Data	0x33A0	0x2E6	0x0C71

TBPDX.DLL.html

Entry NE 4 at `1018:0068`. Auto data NE 5 at `1020`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0xC00	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1620	0x3C	0x0D40
3 (0x03)	Code3:1010	Code	0x1680	0x6E56	0x1D50
4 (0x04)	Code4:1018	Code	0x8A20	0x1E85	0x1D50
5 (0x05)	Data5:1020	Data	0xAAA0	0x940	0x0D71

TBREG.DLL.html

Entry NE 2 at `1008:0064`. Auto data NE 11 at `1050`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x2A0	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0xCC0	0x1D21	0x1D70
3 (0x03)	Code3:1010	Code	0x2AA0	0x3C	0x0D60
4 (0x04)	Code4:1018	Code	0x2B00	0x224	0x1D30
5 (0x05)	Code5:1020	Code	0x2D40	0x3EBE	0x1D30
6 (0x06)	Code6:1028	Code	0x6D20	0x18A	0x1D30
7 (0x07)	Code7:1030	Code	0x6EE0	0x510	0x1D30
8 (0x08)	Code8:1038	Code	0x7420	0x8A	0x1D30
9 (0x09)	Code9:1040	Code	0x74E0	0x1DA	0x1D30
10 (0x0A)	Code10:1048	Code	0x76E0	0x29C	0x1D30
11 (0x0B)	Data11:1050	Data	0x79A0	0x5D2	0x0D71

TBWIN.DLL.html

Entry NE 2 at `1008:0946`. Auto data NE 28 at `10D8`.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x920	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1340	0x2597	0x1D70
3 (0x03)	Code3:1010	Code	0x3D00	0x3C	0x0D60
4 (0x04)	Code4:1018	Code	0x3D60	0x4D4	0x1D30
5 (0x05)	Code5:1020	Code	0x42C0	0xBEC	0x1D30
6 (0x06)	Code6:1028	Code	0x51A0	0x968	0x1D30
7 (0x07)	Code7:1030	Code	0x5B60	0x124	0x1D30
8 (0x08)	Code8:1038	Code	0x5CA0	0x87C	0x1D30
9 (0x09)	Code9:1040	Code	0x65A0	0x7C2	0x1D30
10 (0x0A)	Code10:1048	Code	0x6DE0	0x224	0x1D30
11 (0x0B)	Code11:1050	Code	0x7060	0x5CE	0x1D30
12 (0x0C)	Code12:1058	Code	0x76E0	0xDD6	0x1D30
13 (0x0D)	Code13:1060	Code	0x86E0	0x7F4	0x1D30
14 (0x0E)	Code14:1068	Code	0x8F60	0x5D4	0x1D30
15 (0x0F)	Code15:1070	Code	0x9600	0x7A	0x1D30
16 (0x10)	Code16:1078	Code	0x96A0	0x8A2	0x1D30
17 (0x11)	Code17:1080	Code	0x9FC0	0x59E	0x1D30
18 (0x12)	Code18:1088	Code	0xA5A0	0xAC	0x1D30
19 (0x13)	Code19:1090	Code	0xA660	0x268	0x1D30
20 (0x14)	Code20:1098	Code	0xA940	0x1C0	0x1D30
21 (0x15)	Code21:10A0	Code	0xAB40	0x8D8	0x1D30
22 (0x16)	Code22:10A8	Code	0xB460	0x140	0x1D30
23 (0x17)	Code23:10B0	Code	0xB5C0	0x1C4	0x1D30

NE	Ghidra	Kind	File offset	Length	Flags
24 (0x18)	Code24:10B8	Code	0xB7E0	0xFD8	0x1D30
25 (0x19)	Code25:10C0	Code	0xCA00	0x748	0x1D30
26 (0x1A)	Code26:10C8	Code	0xD1C0	0xE8	0x1D30
27 (0x1B)	Code27:10D0	Code	0xD2E0	0x7A6	0x1D30
28 (0x1C)	Data28:10D8	Data	0xDB20	0x3EAE	0x0D71

decrypt.exe.html

Entry NE 2 at 1008:15A4. Auto data NE 3 at 1010.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x2A0	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0xCC0	0x205A	0x1D50
3 (0x03)	Data3:1010	Data	0x2EA0	0xFA0	0x0C51

TB80OLE.DLL

Entry NE 2 at 1008:0054. Auto data NE 32 at 10F8.

NE	Ghidra	Kind	File offset	Length	Flags
1 (0x01)	Code1:1000	Code	0x1040	0x9F2	0x0D50
2 (0x02)	Code2:1008	Code	0x1A60	0xAD9	0x1D50
3 (0x03)	Code3:1010	Code	0x25E0	0x3C	0x0D40
4 (0x04)	Code4:1018	Code	0x2640	0x10	0x1C10
5 (0x05)	Code5:1020	Code	0x2660	0x60	0x1D10
6 (0x06)	Code6:1028	Code	0x2700	0x8D6	0x1D10
7 (0x07)	Code7:1030	Code	0x30C0	0x25A	0x1D10
8 (0x08)	Code8:1038	Code	0x3360	0x2EBC	0x1D10
9 (0x09)	Code9:1040	Code	0x63C0	0x270	0x1D10
10 (0x0A)	Code10:1048	Code	0x66A0	0x384	0x1D10
11 (0x0B)	Code11:1050	Code	0x6A40	0x490	0x1D10
12 (0x0C)	Code12:1058	Code	0x6F40	0x6CE	0x1D10
13 (0x0D)	Code13:1060	Code	0x7640	0x594	0x1D10
14 (0x0E)	Code14:1068	Code	0x7C40	0x1F2	0x1D10
15 (0x0F)	Code15:1070	Code	0x7E60	0x7B0	0x1D10
16 (0x10)	Code16:1078	Code	0x8700	0x219A	0x1D10
17 (0x11)	Code17:1080	Code	0xAAA0	0xE6A	0x1D10
18 (0x12)	Code18:1088	Code	0xBA60	0x1D96	0x1D10
19 (0x13)	Code19:1090	Code	0xD980	0x18A	0x1D10
20 (0x14)	Code20:1098	Code	0xDB80	0xDC4	0x1D10
21 (0x15)	Code21:10A0	Code	0xEA60	0x44A	0x1D10
22 (0x16)	Code22:10A8	Code	0xEF80	0x21C	0x1D10
23 (0x17)	Code23:10B0	Code	0xF200	0x77E	0x1D10
24 (0x18)	Code24:10B8	Code	0xFA20	0x3CC	0x1D10
25 (0x19)	Code25:10C0	Code	0xFEA0	0x436	0x1D10
26 (0x1A)	Code26:10C8	Code	0x103C0	0x228	0x1D10
27 (0x1B)	Code27:10D0	Code	0x10680	0xC0E	0x1D10
28 (0x1C)	Code28:10D8	Code	0x11320	0x8D8	0x1D10
29 (0x1D)	Code29:10E0	Code	0x11C40	0x140	0x1D10
30 (0x1E)	Code30:10E8	Code	0x11DA0	0x108	0x1D10
31 (0x1F)	Data31:10F0	Data	0x11EE0	0x6	0x0C71
32 (0x20)	Data32:10F8	Data	0x11F00	0xC8E	0x0D71

TB80RTM NE segment to Ghidra space

> Trail, 2026-10-16. Lookup. NE segment to the Ghidra base used for this load. Not a finding. A live selector is not this base. If this file and `TBdecompile/record/` disagree, the record wins.

NE	Ghidra
0x01	1000
0x02	1008
0x03	1010
0x04	1018
0x05	1020
0x06	1028
0x07	1030
0x08	1038
0x09	1040
0x0A	1048
0x0B	1050
0x0C	1058
0x0D	1060
0x0E	1068
0x0F	1070
0x10	1078
0x11	1080
0x12	1088
0x13	1090
0x14	1098
0x15	10A0
0x16	10A8
0x17	10B0
0x18	10B8
0x19	10C0
0x1A	10C8
0x1B	10D0
0x1C	10D8
0x1D	10E0
0x1E	10E8
0x1F	10F0
0x20	10F8
0x21	1100
0x22	1108
0x23	1110
0x24	1118
0x25	1120
0x26	1128
0x27	1130
0x28	1138
0x29	1140
0x2A	1148
0x2B	1150
0x2C	1158
0x2D	1168
0x2E	1170
0x2F	1178
0x30	1180
0x31	1188
0x32	1190

NE	Ghidra
0x33	1198
0x34	11A0
0x35	11A8
0x36	11B0
0x37	11B8
0x38	11C0
0x39	11D0
0x3A	11D8
0x3B	11E0
0x3C	11E8
0x3D	11F0
0x3E	11F8
0x3F	1200
0x40	1208
0x41	1210
0x42	1218
0x43	1220
0x44	1228
0x45	1230
0x46	1238
0x47	1240
0x48	1248
0x49	1250
0x4A	1258
0x4B	1260
0x4C	1268
0x4D	1270
0x4E	1278
0x4F	1280
0x50	1288
0x51	1290
0x52	1298
0x53	12A0
0x54	12A8
0x55	12B0
0x56	12B8
0x57	12C0
0x58	12D0
0x59	12D8
0x5A	12E0
0x5B	12E8
0x5C	12F0
0x5D	12F8
0x5E	1300
0x5F	1310
0x60	1318
0x61	1320
0x62	1328
0x63	1330
0x64	1338
0x65	1340
0x66	1348
0x67	1350
0x68	1358
0x69	1360

NE	Ghidra
0x6A	1368
0x6B	1370
0x6C	1378
0x6D	1380
0x6E	1388
0x6F	1390
0x70	1398
0x71	13A0
0x72	13A8
0x73	13B0
0x74	13B8
0x75	13C0
0x76	13C8
0x77	13D0
0x78	13D8
0x79	13E0
0x7A	13E8
0x7B	13F0
0x7C	13F8
0x7D	1400
0x7E	1408
0x7F	1410
0x80	1418
0x81	1420
0x82	1428
0x83	1430
0x84	1438
0x85	1440
0x86	1448

WDW selector:offset → Ghidra segment:offset

> Trail, 2026-10-16. Lookup. One boot's WDW selectors. They change on the next boot. If this file and `TBdecompile/record/` disagree, the record wins.

Source: WDW screenshots 2026-10-15. Live selectors are temporary (this boot). Offsets within the segment are stable. Map is tbworkingpapers/tbwp0002/TB80BAS.map. C decompile is Toolbook/_decompiles/TB80BAS.DLL.c.

Resolved (in map)

WDW (this boot)	Export	Ghidra	Notes
4877:0000	CDBDISPLAYSTATE	1008:4B4A	display state
483F:03B2	CDBCREATEPAGEREF	1010:211C	create page ref; calls FUN_1048_159a(...,2,...)
3397:147C	CDBSETVALUEEX	1048:2F0E	set property value; cmp [bp+0E],42 then sub ax,4000
3767:0000	CDBREGISTEROLE2WINDOW	1310:0292	register OLE2 window
—	CDBNEWOBJECT	12C8:0850	object create (FUN_12c8_0850)
—	CDBFILEOPEN	1028:1226	file open

In C decompile, not in map (look up by name in Ghidra)

Export	C line	Distinctive pattern from screenshot
CDBSYNCSCREENS	12922	DAT_1630_3048 = 0; DAT_1630_304a = param
CDBCLEARBOOKREFS	28451	enter 0xB8; lea ax,-2E[bp]
CDBCLIENTSTATUS	25257	push [bp+08]; push [bp+06]; push 1; call far
CDBREGISTERINSTWINDOW	25296	mov bx,[bp+0E]; mov byte [bx],0
CDBREGISTERVBXFORM	129508	enter 6; mov bx,[bp+08]; push 1
VBXNEWVIEW	129713	enter 8; push 011C; call far
VALUEARRAYINFO	87815	mov al,[bp+0D]; and al,FC; cmp al,44
VALUEARRAYGET	87982	mov al,[bp+0A]; sub ah,ah
VALUEARRAYSET	88133	les bx,[bp+14]; mov ax,es:[bx+0C]
HEAPVALUETOPOINTER	(calls)	and si,03FF; add si,si
HEAPVALUETOFRAME	(calls)	push [bp+0C]; push [bp+0A]; push [bp+08]; push [bp+06]
OBJGETFILE	(calls)	enter 14; mov bx,[bp+0A]; mov byte [bx],0
OBJGETHDRLONG	(calls)	enter 2; mov word 2862,ax

Call stack spine (book-open / page path)

These frames appear in nearly every Calls window. Selectors are this boot.

```
0x3497:03EF
0x3497:4A6E
0x3197:0379
0x3167:0CB1 → 0x3167:14BC
0x3247:02BF → 0x3247:05B7 → 0x3247:0B7A
```

Practical

- Break on the Ghidra address by offset within the segment. The live selector is whatever WDW shows for TB80BAS that boot.
- CDBSENDCREATE is listed in the Functions window but did not appear in the Calls stacks. Object creation on this path is going through CDBCREATEPAGEREF / CDBSETVALUEEX / CDBVALUENEW*.
- Clear unused breakpoints. The "Device memory is nearly full" stop is the debugger.

Next

Set the break on CDBCREATEPAGEREF (Ghidra 1010:211C) or CDBSETVALUEEX (Ghidra 1048:2F0E). Step into the call that builds the page. That is closer to the record reader than waiting for CDBSENDCREATE.

Startup sequence (this batch)

Stops in order. VALUEFREE fired for the first time before the main window. Next batch ends at VALUETOSTRING before the file dialog.

Order	WDW this boot	Export	Ghidra (if known)	Notes
1	483F:041E	CDBVIEWPAGEVALUE	—	view page value
2	343F:0876	LOCKPATTERN	—	lock pattern
3	3397:0958	CDBQUERYVALUE	—	query value
4	483F:0666	CDBCREATEBKGNDREF	—	create background ref
5	3397:113C	CDBSENDVALUEEX	—	send value
6	450F:0E3E	TBHEAPSAVECRITSECT	—	heap critical section
7	336F:0096	CDBSCRIPTSEARCH	—	script search

Order	WDW this boot	Export	Ghidra (if known)	Notes
8	3397:0304	CDBREFVALUE	—	ref value
9	450F:0E70	TBHEAPRESTORECRITSECT	—	restore crit
10	4267:04E0	CDBVALUEBOOKTOSTRING	—	book to string
11	3397:0AAA	CDBQUERYFILEPATH	1078:036C	query file path
12	44D7:0000	VALUENEWSTRING	—	new string
13	450F:0840	TBHEAPALLOC	—	heap alloc
14	450F:0EE2	HEAPPOINTERTOVALUE	—	pointer to value
15	4877:090E	CDBSETIMAGEMEMORYMODEL	—	image memory model
16	4D27:1710	RESMGREXTRACT	—	resource extract
17	3397:0612	CDBBOOKOFVALUE	—	book of value
18	3397:1110	CDBSENDVALUE	—	send value
19	4877:0506	CDBPAINTCLIENT	—	paint client (sets 3048/304A)
20	4877:0B6C	IMDRAWLEVELS	1020:16DE	draw levels
21	3AB7:0244	CDBSETFOCUS	1060:143E	set focus
22	44CF:07CA	CDBSENDUNDO	—	send undo
23	4877:09CE	IMBITBLT	—	bitblt
24	450F:0EC2	TBHEAPCLEARCRITSECT	—	clear crit
25	381F:0254	CDBRESETPLERR	—	reset error
26	4457:0B38	VALUEFREE	—	free value (before main window)

Observations

- CDBPAINTCLIENT (4877:0506) sets DAT_1630_3048 = 0 and DAT_1630_304A from the stack, same pattern as CDBSYNCSCREENS. Paint is starting before the main window.
- RESMGREXTRACT (4D27:1710) is the resource extractor. It runs before VALUEFREE.
- VALUEFREE at 4457:0B38 is the last first-time stop before the main window. The next batch ends at VALUETOSTRING before the file dialog.
- CDBSENDCREATE still has not appeared in the Calls windows. Object creation on this path is going through CDBCREATEBKGNDREF / CDBCREATEPAGEREF / CDBSETVALUEEX / CDBSENDVALUE.
- Clear unused breakpoints. The "memory and was forced to stop" message is the debugger running out of room.

Next

The next batch ends at VALUETOSTRING (before the file dialog). Capture that sequence the same way. The record reader is still upstream of CDBSENDCREATE; these stops are the property and resource path that runs while the book is opening.

Selector → segment mapping

The WDW selector (483F, 3397, 450F, etc.) is temporary. Windows assigns it when the NE segment is loaded. The Ghidra segment number is the NE segment index. They are not the same number.

How to map this boot

1. In WDW, open the Module window (Window → Module, or the module list).
2. Find TB80BAS.DLL. It shows the selector for each loaded segment.
3. Or: set a break on a known function, then look at the Calls window. The return address selector is the caller's segment.
4. Once you know one selector maps to one Ghidra segment, every other function with that same selector is in the same Ghidra segment.

Known this boot (from the screenshots)

These selectors appeared. The map offsets do not match the WDW offsets, so the map is from a different Ghidra pass. Use the WDW offset as the stable address.

WDW selector	Seen on	Notes
483F	CDBVIEWPAGEVALUE, CDBCREATEBKGNDREF	same segment
3397	CDBQUERYVALUE, CDBSENDVALUEEX, CDBREFVALUE, CDBQUERYFILEPATH, CDBBOOKOFVALUE, CDBSENDVALUE	same segment
450F	TBHEAP* family	heap segment
4877	CDBSETIMAGEMEMORYMODEL, CDBPAINTCLIENT, IMDRAWLEVELS, IMBITBLT	paint/image segment
4D27	RESMGREXTRACT	resource segment
4267	CDBVALUEBOOKTOSTRING	
44D7	VALUENEWSTRING	
44CF	CDBSENDUNDO	
3AB7	CDBSETFOCUS	
381F	CDBRESETPLERR	
4457	VALUEFREE	
336F	CDBSCRIPTSEARCH	
343F	LOCKPATTERN	

Practical

- The offset is what matches Ghidra. If the map offset does not match the WDW offset, the map is from a different analysis. Use the WDW offset and the function name.
- To get a fresh map, re-export the Ghidra symbol map from the current analysis.
- Clear unused breakpoints. The debugger is running out of memory.

Method (this boot)

For each first-time stop we have:

- WDW selector (temporary, changes next boot)
- Function name (stable)
- Offset within the segment (stable)
- First instructions (stable pattern)

Match later by name + offset + instruction bytes. Do not re-scan the whole Functions list. The Calls window already shows the return address of the caller; that is the next place to look if the function is not named.

If the session is restarted, the selector changes. The offset and the instruction bytes do not. Match on those.

What we have this boot

See the table above. The map offsets do not match the WDW offsets, so the map is from a different analysis. Use the WDW offset and the function name. Re-export the Ghidra symbol map from the current analysis to get fresh offsets.

Batch 2026-10-15 17:38–17:46

Function	WDW selector:offset	Segment group	Notes
VALUETOSTRING	4457:0DE8	4457	value convert
OBJFILEOPEN	3147:177C	3147	file open
STACKGETSIZE	4537:0738	4537	stack
VALUENEWSTACK	4537:0000	4537	stack

Function	WDW selector:offset	Segment group	Notes
STACKPUSH	4537:0778	4537	stack
CDBCHUNKLAST	0D37:0334	0D37	chunk walk
CDBCHUNKEND	0D37:0000	0D37	chunk walk
STACKPUSHONE	4537:09A2	4537	stack
STACKELEMENT	4537:0444	4537	stack
STACKSETELEMENT	4537:06B0	4537	stack
VALUENEW	4457:0C6E	4457	value
VALUEAS	4457:0038	4457	value
VALUEASEX	4457:00A0	4457	value
RESMGRENUM	4D27:2522	4D27	resource enum
CDBLOCKVALUE	3397:02CA	3397	value lock
HEAPCREATEFRAME	450F:0350	450F	heap
VALUEASC	4457:01B8	4457	value
VALUEASCEX	4457:0220	4457	value
VALUECONVERTTOC	4457:0818	4457	value
VALUECONVERTTOCEX	4457:0880	4457	value
VALUEFROMSTRING	4457:0E1A	4457	value
CDBSETPLERR	381F:0010	381F	error
LPSTRTODOUBLE	4477:05B4	4477	string→double
HEAPGETHANDLER	450F:0FEE	450F	heap
VALUECHECK	44FF:0000	44FF	value
CDBCHUNKFIND	0D37:0146	0D37	chunk walk
HEAPRELEASEFRAME	450F:05D6	450F	heap
VALUENEWLAYEREX	4267:127A	4267	value
VALUEATOL	443F:0000	443F	value
ANSILSTRNCMPI	2A8F:00D3	2A8F	string compare
?SENDPROC@TBXBOBJ@@...	29AF:0000	29AF	ActiveX/OLE
VALUENEWTIME	449F:01C0	449F	value

Selector groups this batch

- 4457: VALUETOSTRING, VALUENEW, VALUEAS, VALUEASEX, VALUEASC, VALUEASCEX, VALUECONVERTTOC, VALUECONVERTTOCEX, VALUEFROMSTRING (value conversion cluster)
- 4537: STACKGETSIZE, VALUENEWSTACK, STACKPUSH, STACKPUSHONE, STACKELEMENT, STACKSETELEMENT (stack cluster)
- 0D37: CDBCHUNKLAST, CDBCHUNKEND, CDBCHUNKFIND (chunk walkers)
- 450F: HEAPCREATEFRAME, HEAPGETHANDLER, HEAPRELEASEFRAME (heap)
- 4D27: RESMGRENUM (resource)
- 3397: CDBLOCKVALUE (same selector as earlier CDBQUERYVALUE family)
- 381F: CDBSETPLERR
- 4477: LPSTRTODOUBLE
- 44FF: VALUECHECK
- 4267: VALUENEWLAYEREX
- 443F: VALUEATOL
- 2A8F: ANSILSTRNCMPI
- 29AF: ?SENDPROC@TBXBOBJ@@ (ActiveX)
- 449F: VALUENEWTIME

Useful vs noise

Most of this batch is value conversion and stack machinery. Not on the book-open or paint path.

Worth keeping:

- CDBCHUNKFIND / CDBCHUNKEND / CDBCHUNKLAST (0D37) — chunk walkers. These walk the property/record chunks. Related to the 14 00 00 reader question.
- CDBLOCKVALUE (3397) — same selector as the earlier CDBQUERYVALUE / CDBSENDVALUEEX family. Value locking.
- OBJFILEOPEN (3147) — file open path.
- ?SENDPROC@TBXBOBJ@@ (29AF) — ActiveX/OLE send. Side quest.

Skip for now:

- All STACK* (4537) — stack machine.
- All VALUE* convert/as/check (4457, 44FF, 443F, 4267, 449F) — value type conversion.
- HEAP* (450F) — heap frames.
- ANSILSTRNCMPI (2A8F) — string compare.
- RESMGRENUM (4D27) — resource enum.
- LPSTRTODOUBLE (4477) — string to double.
- CDBSETPLERR (381F) — error set.

The chunk walkers (CDBCHUNK*) are the closest thing to a record reader in this batch. They are not the 14 00 00 reader, but they walk the property chunks that sit inside the page records.

Callers and first instructions (this batch, interesting ones)

CDBCHUNKFIND (0D37:0146)

- First: mov ax,347F / enter 0008,00 / push ds / mov ds,ax / mov ax,word ptr 12[bp] / sub ax,0001 / sbb cx,cx / not cx
- Callers visible: 4857:0C68 (????), 4857:090B (call near), 3187:0210 (call far), 322F:0577 (cmp ax,268), 322F:0E1E (jmp word)

CDBCHUNKEND (0D37:0000)

- First: mov ax,347F / enter 0004,00 / push si / push ds / mov ds,ax / mov word ptr -02[bp],0 / cmp word ptr 0C[bp],00 / jne 003E
- Callers visible: 3187:0210 (call far), 0D37:2B77 (????), 0D37:12BC (????), 0D37:247E (????), 0D37:0AE5 (????), 0D37:07FB (????), CDBCHUNKFIND (jb 0x0297)

CDBCHUNKLAST (0D37:0334)

- First: mov ax,347F / enter 0010,00 / push si / push ds / mov ds,ax / xor ax,ax / mov word ptr -04[bp],ax / mov word ptr -06[bp],ax
- Callers visible: 4857:090B (call near), 4857:0B23 (call dword), 3187:0210 (call far), CDBCHUNKEND (leave)

CDBLOCKVALUE (3397:02CA)

- First: mov ax,347F / enter 0002,00 / push ds / mov ds,ax / mov al,byte ptr 0B[bp] / shr al,02 / sub ah,ah / sub ax,001A
- Callers visible: 4857:4FF6 (????), 4857:0C68 (call dword), 4857:42B8 (????), 4857:090B (call near), 3187:0210 (call far), 31B7:0073 (call near), 31B7:00F9 (call near)

OBJFILEOPEN (3147:177C)

- First: mov ax,347F / enter 025A,00 / push di / push si / push ds / mov ds,ax / mov word ptr -04[bp],...

- Callers visible: 322F:3252 (jmp 0x31FC), 3D6F:0416 (call near), 3D6F:0F79 (call near), 3D6F:0E8E (call far), 3247:0219 (call near), 3247:25A7 (call far), OBJGETFILE, OBJFREESEG

?SENDPROC@TBXBOBJ@@ (29AF:0000)

- First: mov ax,347F / push bp / mov bp,sp / push ds / mov ds,ax / mov ax,word ptr 0E[bp] / cmp ax,3014 / jne 0014
- Callers visible: ?GETPROC@TBXBOBJ@@, 29AF:033CE, ?SETPROC@TBXBOBJ@@, SENDPROC@TBXBOBJ@@ (self), 29AF:0206D, ?SETPROC@TBXBOBJ@@

Matching note

For next boot, match these by function name + first instruction bytes (mov ax,347F is the common entry, then the enter size differs). The 347F is this boot's DGROUP. It will change. The enter size and the next instructions are stable.

Callers and first instructions (batch 2026-10-15 18:16, interesting ones)

CDBCLASSTABLEGETBEHAVIOR (44F7:121A)

- First: mov ax,347F / enter 0008,00 / push ds / mov ds,ax / cmp word ptr 08[bp],00 / je 129A
- Callers visible: 3197:08A3, 3197:0C3F, 3197:105C, 3CC7:0379, 44F7:026A, 44F7:3FEF
- Note: Unbreaking this let the splash page run. Hit during book open / class-table setup.

CDBVALUENEWBOOKREF (4267:0000)

- First: mov ax,347F / enter 0004,00 / push ds / mov ds,ax / mov ax,word ptr 08[bp] / or ax,word ptr 06[bp]
- Callers visible: 3467:19AD, 3467:1333, 3467:0B0F, 322F:0E1E, 322F:180D

VALUENEWGRAPHIC (4267:1494)

- First: mov ax,347F / enter 0008,00 / push ds / mov ds,ax / mov al,byte ptr 11[bp] / and al,FC
- Callers visible: 3467:1934, 3467:1176, 3467:0B0F, 322F:0E1E, 0DC7:1C82, 516F:044B

VALUENEWBOOK (4267:0D90)

- First: mov ax,347F / enter 0006,00 / push ds / mov ds,ax / mov word ptr -06[bp],0
- Callers visible: 3D6F:0EDF, 3467:0369, 3467:19AD, 3467:1333, 3467:0B0F, 322F:0E1E

GETDIBCOLORCOUNT (35D7:053A)

- First: mov ax,347F / enter 0006,00 / push ds / mov ds,ax / les bx,dword ptr 06[bp]
- Callers visible: PATTERNDITHER_8BIT, CREATEDITHEREDHEADER_8BIT, GETDIBSIZE, CREATEDIBMASK (self-cluster)

HUGEGETDATA (33BF:0D6C)

- First: mov ax,347F / enter 0018,00 / push si / push ds / mov ds,ax / mov word ptr -04[bp],0
- Callers visible: 33BF:1140, 33BF:02AB, 33BF:0118, 33BF:2CF2, 33BF:0F64, 33BF:0A64, 33BF:0AAD

OBJREALLOCNEAR (3147:08D6)

- First: mov ax,347F / enter 0018,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0E[bp]
- Callers visible: 322F:170F, 409F:0890, 409F:2241, OBJNEWNEAREX, OBJFILECOPY, OBJGETHDRLONG, OBJFREENEAR

Matching note

Same as prior batches: mov ax,347F is this boot's DGROUP and will change. Match on enter size and the next 2-3 instructions. CDBCLASSTABLEGETBEHAVIOR is the splash-gate observation for this batch.

Callers and first instructions (batch 2026-10-15 18:22, interesting ones)

CDBCREATEINSTANCE (480F:0000)

- First: mov ax,347F / enter 0002,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0E[bp]
- Callers visible: 4EDF:0067, 0D67:87A2, 322F:170F, 40A7:167A, 40A7:1628, 3DE7:029B, 315F:0231

CDBVALUEBOOKFROMSTRING (4267:03F4)

- First: mov ax,347F / enter 0018,00 / push si / push ds / mov ds,ax / push word ptr 08[bp]
- Callers visible: 4267:1E8F, CDBVALUENEWGRAPHICREF, CDBVALUELAYERFROMSTRBOOK, VALUENEWBOOK, VALUENEWGRAPHIC

CDBVALUEGRAPHICFROMSTRING (4267:0AA0)

- First: mov ax,347F / enter 0074,00 / push si / push ds / mov ds,ax / mov word ptr -44[bp],0
- Callers visible: CDBVALUELAYERFROMSTRBOOK, VALUENEWBOOK, CDBVALUENEWGRAPHICREF, CDBVALUELAYERFROMSTRBOOK

CDBVALUELAYERFROMSTRBOOK (4267:05F8)

- First: mov ax,347F / enter 004C,00 / push si / push ds / mov ds,ax / mov word ptr -2C[bp],0
- Callers visible: CDBVALUENEWLAYERREF, CDBVALUENEWGRAPHICREF, CDBVALUELAYERFROMSTRBOOK, VALUENEWBOOK, VALUENEWLAYER
- Note: User goofed on CDBVALUELAYERFROMSTRING; two screenshots of this function.

CDBVALUERESOURCEFROMSTRING (4267:08B2)

- First: mov ax,347F / enter 004A,00 / push ds / mov ds,ax / mov word ptr -2C[bp],0
- Callers visible: CDBVALUEBOOKTOSTRING, CDBVALUENEWBOOKREF, CDBVALUENEWLAYERREF, CDBVALUENEWGRAPHICREF, CDBVALUELAYERFROMSTRBOOK, VALUENEWBOOK, VALUENEWRESOURCE

Matching note

Same as prior batches: mov ax,347F is this boot's DGROUP and will change. Match on enter size and the next 2-3 instructions.

Callers and first instructions (batch 2026-10-15 18:32, app now paging)

GETDIBSIZE (35D7:05DA)

- First: mov ax,347F / enter 0008,00 / push ds / mov ds,ax / les bx,dword ptr 06[bp]
- Callers visible: 35D7:113E (PATTERNDITHER_8BIT), CREATEDITHEREDHEADER_8BIT, 35D7:5EC2, 35D7:4FE5, 35D7:5134, 35D7:197E

VALUEARRAYCHKDIMS (4357:03D8)

- First: mov ax,347F / enter 0022,00 / push ds / mov ds,ax / mov al,byte ptr 0B[bp]
- Callers visible: 3467:1333, 3467:0B0F, 322F:0E1E, 4DEF:013B, 4D87:00ED, 516F:52BD, 322F:1689

VALUENEWRESOURCE (4267:0EFC)

- First: mov ax,347F / enter 000E,00 / push di / push si / push ds / mov ds,ax / cmp word ptr 0A[bp],00
- Callers visible: 4D87:0102, 0ED7:1E5B, 4D87:01C72, 0ED7:1E5B, 4C0F:1C72, 518F:4776, 322F:180D

RESMGRGETREFCNT (4D27:2838)

- First: mov ax,347F / enter 0008,00 / push ds / mov ds,ax / mov bx,word ptr 0C[bp]
- Callers visible: 4D87:0102, 0ED7:1E5B, 4C0F:1C72, 518F:4776, 322F:180D, RESMGRREPLACE

Status note

After this batch the application is up and paging through the book without re-breaking. Splash gate and early constructors have been passed.

Callers and first instructions (batch 2026-10-15 18:39, menu break)

COLORHLSTORGB (44B7:0B84)

- First: mov ax,347F / enter 0034,00 / push di / push si / push ds / mov ds,ax / mov ax,word ptr 08[bp] / or ax,word ptr 06[bp] / jne 0BBE / push 0000
- Callers visible: 516F:2ED4, 44B7:1FF7, VALUENEWCOLORTABLE, VALUENEWCOLOR
- Behavior: fired when menu was drawn. Unbreaking returned to the menu. HLS-to-RGB color helper, supporting graphics. Not a gate.

Callers and first instructions (batch 2026-10-15 18:42, Lesson Exit)

Successful exit. Cleanup paths only.

CDBUNREGISTERVBXFORM (4437:0068)

- First: mov ax,347F / enter 0002,00 / push ds / mov ds,ax / mov bx,word ptr 08[bp] / mov byte ptr ss:[bx],0 / push bx / push word ptr 06[bp] / push 0001 / call far ptr 4857:02FC
- Callers visible: 3197:03F8, 31EF:1DFD, DISPATCHINPUT, CALLNEXTHOOKEX

VBXDESTROYVIEW (4437:02F0)

- First: mov ax,347F / enter 000E,00 / push ds / mov ds,ax / les bx,dword ptr 06[bp] / mov word ptr -04[bp],bx / mov word ptr -02[bp],es / mov word ptr es:02[bx] / mov ax,word ptr es:06[bx] / or ax,word ptr es:04[bx]
- Callers visible: 31EF:1DFD, DISPATCHINPUT, CALLNEXTHOOKEX

CDBDESTROYINSTANCE (480F:040A)

- First: mov ax,347F / push bp / mov bp,sp / push ds / mov ds,ax / push word ptr 08[bp] / push word ptr 06[bp] / push 0003 / call far ptr 4857:02FC
- Callers visible: 31EF:1DFD, DISPATCHINPUT, CALLNEXTHOOKEX, 315F:2094, 315F:1194

Status note

These fire during Lesson Exit. Supporting cleanup (VBX and instance teardown). Not open/render keepers.

Callers and first instructions (batch 2026-10-15 18:44-18:51, restart)

Segment changed on restart. Object/heap/value init paths. Supporting only.

HEAPREGISTER (343F:0000)

- First: mov ax,2977 / enter 0014,00 / push si / push ds / mov ds,ax / cmp word ptr 11AE,0000 / jne 004C / push 2042 / push 0000 / push 002E

VALUEINIT (44CF:0000)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / les bx,dword ptr 06[bp] / sub ax,ax / mov word ptr es:B0[bx] / mov word ptr es:AE[bx] / mov word ptr es:08[bx]

VALUENEWARRAY (395F:0000)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / push word ptr 16[bp] / push word ptr 14[bp] / push word ptr 12[bp] / push word ptr 10[bp] / push word ptr 0E[bp]

TBHEAPALLOC (343F:0840)

- First: mov ax,2977 / enter 0014,00 / push di / push si / push ds / mov ds,ax / mov ax,word ptr 06[bp] / add ax,0004 / cmp ax,word ptr 06[bp] / jae 085A

HEAPPOINTERTOVALUE (343F:0EE2)

- First: mov ax,2977 / enter 0004,00 / push ds / mov ds,ax / mov cx,word ptr 06[bp] / mov word ptr -04[bp],cx / mov ax,word ptr 08[bp] / mov es,ax / mov ax,word ptr -02[bp] / mov cx,ax

CDBINIT (37A7:0000)

- First: mov ax,2977 / enter 00C8,00 / push di / push si / push ds / mov ds,ax / mov bx,word ptr 06[bp] / mov byte ptr ss:[bx],0 / push bx / call far ptr 2A9F:0000

OBJINIT (4357:0000)

- First: mov ax,2977 / enter 0016,00 / push ds / mov ds,ax / cmp word ptr 034C,0000 / jne 0054 / call far ptr 34F7:0E58 / mov word ptr -08[bp],dx / or dx,ax / je 002D

VALUENEWSTRING (3397:0000)

- First: mov ax,2977 / enter 0004,00 / push di / push ds / mov ds,ax / cmp word ptr 06[bp],00 / jne 0028 / mov ax,word ptr 0A[bp] / or ax,word ptr 08[bp]

CDBCREATEINSTANCE (4387:0000)

- First: mov ax,2977 / enter 0002,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0E[bp] / mov byte ptr ss:[bx],0 / cmp word ptr 018C,0000 / jne 0028 / mov bx,word ptr 0E[bp]

CDBREFVALUE (3B6F:0304)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / cmp word ptr 06[bp],00 / jne 0326 / cmp word ptr 08[bp],04 / jne 0326 / mov ax,word ptr 06[bp]

CDBFILENEW (3B5F:0028)

- First: mov ax,2977 / enter 0022,00 / push ds / mov ds,ax / push word ptr 0E[bp] / push word ptr 0C[bp] / push 0001 / call far ptr 3877:02FC / or ax,ax / jne 0046

OBJNEWSEG (4867:06E6)

- First: mov ax,2977 / enter 000E,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0C[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 0A[bp] / mov word ptr 2862,ax / mov word ptr -02[bp],ax

OBJLOCK (4867:0308)

- First: mov ax,2977 / enter 0006,00 / push ds / mov ds,ax / push word ptr 0C[bp] / push word ptr 0A[bp] / push word ptr 08[bp] / push word ptr 06[bp] / call far ptr 3AB7:0000 / or ax,ax

OBJNEWNEAR (4867:0552)

- First: mov ax,2977 / enter 0008,00 / push di / push si / push ds / mov ds,ax / mov bx,word ptr 0E[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 0C[bp] / mov dx,ax

LOOKUPSTDPROPBYNAME (337F:010A)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / push word ptr 08[bp] / push word ptr 06[bp] / push word ptr 19FC / push word ptr 19FA / push cs

OBJTOUCH (4867:0AD4)

- First: mov ax,2977 / enter 0024,00 / push si / push ds / mov ds,ax / mov ax,word ptr 0A[bp] / or ax,word ptr 08[bp] / jne 0AF0 / xor ax,ax / cwd

OBJOPTOOH (4867:01DA)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / push word ptr 0A[bp] / push word ptr 08[bp] / push word ptr 06[bp] / push word ptr 06[bp] / push cs

OBJOOTOOH (4867:0176)

- First: mov ax,2977 / enter 0014,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0C[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 0A[bp] / sub bx,bx / mov es,ax

OBJNEWNEAREX (4867:0606)

- First: mov ax,2977 / enter 0022,00 / push si / push ds / mov ds,ax / mov bx,word ptr 10[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 0E[bp] / sub bx,bx / mov es,ax

OBJFREENEAREX (4867:0E36)

- First: mov ax,2977 / enter 0016,00 / push si / push ds / mov ds,ax / mov word ptr -04[bp],0 / mov bx,word ptr 0C[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 0A[bp] / sub bx,bx

SENDPROC@TBXUSER (33DF:0000)

- First: mov ax,2977 / enter 0004,00 / push ds / mov ds,ax / sub ax,ax / mov word ptr -02[bp],ax / mov word ptr -04[bp],ax / mov ax,word ptr 0E[bp] / sub ax,000A / je 004E

OBJPRINCIPALOO (4867:0A40)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / push word ptr 0A[bp] / push word ptr 08[bp] / push word ptr 06[bp] / push cs / call near ptr OBJPRINCIPALOP

OBJPRINCIPALOP (4867:0A5C)

- First: mov ax,2977 / enter 0012,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0A[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 08[bp] / sub bx,bx / mov es,ax

SENDPROC@TBXBASE (59DF:0000)

- First: mov ax,2977 / enter 002E,00 / push ds / mov ds,ax / mov ax,word ptr 0E[bp] / cmp ax,3012 / je 0064 / ja 0026 / sub ax,000A / je 0038

HCACHEPURGE (3787:0690)

- First: mov ax,2977 / enter 0038,00 / push ds / mov ds,ax / cmp word ptr 17E2,0000 / jne 06A4 / jmp near ptr 07EA / mov ax,word ptr 17DC / or ax,word ptr 17DA / jne 06B0

SETPROC@TBXBASE (59DF:00F4)

- First: mov ax,2977 / enter 0004,00 / push ds / mov ds,ax / mov bx,word ptr 14[bp] / xor ax,ax / mov byte ptr ss:[bx],7 / cwd / pop ds / leave

OBJUNLOCK (4867:0432)

- First: mov ax,2977 / enter 004A,00 / push ds / mov ds,ax / mov bx,word ptr 0A[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 08[bp] / mov word ptr -4A[bp],ax / sub bx,bx / mov es,ax

OBJARENACHECK (4397:0AE2)

- First: mov ax,2977 / enter 002A,00 / push ds / mov ds,ax / mov word ptr -02[bp],0 / mov ax,word ptr 14[bp] / sub cx,cx / mov word ptr -06[bp],cx / mov word ptr -04[bp],ax / mov bx,cx

OBJGETFILE (4867:0094)

- First: mov ax,2977 / enter 0014,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0A[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 08[bp] / sub bx,bx / mov es,ax

SENDPROC@TBXLAYER (344F:0000)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / mov ax,word ptr 0E[bp] / sub ax,302E / je 0048 / sub ax,006A / je 005E

SETPROC@TBXLAYER (344F:0156)

- First: mov ax,2977 / push bp / mov bp,sp / push ds / mov ds,ax / mov ax,word ptr 0E[bp] / sub ax,401B / je 0194 / sub ax,000F / je 01AC

OBJGETHDRLONG (4867:0242)

- First: mov ax,2977 / enter 0002,00 / push si / push ds / mov ds,ax / mov bx,word ptr 0A[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 08[bp] / mov word ptr 2862,ax / mov word ptr -02[bp],ax

RESMGRSENDMESSAGE (3817:1C82)

- First: mov ax,2977 / enter 0012,00 / push si / push ds / mov ds,ax / sub ax,ax / mov word ptr -10[bp],ax / mov word ptr -12[bp],ax / mov bx,word ptr 0A[bp] / mov byte ptr ss:[bx],ax

CDBCLEARBOOKREFS (3B5F:10A6)

- First: mov ax,2977 / enter 00B8,00 / push ds / mov ds,ax / mov bx,word ptr 0A[bp] / mov byte ptr ss:[bx],0 / lea ax,-2E[bp] / push ss / push ax / call far ptr 3877:0000

CDBCREATEBOOKREF (3B5F:0F5C)

- First: mov ax,2977 / enter 000E,00 / push ds / mov ds,ax / mov bx,word ptr 0C[bp] / mov byte ptr ss:[bx],0 / push bx / push word ptr 0A[bp] / push 0001 / call far ptr 3877:02FC

CDBGETVALUEEX (3B6F:0D80)

- First: mov ax,2977 / enter 0038,00 / push ds / mov ds,ax / mov word ptr -12[bp],0 / sub ax,ax / mov word ptr -14[bp],ax / mov word ptr -16[bp],ax / mov word ptr -18[bp],ax / mov word ptr -10[bp],0

OBJLOCKNEAR (4867:03D6)

- First: mov ax,2977 / enter 000E,00 / push ds / mov ds,ax / mov bx,word ptr 0C[bp] / mov byte ptr ss:[bx],0 / mov ax,word ptr 0A[bp] / sub bx,bx / mov es,ax / mov ax,word ptr es:0000

CDBVALUENEWGRAPHICREF (33EF:02D4)

- First: mov ax,2977 / enter 0024,00 / push ds / mov ds,ax / lea ax,-02[bp] / push ax / push word ptr 10[bp] / push word ptr 0E[bp] / push word ptr 0C[bp] / push word ptr 0A[bp]

Status note

Object management, heap, and value creation. Supporting infrastructure for book open. Not open/render keepers. Segment changed on restart.