

CompTIA A+ Certification Exam Core 1 Objectives

EXAM NUMBER: CORE 1 (220-1101)



About the Exam

Candidates are encouraged to use this document to help prepare for the CompTIA A+ Core 1 (220-1101) certification exam. In order to receive the CompTIA A+ certification, you must pass two exams: Core 1 (220-1101) and Core 2 (220-1102). The CompTIA A+ Core 1 (220-1101) and Core 2 (220-1102) certification exams will verify the successful candidate has the knowledge and skills required to:

- · Install, configure, and maintain computer equipment, mobile devices, and software for end users
- Service components based on customer requirements
- Understand networking basics and apply basic cybersecurity methods to mitigate threats
- Properly and safely diagnose, resolve, and document common hardware and software issues
- Apply troubleshooting skills and provide customer support using appropriate communication skills
- Understand the basics of scripting, cloud technologies, virtualization, and multi-OS deployments in corporate environments

This is equivalent to 12 months of hands-on experience working in a help desk support technician, desktop support technician, or field service technician job role. These content examples are meant to clarify the test objectives and should not be construed as a comprehensive listing of all the content of this examination.

EXAM ACCREDITATION

The CompTIA A+ Core 1 (220-1101) exam is accredited by ANSI to show compliance with the ISO 17024 standard and, as such, undergoes regular reviews and updates to the exam objectives.

EXAM DEVELOPMENT

CompTIA exams result from subject-matter expert workshops and industry-wide survey results regarding the skills and knowledge required of an entry-level IT professional.

COMPTIA AUTHORIZED MATERIALS USE POLICY

CompTIA Certifications, LLC is not affiliated with and does not authorize, endorse, or condone utilizing any content provided by unauthorized third-party training sites (aka "brain dumps"). Individuals who utilize such materials in preparation for any CompTIA examination will have their certifications revoked and be suspended from future testing in accordance with the CompTIA Candidate Agreement. In an effort to more clearly communicate CompTIA's exam policies on use of unauthorized study materials, CompTIA directs all certification candidates to the CompTIA Certification Exam Policies. Please review all CompTIA policies before beginning the study process for any CompTIA exam. Candidates will be required to abide by the CompTIA Candidate Agreement. If a candidate has a question as to whether study materials are considered unauthorized (aka "brain dumps"), he/she should contact CompTIA at examsecurity@comptia.org to confirm.

PLEASE NOTE

The lists of examples provided in bulleted format are not exhaustive lists. Other examples of technologies, processes, or tasks pertaining to each objective may also be included on the exam, although not listed or covered in this objectives document. CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current, and the security of the questions is protected. When necessary, we will publish updated exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.



TEST DETAILS


Required exam	A+ Core 1 (220-1101)
Number of questions	Maximum of 90
Types of questions	Multiple-choice and performance-based
Length of test	90 minutes
Recommended experience	12 months of hands-on experience in a help desk support technician, desktop support technician, or field service technician job role
Passing score	675 (on a scale of 100-900)

EXAM OBJECTIVES (DOMAINS)

The table below lists the domains measured by this examination and the extent to which they are represented.

DOMA	IN PERCENTAGE OF EXA	MINATION	
1.0	Mobile Devices	15%	
2.0	Networking	20%	
3.0	Hardware	25%	
4.0	Virtualization and Cloud Computing	11%	
5.0	Hardware and Network Troubleshooting	29%	
Total		100%	





.1.0 Mobile Devices

- Given a scenario, install and configure laptop hardware and components.
 - · Hardware/device replacement
 - Battery
 - Keyboard/keys
 - Random-access memory (RAM)
- Hard disk drive (HDD)/solidstate drive (SSD) migration
- HDD/SSD replacement
- Wireless cards

- Physical privacy and security components
 - Biometrics
 - Near-field scanner features
- 12 Compare and contrast the display components of mobile devices.
 - Types
 - Liquid crystal display (LCD)
 - In-plane switching
 - Twisted nematic (TN)
 - Vertical alignment (VA)
 - Organic light-emitting diode (OLED)
- Mobile display components
- WiFi antenna connector/ placement
- Camera/webcam
- Microphone

- · Touch screen/digitizer
- Inverter

- Given a scenario, set up and configure accessories and ports of mobile devices.
 - Connection methods
 - Universal Serial Bus (USB)/ USB-C/microUSB/miniUSB
 - Lightning
 - Serial interfaces
 - Near-field communication (NFC)
 - Bluetooth
 - Hotspot

- Accessories
 - Touch pens
 - Headsets
 - Speakers
 - Webcam

- Docking station
- Port replicator
- Trackpad/drawing pad



Given a scenario, configure basic mobile-device network connectivity and application support.

- Wireless/cellular data network (enable/disable)
 - 2G/3G/4G/5G
 - Hotspot
 - Global System for Mobile Communications (GSM) vs. code-division multiple access (CDMA)
 - Preferred Roaming List (PRL) updates
- Bluetooth
 - Enable Bluetooth
 - Enable pairing
 - Find a device for pairing
 - Enter the appropriate PIN code
 - Test connectivity

- · Location services
 - Global Positioning System (GPS) services
 - Cellular location services
- Mobile device management (MDM)/mobile application management (MAM)
 - Corporate email configuration
 - Two-factor authentication
 - Corporate applications

- · Mobile device synchronization
 - Account setup
 - Microsoft 365
 - Google Workspace
 - iCloud
 - Data to synchronize
 - Mail
 - Photos
 - Calendar
 - Contacts
 - Recognizing data caps





·2.0 Networking

- Compare and contrast Transmission Control Protocol (TCP) and User Datagram Protocol (UDP) ports, protocols, and their purposes.
 - Ports and protocols
 - 20/21 File Transfer Protocol (FTP)
 - 22 Secure Shell (SSH)
 - 23 Telnet
 - 25 Simple Mail Transfer Protocol (SMTP)
 - 53 Domain Name System (DNS)
 - 67/68 Dynamic Host Configuration Protocol (DHCP)
 - 80 Hypertext Transfer Protocol (HTTP)
 - 110 Post Office Protocol 3 (POP3)

- 137/139 Network Basic Input/ Output System (NetBIOS)/ NetBIOS over TCP/IP (NetBT)
- 143 Internet Mail Access Protocol (IMAP)
- 161/162 Simple Network
 Management Protocol (SNMP)
- 389 Lightweight Directory Access Protocol (LDAP)
- 443 Hypertext Transfer Protocol Secure (HTTPS)
- 445 Server Message Block (SMB)/Common Internet File System (CIFS)

- 3389 Remote Desktop Protocol (RDP)
- TCP vs. UDP
 - Connectionless
 - DHCP
 - Trivial File Transfer Protocol (TFTP)
 - Connection-oriented
 - HTTPS
 - □ SSH

- 2.2 Compare and contrast common networking hardware.
 - Routers
 - Switches
 - Managed
 - Unmanaged
 - Access points
 - · Patch panel

- Firewal
- Power over Ethernet (PoE)
 - Injectors
 - Switch
 - PoE standards
- Hub

- Cable modem
- Digital subscriber line (DSL)
- Optical network terminal (ONT)
- Network interface card (NIC)
- Software-defined networking (SDN)



2.3 Compare and contrast protocols for wireless networking.

- Frequencies
 - 2.4GHz
 - 5GHz
- Channels
 - Regulations
 - 2.4GHz vs. 5GHz
- Bluetooth

- 802.11
 - a
 - b
 - g
- n
- ac (WiFi 5)
- ax (WiFi 6)

- · Long-range fixed wireless
 - Licensed
 - Unlicensed
 - Power
 - Regulatory requirements for wireless power
- NFC
- Radio-frequency identification (RFID)

2.4 Summarize services provided by networked hosts.

- Server roles
 - DNS
 - DHCP
 - Fileshare
 - Print servers
 - Mail servers
 - Syslog
 - Web servers
 - Authentication, authorization, and accounting (AAA)

- Internet appliances
- Spam gateways
- Unified threat management (UTM)
- Load balancers
- Proxy servers

- · Legacy/embedded systems
 - Supervisory control and data acquisition (SCADA)
- Internet of Things (IoT) devices

- Given a scenario, install and configure basic wired/wireless small office/home office (SOHO) networks.
 - Internet Protocol (IP) addressing
 - IPv4
 - Private addresses
 - Public addresses
 - IPv6
 - Automatic Private IP Addressing (APIPA)
 - Static
 - Dynamic
 - Gateway



Compare and contrast common network configuration concepts.

- DNS
 - Address
 - A
 - AAAA
 - Mail exchanger (MX)
 - Text (TXT)
 - Spam management
 - (i) DomainKeys Identified Mail (DKIM)
 - (ii) Sender Policy Framework (SPF)
 - (iii) Domain-based Message Authentication, Reporting, and Conformance (DMARC)

- DHCP
 - Leases
 - Reservations
 - Scope
- Virtual LAN (VLAN)
- Virtual private network (VPN)

- Compare and contrast Internet connection types, network types, and their features.
 - Internet connection types
 - Satellite
 - Fiber
 - Cable
 - DSL
 - Cellular
 - Wireless Internet service provider (WISP)

- Network types
 - Local area network (LAN)
 - Wide area network (WAN)
 - Personal area network (PAN)
 - Metropolitan area network (MAN)
 - Storage area network (SAN)
 - Wireless local area network (WLAN)
- 2.8 Given a scenario, use networking tools.
 - Crimper
 - Cable stripper
 - · WiFi analyzer

- Toner probe
- Punchdown tool
- Cable tester

- Loopback plug
- Network tap





.3.0 Hardware

- Explain basic cable types and their connectors, features, and purposes.
 - Network cables
 - Copper
 - □ Cat 5
 - □ Cat 5e
 - □ Cat 6
 - Cat 6a
 - Coaxial
 - Shielded twisted pair(i) Direct burial
 - Unshielded twisted pair
 - Plenum
 - Optical
 - Fiber
 - T568A/T568B
 - Peripheral cables
 - USB 2.0
 - USB 3.0
 - Serial
 - Thunderbolt
 - Video cables

- High-Definition Multimedia Interface (HDMI)
- DisplayPort
- Digital Visual Interface (DVI)
- Video Graphics Array (VGA)
- · Hard drive cables
 - Serial Advanced Technology Attachment (SATA)
 - Small Computer System Interface (SCSI)
 - External SATA (eSATA)
 - Integrated Drive Electronics (IDE)

- Adapters
- Connector types
 - RJ11
 - RJ45
 - Ftype
 - Straight tip (ST)
 - Subscriber connector (SC)
 - Lucent connector (LC)
 - Punchdown block
 - microUSB
 - miniUSB
 - USB-C
 - Molex
 - Lightning port
 - DB9

- Given a scenario, install the appropriate RAM.
 - RAM types
 - Virtual RAM
 - Small outline dual inline memory module (SODIMM)
 - Double Data Rate 3 (DDR3)
 - Double Data Rate 4 (DDR4)
 - Double Data Rate 5 (DDR5)
 - Error correction code (ECC) RAM

- Single-channel
- Dual-channel
- Triple-channel
- Quad-channel



3.3 Given a scenario, select and install storage devices.

- Hard drives
 - Speeds
 - 5,400rpm
 - □ 7.200rpm
 - □ 10,000rpm
 - □ 15,000rpm
 - Form factor
 - 2.5
 - **3.5**

- SSDs
 - Communications interfaces
 - Non-volatile Memory Express (NVMe)
 - SATA
 - Peripheral Component Interconnect Express (PCIe)
 - Form factors
 - □ M.2
 - mSATA

- · Drive configurations
 - Redundant Array of Independent (or Inexpensive) Disks (RAID) 0, 1. 5. 10
- · Removable storage
 - Flash drives
 - Memory cards
- Optical drives

Given a scenario, install and configure motherboards, central processing units (CPUs), and add-on cards.

- Motherboard form factor
 - Advanced Technology eXtended (ATX)
 - Information Technology eXtended (ITX)
- Motherboard connector types
 - Peripheral Component Interconnect (PCI)
 - PCI Express (PCIe)
 - Power connectors
 - SATA
 - eSATA
 - Headers
 - M.2
- Motherboard compatibility
 - CPU sockets
 - Advanced Micro Devices, Inc. (AMD)
 - Intel
 - Server
 - Multisocket

- Desktop
- Mobile
- Basic Input/Output System (BIOS)/Unified Extensible

Firmware Interface (UEFI) settings

- Boot options
- USB permissions
- Trusted Platform Module (TPM) security features
- Fan considerations
- Secure Boot
- Boot password
- Encryption
 - TPM
 - Hardware security module (HSM)
- · CPU architecture
 - x64/x86
 - Advanced RISC Machine (ARM)
 - Single-core
 - Multicore

- Multithreading
- Virtualization support
- Expansion cards
 - Sound card
 - Video card
 - Capture card
 - NIC
- Cooling
 - Fans
 - Heat sink
 - Thermal paste/pads
 - Liquid

- Given a scenario, install or replace the appropriate power supply.
 - Input 110-120 VAC vs. 220-240 VAC
 - Output 3.3V vs. 5V vs. 12V
 - 20-pin to 24-pin motherboard adapter

- Redundant power supply
- Modular power supply
- · Wattage rating
- Given a scenario, deploy and configure multifunction devices/printers and settings.
 - Properly unboxing a device setup location considerations
 - Use appropriate drivers for a given OS
 - Printer Control Language (PCL)
 vs. PostScript
 - Device connectivity
 - USB
 - Ethernet
 - Wireless

- Public/shared devices
 - Printer share
 - Print server
- Configuration settings
 - Duplex
 - Orientation
 - Tray settings
 - Quality

- Security
 - User authentication
 - Badging
 - Audit logs
 - Secured prints
- · Network scan services
 - Email
 - SMB
 - Cloud services
- Automatic document feeder (ADF)/flatbed scanner
- 3.7 Given a scenario, install and replace printer consumables.
 - Laser
 - Imaging drum, fuser assembly, transfer belt, transfer roller, pickup rollers, separation pads, duplexing assembly
 - Imaging process: processing, charging, exposing, developing, transferring, fusing, and cleaning
 - Maintenance: Replace toner, apply maintenance kit, calibrate, clean

- Inkiet
 - Ink cartridge, print head, roller, feeder, duplexing assembly, carriage belt
 - Calibration
 - Maintenance: Clean heads, replace cartridges, calibrate, clear jams
- Thermal
 - Feed assembly, heating element
 - Special thermal paper
 - Maintenance: Replace paper, clean heating element, remove debris
 - Heat sensitivity of paper

- Impact
- Print head, ribbon, tractor feed
- Impact paper
- Maintenance: Replace ribbon, replace print head, replace paper
- 3-D printer
 - Filament
 - Resin
 - Print bed





4.0 Virtualization and Cloud Computing


- 4.1 Summarize cloud-computing concepts.
 - Common cloud models
 - Private cloud
 - Public cloud
 - Hybrid cloud
 - Community cloud
 - Infrastructure as a service (laaS)
 - Software as a service (SaaS)
 - Platform as a service (PaaS)

- Cloud characteristics
 - Shared resources
 - Metered utilization
 - Rapid elasticity
 - High availability
 - File synchronization

- Desktop virtualization
 - Virtual desktop infrastructure (VDI) on premises
 - VDI in the cloud

- 4.2 Summarize aspects of client-side virtualization.
 - Purpose of virtual machines
 - Sandbox
 - Test development
 - Application virtualization
 - Legacy software/OS
 - Cross-platform virtualization
 - Resource requirements
 - · Security requirements





5.0 Hardware and Network Troubleshooting

- 5.1 Given a scenario, apply the best practice methodology to resolve problems.
 - Always consider corporate policies, procedures, and impacts before implementing changes
 - 1. Identify the problem
 - Gather information from the user, identify user changes, and, if applicable, perform backups before making changes
 - Inquire regarding environmental or infrastructure changes
- 2. Establish a theory of probable cause (question the obvious)
 - If necessary, conduct external or internal research based on symptoms
- 3. Test the theory to determine the cause
 - Once the theory is confirmed, determine the next steps to resolve the problem
 - If the theory is not confirmed, re-establish a new theory or escalate

- 4. Establish a plan of action to resolve the problem and implement the solution
 - Refer to the vendor's instructions for guidance
- 5. Verify full system functionality and, if applicable, implement preventive measures
- 6. Document the findings, actions, and outcomes

- Given a scenario, troubleshoot problems related to motherboards, RAM, CPU, and power.
 - Common symptoms
 - Power-on self-test (POST) beeps
 - Proprietary crash screens (blue screen of death [BSOD]/ pinwheel)
- Black screen
- No power
- Sluggish performance
- Overheating
- Burning smell

- Intermittent shutdown
- Application crashes
- Grinding noise
- Capacitor swelling
- Inaccurate system date/time





Given a scenario, troubleshoot and diagnose problems with storage drives and RAID arrays.

- Common symptoms
 - Light-emitting diode (LED) status indicators
 - Grinding noises
 - Clicking sounds

- Bootable device not found
- Data loss/corruption
- RAID failure
- Self-monitoring, Analysis, and Reporting Technology
- (S.M.A.R.T.) failure
- Extended read/write times
- Input/output operations per second (IOPS)
- Missing drives in OS
- Given a scenario, troubleshoot video, projector, and display issues.
 - Common symptoms
 - Incorrect data source
 - Physical cabling issues
 - Burned-out bulb

- Fuzzy image
- Display burn-in
- Dead pixels
- Flashing screen

- Incorrect color display
- Audio issues
- Dim image
- Intermittent projector shutdown
- Given a scenario, troubleshoot common issues with mobile devices.
 - Common symptoms
 - Poor battery health
 - Swollen battery
 - Broken screen

- Improper charging
- Poor/no connectivity
- Liquid damage
- Overheating

- Digitizer issues
- Physically damaged ports
- Malware
- Cursor drift/touch calibration



5.6 Given a scenario, troubleshoot and resolve printer issues.

- Common symptoms
 - Lines down the printed pages
 - Garbled print
 - Toner not fusing to paper
 - Paper jams
 - Faded print
 - Incorrect paper size

- Paper not feeding
- Multipage misfeed
- Multiple prints pending in queue
- Speckling on printed pages
- Double/echo images on the print
- Incorrect color settings
- Grinding noise

- Finishing issues
 - Staple jams
 - Hole punch
- Incorrect page orientation

Given a scenario, troubleshoot problems with wired and wireless networks.

- Common symptoms
 - Intermittent wireless connectivity
 - Slow network speeds
- Limited connectivity
- Jitter
- Poor Voice over Internet Protocol (VoIP) quality
- Port flapping
- High latency
- External interference



CompTIA A+ Core 1 (220-1101) Acronym List

The following is a list of acronyms that appear on the CompTIA A+ Core 1 (220-1101) exam. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as part of a comprehensive exam preparation program.

Acronym	Definition	Acronym	Definition
AAA	Authentication, Authorization, and	DBaaS	Database as a Service
	Accounting	DC	Direct Current
AC	Alternating Current	DDoS	Distributed Denial of Service
ACL	Access Control List	DDR	Double Data Rate
ADF	Automatic Document Feeder	DHCP	Dynamic Host Configuration Protocol
AES	Advanced Encryption Standard	DIMM	Dual Inline Memory Module
AP	Access Point	DKIM	DomainKeys Identified Mail
APFS	Apple File System	DMA	Direct Memory Access
APIPA	Automatic Private Internet Protocol	DMARC	Domain-based Message Authentication,
	Addressing		Reporting, and Conformance
APK	Android Package	DNS	Domain Name System
ARM	Advanced RISC [Reduced Instruction Set	DoS	Denial of Service
	Computer] Machine	DRaaS	Disaster Recovery as a Service
ARP	Address Resolution Protocol	DRAM	Dynamic Random-Access Memory
ATA	Advanced Technology Attachment	DRM	Digital Rights Management
ATM	Asynchronous Transfer Mode	DSL	Digital Subscriber Line
ATX	Advanced Technology Extended	DVI	Digital Visual Interface
AUP	Acceptable Use Policy	DVI-D	Digital Visual Interface-Digital
AV	Antivirus	ECC	Error Correcting Code
BIOS	Basic Input/Output System	EFS	Encrypting File System
BSOD	Blue Screen of Death	EMI	Electromagnetic Interference
BYOD	Bring Your Own Device	EOL	End of Life
CA	Certificate Authority	eSATA	External Serial Advanced Technology
CAD	Computer-aided Design		Attachment
CAPTCHA	Completely Automated Public Turing Test	ESD	Electrostatic Discharge
	to Tell Computers and Humans Apart	EULA	End-User License Agreement
CD	Compact Disc	exFAT	Extensible File Allocation Table
CDFS	Compact Disc File System	ext	Extended File System
CDMA	Code-Division Multiple Access	FAT	File Allocation Table
CERT	Computer Emergency Response Team	FAT12	12-bit File Allocation Table
CIFS	Common Internet File System	FAT16	16-bit File Allocation Table
CMD	Command Prompt	FAT32	32-bit File Allocation Table
CMOS	Complementary Metal-Oxide	FSB	Front-Side Bus
	Semiconductor	FTP	File Transfer Protocol
CNAME	Canonical Name	GFS	Grandfather-Father-Son
CPU	Central Processing Unit	GPS	Global Positioning System
CRL	Certificate Revocation List	GPT	GUID [Globally Unique Identifier] Partition
DaaS	Data as a Service		Table



Acronym	Definition	Acronym	Definition
GPU	Graphics Processing Unit	mSATA	Mini-serial Advanced Technology
GSM	Global System for Mobile Communications	11107 (17 (Attachment
GUI	Graphical User Interface	MSDS	Material Safety Data Sheet
GUID	Globally Unique Identifier	MSP	Managed Service Provider
HAL	Hardware Abstraction Layer	MSRA	Microsoft Remote Assistance
HAV	Hardware-assisted Virtualization	MTBF	Mean Time Between Failure
HCL	Hardware Compatibility List	MX	Mail Exchange
HDCP	High-bandwidth Digital Content Protection	NAC	Network Access Control
HDD	Hard Disk Drive	NAS	Network Attached Storage
HDMI		NAT	Network Address Translation
	High-Definition Multimedia Interface	NDA	
HHD	Hybrid Hard Drive		Non-Disclosure Agreement
HSM	Hardware Security Module	NetBIOS	Networked Basic Input/Output System
HTML	Hypertext Markup Language	NetBT	NetBIOS over TCP/IP [Transmission Control
HTTP HTTPS	Hypertext Transfer Protocol	NFC	Protocol/Internet Protocol] Near-Field Communication
	Hypertext Transfer Protocol Secure	NFS	
1/0	Input/Output Infrastructure as a Service		Network Interface Cord
laaS		NIC	Network Interface Card
ICR	Intelligent Character Recognition	NTFS	New Technology File System
ICMP	Internet Message Control Protocol	NTP	Network Time Protocol
IDE	Integrated Drive Electronics	NVMe	Non-Volatile Memory Express
IEEE	Institute of Electrical and Electronics	OCR	Optical Character Recognition
11.4.4.5	Engineers	OEM	Original Equipment Manufacturer
IMAP	Internet Mail Access Protocol	OLED	Organic Light-emitting Diode
IOPS	Input/Output Operations Per Second	ONT	Optical Network Terminal
IoT	Internet of Things	OS	Operating System
IP.	Internet Protocol	PaaS	Platform as a Service
IPSec	Internet Protocol Security	PAN	Personal Area Network
IR	Infrared	PC	Personal Computer
IrDA	Infrared Data Association	PCIe	Peripheral Component Interconnect Express
IRP	Incident Response Plan	PCL	Printer Command Language
ISO	International Organization for	PDU	Power Distribution Unit
ICD	Standardization	PE	Preinstallation Environment
ISP	Internet Service Provider	PII	Personally Identifiable Information
IT	Information Technology	PIN	Personal Identification Number
ITX	Information Technology eXtended	PKI	Public Key Infrastructure
KB	Knowledge Base	PoE	Power over Ethernet
KVM	Keyboard-Video-Mouse	POP3	Post Office Protocol 3
LAN	Lucant Connector	POST	Power-On Self-Test
LC	Lucent Connector	PPP	Point-to-Point Protocol
LCD	Liquid Crystal Display	PRL	Preferred Roaming List
LDAP	Light Croitting Diada	PSK PSU	Preshared Key Power Supply Unit
LED	Light-Emitting Diode		
LTE	Long Term Evolution	PXE	Preboot Execution Environment Remote Authentication Dial-in User Service
MAC	Media Access Control/Mandatory Access Control	RADIUS	
MAM		RAID	Redundant Array of Independent [or
MAM	Mobile Application Management	RAM	Inexpensive] Disks
MAN MBR	Metropolitan Area Network Master Boot Record	RDP	Random-Access Memory
			Remote Desktop Protocol
MDM MFA	Mobile Device Management Multifactor Authentication	RF RFI	Radio Frequency
MFD	Multifunction Device	RFID	Radio-Frequency Interference
MFP	Multifunction Printer	RJ11	Radio-Frequency Identification Registered Jack Function 11
MMC	Microsoft Management Console	RJ11 RJ45	Registered Jack Function II Registered Jack Function 45
MOU	Memorandum of Understanding	RJ45 RMM	Remote Monitoring and Management
1100	memorandum or onderstanding	EXPHI	Remote monitoring and management



Acronym	Definition	Acronym	Definition
RTO	Recovery Time Objective	STP	Shielded Twisted Pair
S/MIME	Secure/Multipurpose Internet Mail	TACACS	Terminal Access Controller Access-Control
	Extensions		System
SaaS	Software as a Service	TCP	Transmission Control Protocol
SAN	Storage Area Network	TCP/IP	Transmission Control Protocol/Internet
SAS	Serial Attached SCSI [Small Computer		Protocol
	System Interface]	TFTP	Trivial File Transfer Protocol
SATA	Serial Advanced Technology Attachment	TKIP	Temporal Key Integrity Protocol
SC	Subscriber Connector	TLS	Transport Layer Security
SCADA	Supervisory Control and Data Acquisition	TN	Twisted Nematic
SCP	Secure Copy Protection	TPM	Trusted Platform Module
SCSI	Small Computer System Interface	UAC	User Account Control
SD	Secure Digital	UDP	User Datagram Protocol
SDD	Super Density Disk	UEFI	Unified Extensible Firmware Interface
SDN	Software-Defined Networking	UNC	Universal Naming Convention
SFTP	Secure File Transfer Protocol	UPnP	Universal Plug and Play
SIM	Subscriber Identity Module	UPS	Uninterruptible Power Supply
SIMM	Single Inline Memory Module	USB	Universal Serial Bus
	Self-Monitoring Analysis and Reporting	USB-C	Universal Serial Bus Type C
	Technology	UTM	Unified Threat Management
SMB	Server Message Block	UTP	Unshielded Twisted Pair
SMS	Short Message Service	VA	Vertical Alignment
SMTP	Simple Mail Transfer Protocol	VDI	Virtual Desktop Infrastructure
SNMP	Simple Network Management Protocol	VGA	Video Graphics Array
SNTP	Simple Network Time Protocol	VLAN	Virtual LAN [Local Area Network]
SOA	Start of Authority	VM	Virtual Machine
SODIMM	Small Outline Dual Inline Memory Module	VNC	Virtual Network Computer
SOHO	Small Office/Home Office	VoIP	Voice over Internet Protocol
SOP	Standard Operating Procedure	VPN	Virtual Private Network
SPF	Sender Policy Framework	VRAM	Video Random-Access Memory
SQL	Structured Query Language	WAN	Wide Area Network
SRAM	Static Random-Access Memory	WAP	Wireless Access Point
SRV	Service	WEP	Wired Equivalent Privacy
SSD	Solid-State Drive	WISP	Wireless Internet Service Provider
SSH	Secure Shell	WLAN	Wireless LAN [Local Area Network]
SSID	Service Set Identifier	WMN	Wireless Mesh Network
SSL	Secure Sockets Layer	WPA	WiFi Protected Access
SSO	Single Sign-On	WWAN	Wireless Wide Area Network
ST	Straight Tip	XSS	Cross-Site Scripting



CompTIA A+ Core 1 (220-1101) Proposed Hardware and Software List

**CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the A+ Core 1 (220-1101) exam. This list may also be helpful for training companies that wish to create a lab component to their training offering. The bulleted lists below each topic are sample lists and are not exhaustive.

Equipment

- Apple tablet/smartphone
- · Android tablet/smartphone
- Windows tablet
- Chromebook
- Windows laptop/Mac laptop/Linux laptop
- Windows desktop/Mac desktop/ Linux desktop
- Windows server with Active
 Directory and Print Management
- Monitors
- Projectors
- SOHO router/switch
- Access point
- VoIP phone
- Printer
 - Laser/inkjet
 - Wireless
 - 3-D printer
 - Thermal
- Surge suppressor
- Uninterruptible power supply (UPS)
- Smart devices (IoT devices)
- Server with a hypervisor
- · Punchdown block
- Patch panel
- Webcams
- Speakers
- Microphones

Spare parts/hardware

- Motherboards
- RAM
- Hard drives
- Power supplies
- Video cards
- Sound cards
- Network cards
- Wireless NICs
- · Fans/cooling devices/heat sink
- CPUs
- Assorted connectors/cables
- USB
- HDMI
- DisplayPort
- DVI
- VGA
- Adapters
 - Bluetooth adapter
- Network cables
- Unterminated network cable/ connectors
- Alternating current (AC) adapters
- · Optical drives
- Screws/standoffs
- Cases
- · Maintenance kit
- Mice/keyboards
- Keyboard-video-mouse (KVM)
- · Console cable
- SSD

Tools

- Screwdriver
- Multimeter
- · Wire cutters
- Punchdown tool
- Crimper
- · Power supply tester
- Cable stripper
- · Standard technician toolkit
- Electrostatic discharge (ESD) strap
- Thermal paste
- · Cable tester
- · Cable toner
- WiFi analyzer
- SATA to USB connectors

Software

- Operating systems
 - Linux
 - Chrome OS
 - Microsoft Windows
 - macOS
 - Android
 - iOS
- Preinstallation environment (PE) disk/live compact disc (CD)
- · Antivirus software
- · Virtualization software
- · Anti-malware
- · Driver software

