





# Install **Kali NetHunter** On Your Mobile **Without Root**

Turn Your Phone Into a Hacking **Machine**

By **HexSec**



# Step 1: Download F-Droid



Open your browser and search for “F-Droid”. Go to the official website “<https://f-droid.org/packages/org.fdroid.fdroid/>” and download the APK file. When you try to install it, Android may block it because it's not from the Play Store. You will need to allow installation from unknown sources to continue.



hexsecteam




hexsec\_tools



hexsecteam



## Step 2: Install Termux



Open the F-Droid app and use the search bar to find “Termux”. Select the official Termux Emulator and install it on your device. Avoid installing it from the Play Store, as that version is outdated and may cause issues. During installation, Android may ask you to allow apps from unknown sources—make sure to enable it so the installation can proceed successfully.




hexsecteam



hexsec\_tools



hexsecteam



## Step 3: Open Termux

Enter the following command: `pkg update -y`

```
10:11 [Settings] [Info] [App Store] [Play Store] [Wi-Fi] [Battery]

Welcome to Termux!

Docs:      https://termux.dev/docs
Donate:    https://termux.dev/donate
Community: https://termux.dev/community

Working with packages:

- Search:  pkg search <query>
- Install: pkg install <package>
- Upgrade: pkg upgrade

Subscribing to additional repositories:

- Root:    pkg install root-repo
- X11:     pkg install x11-repo

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at https://termux.dev/issues
~ $ pkg update -y
```

Enter the following command: `termux-setup-storage`

```
[*] (1) https://mirror.endianmess.com/termux/termux-main: bad
[*] (1) https://mirrors.rda.run/termux/termux-main: bad
[*] (1) https://repository.su/termux/termux-main/: bad
[*] (1) http://mirror.mephi.ru/termux/termux-main: bad
Picking mirror: (25) /data/data/com.termux/files/usr/etc
/termux/mirrors/europe/grimler.se
Get:1 https://grimler.se/termux/termux-main stable InRel
ease [14.0 kB]
Get:2 https://grimler.se/termux/termux-main stable/main
aarch64 Packages [524 kB]
Fetched 538 kB in 8s (63.5 kB/s)
Reading package lists... Done
Building dependency tree... Done
40 packages can be upgraded. Run 'apt list --upgradable'
to see them.
~ $ termux-setup-storage
```





# In Termux

Install wget and when you're asked Do you want to continue press Y and Enter.

```
pkg install wget
```

```
[*] (1) https://mirrors.rda.run/termux/termux-main: bad
[*] (1) https://repository.su/termux/termux-main/: bad
[*] (1) http://mirror.mephi.ru/termux/termux-main: bad
Picking mirror: (25) /data/data/com.termux/files/usr/etc
/termux/mirrors/europe/grimler.se
Get:1 https://grimler.se/termux/termux-main stable InRel
ease [14.0 kB]
Get:2 https://grimler.se/termux/termux-main stable/main
aarch64 Packages [524 kB]
Fetched 538 kB in 8s (63.5 kB/s)
Reading package lists... Done
Building dependency tree... Done
40 packages can be upgraded. Run 'apt list --upgradable'
to see them.
~ $ termux-setup-storage
~ $ pkg install wget
```

Open your browser and search for “NetHunter Rootless”.  
From the results, go to the official Kali NetHunter website to ensure you are following the correct and updated guide.

```
kali@kali:~$ termux-setup-storage
kali@kali:~$ pkg install wget
kali@kali:~$ wget -O install-nethunter-termux https://offs.ec/2MceZW
kali@kali:~$ chmod +x install-nethunter-termux
kali@kali:~$ ./install-nethunter-termux
```

On that page, you will find all the commands and instructions needed to continue the installation process safely and properly  
GO <https://www.kali.org/docs/nethunter/nethunter-rootless>



hexsecteam



hexsec\_tools



hexsecteam



## STEP 4: NET HUNTER INSTALL

Download the NetHunter install file. Ensure that you enter the correct address.

```
wget -O install-nethunter-termux  
https://offs.ec/2MceZWr
```

```
Selecting previously unselected package libuuid.  
(Reading database ... 4248 files and directories current  
ly installed.)  
Preparing to unpack .../libuuid_2.40.2-1_aarch64.deb ...  
Unpacking libuuid (2.40.2-1) ...  
Selecting previously unselected package wget.  
Preparing to unpack .../wget_1.24.5_aarch64.deb ...  
Unpacking wget (1.24.5) ...  
Setting up libuuid (2.40.2-1) ...  
Setting up wget (1.24.5) ...  
- $ wget -O install-nethunter-termux https://offs.ec/2Mc  
eZWr
```

Change the permissions so that you can execute the file:

```
chmod +x install-nethunter-termux
```

```
Connecting to gitlab.com (gitlab.com)|172.65.251.78|:443  
... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 12215 (12K) [text/plain]  
Saving to: 'install-nethunter-termux'  
  
install-nethu 100% 11.93K ---KB/s in 0.001s  
  
2024-10-29 10:16:40 (13.3 MB/s) - 'install-nethunter-ter  
mux' saved [12215/12215]  
  
- $ ls  
install-nethunter-termux storage  
- $ chmod +x install-nethunter-termux
```




hexsecteam



hexsec\_tools



hexsecteam



# NET HUNTER INSTALL

Type the following command to execute the downloaded install file:

```
./install-nethunter-termux
```

```
install-nethu 100% 11.93K --.-KB/s in 0.001s

2024-10-29 10:16:40 (13.3 MB/s) - 'install-nethunter-termux' saved [12215/12215]

~ $ ls
install-nethunter-termux storage
~ $ chmod +x install-nethunter-termux
~ $ ./install-nethunter-termux
```

Enter the image that you want to install. We are going to install 1.

```
10:17 [Settings] [Info] [App Store] [Share]

#####
##                                     ##
##  88      a8P          db          88      88  ##
##  88      .88'         d88b         88      88  ##
##  88  88'           d8''8b         88      88  ##
##  88 d88           d8'  '8b         88      88  ##
##  8888'88.         d8YaaaaY8b        88      88  ##
##  88P   Y8b        d8''''''''8b       88      88  ##
##  88      '88.    d8'           '8b    88      88  ##
##  88      Y8b d8'           '8b 8888888888 88  ##
##                                     ##
####  ##### NetHunter #####

[*] Checking device architecture ...

[1] NetHunter ARM64 (full)
[2] NetHunter ARM64 (minimal)
[3] NetHunter ARM64 (nano)
Enter the image you want to install: 1
```



# NET HUNTER INSTALL

Press N when asked whether you want to Delete and download a new image file.

```
[2] NetHunter ARM64 (minimal)
[3] NetHunter ARM64 (nano)
Enter the image you want to install: 1

[*] Checking package dependencies...
  proot is OK
  tar is OK
  axel is OK
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
0 upgraded, 0 newly installed, 0 to remove and 0 not up
graded.

[?] Existing image file found. Delete and download a new
one? [y/N] N
[!] Using existing rootfs archive
```

The installation will take a while, when asked to delete rootfs, enter N.

```
[*] Checking package dependencies...
  proot is OK
  tar is OK
  axel is OK
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
0 upgraded, 0 newly installed, 0 to remove and 0 not up
graded.

[?] Existing image file found. Delete and download a new
one? [y/N] N
[!] Using existing rootfs archive

[*] Extracting rootfs...

[?] Delete downloaded rootfs file? [y/N] N
```



hexsecteam



hexsec\_tools



hexsecteam





# RUN HUNTER INSTALLATION

Once you run nh you are now in the Kali NetHunter CLI.

```
13:17 67%
## 88      a8P      db      88      88      ##
## 88      .88'      d88b      88      88      ##
## 88      88'      d8' '8b      88      88      ##
## 88 d88      d8' '8b      88      88      ##
## 8888'88.      d8YaaaaY8b      88      88      ##
## 88P      Y8b      d8' ' ' ' ' ' ' '8b      88      88      ##
## 88      '88.      d8'      '8b      88      88      ##
## 88      Y8b d8'      '8b 8888888888 88      ##
##
#### ##### NetHunter #####

[=] Kali NetHunter for Termux installed successfully

[+] To start Kali NetHunter, type:
[+] nethunter          # To start NetHunter CLI
[+] nethunter kex passwd # To set the KeX password
[+] nethunter kex &     # To start NetHunter GUI
[+] nethunter kex stop  # To stop NetHunter GUI
[+] nethunter -r        # To run NetHunter as root
[+] nh                 # Shortcut for nethunter


~ $ nh
(kali@localhost)-[~]
$
```

ESC / — HOME ↑ END PGUP  
⇐ CTRL ALT ← ↓ → PGDN

The NetHunter installation is now complete. You can start using it directly from the console, run updates, and execute any tools or commands you need within the environment. This gives you full control through the terminal. In the next step, we'll show you how to set up a graphical interface so you can use NetHunter with a full GUI experience.



# STEP 5: INSTALL NETHUNTER STORE



Install the official NetHunter Store app from the official website "<https://store.nethunter.com>". This store gives you access to essential apps required for the GUI experience, including KeX, which allows you to run a full desktop environment on your device.



hexsecteam



hexsec\_tools



hexsecteam



## STEP 6: INSTALL KEX

Now you can exit the NetHunter CLI by entering exit.

```
08:57 >_ @ 🌤 ...  
~ $ nh  
└─(kali@localhost)-[~]  
└─$ exit  
exit  
~ $ █
```

Set the password for KeX VNC by running `nh kex` for the first time. You'll use the password.

```
13:18 🖼 📶 📧 ... 📶 📶 67% 🔋  
~ $ nh kex  
vncserver: No matching VNC server running for this user!  
vncserver: No matching VNC server running for this user!  
Password:  
Verify:  
Would you like to enter a view-only password (y/n)? █
```



hexsecteam



hexsec\_tools



hexsecteam



# START KEX SESSION

Remember the port number. You will use it in later.

```
10:00 >_ 📷 ✍️ ... 📶 93% 🔋
* Upgrade packages: pkg upgrade

Subscribing to additional repositories:

* Root:      pkg install root-repo
* X11:       pkg install x11-repo

Report issues at https://termux.com/issues

~ $ nh kex
vncserver: No matching VNC server running for this user!
vncserver: No matching VNC server running for this user!

NetHunter KeX server sessions:

X DISPLAY #      RFB PORT #      PROCESS ID      SERVER
:1          5901           30136          Xtigervn
c

You can use the KeX client to connect to any of these di
splays.
```

Set the password for KeX VNC by running `nh kex` for the first time. Say no to entering a view-only password.

```
13:18 📷 📶 📧 ... 📶 67% 🔋

~ $ nh kex
vncserver: No matching VNC server running for this user!
vncserver: No matching VNC server running for this user!
Password:
Verify:
Would you like to enter a view-only password (y/n)? █
```



hexsecteam



hexsec\_tools




hexsecteam





# Step 7: Install KeX



Open the NetHunter Store and search for “KeX”. Install it to enable the graphical interface for Kali NetHunter. Android may ask to allow installations from this source, so enable it. Once installed, KeX will be used to launch and connect to your Kali desktop environment.




hexsecteam hexsec\_tools hexsecteam




# SETTINGS KEX SESSION

Press OPEN. Create a new Connection. Change the port to 5901 and enter your password. Press save.




Press on the connection to open the KeX VNC.



# Kali GUI Ready

You now should have Rootless Kali NetHunter GUI on your Android Phone!



You now have Kali NetHunter with a full graphical interface running on your device. All required commands and installation steps can be found on the official Kali NetHunter website and the NetHunter Store page, where you can also download the necessary apps. From here, you can explore tools, run updates, and use the system just like a desktop environment. If you run into any issues, you can always search online for guides or videos to help you through the process.



hexsecteam




hexsec\_tools



hexsecteam



# HEXSEC COMMUNITY



**Want the PDF?**

**Go to the original post on the HexSec Community page  
Comment “INTERESTED” there to receive the PDF.**



hexsecteam



hexsec\_tools



hexsecteam

**Follow HexSec on social media for more ethical  
hacking and cybersecurity educational content, with  
premium carousel guides and practical tool  
breakdowns.**