TCS CORPORATE WEBSITE

Feature F-E03-05: Column Break

Role / audience	Business analysis — Business analysts, product owner, QA lead
Version	1.0
Status	Draft for review
Owner	Business Analyst / Product Owner (proposed)
Last validated	2026-11-08
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Feature F-E03-05: Column Break
- Screenshots
- Known limitations
- Open items
- Change history

Feature F-E03-05: Column Break

Attribute	Value
Document ID	F-E03-05
Audience	Business analysts, product owner, QA lead
Purpose	The feature Column Break of EPIC E03, derived from the implementation
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	blocks/column-break
Related documents	—
Related AEM paths	—

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION

Attribute	Value
Feature ID	F-E03-05
Parent EPIC	E03 Editorial content presentation
Business value	Authors present stories, offerings and facts in the TCS design language
Description	Starts a column in a Columns Container or a Tab
Primary persona	Content author; site visitor
Preconditions	Code deployed; the component available in the section filters
Functional requirements	The fields and variations of column-break (developer guide)
Business rules	Block README: Content and Asset Guidelines
Non-functional requirements	WCAG 2.1 AA; three-phase loading; no personal data in the data layer
Data requirements	See the data layer section of the developer guide
Content requirements	Authored per the authoring guide
Analytics requirements	Component entry and interactions in the Adobe Client Data Layer
Accessibility requirements	See the accessibility section of the developer guide
SEO requirements	Semantic headings; metadata from the page
Localization requirements	UI text from placeholders with an English fallback
Security/privacy requirements	No personal data; announced new-tab links

Attribute	Value
Dependencies	../../utils/placeholders.js, ../../utils/properties.js
Acceptance criteria	See the user stories
Related user stories	US-F-E03-05-01, US-F-E03-05-02
Related components	column-break
Related test cases	TC-COLUMN-BREAK-001, TC-COLUMN-BREAK-002, TC-COLUMN-BREAK-003, TC-COLUMN-BREAK-004, TC-COLUMN-BREAK-005, TC-COLUMN-BREAK-006, TC-COLUMN-BREAK-007
Definition of Ready	DEFINITION-OF-READY
Definition of Done	DEFINITION-OF-DONE

Developer guide: column-break.

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages