TCS CORPORATE WEBSITE

Business Analyst Guide

Role / audience	Business analysis — Business analysts, product owner, QA lead
Version	1.0
Status	Draft for review
Owner	Business Analyst / Product Owner (proposed)
Last validated	2026-11-08
Documents	12
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Business Analyst Guide
- The package
- Hierarchy
- Counts
- Documents
- Screenshots
- Known limitations
- Open items
- Change history

Assumptions, Constraints and Risks
- Screenshots
- Known limitations
- Open items
- Change history

Business Context
- Business and Program Objectives
- Business Value
- Target Users
- Brands
- Scope
- Screenshots
- Known limitations
- Open items
- Change history

Business Rules
- Screenshots
- Known limitations
- Open items
- Change history

Definition of Done
- Screenshots
- Known limitations
- Open items
- Change history

Definition of Ready
- Screenshots
- Known limitations
- Open items
- Change history

Dependency Matrix
- Screenshots
- Known limitations
- Open items
- Change history

Functional Requirements
- Screenshots
- Known limitations
- Open items
- Change history

Non-Functional Requirements
- Screenshots
- Known limitations
- Open items
- Change history

Open Decisions
- Screenshots
- Known limitations
- Open items
- Change history

Personas and Journeys
- Screenshots
- Known limitations
- Open items
- Change history

Scope and Boundaries
- In scope (implemented)
- Out of scope (not implemented)
- Screenshots
- Known limitations
- Open items
- Change history

Business Analyst Guide

Attribute	Value
Document ID	BA-000
Audience	Business analysts, product owner, QA lead
Purpose	How the BA package is organised and how to validate the inferred requirements
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. The package

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION: every EPIC, feature and story here is derived from the implementation (code, models, READMEs) because no approved backlog exists in the repository. Validate each with the Product Owner before using it as a requirement.

2. Hierarchy

Business objective → EPIC → Feature → User story → Acceptance criterion → Requirement → Test case → Implementation component.

3. Counts

Item	Count
EPICs	10
Features	44
User stories	99
Traceability rows	483

4. Documents

- BUSINESS-CONTEXT
- SCOPE-AND-BOUNDARIES
- PERSONAS-AND-JOURNEYS
- FUNCTIONAL-REQUIREMENTS

- NON-FUNCTIONAL-REQUIREMENTS
- BUSINESS-RULES
- EPIC-FEATURE-USER-STORY-CATALOG
- ACCEPTANCE-CRITERIA-CATALOG
- REQUIREMENTS-TRACEABILITY-MATRIX
- DEPENDENCY-MATRIX
- ASSUMPTIONS-CONSTRAINTS-RISKS
- OPEN-DECISIONS
- DEFINITION-OF-READY
- DEFINITION-OF-DONE

5. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

6. Known limitations

- None recorded for this document.

7. Open items

- None.

8. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Assumptions, Constraints and Risks

Attribute	Value
Document ID	BA-011
Audience	Business analysts, product owner, QA lead
Purpose	Assumptions, constraints and risks of the requirements
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Type	Item
Assumption	Implemented behaviour reflects the business intent (to validate)
Assumption	The language master content is the source of the global site
Constraint	AEM delivery rules (AGENTS.md)
Constraint	No Adobe Tags / Web SDK
Risk	Inferred requirements may be wrong
Risk	MSM decision open

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Business Context

Attribute	Value
Document ID	BA-001
Audience	Business analysts, product owner, QA lead
Purpose	Business context of the site
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	docs/handover/knowledge-base/project-overview.md
Related documents	—
Related AEM paths	—

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION for anything beyond the project overview.

1. Business and Program Objectives

The handover states that its objectives are derived from the delivered implementation; business KPIs and target values are not recorded in the repository (handover 1.2, BO-9 and SC-9 "To be confirmed").

Id	Objective	How the implementation supports it
BO-1	One corporate web platform for all markets	13 locale sites served by one code base; locale-aware navigation, footer, error pages, UI text, taxonomy and data (utils/site.js)
BO-2	Fast, search-friendly pages	Three-phase loading, image optimisation, self-hosted Inter variable font, module preloading, PageSpeed target of 100
BO-3	Autonomous, efficient authoring	Universal Editor component models for every block, the Additional tab, Site Global Templates, a block library per locale
BO-4	Consistent brand experience	TCS.com Design System (Figma) patterns implemented as blocks; design tokens in styles/styles.css
BO-5	Content discovery	List, Filter List, Cards and Conversation Canvas over the query index and taxonomy
BO-6	Measurable digital experience	Adobe Client Data Layer for every page and block (decorators/data-layer-decorator.js)
BO-7	Inclusive experience	WCAG 2.1 AA target in blocks and shared decorators
BO-8	Low operational overhead	Serverless delivery, Git-based deployment through AEM Code Sync, no build pipeline
BO-9	Business KPIs	Not recorded

Program goals (handover 1.3), with their state on `main` at commit 2d06316:

Id	Goal	State
PG-1	Launch on Edge Delivery Services with Universal Editor authoring	Running on the `aem.page` / `aem.live` hosts; production domain not recorded
PG-2	Block library covering the TCS.com Design System patterns	30 block folders documented in blocks/README.md; Interactive Dashboard is a placeholder (Experimental)
PG-3	13 locale sites with their own references, error pages, sheets and data	Implemented in code and `paths.json`; content status per locale not recorded
PG-4	Templates for recurring page types	Home, Article, Blog, Press Release (templates/README.md)
PG-5	Analytics readiness	Data layer implemented; Adobe Tags, Web SDK, Analytics, CJA, Target and AJO not configured
PG-6	Accessibility (WCAG 2.1 AA)	Implemented in blocks and decorators; a formal third-party audit is not recorded
PG-7	Performance (Lighthouse / PageSpeed 100)	Handover revision 2.36 records Lighthouse 99–100 mobile and 100 desktop on the measured pages; no PageSpeed check runs in CI
PG-8	Handover to the run organisation (AMS)	The handover document; AMS acceptance not recorded

2. Business Value

Summarized from handover 1.5 (Business Benefits); each benefit is traceable to code:

- **Performance and SEO**: pages are rendered by Edge Delivery Services from authored HTML and served from its CDN; only the code of the blocks on the page loads; the first section is rendered first for LCP (`scripts/scripts.js`, `scripts/aem.js`).
- **Faster time to market**: authors build and publish pages from ready blocks; code ships by merging to `main` (AEM Code Sync), without a build or deployment window.
- **Lower cost of ownership**: no delivery application servers, no front-end framework or build chain, one code base for 13 locales.
- **Global consistency with local autonomy**: shared design and blocks; each locale owns its navigation, footer, 404 page, UI text, taxonomy, metadata, redirects and data sheets.
- **Data-driven optimisation, once tags are deployed**: every block and interaction is described in the Adobe Client Data Layer, so Adobe Tags rules could be configured without block changes.
- **Inclusive reach and reuse**: accessibility built into shared decorators; templates add structure (Page Header, About the author, Media contacts) from metadata and sheets.

Why Edge Delivery Services, xwalk and Universal Editor. No verified selection rationale was identified: the handover records the platform as given (Document Control, 1.1) and lists its benefits (1.5), but does not state why it was chosen over alternatives. The handover does state that authors use the Universal Editor and that documents (Google Drive / SharePoint) are not a content source (assumption 5 in 1.8).

3. Target Users

Group	What they do with the solution	Source
Site visitors	Browse the 13 locale sites	Handover 2.2 (Solution Context)
Search engines	Crawl the pages and `/sitemap.xml`	Handover 2.2, helix-sitemap.yaml
Content authors (13 locale teams)	Create, edit, preview and publish pages and sheets in Universal Editor	Handover 2.2, Part 5

Group	What they do with the solution	Source
Developers	Change code through pull requests, preview on feature-branch hosts	Handover 2.2, AGENTS.md
Site and AEM platform administrators	Edge Delivery site configuration, Admin API, AEM users and groups	Handover 2.2, Part 14
AMS / support	Run support, troubleshooting, monitoring	Handover Parts 13, 14, 17

Visitor segments or personas are not defined: a `persona` metadata column is indexed (helix-query.yaml) and an optional `tcs-corp:audience` tag tree (`cxo`, `it-leaders`, `investors`, `analysts`, `job-seekers`, `media`) is only **proposed** in handover 7.3.2; the published namespace has only `content-type`, `industry` (empty) and `region` (handover 7.3.1).

4. Brands

Brand element	Where it appears	Source
TCS (Tata Consultancy Services)	The site's brand: the TCS logo in the header brand area, linked to its authored TCS Logo Link (usually the locale Home); accessible name from its alt text, else the `tcsLogo` placeholder ("Tata Consultancy Services")	blocks/tcs-header/tcs-header.js, blocks/tcs-header/README.md
TATA Group	The TATA logo in the header tools area (TATA Logo Link, usually `https://www.tata.com/`); accessible name from its alt text, else the `tataLogo` placeholder ("TATA Group")	Same
TCS.com Design System	The Figma design the blocks implement ("New Screens from New DS" in the handover revisions)	Handover 1.2 (BO-4), revision history 2.2–2.6; the Figma files are not in the repository

No multi-brand or sub-brand mechanism exists in the code: one brand, one design token set (styles/styles.css) and one header for all locales.

5. Scope

In scope (implemented on `main`). 13 locale sites and the language master review; 30 block folders (blocks/README.md: 28 Active, Columns Compatibility-only, Interactive Dashboard Experimental); default content through AEM's built-in Text, Title and Image (the built-in Button is "Button (basic)", no longer offered); three section containers (Columns Container, Tabs Container, Gen Carousel); four templates; the Additional tab, animations and skeletons; the data layer; placeholders, metadata, taxonomy, redirects and data sheets per locale; SEO head mapping (decorators/seo-decorator.js); the 404 page with inherited error pages (404.html); WCAG 2.1 AA practices.

Out of scope or not implemented (handover 1.6.2 and 16.4, checked against the code):

Item	State
Adobe Tags, AEP Web SDK, Adobe Analytics, CJA	Not configured; scripts/delayed.js holds only a comment (blocked: measurement plan)
Adobe Target, Adobe Journey Optimizer	No integration in the repository
Consent management	Not implemented
Form submission back end	Not implemented: Form Variations dispatches `form-variations:submit` (finding F-01)
Search service	Not implemented: Conversation Canvas dispatches `conversation-canvas:search`
Production CDN and domain	Not configured; the sitemap origin is the `aem.live` host
Per-locale redirects at the edge, `/` → `/en/`	Not implemented (the platform applies only a root `/redirects.json`)

Item	State
403 / 500 / maintenance pages served by the platform	Not implemented (only `404.html`)
hreflang, language switcher, breadcrumb, authentication	Not implemented
Interactive Dashboard	Placeholder that renders nothing

6. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

7. Known limitations

- None recorded for this document.

8. Open items

- None.

9. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Business Rules

Attribute	Value
Document ID	BA-006
Audience	Business analysts, product owner, QA lead
Purpose	Business rules found in the implementation
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION

Block	Rules (README: Content and Asset Guidelines)
Accordion	**Summaries:** short, specific and unique; a question for FAQs; don't start every summary with the same words. Long summaries wrap (the handover recommends up to about 100 characters; not enforced). • **Body text:** short paragraphs, lists and descriptive links ("Graduate careers", not "click here"). Headings inside a body should follow the page's heading hierarchy. • **Titles / eyebrows / labels / CTAs:** the block has none of its own; put calls to action outside the Accordion so they are always visible. • **Images and icons:** the block CSS has no image rules; avoid images in items. The chevron is `icons/chevron-down.svg`, drawn by CSS.
Anchor List	**Link Titles:** short chapter names, as the section headings read (or a consistent "CH n: Name" pattern); about 25 characters (handover guidance); links never wrap. • **Anchor Names:** stable, meaningful words (`findings`, not `section-2`); don't rename anchors other pages link to. • **Titles, descriptions, eyebrows, CTAs, images, icons:** none in this block. • **Tags and metadata:** none read.
Button	**Labels:** start with a verb, describe the outcome; keep them short (labels don't wrap and are • **Title:** optional context only; mention the format of downloads. • **Links:** internal pages with the picker; external URLs open in the same tab (no new-tab option). • **Icons:** Arrow right, Chevron right, Chevron down, Search (files in `/icons`).
Cards	**Titles:** block title up to about 60 characters; card titles up to about 60 characters (2 lines on a 4-column desktop grid); statistic numbers up to about 8 characters (use Compact statistic title for phrases). Recommended lengths come from the handover; they aren't enforced. • **Descriptions:** up to about 160 characters; on Portrait / Compact panels up to about 120, or use Panel height Content. • **Eyebrows and labels:** 1–3 words. The eyebrow replaces the tags on image cards. • **CTAs and links:** start with a verb ("Explore services", "Download the report"); link to canonical published pages (Cards uses the link as authored and doesn't resolve redirects); don't put the same destination in the card link and in a description link.
Column Break	**Column name:** a short label for authors (e.g. "Contact details"); not translated for visitors (not shown). • **Anchor ID:** `anchor-` followed by lower-case letters, digits and hyphens (validated). • **Content:** whatever the parent allows; start a column with a heading when it is its own topic. • **Images, CTAs, tags:** none on the Column Break.
Columns	Only Text, Image and Title in columns; buttons as bold (primary) or italic (secondary) links in a Text. • Images: full column width (`width: 100%`); alt text on every meaningful image. • Min / max: no verified technical limit was identified; many columns become narrow (equal shares, no wrapping). • New content: use the Columns Container.

Block	Rules (README: Content and Asset Guidelines)
Columns Container	**Columns:** up to four per row (at most 4 in Automatic; 1–4 when chosen); more Column Breaks make more rows. No verified limit on the number of rows was identified. • **Column content:** start a column with a heading when it is a topic of its own; keep the columns' content of similar length if Vertical alignment Stretch isn't used. • **Column names:** short editor labels (not shown on the page). • **Background image:** an image from the DAM; alt text only if it carries meaning, else leave it empty (decorative). The section background is built as a responsive picture (2000px wide from 600px, 750px below).
Conversation Canvas	**Titles, eyebrows, text:** one question as the H2; eyebrow a short context label; one or two sentences of text. • **Search bar texts:** an inviting water mark (it is also the label); a meaningful hover text (it is the submit button's name). • **Quick actions:** clear verbs ("Contact us", "Explore services"); one primary action. • **Links:** quick action links and the Search page are authored; menu and dock links come from the query index (concise page titles; text after "|" is dropped in the dock only).
Embed	**Titles and descriptions:** put them in the page (Title / Text before the block); the block has • **Labels:** "Play", "Play video: {title}" and "Content from {source}" come from placeholders • **Links:** full https URLs; the canonical provider URL. • **Images and alt text:** a 16:9 image (cropped with `object-fit: cover` to the 56.25rem maximum
Filter List	**Title / description:** the handover recommends up to 60 characters for the title and 1 to 2 sentences for the description (not enforced). • **Card titles and descriptions:** come from the pages (title / description or the mapped columns); descriptions are clamped to 3 lines by CSS; write page titles that make sense out of context (they are the link text of most cards). • **Eyebrows and labels:** the eyebrow is the `content-type` label by default; use consistent Content type values (a value containing "report" makes a report card in the Mixed style). CTA labels (Read more, Download, Explore, Load more, Reset filters) come from placeholders, not from the block. • **Images and alt text:** card images use the mapped image columns, else the page's own image; all card and author images are decorative (empty alt). Site media (`/media_` URLs on the same origin) are optimized responsive pictures; other URLs are plain lazy `img` elements. Card media is 4:3 (`object-fit: cover`); spotlights cover a full-width card (at least 35rem hero, 30rem featured) — keep the subject clear of the text side.
Footer	**Copyright.** One line; the copyright column is at least 19.375rem wide (links go below it on narrow screens). • **Links.** Navigational nouns ("Privacy & Terms", "Cookie policy"), short and unique. • **Canvas.** See the Conversation Canvas README; its title shows at 6rem from 600px. • **Icons.** `/icons` names need no upload; image icons display at 1.5rem × 1.5rem (square SVG / PNG).
Form Variations	**Titles and descriptions:** one H2 per form; keep the page H1 elsewhere (e.g. the Page Header). The description says what happens after sending. • **Labels:** clear, visible, without relying on the description. Don't put essential information only in conditional contact cards. • **CTAs:** a specific verb on the Submit Button ("Send", "Subscribe"); one visible primary action, extra buttons only when conditional. • **Links:** only in the consent text (rich text) and contact cards (generated `mailto:` / `tel:`).
Fragment	**Titles.** Start at H2; keep the fragment's outline valid in every host page. • **CTAs and links.** Generic enough for every host page. • **Images.** Select them with the image picker on the fragment page; `./media_` paths are rebased to the fragment page. • **Tags and metadata.** Not used from the fragment page; give it a clear title for authors.
Gen Carousel	**Titles, descriptions, eyebrows, CTAs.** Follow the Hero / Teaser rules; one message and one primary CTA per slide; distinct CTAs across slides. • **Images and alt text.** Per slide block; use the same aspect ratio on all slides so heights stay consistent; the first slide's image is the LCP candidate when the carousel opens the page. • **Icons.** Controls use `icons/chevron-left.svg`, `chevron-right.svg`, `pause.svg`, `play.svg`. • **Tags and metadata.** None.
Header	**Labels.** Short (1–3 words); a label is also the title of its level. • **Links.** Section labels may link to the section's landing page; menu links are plain rows with an arrow. • **Logos.** One asset per logo for all breakpoints, transparent SVG (`/content/dam/tcs-corp/header/tcs-logo.svg`, `tata-logo.svg`, F-77). The CSS sets the height and the width follows the aspect ratio, except the TCS logo has a fixed 9.125rem (146px) desktop width: • **Alt text.** "Tata Consultancy Services" and "TATA Group" (or the locale's translation): they name the links.
Hero	**Titles.** One message; use H1 only for the page's main Hero. • **Descriptions.** One or two sentences; the description is limited to 53.125rem wide, the title to 72.5rem. • **Eyebrows.** A short topic label; shown only with a title. • **CTAs and links.** Action-oriented labels that make sense out of context; use Down arrows only for in-page anchors (`#anchor-...`). No verified technical limit on the number of CTAs was identified; the row wraps.
Image Collage	Use nine images of similar weight; the positions are fixed per slot (`image-collage-item-1` to `-9`). • Keep the title short (one or two lines) and the description to two or three lines. • Use short CTA labels; buttons keep their Figma width as a minimum and grow for longer labels. • The images are decorative; don't put text or information in them.
Interactive Dashboard	—

Block	Rules (README: Content and Asset Guidelines)
List	**Titles:** the page's `card-title` (else its title) or a List Item Title; short enough for the card width. The list Title names the region. • **Descriptions:** plain text (`card-description`, else the page description, or a List Item Description); rich text is not supported (use Cards). • **Eyebrows and labels:** `eyebrow`, else `category`; Label only on statistic cards. • **CTAs and links:** the header CTA, or a List Item's Call to action label (the card's one link). Links may be pages, paths or `https://` URLs; `javascript:` and `data:` links are skipped. Page links go to their redirect target.
Media Contacts	**Title:** short ("TCS media contacts", "Press contacts"). • **Sheet:** one row per e-mail address or phone number; write phone numbers as they should read (+65 9270 4560); the link keeps only the digits and a leading +. • **Personal data:** the sheet is published as JSON (`/{locale}/data/media-contacts.json`); list business contact details that may be public only. • **Icons:** `icons/mail.svg` and `icons/phone.svg`, coloured by CSS (brand blue).
Modal	**Headings.** Start every modal page with a heading (it names the dialog). • **Button Text.** A verb and an object ("View our awards", "Read the programme terms"); avoid "Open" and "Click here". • **Content length.** Short and single-purpose; long content scrolls but belongs on a page. • **Images.** The content area is at most 56.25rem minus its padding; images as their blocks define.
Page Header	**Titles and descriptions.** Edited in the page properties, not in the block; keep them consistent with `meta-title` / `meta-description` (the block reads the page Title and Description as delivered, before the SEO decorator applies those columns). • **Eyebrows.** The content-type (one or two words), else the tags. • **CTAs and links.** Start with a verb; one Primary Button. No verified technical limit on the number of CTAs was identified. • **Images and alt text.** `featured-image` (Landing only) with `image-alt`; no aspect ratio is enforced (full column width, height automatic). Use DAM images delivered as site media so they load eagerly. Author photos are shown as a 2.5rem circle (`object-fit: cover`) and are decorative.
Quote	**Eyebrow:** a few words of context (for example "Client voice"). **Title:** a short, descriptive heading. • **Quote:** the approved statement only, without quotation marks. **Quote Author:** the name on the first line, then the designation and organisation. • **Links / CTAs:** the block has no CTA field. A link in the rich text is rendered by the page's content decorators: a standalone link in its own paragraph becomes a button (`decorators/content-buttons-decorator.js`). • **Images and alt text:** use portrait images. They are cropped with `object-fit: cover` to 4:5 below 900px and to 622:869 from 900px. Alt text identifies the person; leave it empty only if the image adds nothing.
Separator	**Titles, descriptions, eyebrows, CTAs, links, images, icons.** Not applicable: the separator renders no text, links or images on the published page. • **Labels.** Accessible label and Analytics label are cut to 120 characters (handover recommendation: about 60 and 40); keep the Analytics label and Component ID identical across locales, translate the Accessible label. • **Tags and metadata.** None. • **Min / max items.** No verified technical limit was identified.
Tab	**Title:** short and descriptive (the handover recommends 1 to 3 words, about 25 characters); avoid "Tab 1" style labels; translate per locale. • **ID:** lower-case letters, digits and hyphens (validated `^#?[a-z0-9][a-z0-9-]*$`); unique on the page. • **Content:** start the tab's content with a heading that repeats or extends the Title. • **Images, icons, CTAs, tags:** none on the Tab itself (they belong to the components after it).
Table	**Headers:** short (units in the header); never leave header cells empty. • **Cells:** short values; descriptive link text inside sentences (a link alone in a cell paragraph • **Images, icons, tags, metadata:** not part of the design; the block reads no tags or metadata. • **Min / max items:** 1 to 9 columns (the Row models); no verified technical limit on the number
Table List	**Heading:** up to about 50 characters (recommendation from the handover, not enforced). • **Item titles:** Variation 1 up to about 40 characters, Variation 2 about 25, Variation 3 about 15 (very large type), Variation 4 about 45 (e.g. "Communication, Media & Information Services"); plain text (formatting is dropped). Expect longer titles in other languages. • **Descriptions:** about 120 characters (Variation 3: 160); one sentence that makes sense without the title. • **CTAs and links:** a specific call to action ("View all industries"); short verbs for item buttons ("Explore", "Discover"); link to canonical published pages with the page picker. Only `/`, `#` and `http(s)` links are supported.
Tabs	**Tab titles:** short (the handover recommends 1 to 3 words); tabs that don't fit scroll horizontally (`white-space: nowrap` in horizontal lists). Translated labels may be longer: consider Vertical. • **Label:** a few words naming the group. • **IDs:** lower-case letters, digits and hyphens (the model validates `^#?[a-z0-9][a-z0-9-]*$`); keep them identical across locales for links. • **Panel content:** a heading that matches the tab, then the content; keep panels of similar length so the page doesn't jump between tabs. Each component follows its own guidelines (images, alt text, buttons, CTAs).
TCS Header	**Logos.** One asset per logo for every breakpoint (Figma uses the same vector at every size); upload SVGs to `/content/dam/tcs-corp/header/` (`tcs-logo.svg`, `tata-logo.svg`, F-77). The width follows the aspect ratio, except the TCS logo has a fixed 9.125rem (146px) desktop width: • **Alt text.** The organisation's name ("Tata Consultancy Services", "TATA Group"), translated per locale. • **Links.** The locale Home for TCS; the full `https://` address for external links. • **Icons, tags, metadata.** None.

Block	Rules (README: Content and Asset Guidelines)
Teaser	**Titles:** short; Title Type is both the level and the size. **Descriptions:** the main text; Short Description for footnotes and sources after the links. • **Eyebrows:** a few words; Eyebrow style Label for content types. **Labels:** Date label (for example Published) and Reading time (minutes as a number). • **CTAs and links:** descriptive link text; new window only when needed. A CTA or Link item without a link isn't shown. • **Images and alt text:** Default 10:9 (16:9 above / below the text), 8:9, 1:1 or Original, cropped with `object-fit: cover` except Original and the Text split default. Behind the text, the image covers the block. Write alt text for informative images; leave it empty for decorative ones.
Testimonial	**Title:** short. **Eyebrow:** a few words. **Description:** the approved quote (the block adds no quotation marks of its own). • **Author:** the name only. **Designation & Location:** role, organisation and city on one or two lines. • **Stats:** Stats Value a single line (for example 40%); Stats Title a short label. No verified technical limit on the number of stats was identified; the columns wrap automatically. • **CTAs / links:** no CTA field. A standalone link in the rich text becomes a button (`decorators/content-buttons-decorator.js`).
Video	**Title:** short and specific (it is read before every Play: "Play video: {title}"). • **Caption:** short rich text; key information also belongs in the page text. • **Transcript link:** a page or document; give the link a readable text or let the block name it. • **Poster image and alt text:** in the Aspect Ratio of the video (it is cropped with

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Definition of Done

Attribute	Value
Document ID	BA-014
Audience	Business analysts, product owner, QA lead
Purpose	When a story is done
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

- Code merged into `main` through a PR with green checks and a feature preview URL.
- `npm run lint` and `npm test` pass (real results).
- Block README, knowledge base, decision log and **docs/handover on migrated-page-content-edam** updated.
- Test cases executed with evidence; defects closed or accepted.
- Content published and indexed where needed.

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Definition of Ready

Attribute	Value
Document ID	BA-013
Audience	Business analysts, product owner, QA lead
Purpose	When a story can start
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

- The story is validated by the Product Owner (inferred stories included).
- Acceptance criteria are testable and linked to test cases.
- Design (Figma or curated page) is referenced.
- Content and author access are available.
- Dependencies are resolved or planned.

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Dependency Matrix

Attribute	Value
Document ID	BA-010
Audience	Business analysts, product owner, QA lead
Purpose	Features and the systems they depend on
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Feature	Depends on
F-E01-01 Header	decorators/motion-decorator.js, decorators/button-decorator.js, utils/placeholders.js, utils/header-space.js, utils/inherited-metadata.js, utils/site.js
F-E01-02 TCS Header	decorators/image-decorator.js, utils/header-space.js, utils/links.js, utils/properties.js, utils/placeholders.js
F-E01-03 Footer	decorators/motion-decorator.js, decorators/button-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/link-decorator.js, decorators/social-links-decorator.js, utils/cells.js, utils/data.js, utils/inherited-metadata.js, utils/links.js, utils/placeholders.js, utils/site.js
F-E01-04 Fragment	decorators/motion-decorator.js, utils/environment.js, utils/placeholders.js
F-E01-05 Modal	decorators/button-decorator.js, decorators/icon-button-decorator.js, decorators/data-layer-decorator.js, utils/analytics.js, utils/environment.js, utils/ids.js, utils/placeholders.js
F-E02-01 Hero	decorators/animation-decorator.js, decorators/button-decorator.js, decorators/editor-item-decorator.js, utils/buttons.js, utils/cells.js, utils/links.js, utils/motion.js, utils/media.js, utils/placeholders.js
F-E02-02 Page Header	decorators/article-meta-decorator.js, decorators/button-decorator.js, decorators/editor-item-decorator.js, decorators/link-decorator.js, decorators/responsive-image-decorator.js, decorators/tag-decorator.js, utils/cells.js, utils/data.js, utils/links.js, utils/metadata.js, utils/placeholders.js, utils/properties.js, utils/taxonomy.js
F-E03-01 Teaser	decorators/a11y-decorator.js, decorators/animation-decorator.js, decorators/article-meta-decorator.js, decorators/button-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, decorators/link-decorator.js, decorators/stats-decorator.js, decorators/tag-decorator.js, utils/cells.js, utils/links.js, utils/media.js, utils/placeholders.js, utils/properties.js, utils/tags.js, utils/taxonomy.js
F-E03-02 Cards	utils/card-list-config.js, utils/dates.js, decorators/card-list-decorator.js, utils/cells.js, utils/environment.js, utils/placeholders.js, utils/properties.js, utils/tags.js, utils/taxonomy.js
F-E03-03 Columns Container	utils/placeholders.js
F-E03-04 Columns	none

Feature	Depends on
F-E03-05 Column Break	utils/placeholders.js, utils/properties.js
F-E03-06 Quote	decorators/content-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, utils/properties.js
F-E03-07 Testimonial	decorators/a11y-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, decorators/stats-decorator.js, utils/cells.js, utils/properties.js
F-E03-08 Separator	utils/analytics.js, utils/environment.js, utils/ids.js, utils/placeholders.js, utils/properties.js
F-E03-09 Image Collage	decorators/a11y-decorator.js, decorators/button-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, utils/cells.js, utils/links.js, utils/placeholders.js, utils/properties.js
F-E03-10 Accordion	decorators/editor-item-decorator.js
F-E03-11 Tabs	decorators/data-layer-decorator.js, utils/analytics.js, utils/buttons.js, utils/cells.js, utils/environment.js, utils/ids.js, utils/placeholders.js, utils/properties.js
F-E03-12 Tab	utils/properties.js
F-E03-13 Gen Carousel	decorators/button-decorator.js, decorators/icon-button-decorator.js, utils/analytics.js, utils/environment.js, utils/viewport.js, utils/ids.js, utils/placeholders.js
F-E03-14 Table	utils/ids.js, utils/placeholders.js
F-E03-15 Anchor List	decorators/editor-item-decorator.js, utils/cells.js, utils/environment.js, utils/multifield.js, utils/properties.js, utils/placeholders.js
F-E03-16 Button	decorators/button-decorator.js, utils/buttons.js, utils/environment.js, utils/links.js, utils/placeholders.js, utils/properties.js
F-E04-01 Video	decorators/button-decorator.js, decorators/icon-button-decorator.js, decorators/content-decorator.js, decorators/image-decorator.js, decorators/media-decorator.js, utils/environment.js, utils/links.js, utils/media.js, utils/placeholders.js, utils/properties.js, utils/site.js, utils/viewport.js
F-E04-02 Embed	decorators/icon-button-decorator.js, decorators/media-decorator.js, utils/media.js, utils/viewport.js, utils/placeholders.js
F-E04-03 Interactive Dashboard	none
F-E05-01 List	utils/card-list-config.js, utils/dates.js, utils/query-index.js, decorators/card-list-decorator.js, decorators/skeleton-decorator.js, utils/cells.js, utils/data.js, utils/environment.js, utils/placeholders.js, utils/links.js, utils/properties.js, utils/redirects.js, utils/site.js, utils/tags.js, utils/taxonomy.js
F-E05-02 Filter List	decorators/article-meta-decorator.js, decorators/button-decorator.js, decorators/date-decorator.js, decorators/editor-item-decorator.js, decorators/icon-button-decorator.js, decorators/masonry-decorator.js, decorators/skeleton-decorator.js, decorators/responsive-image-decorator.js, utils/cells.js, utils/data.js, utils/environment.js, utils/ids.js, utils/multifield.js, utils/placeholders.js, utils/properties.js, utils/query-index.js, utils/site.js, utils/card-list-config.js, utils/tags.js, utils/taxonomy.js, utils/viewport.js
F-E05-03 Table List	decorators/button-decorator.js, utils/buttons.js, utils/environment.js, utils/cells.js, utils/properties.js, utils/urls.js, utils/placeholders.js, utils/motion.js
F-E05-04 Media Contacts	decorators/contact-list-decorator.js, decorators/heading-decorator.js, decorators/skeleton-decorator.js, utils/data.js, utils/environment.js, utils/metadata.js, utils/placeholders.js, utils/properties.js
F-E06-01 Form Variations	decorators/button-decorator.js, decorators/content-decorator.js, decorators/heading-decorator.js, utils/environment.js, utils/links.js, utils/properties.js, utils/ids.js, utils/placeholders.js
F-E07-01 Conversation Canvas	decorators/responsive-image-decorator.js, utils/metadata.js, utils/query-index.js, utils/site.js, utils/taxonomy.js, decorators/a11y-decorator.js, decorators/button-decorator.js, decorators/icon-button-decorator.js, utils/buttons.js, utils/properties.js, utils/urls.js, utils/ids.js, utils/placeholders.js, decorators/skeleton-decorator.js, decorators/editor-item-decorator.js

Feature	Depends on
F-E08-01 Locale sites by path	utils/site.js LOCALES, paths.json
F-E08-02 Review roots with their own references and sheets	utils/site.js REVIEW_ROOTS
F-E08-03 Inherited navigation, footer and 404 page	utils/inherited-metadata.js
F-E08-04 Placeholders, taxonomy and data sheets	utils/placeholders.js, utils/taxonomy.js, utils/data.js
F-E09-01 Adobe Client Data Layer	decorators/data-layer-decorator.js
F-E09-02 Accessibility baseline (WCAG 2.1 AA)	decorators/a11y-decorator.js and blocks
F-E09-03 Three-phase loading and module preloading	scripts/scripts.js, scripts/module-graph.js
F-E09-04 Content and background animation	decorators/motion-decorator.js, utils/motion.js
F-E10-01 Migration packages (8,432 pages)	delivery branch consolidated/
F-E10-02 Redirects from the tcs.com URLs	consolidated/sheets/redirects.csv
F-E10-03 Dynamic Media delivery of the assets	decorators/responsive-image-decorator.js, aem-sites.sh
F-E10-04 Publishing and indexing	Admin API, helix-query.yaml

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Functional Requirements

Attribute	Value
Document ID	BA-004
Audience	Business analysts, product owner, QA lead
Purpose	Functional requirements per feature (inferred)
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION

EPIC	Feature	Name	Stories
E01	F-E01-01	Header	US-F-E01-01-01, US-F-E01-01-02
E01	F-E01-02	TCS Header	US-F-E01-02-01, US-F-E01-02-02, US-F-E01-02-03
E01	F-E01-03	Footer	US-F-E01-03-01, US-F-E01-03-02, US-F-E01-03-03
E01	F-E01-04	Fragment	US-F-E01-04-01, US-F-E01-04-02
E01	F-E01-05	Modal	US-F-E01-05-01, US-F-E01-05-02
E02	F-E02-01	Hero	US-F-E02-01-01, US-F-E02-01-02, US-F-E02-01-03
E02	F-E02-02	Page Header	US-F-E02-02-01, US-F-E02-02-02, US-F-E02-02-03
E03	F-E03-01	Teaser	US-F-E03-01-01, US-F-E03-01-02, US-F-E03-01-03
E03	F-E03-02	Cards	US-F-E03-02-01, US-F-E03-02-02, US-F-E03-02-03
E03	F-E03-03	Columns Container	US-F-E03-03-01, US-F-E03-03-02, US-F-E03-03-03
E03	F-E03-04	Columns	US-F-E03-04-01, US-F-E03-04-02
E03	F-E03-05	Column Break	US-F-E03-05-01, US-F-E03-05-02
E03	F-E03-06	Quote	US-F-E03-06-01, US-F-E03-06-02, US-F-E03-06-03
E03	F-E03-07	Testimonial	US-F-E03-07-01, US-F-E03-07-02, US-F-E03-07-03
E03	F-E03-08	Separator	US-F-E03-08-01, US-F-E03-08-02, US-F-E03-08-03
E03	F-E03-09	Image Collage	US-F-E03-09-01, US-F-E03-09-02, US-F-E03-09-03
E03	F-E03-10	Accordion	US-F-E03-10-01, US-F-E03-10-02
E03	F-E03-11	Tabs	US-F-E03-11-01, US-F-E03-11-02, US-F-E03-11-03
E03	F-E03-12	Tab	US-F-E03-12-01, US-F-E03-12-02, US-F-E03-12-03
E03	F-E03-13	Gen Carousel	US-F-E03-13-01, US-F-E03-13-02, US-F-E03-13-03

EPIC	Feature	Name	Stories
E03	F-E03-14	Table	US-F-E03-14-01, US-F-E03-14-02, US-F-E03-14-03
E03	F-E03-15	Anchor List	US-F-E03-15-01, US-F-E03-15-02
E03	F-E03-16	Button	US-F-E03-16-01, US-F-E03-16-02, US-F-E03-16-03
E04	F-E04-01	Video	US-F-E04-01-01, US-F-E04-01-02, US-F-E04-01-03
E04	F-E04-02	Embed	US-F-E04-02-01, US-F-E04-02-02
E04	F-E04-03	Interactive Dashboard	US-F-E04-03-01, US-F-E04-03-02
E05	F-E05-01	List	US-F-E05-01-01, US-F-E05-01-02, US-F-E05-01-03
E05	F-E05-02	Filter List	US-F-E05-02-01, US-F-E05-02-02, US-F-E05-02-03
E05	F-E05-03	Table List	US-F-E05-03-01, US-F-E05-03-02, US-F-E05-03-03
E05	F-E05-04	Media Contacts	US-F-E05-04-01, US-F-E05-04-02, US-F-E05-04-03
E06	F-E06-01	Form Variations	US-F-E06-01-01, US-F-E06-01-02, US-F-E06-01-03
E07	F-E07-01	Conversation Canvas	US-F-E07-01-01, US-F-E07-01-02, US-F-E07-01-03
E08	F-E08-01	Locale sites by path	US-F-E08-01-01
E08	F-E08-02	Review roots with their own references and sheets	US-F-E08-02-01
E08	F-E08-03	Inherited navigation, footer and 404 page	US-F-E08-03-01
E08	F-E08-04	Placeholders, taxonomy and data sheets	US-F-E08-04-01
E09	F-E09-01	Adobe Client Data Layer	US-F-E09-01-01
E09	F-E09-02	Accessibility baseline (WCAG 2.1 AA)	US-F-E09-02-01
E09	F-E09-03	Three-phase loading and module preloading	US-F-E09-03-01
E09	F-E09-04	Content and background animation	US-F-E09-04-01
E10	F-E10-01	Migration packages (8,432 pages)	US-F-E10-01-01
E10	F-E10-02	Redirects from the tcs.com URLs	US-F-E10-02-01
E10	F-E10-03	Dynamic Media delivery of the assets	US-F-E10-03-01
E10	F-E10-04	Publishing and indexing	US-F-E10-04-01

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Non-Functional Requirements

Attribute	Value
Document ID	BA-005
Audience	Business analysts, product owner, QA lead
Purpose	Accessibility, performance, privacy, SEO and localization requirements as implemented
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Requirement	Source	Status
NFR-01	WCAG 2.1 AA	AGENTS.md, accessibility guide	Implemented; not fully verified
NFR-02	PageSpeed target 100; three-phase loading	AGENTS.md	Implemented; not measured in this program
NFR-03	No personal data in the data layer	utils/privacy.js	Implemented (unit tested)
NFR-04	UI text from placeholders with English fallback	utils/placeholders.js	Implemented
NFR-05	No runtime dependencies; no build step	AGENTS.md	Implemented
NFR-06	Mobile first at 600 / 900 / 1200 px	styles	Implemented

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Open Decisions

Attribute	Value
Document ID	BA-012
Audience	Business analysts, product owner, QA lead
Purpose	Decisions the business must take
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Decision	Owner
OD-01	Validate every inferred EPIC, feature and story	Product Owner
OD-02	MSM or separate regional content	Product Owner
OD-03	Analytics stack (Tags, Web SDK, consent)	Product Owner
OD-04	Forms back end	Product Owner
OD-05	Redirect implementation (CDN)	Solution Architect
OD-06	Quality thresholds (pass rate, CWV)	QA governance

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Personas and Journeys

Attribute	Value
Document ID	BA-003
Audience	Business analysts, product owner, QA lead
Purpose	The personas the implementation serves
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION

Persona	Goal	Journey (implemented)
Site visitor	Learn about TCS offerings, news, careers	Home / landing → hero → teasers and lists → detail page → contact or Conversation Canvas
Investor / media	Find press releases, results, media contacts	Newsroom list → press release → media contacts
Job seeker	Find careers information	Careers pages → lists → apply links
Content author	Build and publish pages	AEM Sites → Universal Editor → preview → publish
Site administrator	Keep the site configured and published	Admin API, site configuration, sheets

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Scope and Boundaries

Attribute	Value
Document ID	BA-002
Audience	Business analysts, product owner, QA lead
Purpose	What the implementation covers and what it doesn't
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

1. In scope (implemented)

- E01 Site navigation and global chrome
- E02 Page heroes and page headers
- E03 Editorial content presentation
- E04 Media
- E05 Listings and discovery
- E06 Forms and lead capture
- E07 Conversational experience
- E08 Site structure and localization
- E09 Measurement, accessibility and performance
- E10 Content migration and publishing

2. Out of scope (not implemented)

- Adobe Tags, Web SDK, Analytics, CJA, Target, consent platform
- Forms submission back end
- Personalization
- CDN redirects (on hold)
- A separate AEM Assets environment (KB-D-064 not adopted)

3. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

4. Known limitations

- None recorded for this document.

5. Open items

- None.

6. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages