TCS CORPORATE WEBSITE

EPIC, Feature and User Story Catalog

Role / audience	Business analysis — Business analysts, product owner, QA lead
Version	1.0
Status	Draft for review
Owner	Business Analyst / Product Owner (proposed)
Last validated	2026-11-08
Documents	2
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Acceptance Criteria Catalog
- Screenshots
- Known limitations
- Open items
- Change history

EPIC, Feature and User Story Catalog
- E01 Site navigation and global chrome
- E02 Page heroes and page headers
- E03 Editorial content presentation
- E04 Media
- E05 Listings and discovery
- E06 Forms and lead capture
- E07 Conversational experience
- E08 Site structure and localization
- E09 Measurement, accessibility and performance
- E10 Content migration and publishing
- Screenshots
- Known limitations
- Open items
- Change history

Acceptance Criteria Catalog

Attribute	Value
Document ID	BA-008
Audience	Business analysts, product owner, QA lead
Purpose	The acceptance criteria of every story (from its test cases)
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Story	Criterion	Test case
US-F-E01-01-02	The page answers 200, every example renders, no console error, no failed request	TC-HEADER-001
US-F-E01-01-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-HEADER-002
US-F-E01-01-02	No horizontal overflow; layout follows the responsive rules of the README	TC-HEADER-003
US-F-E01-01-02	The block shows its English fallback or empty state and the page keeps working	TC-HEADER-004
US-F-E01-02-01	The block appears with the authored content; no empty placeholder remains	TC-TCS-HEADER-002
US-F-E01-02-01	The block renders without empty wrappers or broken layout	TC-TCS-HEADER-004
US-F-E01-02-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-TCS-HEADER-005
US-F-E01-02-02	The page answers 200, every example renders, no console error, no failed request	TC-TCS-HEADER-001
US-F-E01-02-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-TCS-HEADER-006
US-F-E01-02-02	No horizontal overflow; layout follows the responsive rules of the README	TC-TCS-HEADER-007
US-F-E01-02-02	The block shows its English fallback or empty state and the page keeps working	TC-TCS-HEADER-008
US-F-E01-02-03	The rendering matches the variation (class or attribute always, never)	TC-TCS-HEADER-003
US-F-E01-03-01	The block appears with the authored content; no empty placeholder remains	TC-FOOTER-002

Story	Criterion	Test case
US-F-E01-03-01	The block renders without empty wrappers or broken layout	TC-FOOTER-005
US-F-E01-03-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-FOOTER-006
US-F-E01-03-02	The page answers 200, every example renders, no console error, no failed request	TC-FOOTER-001
US-F-E01-03-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-FOOTER-007
US-F-E01-03-02	No horizontal overflow; layout follows the responsive rules of the README	TC-FOOTER-008
US-F-E01-03-02	The block shows its English fallback or empty state and the page keeps working	TC-FOOTER-009
US-F-E01-03-03	The rendering matches the variation (class or attribute new-window)	TC-FOOTER-003
US-F-E01-03-03	The rendering matches the variation (class or attribute new-window)	TC-FOOTER-004
US-F-E01-04-01	The block appears with the authored content; no empty placeholder remains	TC-FRAGMENT-002
US-F-E01-04-01	The block renders without empty wrappers or broken layout	TC-FRAGMENT-003
US-F-E01-04-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-FRAGMENT-004
US-F-E01-04-02	The page answers 200, every example renders, no console error, no failed request	TC-FRAGMENT-001
US-F-E01-04-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-FRAGMENT-005
US-F-E01-04-02	No horizontal overflow; layout follows the responsive rules of the README	TC-FRAGMENT-006
US-F-E01-04-02	The block shows its English fallback or empty state and the page keeps working	TC-FRAGMENT-007
US-F-E01-05-01	The block appears with the authored content; no empty placeholder remains	TC-MODAL-002
US-F-E01-05-01	The block renders without empty wrappers or broken layout	TC-MODAL-003
US-F-E01-05-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-MODAL-004
US-F-E01-05-02	The page answers 200, every example renders, no console error, no failed request	TC-MODAL-001
US-F-E01-05-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-MODAL-005
US-F-E01-05-02	No horizontal overflow; layout follows the responsive rules of the README	TC-MODAL-006
US-F-E01-05-02	The block shows its English fallback or empty state and the page keeps working	TC-MODAL-007
US-F-E02-01-01	The block appears with the authored content; no empty placeholder remains	TC-HERO-002
US-F-E02-01-01	The block renders without empty wrappers or broken layout	TC-HERO-022
US-F-E02-01-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-HERO-023

Story	Criterion	Test case
US-F-E02-01-02	The page answers 200, every example renders, no console error, no failed request	TC-HERO-001
US-F-E02-01-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-HERO-024
US-F-E02-01-02	No horizontal overflow; layout follows the responsive rules of the README	TC-HERO-025
US-F-E02-01-02	The block shows its English fallback or empty state and the page keeps working	TC-HERO-026
US-F-E02-01-03	The rendering matches the variation (class or attribute lottie)	TC-HERO-003
US-F-E02-01-03	The rendering matches the variation (class or attribute media-contained)	TC-HERO-004
US-F-E02-01-03	The rendering matches the variation (class or attribute h1, h2)	TC-HERO-005
US-F-E02-01-03	The rendering matches the variation (class or attribute cta-text-black, cta-text-white)	TC-HERO-006
US-F-E02-01-03	The rendering matches the variation (class or attribute same-window, new-window)	TC-HERO-007
US-F-E02-01-03	The rendering matches the variation (class or attribute default, primary, secondary)	TC-HERO-008
US-F-E02-01-03	The rendering matches the variation (class or attribute primary-bg-default, primary-bg-azure)	TC-HERO-009
US-F-E02-01-03	The rendering matches the variation (class or attribute secondary-bg-default, secondary-bg-light-grey, secondary-bg-black-40)	TC-HERO-010
US-F-E02-01-03	The rendering matches the variation (class or attribute secondary-border-default, secondary-border-black, secondary-border-white)	TC-HERO-011
US-F-E02-01-03	The rendering matches the variation (class or attribute right, down)	TC-HERO-012
US-F-E02-01-03	The rendering matches the variation (class or attribute align-top, align-middle, align-bottom)	TC-HERO-013
US-F-E02-01-03	The rendering matches the variation (class or attribute align-left, align-center, align-right)	TC-HERO-014
US-F-E02-01-03	The rendering matches the variation (class or attribute text-left, text-center, text-right)	TC-HERO-015
US-F-E02-01-03	The rendering matches the variation (class or attribute bg-light, bg-dark, bg-dark-subtle, bg-black, bg-charcoal-80, bg-navy-60, ...)	TC-HERO-016
US-F-E02-01-03	The rendering matches the variation (class or attribute icon-black, icon-white, icon-blue, icon-pale-blue)	TC-HERO-017
US-F-E02-01-03	The rendering matches the variation (class or attribute eyebrow-royal-blue, eyebrow-sky-blue)	TC-HERO-018
US-F-E02-01-03	The rendering matches the variation (class or attribute new-window)	TC-HERO-019
US-F-E02-01-03	The rendering matches the variation (class or attribute primary, secondary)	TC-HERO-020
US-F-E02-01-03	The rendering matches the variation (class or attribute right, down)	TC-HERO-021
US-F-E02-02-01	The block appears with the authored content; no empty placeholder remains	TC-PAGE-HEADER-002
US-F-E02-02-01	The block renders without empty wrappers or broken layout	TC-PAGE-HEADER-010

Story	Criterion	Test case
US-F-E02-02-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-PAGE-HEADER-011
US-F-E02-02-02	The page answers 200, every example renders, no console error, no failed request	TC-PAGE-HEADER-001
US-F-E02-02-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-PAGE-HEADER-012
US-F-E02-02-02	No horizontal overflow; layout follows the responsive rules of the README	TC-PAGE-HEADER-013
US-F-E02-02-02	The block shows its English fallback or empty state and the page keeps working	TC-PAGE-HEADER-014
US-F-E02-02-03	The rendering matches the variation (class or attribute landing, secondary, article, display)	TC-PAGE-HEADER-003
US-F-E02-02-03	The rendering matches the variation (class or attribute new-window)	TC-PAGE-HEADER-004
US-F-E02-02-03	The rendering matches the variation (class or attribute primary, secondary)	TC-PAGE-HEADER-005
US-F-E02-02-03	The rendering matches the variation (class or attribute new-window)	TC-PAGE-HEADER-006
US-F-E02-02-03	The rendering matches the variation (class or attribute tertiary, primary, secondary)	TC-PAGE-HEADER-007
US-F-E02-02-03	The rendering matches the variation (class or attribute button-bg-blue)	TC-PAGE-HEADER-008
US-F-E02-02-03	The rendering matches the variation (class or attribute button-round)	TC-PAGE-HEADER-009
US-F-E03-01-01	The block appears with the authored content; no empty placeholder remains	TC-TEASER-002
US-F-E03-01-01	The block renders without empty wrappers or broken layout	TC-TEASER-037
US-F-E03-01-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-TEASER-038
US-F-E03-01-02	The page answers 200, every example renders, no console error, no failed request	TC-TEASER-001
US-F-E03-01-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-TEASER-039
US-F-E03-01-02	No horizontal overflow; layout follows the responsive rules of the README	TC-TEASER-040
US-F-E03-01-02	The block shows its English fallback or empty state and the page keeps working	TC-TEASER-041
US-F-E03-01-03	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	TC-TEASER-003
US-F-E03-01-03	The rendering matches the variation (class or attribute dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy)	TC-TEASER-004
US-F-E03-01-03	The rendering matches the variation (class or attribute lottie)	TC-TEASER-005
US-F-E03-01-03	The rendering matches the variation (class or attribute left, right, top, bottom)	TC-TEASER-006
US-F-E03-01-03	The rendering matches the variation (class or attribute mobile-image-top, mobile-image-bottom)	TC-TEASER-007
US-F-E03-01-03	The rendering matches the variation (class or attribute ratio-8-9, ratio-1-1, ratio-original)	TC-TEASER-008

Story	Criterion	Test case
US-F-E03-01-03	The rendering matches the variation (class or attribute square)	TC-TEASER-009
US-F-E03-01-03	The rendering matches the variation (class or attribute new-window)	TC-TEASER-010
US-F-E03-01-03	The rendering matches the variation (class or attribute list, primary, primary-no-arrow, secondary, secondary-no-arrow)	TC-TEASER-011
US-F-E03-01-03	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	TC-TEASER-012
US-F-E03-01-03	The rendering matches the variation (class or attribute button-rectangle)	TC-TEASER-013
US-F-E03-01-03	The rendering matches the variation (class or attribute arrow-down-right, arrow-none)	TC-TEASER-014
US-F-E03-01-03	The rendering matches the variation (class or attribute new-window)	TC-TEASER-015
US-F-E03-01-03	The rendering matches the variation (class or attribute tertiary, list, primary, primary-no-arrow, secondary, secondary-no-arrow)	TC-TEASER-016
US-F-E03-01-03	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	TC-TEASER-017
US-F-E03-01-03	The rendering matches the variation (class or attribute button-rectangle)	TC-TEASER-018
US-F-E03-01-03	The rendering matches the variation (class or attribute new-window)	TC-TEASER-019
US-F-E03-01-03	The rendering matches the variation (class or attribute tertiary, list, primary, primary-no-arrow, secondary, secondary-no-arrow)	TC-TEASER-020
US-F-E03-01-03	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	TC-TEASER-021
US-F-E03-01-03	The rendering matches the variation (class or attribute button-rectangle)	TC-TEASER-022
US-F-E03-01-03	The rendering matches the variation (class or attribute no-image, background, card, image-collage)	TC-TEASER-023
US-F-E03-01-03	The rendering matches the variation (class or attribute grey, dark, dark-green, navy)	TC-TEASER-024
US-F-E03-01-03	The rendering matches the variation (class or attribute text-left, text-center, text-right, text-justify)	TC-TEASER-025
US-F-E03-01-03	The rendering matches the variation (class or attribute valign-top, valign-middle, valign-bottom)	TC-TEASER-026
US-F-E03-01-03	The rendering matches the variation (class or attribute title-regular, title-semibold)	TC-TEASER-027
US-F-E03-01-03	The rendering matches the variation (class or attribute title-dark, title-white, title-light-blue)	TC-TEASER-028
US-F-E03-01-03	The rendering matches the variation (class or attribute text-regular, text-large)	TC-TEASER-029
US-F-E03-01-03	The rendering matches the variation (class or attribute eyebrow-label, eyebrow-grey, eyebrow-white)	TC-TEASER-030
US-F-E03-01-03	The rendering matches the variation (class or attribute spacing-header)	TC-TEASER-031
US-F-E03-01-03	The rendering matches the variation (class or attribute new-window)	TC-TEASER-032
US-F-E03-01-03	The rendering matches the variation (class or attribute list, primary, primary-no-arrow, secondary, secondary-no-arrow)	TC-TEASER-033

Story	Criterion	Test case
US-F-E03-01-03	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	TC-TEASER-034
US-F-E03-01-03	The rendering matches the variation (class or attribute button-rectangle)	TC-TEASER-035
US-F-E03-01-03	The rendering matches the variation (class or attribute black-white, normal)	TC-TEASER-036
US-F-E03-02-01	The block appears with the authored content; no empty placeholder remains	TC-CARDS-002
US-F-E03-02-01	The block renders without empty wrappers or broken layout	TC-CARDS-022
US-F-E03-02-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-CARDS-023
US-F-E03-02-02	The page answers 200, every example renders, no console error, no failed request	TC-CARDS-001
US-F-E03-02-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-CARDS-024
US-F-E03-02-02	No horizontal overflow; layout follows the responsive rules of the README	TC-CARDS-025
US-F-E03-02-02	The block shows its English fallback or empty state and the page keeps working	TC-CARDS-026
US-F-E03-02-03	The rendering matches the variation (class or attribute h2, h3, h4, h5, h6)	TC-CARDS-003
US-F-E03-02-03	The rendering matches the variation (class or attribute primary, secondary)	TC-CARDS-004
US-F-E03-02-03	The rendering matches the variation (class or attribute image, panel, report, stat, mixed)	TC-CARDS-005
US-F-E03-02-03	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	TC-CARDS-006
US-F-E03-02-03	The rendering matches the variation (class or attribute 16-9, 1-1, 4-3, 3-2)	TC-CARDS-007
US-F-E03-02-03	The rendering matches the variation (class or attribute portrait, compact, auto)	TC-CARDS-008
US-F-E03-02-03	The rendering matches the variation (class or attribute dd-mmm-yy, dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy, do-mmmm-yyyy)	TC-CARDS-009
US-F-E03-02-03	The rendering matches the variation (class or attribute lazy, eager)	TC-CARDS-010
US-F-E03-02-03	The rendering matches the variation (class or attribute grid, horizontal-scroll)	TC-CARDS-011
US-F-E03-02-03	The rendering matches the variation (class or attribute grid, horizontal-scroll)	TC-CARDS-012
US-F-E03-02-03	The rendering matches the variation (class or attribute grid, horizontal-scroll)	TC-CARDS-013
US-F-E03-02-03	The rendering matches the variation (class or attribute start, center)	TC-CARDS-014
US-F-E03-02-03	The rendering matches the variation (class or attribute one-card, viewport)	TC-CARDS-015
US-F-E03-02-03	The rendering matches the variation (class or attribute bleed, none)	TC-CARDS-016
US-F-E03-02-03	The rendering matches the variation (class or attribute hide, message)	TC-CARDS-017

Story	Criterion	Test case
US-F-E03-02-03	The rendering matches the variation (class or attribute stat-compact, dividers, header-center)	TC-CARDS-018
US-F-E03-02-03	The rendering matches the variation (class or attribute true, false)	TC-CARDS-019
US-F-E03-02-03	The rendering matches the variation (class or attribute image, panel, report, stat)	TC-CARDS-020
US-F-E03-02-03	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	TC-CARDS-021
US-F-E03-03-01	The block appears with the authored content; no empty placeholder remains	TC-COLUMNS-CONTAINER-002
US-F-E03-03-01	The block renders without empty wrappers or broken layout	TC-COLUMNS-CONTAINER-021
US-F-E03-03-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-COLUMNS-CONTAINER-022
US-F-E03-03-02	The page answers 200, every example renders, no console error, no failed request	TC-COLUMNS-CONTAINER-001
US-F-E03-03-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-COLUMNS-CONTAINER-023
US-F-E03-03-02	No horizontal overflow; layout follows the responsive rules of the README	TC-COLUMNS-CONTAINER-024
US-F-E03-03-02	The block shows its English fallback or empty state and the page keeps working	TC-COLUMNS-CONTAINER-025
US-F-E03-03-03	The rendering matches the variation (class or attribute columns-container-section, highlight)	TC-COLUMNS-CONTAINER-003
US-F-E03-03-03	The rendering matches the variation (class or attribute bg-grey, bg-dark, bg-dark-green, bg-navy)	TC-COLUMNS-CONTAINER-004
US-F-E03-03-03	The rendering matches the variation (class or attribute full-width, fixed-width)	TC-COLUMNS-CONTAINER-005
US-F-E03-03-03	The rendering matches the variation (class or attribute auto, 1, 2, 3, 4)	TC-COLUMNS-CONTAINER-006
US-F-E03-03-03	The rendering matches the variation (class or attribute none, small, medium, large)	TC-COLUMNS-CONTAINER-007
US-F-E03-03-03	The rendering matches the variation (class or attribute top, middle, bottom, stretch)	TC-COLUMNS-CONTAINER-008
US-F-E03-03-03	The rendering matches the variation (class or attribute tablet, desktop, large)	TC-COLUMNS-CONTAINER-009
US-F-E03-03-03	The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...)	TC-COLUMNS-CONTAINER-010
US-F-E03-03-03	The rendering matches the variation (class or attribute motion-fast, motion-slow)	TC-COLUMNS-CONTAINER-011
US-F-E03-03-03	The rendering matches the variation (class or attribute motion-on-load)	TC-COLUMNS-CONTAINER-012
US-F-E03-03-03	The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...)	TC-COLUMNS-CONTAINER-013
US-F-E03-03-03	The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...)	TC-COLUMNS-CONTAINER-014
US-F-E03-03-03	The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...)	TC-COLUMNS-CONTAINER-015
US-F-E03-03-03	The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...)	TC-COLUMNS-CONTAINER-016

Story	Criterion	Test case
US-F-E03-03-03	The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...)	TC-COLUMNS-CONTAINER-017
US-F-E03-03-03	The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...)	TC-COLUMNS-CONTAINER-018
US-F-E03-03-03	The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...)	TC-COLUMNS-CONTAINER-019
US-F-E03-03-03	The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...)	TC-COLUMNS-CONTAINER-020
US-F-E03-04-01	The block appears with the authored content; no empty placeholder remains	TC-COLUMNS-002
US-F-E03-04-01	The block renders without empty wrappers or broken layout	TC-COLUMNS-003
US-F-E03-04-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-COLUMNS-004
US-F-E03-04-02	The page answers 200, every example renders, no console error, no failed request	TC-COLUMNS-001
US-F-E03-04-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-COLUMNS-005
US-F-E03-04-02	No horizontal overflow; layout follows the responsive rules of the README	TC-COLUMNS-006
US-F-E03-04-02	The block shows its English fallback or empty state and the page keeps working	TC-COLUMNS-007
US-F-E03-05-01	The block appears with the authored content; no empty placeholder remains	TC-COLUMN-BREAK-002
US-F-E03-05-01	The block renders without empty wrappers or broken layout	TC-COLUMN-BREAK-003
US-F-E03-05-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-COLUMN-BREAK-004
US-F-E03-05-02	The page answers 200, every example renders, no console error, no failed request	TC-COLUMN-BREAK-001
US-F-E03-05-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-COLUMN-BREAK-005
US-F-E03-05-02	No horizontal overflow; layout follows the responsive rules of the README	TC-COLUMN-BREAK-006
US-F-E03-05-02	The block shows its English fallback or empty state and the page keeps working	TC-COLUMN-BREAK-007
US-F-E03-06-01	The block appears with the authored content; no empty placeholder remains	TC-QUOTE-002
US-F-E03-06-01	The block renders without empty wrappers or broken layout	TC-QUOTE-007
US-F-E03-06-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-QUOTE-008
US-F-E03-06-02	The page answers 200, every example renders, no console error, no failed request	TC-QUOTE-001
US-F-E03-06-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-QUOTE-009
US-F-E03-06-02	No horizontal overflow; layout follows the responsive rules of the README	TC-QUOTE-010
US-F-E03-06-02	The block shows its English fallback or empty state and the page keeps working	TC-QUOTE-011

Story	Criterion	Test case
US-F-E03-06-03	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	TC-QUOTE-003
US-F-E03-06-03	The rendering matches the variation (class or attribute right, left)	TC-QUOTE-004
US-F-E03-06-03	The rendering matches the variation (class or attribute top, bottom)	TC-QUOTE-005
US-F-E03-06-03	The rendering matches the variation (class or attribute grey)	TC-QUOTE-006
US-F-E03-07-01	The block appears with the authored content; no empty placeholder remains	TC-TESTIMONIAL-002
US-F-E03-07-01	The block renders without empty wrappers or broken layout	TC-TESTIMONIAL-005
US-F-E03-07-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-TESTIMONIAL-006
US-F-E03-07-02	The page answers 200, every example renders, no console error, no failed request	TC-TESTIMONIAL-001
US-F-E03-07-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-TESTIMONIAL-007
US-F-E03-07-02	No horizontal overflow; layout follows the responsive rules of the README	TC-TESTIMONIAL-008
US-F-E03-07-02	The block shows its English fallback or empty state and the page keeps working	TC-TESTIMONIAL-009
US-F-E03-07-03	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	TC-TESTIMONIAL-003
US-F-E03-07-03	The rendering matches the variation (class or attribute grey, navy)	TC-TESTIMONIAL-004
US-F-E03-08-01	The block appears with the authored content; no empty placeholder remains	TC-SEPARATOR-002
US-F-E03-08-01	The block renders without empty wrappers or broken layout	TC-SEPARATOR-035
US-F-E03-08-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-SEPARATOR-036
US-F-E03-08-02	The page answers 200, every example renders, no console error, no failed request	TC-SEPARATOR-001
US-F-E03-08-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-SEPARATOR-037
US-F-E03-08-02	No horizontal overflow; layout follows the responsive rules of the README	TC-SEPARATOR-038
US-F-E03-08-02	The block shows its English fallback or empty state and the page keeps working	TC-SEPARATOR-039
US-F-E03-08-03	The rendering matches the variation (class or attribute decorative, semantic)	TC-SEPARATOR-003
US-F-E03-08-03	The rendering matches the variation (class or attribute default, subtle, strong, inset, full-width, dotted, …)	TC-SEPARATOR-004
US-F-E03-08-03	The rendering matches the variation (class or attribute auto, light, dark, brand)	TC-SEPARATOR-005
US-F-E03-08-03	The rendering matches the variation (class or attribute solid, dashed, dotted, gradient, none)	TC-SEPARATOR-006
US-F-E03-08-03	The rendering matches the variation (class or attribute thin, medium, thick)	TC-SEPARATOR-007

Story	Criterion	Test case
US-F-E03-08-03	The rendering matches the variation (class or attribute default, subtle, neutral, strong, primary, secondary, ...)	TC-SEPARATOR-008
US-F-E03-08-03	The rendering matches the variation (class or attribute 25, 50, 75, 100)	TC-SEPARATOR-009
US-F-E03-08-03	The rendering matches the variation (class or attribute 25-percent, 50-percent, 75-percent, 100-percent, content-width, full-bleed, ...)	TC-SEPARATOR-010
US-F-E03-08-03	The rendering matches the variation (class or attribute none, small, medium, large, extra-large, content-container)	TC-SEPARATOR-011
US-F-E03-08-03	The rendering matches the variation (class or attribute start, center, end)	TC-SEPARATOR-012
US-F-E03-08-03	The rendering matches the variation (class or attribute none, dot, square, diamond)	TC-SEPARATOR-013
US-F-E03-08-03	The rendering matches the variation (class or attribute none, dot, square, diamond)	TC-SEPARATOR-014
US-F-E03-08-03	The rendering matches the variation (class or attribute none, dot, square, diamond)	TC-SEPARATOR-015
US-F-E03-08-03	The rendering matches the variation (class or attribute standard, high)	TC-SEPARATOR-016
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...)	TC-SEPARATOR-017
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, thin, medium, thick)	TC-SEPARATOR-018
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, start, center, end)	TC-SEPARATOR-019
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...)	TC-SEPARATOR-020
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, thin, medium, thick)	TC-SEPARATOR-021
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, start, center, end)	TC-SEPARATOR-022
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...)	TC-SEPARATOR-023
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, thin, medium, thick)	TC-SEPARATOR-024
US-F-E03-08-03	The rendering matches the variation (class or attribute inherit, start, center, end)	TC-SEPARATOR-025
US-F-E03-08-03	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	TC-SEPARATOR-026
US-F-E03-08-03	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	TC-SEPARATOR-027
US-F-E03-08-03	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	TC-SEPARATOR-028
US-F-E03-08-03	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	TC-SEPARATOR-029
US-F-E03-08-03	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	TC-SEPARATOR-030
US-F-E03-08-03	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	TC-SEPARATOR-031
US-F-E03-08-03	The rendering matches the variation (class or attribute none, fade, draw-from-start, draw-from-center)	TC-SEPARATOR-032

Story	Criterion	Test case
US-F-E03-08-03	The rendering matches the variation (class or attribute static, fade)	TC-SEPARATOR-033
US-F-E03-08-03	The rendering matches the variation (class or attribute show, hide)	TC-SEPARATOR-034
US-F-E03-09-01	The block appears with the authored content; no empty placeholder remains	TC-IMAGE-COLLAGE-002
US-F-E03-09-01	The block renders without empty wrappers or broken layout	TC-IMAGE-COLLAGE-016
US-F-E03-09-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-IMAGE-COLLAGE-017
US-F-E03-09-02	The page answers 200, every example renders, no console error, no failed request	TC-IMAGE-COLLAGE-001
US-F-E03-09-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-IMAGE-COLLAGE-018
US-F-E03-09-02	No horizontal overflow; layout follows the responsive rules of the README	TC-IMAGE-COLLAGE-019
US-F-E03-09-02	The block shows its English fallback or empty state and the page keeps working	TC-IMAGE-COLLAGE-020
US-F-E03-09-03	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	TC-IMAGE-COLLAGE-003
US-F-E03-09-03	The rendering matches the variation (class or attribute new-window)	TC-IMAGE-COLLAGE-004
US-F-E03-09-03	The rendering matches the variation (class or attribute primary, primary-no-arrow, secondary, secondary-no-arrow)	TC-IMAGE-COLLAGE-005
US-F-E03-09-03	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	TC-IMAGE-COLLAGE-006
US-F-E03-09-03	The rendering matches the variation (class or attribute button-rectangle)	TC-IMAGE-COLLAGE-007
US-F-E03-09-03	The rendering matches the variation (class or attribute new-window)	TC-IMAGE-COLLAGE-008
US-F-E03-09-03	The rendering matches the variation (class or attribute primary, primary-no-arrow, secondary, secondary-no-arrow)	TC-IMAGE-COLLAGE-009
US-F-E03-09-03	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	TC-IMAGE-COLLAGE-010
US-F-E03-09-03	The rendering matches the variation (class or attribute button-rectangle)	TC-IMAGE-COLLAGE-011
US-F-E03-09-03	The rendering matches the variation (class or attribute title-regular, title-semibold)	TC-IMAGE-COLLAGE-012
US-F-E03-09-03	The rendering matches the variation (class or attribute text-regular, text-large)	TC-IMAGE-COLLAGE-013
US-F-E03-09-03	The rendering matches the variation (class or attribute bg-navy)	TC-IMAGE-COLLAGE-014
US-F-E03-09-03	The rendering matches the variation (class or attribute black-white, normal)	TC-IMAGE-COLLAGE-015
US-F-E03-10-01	The block appears with the authored content; no empty placeholder remains	TC-ACCORDION-002
US-F-E03-10-01	The block renders without empty wrappers or broken layout	TC-ACCORDION-003
US-F-E03-10-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-ACCORDION-004

Story	Criterion	Test case
US-F-E03-10-02	The page answers 200, every example renders, no console error, no failed request	TC-ACCORDION-001
US-F-E03-10-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-ACCORDION-005
US-F-E03-10-02	No horizontal overflow; layout follows the responsive rules of the README	TC-ACCORDION-006
US-F-E03-10-02	The block shows its English fallback or empty state and the page keeps working	TC-ACCORDION-007
US-F-E03-11-01	The block appears with the authored content; no empty placeholder remains	TC-TABS-002
US-F-E03-11-01	The block renders without empty wrappers or broken layout	TC-TABS-022
US-F-E03-11-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-TABS-023
US-F-E03-11-02	The page answers 200, every example renders, no console error, no failed request	TC-TABS-001
US-F-E03-11-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-TABS-024
US-F-E03-11-02	No horizontal overflow; layout follows the responsive rules of the README	TC-TABS-025
US-F-E03-11-02	The block shows its English fallback or empty state and the page keeps working	TC-TABS-026
US-F-E03-11-03	The rendering matches the variation (class or attribute tabs-section)	TC-TABS-003
US-F-E03-11-03	The rendering matches the variation (class or attribute full-width, fixed-width)	TC-TABS-004
US-F-E03-11-03	The rendering matches the variation (class or attribute underline, boxed, pills)	TC-TABS-005
US-F-E03-11-03	The rendering matches the variation (class or attribute left, center, stretch)	TC-TABS-006
US-F-E03-11-03	The rendering matches the variation (class or attribute horizontal, vertical)	TC-TABS-007
US-F-E03-11-03	The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...)	TC-TABS-008
US-F-E03-11-03	The rendering matches the variation (class or attribute motion-fast, motion-slow)	TC-TABS-009
US-F-E03-11-03	The rendering matches the variation (class or attribute motion-on-load)	TC-TABS-010
US-F-E03-11-03	The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...)	TC-TABS-011
US-F-E03-11-03	The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...)	TC-TABS-012
US-F-E03-11-03	The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...)	TC-TABS-013
US-F-E03-11-03	The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...)	TC-TABS-014
US-F-E03-11-03	The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...)	TC-TABS-015
US-F-E03-11-03	The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...)	TC-TABS-016

Story	Criterion	Test case
US-F-E03-11-03	The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...)	TC-TABS-017
US-F-E03-11-03	The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...)	TC-TABS-018
US-F-E03-11-03	The rendering matches the variation (class or attribute underline, boxed, pills)	TC-TABS-019
US-F-E03-11-03	The rendering matches the variation (class or attribute left, center, stretch)	TC-TABS-020
US-F-E03-11-03	The rendering matches the variation (class or attribute horizontal, vertical)	TC-TABS-021
US-F-E03-12-01	The block appears with the authored content; no empty placeholder remains	TC-TAB-002
US-F-E03-12-01	The block renders without empty wrappers or broken layout	TC-TAB-004
US-F-E03-12-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-TAB-005
US-F-E03-12-02	The page answers 200, every example renders, no console error, no failed request	TC-TAB-001
US-F-E03-12-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-TAB-006
US-F-E03-12-02	No horizontal overflow; layout follows the responsive rules of the README	TC-TAB-007
US-F-E03-12-02	The block shows its English fallback or empty state and the page keeps working	TC-TAB-008
US-F-E03-12-03	The rendering matches the variation (class or attribute per-row-1, per-row-2, per-row-3, per-row-4)	TC-TAB-003
US-F-E03-13-01	The block appears with the authored content; no empty placeholder remains	TC-GEN-CAROUSEL-002
US-F-E03-13-01	The block renders without empty wrappers or broken layout	TC-GEN-CAROUSEL-016
US-F-E03-13-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-GEN-CAROUSEL-017
US-F-E03-13-02	The page answers 200, every example renders, no console error, no failed request	TC-GEN-CAROUSEL-001
US-F-E03-13-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-GEN-CAROUSEL-018
US-F-E03-13-02	No horizontal overflow; layout follows the responsive rules of the README	TC-GEN-CAROUSEL-019
US-F-E03-13-02	The block shows its English fallback or empty state and the page keeps working	TC-GEN-CAROUSEL-020
US-F-E03-13-03	The rendering matches the variation (class or attribute gen-carousel-section)	TC-GEN-CAROUSEL-003
US-F-E03-13-03	The rendering matches the variation (class or attribute manual, auto, manual-auto)	TC-GEN-CAROUSEL-004
US-F-E03-13-03	The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...)	TC-GEN-CAROUSEL-005
US-F-E03-13-03	The rendering matches the variation (class or attribute motion-fast, motion-slow)	TC-GEN-CAROUSEL-006
US-F-E03-13-03	The rendering matches the variation (class or attribute motion-on-load)	TC-GEN-CAROUSEL-007

Story	Criterion	Test case
US-F-E03-13-03	The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...)	TC-GEN-CAROUSEL-008
US-F-E03-13-03	The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...)	TC-GEN-CAROUSEL-009
US-F-E03-13-03	The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...)	TC-GEN-CAROUSEL-010
US-F-E03-13-03	The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...)	TC-GEN-CAROUSEL-011
US-F-E03-13-03	The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...)	TC-GEN-CAROUSEL-012
US-F-E03-13-03	The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...)	TC-GEN-CAROUSEL-013
US-F-E03-13-03	The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...)	TC-GEN-CAROUSEL-014
US-F-E03-13-03	The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...)	TC-GEN-CAROUSEL-015
US-F-E03-14-01	The block appears with the authored content; no empty placeholder remains	TC-TABLE-002
US-F-E03-14-01	The block renders without empty wrappers or broken layout	TC-TABLE-005
US-F-E03-14-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-TABLE-006
US-F-E03-14-02	The page answers 200, every example renders, no console error, no failed request	TC-TABLE-001
US-F-E03-14-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-TABLE-007
US-F-E03-14-02	No horizontal overflow; layout follows the responsive rules of the README	TC-TABLE-008
US-F-E03-14-02	The block shows its English fallback or empty state and the page keeps working	TC-TABLE-009
US-F-E03-14-03	The rendering matches the variation (class or attribute)	TC-TABLE-003
US-F-E03-14-03	The rendering matches the variation (class or attribute table, table-2-columns, table-3-columns, table-4-columns, table-5-columns, table-6-columns, ...)	TC-TABLE-004
US-F-E03-15-01	The block appears with the authored content; no empty placeholder remains	TC-ANCHOR-LIST-002
US-F-E03-15-01	The block renders without empty wrappers or broken layout	TC-ANCHOR-LIST-003
US-F-E03-15-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-ANCHOR-LIST-004
US-F-E03-15-02	The page answers 200, every example renders, no console error, no failed request	TC-ANCHOR-LIST-001
US-F-E03-15-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-ANCHOR-LIST-005
US-F-E03-15-02	No horizontal overflow; layout follows the responsive rules of the README	TC-ANCHOR-LIST-006
US-F-E03-15-02	The block shows its English fallback or empty state and the page keeps working	TC-ANCHOR-LIST-007
US-F-E03-16-01	The block appears with the authored content; no empty placeholder remains	TC-BUTTON-BLOCK-002

Story	Criterion	Test case
US-F-E03-16-01	The block renders without empty wrappers or broken layout	TC-BUTTON-BLOCK-008
US-F-E03-16-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-BUTTON-BLOCK-009
US-F-E03-16-02	The page answers 200, every example renders, no console error, no failed request	TC-BUTTON-BLOCK-001
US-F-E03-16-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-BUTTON-BLOCK-010
US-F-E03-16-02	No horizontal overflow; layout follows the responsive rules of the README	TC-BUTTON-BLOCK-011
US-F-E03-16-02	The block shows its English fallback or empty state and the page keeps working	TC-BUTTON-BLOCK-012
US-F-E03-16-03	The rendering matches the variation (class or attribute button, icon, link)	TC-BUTTON-BLOCK-003
US-F-E03-16-03	The rendering matches the variation (class or attribute primary, secondary, tertiary)	TC-BUTTON-BLOCK-004
US-F-E03-16-03	The rendering matches the variation (class or attribute arrow-right, chevron-right, chevron-down, search)	TC-BUTTON-BLOCK-005
US-F-E03-16-03	The rendering matches the variation (class or attribute left, center, right)	TC-BUTTON-BLOCK-006
US-F-E03-16-03	The rendering matches the variation (class or attribute none, overline, line-through, underline, underline overline)	TC-BUTTON-BLOCK-007
US-F-E04-01-01	The block appears with the authored content; no empty placeholder remains	TC-VIDEO-002
US-F-E04-01-01	The block renders without empty wrappers or broken layout	TC-VIDEO-007
US-F-E04-01-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-VIDEO-008
US-F-E04-01-02	The page answers 200, every example renders, no console error, no failed request	TC-VIDEO-001
US-F-E04-01-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-VIDEO-009
US-F-E04-01-02	No horizontal overflow; layout follows the responsive rules of the README	TC-VIDEO-010
US-F-E04-01-02	The block shows its English fallback or empty state and the page keeps working	TC-VIDEO-011
US-F-E04-01-03	The rendering matches the variation (class or attribute click, autoplay, background)	TC-VIDEO-003
US-F-E04-01-03	The rendering matches the variation (class or attribute 16-9, 4-3, 1-1, 21-9, 9-16)	TC-VIDEO-004
US-F-E04-01-03	The rendering matches the variation (class or attribute full, large, medium, small)	TC-VIDEO-005
US-F-E04-01-03	The rendering matches the variation (class or attribute center, left, right)	TC-VIDEO-006
US-F-E04-02-01	The block appears with the authored content; no empty placeholder remains	TC-EMBED-002
US-F-E04-02-01	The block renders without empty wrappers or broken layout	TC-EMBED-003
US-F-E04-02-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-EMBED-004

Story	Criterion	Test case
US-F-E04-02-02	The page answers 200, every example renders, no console error, no failed request	TC-EMBED-001
US-F-E04-02-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-EMBED-005
US-F-E04-02-02	No horizontal overflow; layout follows the responsive rules of the README	TC-EMBED-006
US-F-E04-02-02	The block shows its English fallback or empty state and the page keeps working	TC-EMBED-007
US-F-E04-03-01	The block appears with the authored content; no empty placeholder remains	TC-INTERACTIVE-DASHBOARD-002
US-F-E04-03-01	The block renders without empty wrappers or broken layout	TC-INTERACTIVE-DASHBOARD-003
US-F-E04-03-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-INTERACTIVE-DASHBOARD-004
US-F-E04-03-02	The page answers 200, every example renders, no console error, no failed request	TC-INTERACTIVE-DASHBOARD-001
US-F-E04-03-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-INTERACTIVE-DASHBOARD-005
US-F-E04-03-02	No horizontal overflow; layout follows the responsive rules of the README	TC-INTERACTIVE-DASHBOARD-006
US-F-E04-03-02	The block shows its English fallback or empty state and the page keeps working	TC-INTERACTIVE-DASHBOARD-007
US-F-E05-01-01	The block appears with the authored content; no empty placeholder remains	TC-LIST-002
US-F-E05-01-01	The block renders without empty wrappers or broken layout	TC-LIST-026
US-F-E05-01-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-LIST-027
US-F-E05-01-02	The page answers 200, every example renders, no console error, no failed request	TC-LIST-001
US-F-E05-01-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-LIST-028
US-F-E05-01-02	No horizontal overflow; layout follows the responsive rules of the README	TC-LIST-029
US-F-E05-01-02	The block shows its English fallback or empty state and the page keeps working	TC-LIST-030
US-F-E05-01-03	The rendering matches the variation (class or attribute h2, h3, h4, h5, h6)	TC-LIST-003
US-F-E05-01-03	The rendering matches the variation (class or attribute primary, secondary)	TC-LIST-004
US-F-E05-01-03	The rendering matches the variation (class or attribute parent, fixed, tags)	TC-LIST-005
US-F-E05-01-03	The rendering matches the variation (class or attribute any, all)	TC-LIST-006
US-F-E05-01-03	The rendering matches the variation (class or attribute manual, title, lastModified)	TC-LIST-007
US-F-E05-01-03	The rendering matches the variation (class or attribute ascending, descending)	TC-LIST-008
US-F-E05-01-03	The rendering matches the variation (class or attribute image, panel, report, stat, mixed)	TC-LIST-009

Story	Criterion	Test case
US-F-E05-01-03	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	TC-LIST-010
US-F-E05-01-03	The rendering matches the variation (class or attribute 16-9, 1-1, 4-3, 3-2)	TC-LIST-011
US-F-E05-01-03	The rendering matches the variation (class or attribute portrait, compact, auto)	TC-LIST-012
US-F-E05-01-03	The rendering matches the variation (class or attribute dd-mmm-yy, dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy, do-mmmm-yyyy)	TC-LIST-013
US-F-E05-01-03	The rendering matches the variation (class or attribute lazy, eager)	TC-LIST-014
US-F-E05-01-03	The rendering matches the variation (class or attribute grid, horizontal-scroll)	TC-LIST-015
US-F-E05-01-03	The rendering matches the variation (class or attribute grid, horizontal-scroll)	TC-LIST-016
US-F-E05-01-03	The rendering matches the variation (class or attribute grid, horizontal-scroll)	TC-LIST-017
US-F-E05-01-03	The rendering matches the variation (class or attribute start, center)	TC-LIST-018
US-F-E05-01-03	The rendering matches the variation (class or attribute one-card, viewport)	TC-LIST-019
US-F-E05-01-03	The rendering matches the variation (class or attribute bleed, none)	TC-LIST-020
US-F-E05-01-03	The rendering matches the variation (class or attribute hide, message, fallback)	TC-LIST-021
US-F-E05-01-03	The rendering matches the variation (class or attribute stat-compact, dividers, header-center)	TC-LIST-022
US-F-E05-01-03	The rendering matches the variation (class or attribute true, false)	TC-LIST-023
US-F-E05-01-03	The rendering matches the variation (class or attribute image, panel, report, stat)	TC-LIST-024
US-F-E05-01-03	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	TC-LIST-025
US-F-E05-02-01	The block appears with the authored content; no empty placeholder remains	TC-FILTER-LIST-002
US-F-E05-02-01	The block renders without empty wrappers or broken layout	TC-FILTER-LIST-013
US-F-E05-02-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-FILTER-LIST-014
US-F-E05-02-02	The page answers 200, every example renders, no console error, no failed request	TC-FILTER-LIST-001
US-F-E05-02-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-FILTER-LIST-015
US-F-E05-02-02	No horizontal overflow; layout follows the responsive rules of the README	TC-FILTER-LIST-016
US-F-E05-02-02	The block shows its English fallback or empty state and the page keeps working	TC-FILTER-LIST-017
US-F-E05-02-03	The rendering matches the variation (class or attribute masonry, grid, list)	TC-FILTER-LIST-003
US-F-E05-02-03	The rendering matches the variation (class or attribute query-index, manual)	TC-FILTER-LIST-004

Story	Criterion	Test case
US-F-E05-02-03	The rendering matches the variation (class or attribute article, blog, press-release)	TC-FILTER-LIST-005
US-F-E05-02-03	The rendering matches the variation (class or attribute article, blog, insights, case-study, whitepaper, report, ...)	TC-FILTER-LIST-006
US-F-E05-02-03	The rendering matches the variation (class or attribute latest, featured, priority, alphabetical)	TC-FILTER-LIST-007
US-F-E05-02-03	The rendering matches the variation (class or attribute and, or)	TC-FILTER-LIST-008
US-F-E05-02-03	The rendering matches the variation (class or attribute default, compact, featured, mixed)	TC-FILTER-LIST-009
US-F-E05-02-03	The rendering matches the variation (class or attribute featured, priority, manual)	TC-FILTER-LIST-010
US-F-E05-02-03	The rendering matches the variation (class or attribute latest, featured, manual)	TC-FILTER-LIST-011
US-F-E05-02-03	The rendering matches the variation (class or attribute listed, featured)	TC-FILTER-LIST-012
US-F-E05-03-01	The block appears with the authored content; no empty placeholder remains	TC-TABLE-LIST-002
US-F-E05-03-01	The block renders without empty wrappers or broken layout	TC-TABLE-LIST-011
US-F-E05-03-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-TABLE-LIST-012
US-F-E05-03-02	The page answers 200, every example renders, no console error, no failed request	TC-TABLE-LIST-001
US-F-E05-03-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-TABLE-LIST-013
US-F-E05-03-02	No horizontal overflow; layout follows the responsive rules of the README	TC-TABLE-LIST-014
US-F-E05-03-02	The block shows its English fallback or empty state and the page keeps working	TC-TABLE-LIST-015
US-F-E05-03-03	The rendering matches the variation (class or attribute industries, solutions, products, segments, approach, platforms)	TC-TABLE-LIST-003
US-F-E05-03-03	The rendering matches the variation (class or attribute white, black, dark-green, navy)	TC-TABLE-LIST-004
US-F-E05-03-03	The rendering matches the variation (class or attribute h2, h3, h4)	TC-TABLE-LIST-005
US-F-E05-03-03	The rendering matches the variation (class or attribute beside)	TC-TABLE-LIST-006
US-F-E05-03-03	The rendering matches the variation (class or attribute primary, secondary, tertiary)	TC-TABLE-LIST-007
US-F-E05-03-03	The rendering matches the variation (class or attribute show, mobile, hide)	TC-TABLE-LIST-008
US-F-E05-03-03	The rendering matches the variation (class or attribute arrow, arrow-up-right, arrow-circle, button)	TC-TABLE-LIST-009
US-F-E05-03-03	The rendering matches the variation (class or attribute tm, r)	TC-TABLE-LIST-010
US-F-E05-04-01	The block appears with the authored content; no empty placeholder remains	TC-MEDIA-CONTACTS-002
US-F-E05-04-01	The block renders without empty wrappers or broken layout	TC-MEDIA-CONTACTS-004

Story	Criterion	Test case
US-F-E05-04-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-MEDIA-CONTACTS-005
US-F-E05-04-02	The page answers 200, every example renders, no console error, no failed request	TC-MEDIA-CONTACTS-001
US-F-E05-04-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-MEDIA-CONTACTS-006
US-F-E05-04-02	No horizontal overflow; layout follows the responsive rules of the README	TC-MEDIA-CONTACTS-007
US-F-E05-04-02	The block shows its English fallback or empty state and the page keeps working	TC-MEDIA-CONTACTS-008
US-F-E05-04-03	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	TC-MEDIA-CONTACTS-003
US-F-E06-01-01	The block appears with the authored content; no empty placeholder remains	TC-FORM-VARIATIONS-002
US-F-E06-01-01	The block renders without empty wrappers or broken layout	TC-FORM-VARIATIONS-005
US-F-E06-01-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-FORM-VARIATIONS-006
US-F-E06-01-02	The page answers 200, every example renders, no console error, no failed request	TC-FORM-VARIATIONS-001
US-F-E06-01-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-FORM-VARIATIONS-007
US-F-E06-01-02	No horizontal overflow; layout follows the responsive rules of the README	TC-FORM-VARIATIONS-008
US-F-E06-01-02	The block shows its English fallback or empty state and the page keeps working	TC-FORM-VARIATIONS-009
US-F-E06-01-03	The rendering matches the variation (class or attribute dark)	TC-FORM-VARIATIONS-003
US-F-E06-01-03	The rendering matches the variation (class or attribute text, email, tel)	TC-FORM-VARIATIONS-004
US-F-E07-01-01	The block appears with the authored content; no empty placeholder remains	TC-CONVERSATION-CANVAS-002
US-F-E07-01-01	The block renders without empty wrappers or broken layout	TC-CONVERSATION-CANVAS-013
US-F-E07-01-01	Text wraps, no broken image icon, the link is flagged in the link check	TC-CONVERSATION-CANVAS-014
US-F-E07-01-02	The page answers 200, every example renders, no console error, no failed request	TC-CONVERSATION-CANVAS-001
US-F-E07-01-02	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	TC-CONVERSATION-CANVAS-015
US-F-E07-01-02	No horizontal overflow; layout follows the responsive rules of the README	TC-CONVERSATION-CANVAS-016
US-F-E07-01-02	The block shows its English fallback or empty state and the page keeps working	TC-CONVERSATION-CANVAS-017
US-F-E07-01-03	The rendering matches the variation (class or attribute primary, secondary)	TC-CONVERSATION-CANVAS-003
US-F-E07-01-03	The rendering matches the variation (class or attribute nofloat)	TC-CONVERSATION-CANVAS-004
US-F-E07-01-03	The rendering matches the variation (class or attribute action-pills, action-buttons)	TC-CONVERSATION-CANVAS-005

Story	Criterion	Test case
US-F-E07-01-03	The rendering matches the variation (class or attribute default, dark)	TC-CONVERSATION-CANVAS-006
US-F-E07-01-03	The rendering matches the variation (class or attribute bigger, medium)	TC-CONVERSATION-CANVAS-007
US-F-E07-01-03	The rendering matches the variation (class or attribute text-links)	TC-CONVERSATION-CANVAS-008
US-F-E07-01-03	The rendering matches the variation (class or attribute primary, secondary, tertiary)	TC-CONVERSATION-CANVAS-009
US-F-E07-01-03	The rendering matches the variation (class or attribute button, icon, link)	TC-CONVERSATION-CANVAS-010
US-F-E07-01-03	The rendering matches the variation (class or attribute primary, secondary, tertiary)	TC-CONVERSATION-CANVAS-011
US-F-E07-01-03	The rendering matches the variation (class or attribute arrow-right, chevron-right, chevron-down, search)	TC-CONVERSATION-CANVAS-012

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

EPIC, Feature and User Story Catalog

Attribute	Value
Document ID	BA-007
Audience	Business analysts, product owner, QA lead
Purpose	Every EPIC, feature and story
Scope	—
Prerequisites	—
Owner	Business Analyst / Product Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

INFERRED REQUIREMENT, REQUIRES BUSINESS VALIDATION

1. E01 Site navigation and global chrome

EPIC: Visitors find their way through the site on every device

Feature	Name	Stories
F-E01-01	Header	US-F-E01-01-01, US-F-E01-01-02
F-E01-02	TCS Header	US-F-E01-02-01, US-F-E01-02-02, US-F-E01-02-03
F-E01-03	Footer	US-F-E01-03-01, US-F-E01-03-02, US-F-E01-03-03
F-E01-04	Fragment	US-F-E01-04-01, US-F-E01-04-02
F-E01-05	Modal	US-F-E01-05-01, US-F-E01-05-02

2. E02 Page heroes and page headers

EPIC: Every page opens with a clear, on-brand introduction

Feature	Name	Stories
F-E02-01	Hero	US-F-E02-01-01, US-F-E02-01-02, US-F-E02-01-03
F-E02-02	Page Header	US-F-E02-02-01, US-F-E02-02-02, US-F-E02-02-03

3. E03 Editorial content presentation

EPIC: Authors present stories, offerings and facts in the TCS design language

Feature	Name	Stories
F-E03-01	Teaser	US-F-E03-01-01, US-F-E03-01-02, US-F-E03-01-03
F-E03-02	Cards	US-F-E03-02-01, US-F-E03-02-02, US-F-E03-02-03
F-E03-03	Columns Container	US-F-E03-03-01, US-F-E03-03-02, US-F-E03-03-03
F-E03-04	Columns	US-F-E03-04-01, US-F-E03-04-02
F-E03-05	Column Break	US-F-E03-05-01, US-F-E03-05-02
F-E03-06	Quote	US-F-E03-06-01, US-F-E03-06-02, US-F-E03-06-03
F-E03-07	Testimonial	US-F-E03-07-01, US-F-E03-07-02, US-F-E03-07-03
F-E03-08	Separator	US-F-E03-08-01, US-F-E03-08-02, US-F-E03-08-03
F-E03-09	Image Collage	US-F-E03-09-01, US-F-E03-09-02, US-F-E03-09-03
F-E03-10	Accordion	US-F-E03-10-01, US-F-E03-10-02
F-E03-11	Tabs	US-F-E03-11-01, US-F-E03-11-02, US-F-E03-11-03
F-E03-12	Tab	US-F-E03-12-01, US-F-E03-12-02, US-F-E03-12-03
F-E03-13	Gen Carousel	US-F-E03-13-01, US-F-E03-13-02, US-F-E03-13-03
F-E03-14	Table	US-F-E03-14-01, US-F-E03-14-02, US-F-E03-14-03
F-E03-15	Anchor List	US-F-E03-15-01, US-F-E03-15-02
F-E03-16	Button	US-F-E03-16-01, US-F-E03-16-02, US-F-E03-16-03

4. E04 Media

EPIC: Video, embeds and interactive media play accessibly and fast

Feature	Name	Stories
F-E04-01	Video	US-F-E04-01-01, US-F-E04-01-02, US-F-E04-01-03
F-E04-02	Embed	US-F-E04-02-01, US-F-E04-02-02
F-E04-03	Interactive Dashboard	US-F-E04-03-01, US-F-E04-03-02

5. E05 Listings and discovery

EPIC: Visitors discover related pages, press releases and contacts

Feature	Name	Stories
F-E05-01	List	US-F-E05-01-01, US-F-E05-01-02, US-F-E05-01-03
F-E05-02	Filter List	US-F-E05-02-01, US-F-E05-02-02, US-F-E05-02-03
F-E05-03	Table List	US-F-E05-03-01, US-F-E05-03-02, US-F-E05-03-03
F-E05-04	Media Contacts	US-F-E05-04-01, US-F-E05-04-02, US-F-E05-04-03

6. E06 Forms and lead capture

EPIC: Visitors contact TCS through accessible forms

Feature	Name	Stories
F-E06-01	Form Variations	US-F-E06-01-01, US-F-E06-01-02, US-F-E06-01-03

7. E07 Conversational experience

EPIC: Visitors ask questions in the Conversation Canvas

Feature	Name	Stories
F-E07-01	Conversation Canvas	US-F-E07-01-01, US-F-E07-01-02, US-F-E07-01-03

8. E08 Site structure and localization

EPIC: One site serves 13 locales and three review roots

Feature	Name	Stories
F-E08-01	Locale sites by path	US-F-E08-01-01
F-E08-02	Review roots with their own references and sheets	US-F-E08-02-01
F-E08-03	Inherited navigation, footer and 404 page	US-F-E08-03-01
F-E08-04	Placeholders, taxonomy and data sheets	US-F-E08-04-01

9. E09 Measurement, accessibility and performance

EPIC: The site is measurable, WCAG 2.1 AA and fast

Feature	Name	Stories
F-E09-01	Adobe Client Data Layer	US-F-E09-01-01
F-E09-02	Accessibility baseline (WCAG 2.1 AA)	US-F-E09-02-01
F-E09-03	Three-phase loading and module preloading	US-F-E09-03-01
F-E09-04	Content and background animation	US-F-E09-04-01

10. E10 Content migration and publishing

EPIC: The tcs.com content is migrated, published and redirected

Feature	Name	Stories
F-E10-01	Migration packages (8,432 pages)	US-F-E10-01-01
F-E10-02	Redirects from the tcs.com URLs	US-F-E10-02-01
F-E10-03	Dynamic Media delivery of the assets	US-F-E10-03-01
F-E10-04	Publishing and indexing	US-F-E10-04-01

11. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

12. Known limitations

- None recorded for this document.

13. Open items

- None.

14. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages