TCS CORPORATE WEBSITE

Test Case Catalog

Role / audience	Quality assurance — QA lead, testers, release lead
Version	1.0
Status	Draft for review
Owner	QA Lead (proposed)
Last validated	2026-11-08
Documents	15
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Accessibility Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Analytics Data Layer Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Authoring Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Component Variation Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Cross-Browser Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Curated Page Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Functional Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Localization Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Performance Test Cases
- Screenshots
- Known limitations
- Open items
- Change history

Publishing Test Cases
- Screenshots
- Known limitations

Open items
Change history

Regression Test Cases
Screenshots
Known limitations
Open items
Change history

Requirement to Test Traceability
Screenshots
Known limitations
Open items
Change history

Responsive Test Cases
Screenshots
Known limitations
Open items
Change history

Security and Privacy Test Cases
Screenshots
Known limitations
Open items
Change history

SEO Test Cases
Screenshots
Known limitations
Open items
Change history

Accessibility Test Cases

Attribute	Value
Document ID	QA-012
Audience	QA lead, testers, release lead
Purpose	Accessibility cases of every block
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-ACCORDION-005	Accessibility	—	Accordion meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/accordion: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-ANCHOR-LIST-005	Accessibility	—	Anchor List meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/anchor-list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-BUTTON-BLOCK-010	Accessibility	—	Button meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks found no issue; keyboard and screen reader checks not run	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CARDS-024	Accessibility	—	Cards meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/cards: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-COLUMN-BREAK-005	Accessibility	—	Column Break meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks found no issue; keyboard and screen reader checks not run	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-COLUMNS-005	Accessibility	—	Columns meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/columns: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-COLUMNS-CONTAINER-023	Accessibility	—	Columns Container meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/columns-container: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-CONVERSATION-CANVAS-015	Accessibility	—	Conversation Canvas meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/conversation-canvas: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-EMBED-005	Accessibility	—	Embed meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/embed: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-FILTER-LIST-015	Accessibility	—	Filter List meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/filter-list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-FOOTER-007	Accessibility	—	Footer meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/footer: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-FORM-VARIATIONS-007	Accessibility	—	Form Variations meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/form-variations: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-FRAGMENT-005	Accessibility	—	Fragment meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/fragment: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | /design-block-master/en/block-library/fragment/fragments: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-GEN-CAROUSEL-018	Accessibility	—	Gen Carousel meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/gen-carousel: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-HEADER-002	Accessibility	—	Header meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/header: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-HERO-024	Accessibility	—	Hero meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/hero: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-IMAGE-COLLAGE-018	Accessibility	—	Image Collage meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks found no issue; keyboard and screen reader checks not run	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-INTERACTIVE-DASHBOARD-005	Accessibility	—	Interactive Dashboard meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/interactive-dashboard: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-LIST-028	Accessibility	—	List meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-MEDIA-CONTACTS-006	Accessibility	—	Media Contacts meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks found no issue; keyboard and screen reader checks not run	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-MODAL-005	Accessibility	—	Modal meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/modal: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | /design-block-master/en/block-library/modal/fragments: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-PAGE-HEADER-012	Accessibility	—	Page Header meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/page-header: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-QUOTE-009	Accessibility	—	Quote meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/quote: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | /design-block-master/en/block-library/quote/quote-variations: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-SEPARATOR-037	Accessibility	—	Separator meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/separator: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-TAB-006	Accessibility	—	Tab meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks found no issue; keyboard and screen reader checks not run	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-TABLE-007	Accessibility	—	Table meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/table: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-TABLE-LIST-013	Accessibility	—	Table List meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/table-list: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABS-024	Accessibility	—	Tabs meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 6 page(s): /design-block-master/en/block-library/tabs: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | /design-block-master/en/block-library/tabs/fragments: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-TCS-HEADER-006	Accessibility	—	TCS Header meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks found no issue; keyboard and screen reader checks not run	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-TEASER-039	Accessibility	—	Teaser meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 2 page(s): /design-block-master/en/block-library/teaser: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids | /design-block-master/en/block-library/teaser/title-sizes-and-weights: 0 img without alt, 0 unnamed buttons, 3 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-TESTIMONIAL-007	Accessibility	—	Testimonial meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/testimonial: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—
TC-VIDEO-009	Accessibility	—	Video meets WCAG 2.1 AA	1. Navigate the block with the keyboard only 2. Check focus visibility, names of buttons and links, alt text, heading order 3. Run a screen reader on the block	Every control is reachable and named; no heading level is skipped; images have alt text or are decorative	Requires Manual Validation	Automated DOM checks flagged 1 page(s): /design-block-master/en/block-library/video: 0 img without alt, 0 unnamed buttons, 1 heading skips, 0 duplicate ids	Edge Delivery live, Chromium (Playwright)	evidence.json	—	—	—

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Analytics Data Layer Test Cases

Attribute	Value
Document ID	QA-015
Audience	QA lead, testers, release lead
Purpose	The Adobe Client Data Layer
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Check	Status	Actual
TC-DL-001	window.adobeDataLayer has entries on every reference page	Passed	0 pages without entries
TC-DL-002	Click and show/hide events	Not Run	—
TC-DL-003	No personal data (search terms redacted, contact links by kind)	Passed (unit tests test/privacy)	npm test

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Authoring Test Cases

Attribute	Value
Document ID	QA-019
Audience	QA lead, testers, release lead
Purpose	Authoring cases of every block
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-ACCORDION-002	Authoring	—	An author adds the Accordion and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Accordion from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-ANCHOR-LIST-002	Authoring	—	An author adds the Anchor List and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Anchor List from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-BUTTON-BLOCK-002	Authoring	—	An author adds the Button and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Button from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-CARDS-002	Authoring	—	An author adds the Cards and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Cards from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-COLUMN-BREAK-002	Authoring	—	An author adds the Column Break and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Column Break from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-COLUMNS-002	Authoring	—	An author adds the Columns and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Columns from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-002	Authoring	—	An author adds the Columns Container and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Columns Container from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-002	Authoring	—	An author adds the Conversation Canvas and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Conversation Canvas from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-EMBED-002	Authoring	—	An author adds the Embed and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Embed from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-002	Authoring	—	An author adds the Filter List and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Filter List from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-FOOTER-002	Authoring	—	An author adds the Footer and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Footer from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-FORM-VARIATIONS-002	Authoring	—	An author adds the Form Variations and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Form Variations from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-FRAGMENT-002	Authoring	—	An author adds the Fragment and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Fragment from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-002	Authoring	—	An author adds the Gen Carousel and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Gen Carousel from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-HERO-002	Authoring	—	An author adds the Hero and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Hero from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-002	Authoring	—	An author adds the Image Collage and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Image Collage from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-INTERACTIVE-DASHBOARD-002	Authoring	—	An author adds the Interactive Dashboard and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Interactive Dashboard from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-LIST-002	Authoring	—	An author adds the List and fills in its required fields	1. Open a test page in Universal Editor 2. Add the List from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-MEDIA-CONTACTS-002	Authoring	—	An author adds the Media Contacts and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Media Contacts from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-MODAL-002	Authoring	—	An author adds the Modal and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Modal from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-PAGE-HEADER-002	Authoring	—	An author adds the Page Header and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Page Header from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-QUOTE-002	Authoring	—	An author adds the Quote and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Quote from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-SEPARATOR-002	Authoring	—	An author adds the Separator and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Separator from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-TAB-002	Authoring	—	An author adds the Tab and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Tab from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-TABLE-002	Authoring	—	An author adds the Table and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Table from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-TABLE-LIST-002	Authoring	—	An author adds the Table List and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Table List from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-TABS-002	Authoring	—	An author adds the Tabs and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Tabs from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-TCS-HEADER-002	Authoring	—	An author adds the TCS Header and fills in its required fields	1. Open a test page in Universal Editor 2. Add the TCS Header from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TEASER-002	Authoring	—	An author adds the Teaser and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Teaser from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-TESTIMONIAL-002	Authoring	—	An author adds the Testimonial and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Testimonial from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—
TC-VIDEO-002	Authoring	—	An author adds the Video and fills in its required fields	1. Open a test page in Universal Editor 2. Add the Video from the component palette 3. Fill in the fields of each tab 4. Preview	The block appears with the authored content; no empty placeholder remains	Not Run	—	—	—	—	—	—

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Component Variation Test Cases

Attribute	Value
Document ID	QA-008
Audience	QA lead, testers, release lead
Purpose	One case per variation field of every block
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-BUTTON-BLOCK-003	Component variation	View	Button: each choice of "View" gives its presentation	1. Select the Button 2. Set "View" to each of: Button, Icon, Link 3. Preview after each change	The rendering matches the variation (class or attribute button, icon, link)	Not Run	—	—	—	—	—	—
TC-BUTTON-BLOCK-004	Component variation	Type	Button: each choice of "Type" gives its presentation	1. Select the Button 2. Set "Type" to each of: Primary, Secondary, Tertiary 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary, tertiary)	Not Run	—	—	—	—	—	—
TC-BUTTON-BLOCK-005	Component variation	Icon	Button: each choice of "Icon" gives its presentation	1. Select the Button 2. Set "Icon" to each of: Arrow right, Chevron right, Chevron down, Search 3. Preview after each change	The rendering matches the variation (class or attribute arrow-right, chevron-right, chevron-down, search)	Not Run	—	—	—	—	—	—
TC-BUTTON-BLOCK-006	Component variation	Alignment	Button: each choice of "Alignment" gives its presentation	1. Select the Button 2. Set "Alignment" to each of: Left, Center, Right 3. Preview after each change	The rendering matches the variation (class or attribute left, center, right)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-BUTTON-BLOCK-007	Component variation	Text Decoration	Button: each choice of "Text Decoration" gives its presentation	1. Select the Button 2. Set "Text Decoration" to each of: Default, Overline, line-Through, Underline, underline overline 3. Preview after each change	The rendering matches the variation (class or attribute none, overline, line-through, underline, underline overline)	Not Run	—	—	—	—	—	—
TC-CARDS-003	Component variation	Heading type	Cards: each choice of "Heading type" gives its presentation	1. Select the Cards 2. Set "Heading type" to each of: H2, H3, H4, H5, H6 3. Preview after each change	The rendering matches the variation (class or attribute h2, h3, h4, h5, h6)	Not Run	—	—	—	—	—	—
TC-CARDS-004	Component variation	CTA style	Cards: each choice of "CTA style" gives its presentation	1. Select the Cards 2. Set "CTA style" to each of: Text link, Primary button, Secondary button 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary)	Not Run	—	—	—	—	—	—
TC-CARDS-005	Component variation	Card style	Cards: each choice of "Card style" gives its presentation	1. Select the Cards 2. Set "Card style" to each of: Image card, Panel, Report, Statistic, Mixed 3. Preview after each change	The rendering matches the variation (class or attribute image, panel, report, stat, mixed)	Not Run	—	—	—	—	—	—
TC-CARDS-006	Component variation	Card colour	Cards: each choice of "Card colour" gives its presentation	1. Select the Cards 2. Set "Card colour" to each of: Default for the style, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	Not Run	—	—	—	—	—	—
TC-CARDS-007	Component variation	Image ratio	Cards: each choice of "Image ratio" gives its presentation	1. Select the Cards 2. Set "Image ratio" to each of: 16:9, 1:1, 4:3, 3:2 3. Preview after each change	The rendering matches the variation (class or attribute 16-9, 1-1, 4-3, 3-2)	Not Run	—	—	—	—	—	—
TC-CARDS-008	Component variation	Panel height	Cards: each choice of "Panel height" gives its presentation	1. Select the Cards 2. Set "Panel height" to each of: Portrait (2:3), Compact, Content 3. Preview after each change	The rendering matches the variation (class or attribute portrait, compact, auto)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CARDS-009	Component variation	Date format	Cards: each choice of "Date format" gives its presentation	1. Select the Cards 2. Set "Date format" to each of: 04 Sep 26, 04-09-2026, 09-04-2026, Sep 4, 2026, 04/09/26, 4th September 2026 3. Preview after each change	The rendering matches the variation (class or attribute dd-mmm-yy, dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy, do-mmmm-yyyy)	Not Run	—	—	—	—	—	—
TC-CARDS-010	Component variation	Image loading	Cards: each choice of "Image loading" gives its presentation	1. Select the Cards 2. Set "Image loading" to each of: Lazy, Eager (first screen) 3. Preview after each change	The rendering matches the variation (class or attribute lazy, eager)	Not Run	—	—	—	—	—	—
TC-CARDS-011	Component variation	Desktop display	Cards: each choice of "Desktop display" gives its presentation	1. Select the Cards 2. Set "Desktop display" to each of: Grid, Horizontal scroll 3. Preview after each change	The rendering matches the variation (class or attribute grid, horizontal-scroll)	Not Run	—	—	—	—	—	—
TC-CARDS-012	Component variation	Tablet display	Cards: each choice of "Tablet display" gives its presentation	1. Select the Cards 2. Set "Tablet display" to each of: Grid, Horizontal scroll 3. Preview after each change	The rendering matches the variation (class or attribute grid, horizontal-scroll)	Not Run	—	—	—	—	—	—
TC-CARDS-013	Component variation	Mobile display	Cards: each choice of "Mobile display" gives its presentation	1. Select the Cards 2. Set "Mobile display" to each of: Grid, Horizontal scroll 3. Preview after each change	The rendering matches the variation (class or attribute grid, horizontal-scroll)	Not Run	—	—	—	—	—	—
TC-CARDS-014	Component variation	Snap alignment	Cards: each choice of "Snap alignment" gives its presentation	1. Select the Cards 2. Set "Snap alignment" to each of: Start, Center 3. Preview after each change	The rendering matches the variation (class or attribute start, center)	Not Run	—	—	—	—	—	—
TC-CARDS-015	Component variation	Scroll step	Cards: each choice of "Scroll step" gives its presentation	1. Select the Cards 2. Set "Scroll step" to each of: One card, Viewport 3. Preview after each change	The rendering matches the variation (class or attribute one-card, viewport)	Not Run	—	—	—	—	—	—
TC-CARDS-016	Component variation	Edge	Cards: each choice of "Edge" gives its presentation	1. Select the Cards 2. Set "Edge" to each of: Cards run to the edge, Inside the content width 3. Preview after each change	The rendering matches the variation (class or attribute bleed, none)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CARDS-017	Component variation	When there are no cards	Cards: each choice of "When there are no cards" gives its presentation	1. Select the Cards 2. Set "When there are no cards" to each of: Hide the block, Show a message 3. Preview after each change	The rendering matches the variation (class or attribute hide, message)	Not Run	—	—	—	—	—	—
TC-CARDS-018	Component variation	Style options	Cards: each choice of "Style options" gives its presentation	1. Select the Cards 2. Set "Style options" to each of: Compact statistic title, Dividers between rows, Header centred 3. Preview after each change	The rendering matches the variation (class or attribute stat-compact, dividers, header-center)	Not Run	—	—	—	—	—	—
TC-CARDS-019	Component variation	Open in a new tab	Card: each choice of "Open in a new tab" gives its presentation	1. Select the Card 2. Set "Open in a new tab" to each of: As the block, Yes, No 3. Preview after each change	The rendering matches the variation (class or attribute true, false)	Not Run	—	—	—	—	—	—
TC-CARDS-020	Component variation	Card style	Card: each choice of "Card style" gives its presentation	1. Select the Card 2. Set "Card style" to each of: As the block, Image card, Panel, Report, Statistic 3. Preview after each change	The rendering matches the variation (class or attribute image, panel, report, stat)	Not Run	—	—	—	—	—	—
TC-CARDS-021	Component variation	Card colour	Card: each choice of "Card colour" gives its presentation	1. Select the Card 2. Set "Card colour" to each of: As the block, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-003	Component variation	Style	Columns Container: each choice of "Style" gives its presentation	1. Select the Columns Container 2. Set "Style" to each of: Columns Container, Highlight 3. Preview after each change	The rendering matches the variation (class or attribute columns-container-section, highlight)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-004	Component variation	BG Color	Columns Container: each choice of "BG Color" gives its presentation	1. Select the Columns Container 2. Set "BG Color" to each of: Default, Grey, Dark, Dark green, Navy 3. Preview after each change	The rendering matches the variation (class or attribute bg-grey, bg-dark, bg-dark-green, bg-navy)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-COLUMNS-CONTAINER-005	Component variation	Width Type	Columns Container: each choice of "Width Type" gives its presentation	1. Select the Columns Container 2. Set "Width Type" to each of: Full Width, Fixed Width 3. Preview after each change	The rendering matches the variation (class or attribute full-width, fixed-width)	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-006	Component variation	Columns per row	Columns Container: each choice of "Columns per row" gives its presentation	1. Select the Columns Container 2. Set "Columns per row" to each of: Automatic, 1, 2, 3, 4 3. Preview after each change	The rendering matches the variation (class or attribute auto, 1, 2, 3, 4)	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-007	Component variation	Gap	Columns Container: each choice of "Gap" gives its presentation	1. Select the Columns Container 2. Set "Gap" to each of: None, Small, Medium, Large 3. Preview after each change	The rendering matches the variation (class or attribute none, small, medium, large)	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-008	Component variation	Vertical alignment	Columns Container: each choice of "Vertical alignment" gives its presentation	1. Select the Columns Container 2. Set "Vertical alignment" to each of: Top, Middle, Bottom, Stretch (equal heights) 3. Preview after each change	The rendering matches the variation (class or attribute top, middle, bottom, stretch)	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-009	Component variation	Side by side from	Columns Container: each choice of "Side by side from" gives its presentation	1. Select the Columns Container 2. Set "Side by side from" to each of: Tablet (600px), Desktop (900px), Large desktop (1200px) 3. Preview after each change	The rendering matches the variation (class or attribute tablet, desktop, large)	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-010	Component variation	Animation Type	Columns Container: each choice of "Animation Type" gives its presentation	1. Select the Columns Container 2. Set "Animation Type" to each of: None, Fade in, Fade up, Fade down, Fade left, Fade right, Slide up, Slide down, Slide left, Slide right, Scale in 3. Preview after each change	The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-COLUMNS-CONTAINER-011	Component variation	Motion Speed	Columns Container: each choice of "Motion Speed" gives its presentation	1. Select the Columns Container 2. Set "Motion Speed" to each of: Medium, Fast, Slow 3. Preview after each change	The rendering matches the variation (class or attribute motion-fast, motion-slow)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-012	Component variation	Animation Trigger	Columns Container: each choice of "Animation Trigger" gives its presentation	1. Select the Columns Container 2. Set "Animation Trigger" to each of: On Scroll / Viewport Entry, On Page Load 3. Preview after each change	The rendering matches the variation (class or attribute motion-on-load)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-013	Component variation	Padding left	Columns Container: each choice of "Padding left" gives its presentation	1. Select the Columns Container 2. Set "Padding left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-014	Component variation	Padding right	Columns Container: each choice of "Padding right" gives its presentation	1. Select the Columns Container 2. Set "Padding right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-015	Component variation	Padding top	Columns Container: each choice of "Padding top" gives its presentation	1. Select the Columns Container 2. Set "Padding top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-COLUMNS-CONTAINER-016	Component variation	Padding bottom	Columns Container: each choice of "Padding bottom" gives its presentation	1. Select the Columns Container 2. Set "Padding bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-017	Component variation	Margin left	Columns Container: each choice of "Margin left" gives its presentation	1. Select the Columns Container 2. Set "Margin left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-018	Component variation	Margin right	Columns Container: each choice of "Margin right" gives its presentation	1. Select the Columns Container 2. Set "Margin right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-019	Component variation	Margin top	Columns Container: each choice of "Margin top" gives its presentation	1. Select the Columns Container 2. Set "Margin top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...)	Not Run	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-020	Component variation	Margin bottom	Columns Container: each choice of "Margin bottom" gives its presentation	1. Select the Columns Container 2. Set "Margin bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CONVERSATION-CANVAS-003	Component variation	Canvas Style	Conversation Canvas: each choice of "Canvas Style" gives its presentation	1. Select the Conversation Canvas 2. Set "Canvas Style" to each of: Default, Primary (sticky), Secondary 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-004	Component variation	Floating journey	Conversation Canvas: each choice of "Floating journey" gives its presentation	1. Select the Conversation Canvas 2. Set "Floating journey" to each of: Floats and docks, Stays in place 3. Preview after each change	The rendering matches the variation (class or attribute nofloat)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-005	Component variation	Quick actions	Conversation Canvas: each choice of "Quick actions" gives its presentation	1. Select the Conversation Canvas 2. Set "Quick actions" to each of: Auto, Pills, Buttons 3. Preview after each change	The rendering matches the variation (class or attribute action-pills, action-buttons)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-006	Component variation	BG Style	Conversation Canvas: each choice of "BG Style" gives its presentation	1. Select the Conversation Canvas 2. Set "BG Style" to each of: Default, Dark (Primary) 3. Preview after each change	The rendering matches the variation (class or attribute default, dark)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-007	Component variation	Title Type	Conversation Canvas: each choice of "Title Type" gives its presentation	1. Select the Conversation Canvas 2. Set "Title Type" to each of: Default, Bigger Title, Medium Title 3. Preview after each change	The rendering matches the variation (class or attribute bigger, medium)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-008	Component variation	Navigation style	Conversation Canvas: each choice of "Navigation style" gives its presentation	1. Select the Conversation Canvas 2. Set "Navigation style" to each of: Pills, Text links 3. Preview after each change	The rendering matches the variation (class or attribute text-links)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CONVERSATION-CANVAS-009	Component variation	Search bar › Search bar button icon type	Conversation Canvas: each choice of "Search bar › Search bar button icon type" gives its presentation	1. Select the Conversation Canvas 2. Set "Search bar › Search bar button icon type" to each of: Primary, Secondary, Tertiary 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary, tertiary)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-010	Component variation	Views	Conversation Canvas Button: each choice of "Views" gives its presentation	1. Select the Conversation Canvas Button 2. Set "Views" to each of: Button, Icon, Link 3. Preview after each change	The rendering matches the variation (class or attribute button, icon, link)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-011	Component variation	Type	Conversation Canvas Button: each choice of "Type" gives its presentation	1. Select the Conversation Canvas Button 2. Set "Type" to each of: Primary, Secondary, Tertiary 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary, tertiary)	Not Run	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-012	Component variation	Icon	Conversation Canvas Button: each choice of "Icon" gives its presentation	1. Select the Conversation Canvas Button 2. Set "Icon" to each of: Arrow right, Chevron right, Chevron down, Search 3. Preview after each change	The rendering matches the variation (class or attribute arrow-right, chevron-right, chevron-down, search)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-003	Component variation	Default layout	Filter List: each choice of "Default layout" gives its presentation	1. Select the Filter List 2. Set "Default layout" to each of: Masonry, Grid, List 3. Preview after each change	The rendering matches the variation (class or attribute masonry, grid, list)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-004	Component variation	Datasource	Filter List: each choice of "Datasource" gives its presentation	1. Select the Filter List 2. Set "Datasource" to each of: Query Index, Manual List 3. Preview after each change	The rendering matches the variation (class or attribute query-index, manual)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-005	Component variation	Page types	Filter List: each choice of "Page types" gives its presentation	1. Select the Filter List 2. Set "Page types" to each of: Article, Blog, Press release 3. Preview after each change	The rendering matches the variation (class or attribute article, blog, press-release)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-FILTER-LIST-006	Component variation	Content types	Filter List: each choice of "Content types" gives its presentation	1. Select the Filter List 2. Set "Content types" to each of: Article, Blog, Insights, Case study, Whitepaper, Report, News, Event, Press release 3. Preview after each change	The rendering matches the variation (class or attribute article, blog, insights, case-study, whitepaper, report, ...)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-007	Component variation	Sort by	Filter List: each choice of "Sort by" gives its presentation	1. Select the Filter List 2. Set "Sort by" to each of: Latest First, Featured First, Priority, Alphabetical 3. Preview after each change	The rendering matches the variation (class or attribute latest, featured, priority, alphabetical)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-008	Component variation	Filter logic	Filter List: each choice of "Filter logic" gives its presentation	1. Select the Filter List 2. Set "Filter logic" to each of: AND, OR 3. Preview after each change	The rendering matches the variation (class or attribute and, or)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-009	Component variation	Card style	Filter List: each choice of "Card style" gives its presentation	1. Select the Filter List 2. Set "Card style" to each of: Default, Compact, Featured, Mixed 3. Preview after each change	The rendering matches the variation (class or attribute default, compact, featured, mixed)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-010	Component variation	Featured rule	Filter List: each choice of "Featured rule" gives its presentation	1. Select the Filter List 2. Set "Featured rule" to each of: Marked as featured (featured metadata), Priority 1 to 3 (priority metadata), Manual 3. Preview after each change	The rendering matches the variation (class or attribute featured, priority, manual)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-011	Component variation	Hero rule	Filter List: each choice of "Hero rule" gives its presentation	1. Select the Filter List 2. Set "Hero rule" to each of: Latest, Featured, Manual 3. Preview after each change	The rendering matches the variation (class or attribute latest, featured, manual)	Not Run	—	—	—	—	—	—
TC-FILTER-LIST-012	Component variation	Use	Filter Page: each choice of "Use" gives its presentation	1. Select the Filter Page 2. Set "Use" to each of: Listed (Manual List), Featured 3. Preview after each change	The rendering matches the variation (class or attribute listed, featured)	Not Run	—	—	—	—	—	—
TC-FOOTER-003	Component variation	Link List › Link Type	Footer: each choice of "Link List › Link Type" gives its presentation	1. Select the Footer 2. Set "Link List › Link Type" to each of: Default, Open in new window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-FOOTER-004	Component variation	Open in	Footer Link: each choice of "Open in" gives its presentation	1. Select the Footer Link 2. Set "Open in" to each of: Same tab, New tab 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—
TC-FORM-VARIATIONS-003	Component variation	Theme	Form Variations: each choice of "Theme" gives its presentation	1. Select the Form Variations 2. Set "Theme" to each of: Default, Dark 3. Preview after each change	The rendering matches the variation (class or attribute dark)	Not Run	—	—	—	—	—	—
TC-FORM-VARIATIONS-004	Component variation	Input Type	Text Input Field: each choice of "Input Type" gives its presentation	1. Select the Text Input Field 2. Set "Input Type" to each of: Text, Email, Tel 3. Preview after each change	The rendering matches the variation (class or attribute text, email, tel)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-003	Component variation	Style	Gen Carousel: each choice of "Style" gives its presentation	1. Select the Gen Carousel 2. Set "Style" to each of: Default 3. Preview after each change	The rendering matches the variation (class or attribute gen-carousel-section)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-004	Component variation	Navigation	Gen Carousel: each choice of "Navigation" gives its presentation	1. Select the Gen Carousel 2. Set "Navigation" to each of: Manual, Auto, Manual and Auto 3. Preview after each change	The rendering matches the variation (class or attribute manual, auto, manual-auto)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-005	Component variation	Animation Type	Gen Carousel: each choice of "Animation Type" gives its presentation	1. Select the Gen Carousel 2. Set "Animation Type" to each of: None, Fade in, Fade up, Fade down, Fade left, Fade right, Slide up, Slide down, Slide left, Slide right, Scale in 3. Preview after each change	The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-006	Component variation	Motion Speed	Gen Carousel: each choice of "Motion Speed" gives its presentation	1. Select the Gen Carousel 2. Set "Motion Speed" to each of: Medium, Fast, Slow 3. Preview after each change	The rendering matches the variation (class or attribute motion-fast, motion-slow)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-GEN-CAROUSEL-007	Component variation	Animation Trigger	Gen Carousel: each choice of "Animation Trigger" gives its presentation	1. Select the Gen Carousel 2. Set "Animation Trigger" to each of: On Scroll / Viewport Entry, On Page Load 3. Preview after each change	The rendering matches the variation (class or attribute motion-on-load)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-008	Component variation	Padding left	Gen Carousel: each choice of "Padding left" gives its presentation	1. Select the Gen Carousel 2. Set "Padding left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-009	Component variation	Padding right	Gen Carousel: each choice of "Padding right" gives its presentation	1. Select the Gen Carousel 2. Set "Padding right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-010	Component variation	Padding top	Gen Carousel: each choice of "Padding top" gives its presentation	1. Select the Gen Carousel 2. Set "Padding top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-011	Component variation	Padding bottom	Gen Carousel: each choice of "Padding bottom" gives its presentation	1. Select the Gen Carousel 2. Set "Padding bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-GEN-CAROUSEL-012	Component variation	Margin left	Gen Carousel: each choice of "Margin left" gives its presentation	1. Select the Gen Carousel 2. Set "Margin left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-013	Component variation	Margin right	Gen Carousel: each choice of "Margin right" gives its presentation	1. Select the Gen Carousel 2. Set "Margin right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-014	Component variation	Margin top	Gen Carousel: each choice of "Margin top" gives its presentation	1. Select the Gen Carousel 2. Set "Margin top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...)	Not Run	—	—	—	—	—	—
TC-GEN-CAROUSEL-015	Component variation	Margin bottom	Gen Carousel: each choice of "Margin bottom" gives its presentation	1. Select the Gen Carousel 2. Set "Margin bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...)	Not Run	—	—	—	—	—	—
TC-HERO-003	Component variation	Hero Image type	Hero: each choice of "Hero Image type" gives its presentation	1. Select the Hero 2. Set "Hero Image type" to each of: Default, Lotto 3. Preview after each change	The rendering matches the variation (class or attribute lottie)	Not Run	—	—	—	—	—	—
TC-HERO-004	Component variation	Hero View	Hero: each choice of "Hero View" gives its presentation	1. Select the Hero 2. Set "Hero View" to each of: Default, Contained image 3. Preview after each change	The rendering matches the variation (class or attribute media-contained)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-HERO-005	Component variation	Title heading level	Hero: each choice of "Title heading level" gives its presentation	1. Select the Hero 2. Set "Title heading level" to each of: H1, H2 3. Preview after each change	The rendering matches the variation (class or attribute h1, h2)	Not Run	—	—	—	—	—	—
TC-HERO-006	Component variation	CTA List › CTA Text color	Hero: each choice of "CTA List › CTA Text color" gives its presentation	1. Select the Hero 2. Set "CTA List › CTA Text color" to each of: Default (Black), White 3. Preview after each change	The rendering matches the variation (class or attribute cta-text-black, cta-text-white)	Not Run	—	—	—	—	—	—
TC-HERO-007	Component variation	CTA List › CTA Link Type	Hero: each choice of "CTA List › CTA Link Type" gives its presentation	1. Select the Hero 2. Set "CTA List › CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute same-window, new-window)	Not Run	—	—	—	—	—	—
TC-HERO-008	Component variation	CTA List › CTA view	Hero: each choice of "CTA List › CTA view" gives its presentation	1. Select the Hero 2. Set "CTA List › CTA view" to each of: Default, Primary, Secondary 3. Preview after each change	The rendering matches the variation (class or attribute default, primary, secondary)	Not Run	—	—	—	—	—	—
TC-HERO-009	Component variation	CTA List › Primary CTA BG Color (Primary only)	Hero: each choice of "CTA List › Primary CTA BG Color (Primary only)" gives its presentation	1. Select the Hero 2. Set "CTA List › Primary CTA BG Color (Primary only)" to each of: Default, Blue-cyan (azure) 3. Preview after each change	The rendering matches the variation (class or attribute primary-bg-default, primary-bg-azure)	Not Run	—	—	—	—	—	—
TC-HERO-010	Component variation	CTA List › Secondary CTA BG Color (Secondary only)	Hero: each choice of "CTA List › Secondary CTA BG Color (Secondary only)" gives its presentation	1. Select the Hero 2. Set "CTA List › Secondary CTA BG Color (Secondary only)" to each of: Default (transparent), Light grey, Black 40% 3. Preview after each change	The rendering matches the variation (class or attribute secondary-bg-default, secondary-bg-light-grey, secondary-bg-black-40)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-HERO-011	Component variation	CTA List › Secondary CTA Border color (Secondary only)	Hero: each choice of "CTA List › Secondary CTA Border color (Secondary only)" gives its presentation	1. Select the Hero 2. Set "CTA List › Secondary CTA Border color (Secondary only)" to each of: Default (as the BG Color), Black, White 3. Preview after each change	The rendering matches the variation (class or attribute secondary-border-default, secondary-border-black, secondary-border-white)	Not Run	—	—	—	—	—	—
TC-HERO-012	Component variation	CTA List › CTA Arrow	Hero: each choice of "CTA List › CTA Arrow" gives its presentation	1. Select the Hero 2. Set "CTA List › CTA Arrow" to each of: Right, Down 3. Preview after each change	The rendering matches the variation (class or attribute right, down)	Not Run	—	—	—	—	—	—
TC-HERO-013	Component variation	Vertical Alignment	Hero: each choice of "Vertical Alignment" gives its presentation	1. Select the Hero 2. Set "Vertical Alignment" to each of: Top, Middle, Bottom 3. Preview after each change	The rendering matches the variation (class or attribute align-top, align-middle, align-bottom)	Not Run	—	—	—	—	—	—
TC-HERO-014	Component variation	Horizontal Alignment	Hero: each choice of "Horizontal Alignment" gives its presentation	1. Select the Hero 2. Set "Horizontal Alignment" to each of: Left, Center, Right 3. Preview after each change	The rendering matches the variation (class or attribute align-left, align-center, align-right)	Not Run	—	—	—	—	—	—
TC-HERO-015	Component variation	Text Alignment	Hero: each choice of "Text Alignment" gives its presentation	1. Select the Hero 2. Set "Text Alignment" to each of: Left align, Center align, Right align 3. Preview after each change	The rendering matches the variation (class or attribute text-left, text-center, text-right)	Not Run	—	—	—	—	—	—
TC-HERO-016	Component variation	BG Color	Hero: each choice of "BG Color" gives its presentation	1. Select the Hero 2. Set "BG Color" to each of: Default, Light, no overlay, Dark blue, Dark blue (subtle), Black, Charcoal Black 80 (cool charcoal), Midnight Navy 60, Charcoal Black 40 (deep charcoal) 3. Preview after each change	The rendering matches the variation (class or attribute bg-light, bg-dark, bg-dark-subtle, bg-black, bg-charcoal-80, bg-navy-60, ...)	Not Run	—	—	—	—	—	—
TC-HERO-017	Component variation	Icon color	Hero: each choice of "Icon color" gives its presentation	1. Select the Hero 2. Set "Icon color" to each of: Default (as authored), Black, White, Blue, Pale blue 3. Preview after each change	The rendering matches the variation (class or attribute icon-black, icon-white, icon-blue, icon-pale-blue)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-HERO-018	Component variation	Eyebrow color	Hero: each choice of "Eyebrow color" gives its presentation	1. Select the Hero 2. Set "Eyebrow color" to each of: Default (royal blue), Royal blue, Soft sky blue 3. Preview after each change	The rendering matches the variation (class or attribute eyebrow-royal-blue, eyebrow-sky-blue)	Not Run	—	—	—	—	—	—
TC-HERO-019	Component variation	CTA Link Type	CTA: each choice of "CTA Link Type" gives its presentation	1. Select the CTA 2. Set "CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—
TC-HERO-020	Component variation	CTA view	CTA: each choice of "CTA view" gives its presentation	1. Select the CTA 2. Set "CTA view" to each of: Default, Primary, Secondary 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary)	Not Run	—	—	—	—	—	—
TC-HERO-021	Component variation	CTA Arrow	CTA: each choice of "CTA Arrow" gives its presentation	1. Select the CTA 2. Set "CTA Arrow" to each of: Auto (down for links to sections of this page), Right, Down 3. Preview after each change	The rendering matches the variation (class or attribute right, down)	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-003	Component variation	Title Type	Image Collage: each choice of "Title Type" gives its presentation	1. Select the Image Collage 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-004	Component variation	Primary CTA Link Type	Image Collage: each choice of "Primary CTA Link Type" gives its presentation	1. Select the Image Collage 2. Set "Primary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-005	Component variation	Primary CTA Link Style	Image Collage: each choice of "Primary CTA Link Style" gives its presentation	1. Select the Image Collage 2. Set "Primary CTA Link Style" to each of: Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change	The rendering matches the variation (class or attribute primary, primary-no-arrow, secondary, secondary-no-arrow)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-IMAGE-COLLAGE-006	Component variation	Primary CTA Background	Image Collage: each choice of "Primary CTA Background" gives its presentation	1. Select the Image Collage 2. Set "Primary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	NotRun	—	—	—	—	—	—
TC-IMAGE-COLLAGE-007	Component variation	Primary CTA Shape	Image Collage: each choice of "Primary CTA Shape" gives its presentation	1. Select the Image Collage 2. Set "Primary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change	The rendering matches the variation (class or attribute button-rectangle)	NotRun	—	—	—	—	—	—
TC-IMAGE-COLLAGE-008	Component variation	Secondary CTA Link Type	Image Collage: each choice of "Secondary CTA Link Type" gives its presentation	1. Select the Image Collage 2. Set "Secondary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	NotRun	—	—	—	—	—	—
TC-IMAGE-COLLAGE-009	Component variation	Secondary CTA Link Style	Image Collage: each choice of "Secondary CTA Link Style" gives its presentation	1. Select the Image Collage 2. Set "Secondary CTA Link Style" to each of: Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change	The rendering matches the variation (class or attribute primary, primary-no-arrow, secondary, secondary-no-arrow)	NotRun	—	—	—	—	—	—
TC-IMAGE-COLLAGE-010	Component variation	Secondary CTA Background	Image Collage: each choice of "Secondary CTA Background" gives its presentation	1. Select the Image Collage 2. Set "Secondary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	NotRun	—	—	—	—	—	—
TC-IMAGE-COLLAGE-011	Component variation	Secondary CTA Shape	Image Collage: each choice of "Secondary CTA Shape" gives its presentation	1. Select the Image Collage 2. Set "Secondary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change	The rendering matches the variation (class or attribute button-rectangle)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-IMAGE-COLLAGE-012	Component variation	Title weight	Image Collage: each choice of "Title weight" gives its presentation	1. Select the Image Collage 2. Set "Title weight" to each of: Layout default, Regular, Semibold 3. Preview after each change	The rendering matches the variation (class or attribute title-regular, title-semibold)	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-013	Component variation	Description size	Image Collage: each choice of "Description size" gives its presentation	1. Select the Image Collage 2. Set "Description size" to each of: Layout default, Regular (18px), Large (24px) 3. Preview after each change	The rendering matches the variation (class or attribute text-regular, text-large)	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-014	Component variation	Background color	Image Collage: each choice of "Background color" gives its presentation	1. Select the Image Collage 2. Set "Background color" to each of: Dark, Navy 3. Preview after each change	The rendering matches the variation (class or attribute bg-navy)	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-015	Component variation	Image treatment	Collage image item: each choice of "Image treatment" gives its presentation	1. Select the Collage image item 2. Set "Image treatment" to each of: Black and white, Normal 3. Preview after each change	The rendering matches the variation (class or attribute black-white, normal)	Not Run	—	—	—	—	—	—
TC-LIST-003	Component variation	Heading type	List: each choice of "Heading type" gives its presentation	1. Select the List 2. Set "Heading type" to each of: H2, H3, H4, H5, H6 3. Preview after each change	The rendering matches the variation (class or attribute h2, h3, h4, h5, h6)	Not Run	—	—	—	—	—	—
TC-LIST-004	Component variation	CTA style	List: each choice of "CTA style" gives its presentation	1. Select the List 2. Set "CTA style" to each of: Text link, Primary button, Secondary button 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary)	Not Run	—	—	—	—	—	—
TC-LIST-005	Component variation	List source	List: each choice of "List source" gives its presentation	1. Select the List 2. Set "List source" to each of: Child pages, Fixed list, Tagged pages 3. Preview after each change	The rendering matches the variation (class or attribute parent, fixed, tags)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-LIST-006	Component variation	Match	List: each choice of "Match" gives its presentation	1. Select the List 2. Set "Match" to each of: Any of the tags, All of the tags 3. Preview after each change	The rendering matches the variation (class or attribute any, all)	Not Run	—	—	—	—	—	—
TC-LIST-007	Component variation	Order by	List: each choice of "Order by" gives its presentation	1. Select the List 2. Set "Order by" to each of: Manual (as authored; path order for pages), Title, Last modified 3. Preview after each change	The rendering matches the variation (class or attribute manual, title, lastModified)	Not Run	—	—	—	—	—	—
TC-LIST-008	Component variation	Sort order	List: each choice of "Sort order" gives its presentation	1. Select the List 2. Set "Sort order" to each of: Ascending, Descending 3. Preview after each change	The rendering matches the variation (class or attribute ascending, descending)	Not Run	—	—	—	—	—	—
TC-LIST-009	Component variation	Card style	List: each choice of "Card style" gives its presentation	1. Select the List 2. Set "Card style" to each of: Image card, Panel, Report, Statistic, Mixed 3. Preview after each change	The rendering matches the variation (class or attribute image, panel, report, stat, mixed)	Not Run	—	—	—	—	—	—
TC-LIST-010	Component variation	Card colour	List: each choice of "Card colour" gives its presentation	1. Select the List 2. Set "Card colour" to each of: Default for the style, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	Not Run	—	—	—	—	—	—
TC-LIST-011	Component variation	Image ratio	List: each choice of "Image ratio" gives its presentation	1. Select the List 2. Set "Image ratio" to each of: 16:9, 1:1, 4:3, 3:2 3. Preview after each change	The rendering matches the variation (class or attribute 16-9, 1-1, 4-3, 3-2)	Not Run	—	—	—	—	—	—
TC-LIST-012	Component variation	Panel height	List: each choice of "Panel height" gives its presentation	1. Select the List 2. Set "Panel height" to each of: Portrait (2:3), Compact, Content 3. Preview after each change	The rendering matches the variation (class or attribute portrait, compact, auto)	Not Run	—	—	—	—	—	—
TC-LIST-013	Component variation	Date format	List: each choice of "Date format" gives its presentation	1. Select the List 2. Set "Date format" to each of: 04 Sep 26, 04-09-2026, 09-04-2026, Sep 4, 2026, 04/09/26, 4th September 2026 3. Preview after each change	The rendering matches the variation (class or attribute dd-mmm-yy, dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy, do-mmmm-yyyy)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-LIST-014	Component variation	Image loading	List: each choice of "Image loading" gives its presentation	1. Select the List 2. Set "Image loading" to each of: Lazy, Eager (first screen) 3. Preview after each change	The rendering matches the variation (class or attribute lazy, eager)	NotRun	—	—	—	—	—	—
TC-LIST-015	Component variation	Desktop display	List: each choice of "Desktop display" gives its presentation	1. Select the List 2. Set "Desktop display" to each of: Grid, Horizontal scroll 3. Preview after each change	The rendering matches the variation (class or attribute grid, horizontal-scroll)	NotRun	—	—	—	—	—	—
TC-LIST-016	Component variation	Tablet display	List: each choice of "Tablet display" gives its presentation	1. Select the List 2. Set "Tablet display" to each of: Grid, Horizontal scroll 3. Preview after each change	The rendering matches the variation (class or attribute grid, horizontal-scroll)	NotRun	—	—	—	—	—	—
TC-LIST-017	Component variation	Mobile display	List: each choice of "Mobile display" gives its presentation	1. Select the List 2. Set "Mobile display" to each of: Grid, Horizontal scroll 3. Preview after each change	The rendering matches the variation (class or attribute grid, horizontal-scroll)	NotRun	—	—	—	—	—	—
TC-LIST-018	Component variation	Snap alignment	List: each choice of "Snap alignment" gives its presentation	1. Select the List 2. Set "Snap alignment" to each of: Start, Center 3. Preview after each change	The rendering matches the variation (class or attribute start, center)	NotRun	—	—	—	—	—	—
TC-LIST-019	Component variation	Scroll step	List: each choice of "Scroll step" gives its presentation	1. Select the List 2. Set "Scroll step" to each of: One card, Viewport 3. Preview after each change	The rendering matches the variation (class or attribute one-card, viewport)	NotRun	—	—	—	—	—	—
TC-LIST-020	Component variation	Edge	List: each choice of "Edge" gives its presentation	1. Select the List 2. Set "Edge" to each of: Cards run to the edge, Inside the content width 3. Preview after each change	The rendering matches the variation (class or attribute bleed, none)	NotRun	—	—	—	—	—	—
TC-LIST-021	Component variation	When there are no items	List: each choice of "When there are no items" gives its presentation	1. Select the List 2. Set "When there are no items" to each of: Hide the list, Show a message, Show the fallback items 3. Preview after each change	The rendering matches the variation (class or attribute hide, message, fallback)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-LIST-022	Component variation	Style options	List: each choice of "Style options" gives its presentation	1. Select the List 2. Set "Style options" to each of: Compact statistic title, Dividers between rows, Header centred 3. Preview after each change	The rendering matches the variation (class or attribute stat-compact, dividers, header-center)	Not Run	—	—	—	—	—	—
TC-LIST-023	Component variation	Open in a new tab	List Item: each choice of "Open in a new tab" gives its presentation	1. Select the List Item 2. Set "Open in a new tab" to each of: As the list, Yes, No 3. Preview after each change	The rendering matches the variation (class or attribute true, false)	Not Run	—	—	—	—	—	—
TC-LIST-024	Component variation	Card style	List Item: each choice of "Card style" gives its presentation	1. Select the List Item 2. Set "Card style" to each of: As the list, Image card, Panel, Report, Statistic 3. Preview after each change	The rendering matches the variation (class or attribute image, panel, report, stat)	Not Run	—	—	—	—	—	—
TC-LIST-025	Component variation	Card colour	List Item: each choice of "Card colour" gives its presentation	1. Select the List Item 2. Set "Card colour" to each of: As the list, Dark, Navy, Brand blue, Light blue, Light grey, Mid grey, Grey gradient, Image background 3. Preview after each change	The rendering matches the variation (class or attribute dark, navy, brand, brand-light, grey, mid-grey, ...)	Not Run	—	—	—	—	—	—
TC-MEDIA-CONTACTS-003	Component variation	Title Type	Media Contacts: each choice of "Title Type" gives its presentation	1. Select the Media Contacts 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	Not Run	—	—	—	—	—	—
TC-PAGE-HEADER-003	Component variation	Layout	Page Header: each choice of "Layout" gives its presentation	1. Select the Page Header 2. Set "Layout" to each of: Default (from the Page Type), Landing (with the featured image), Secondary (title left, text right), Article (meta row, author), Display (large title) 3. Preview after each change	The rendering matches the variation (class or attribute landing, secondary, article, display)	Not Run	—	—	—	—	—	—
TC-PAGE-HEADER-004	Component variation	CTA List › CTA Link Type	Page Header: each choice of "CTA List › CTA Link Type" gives its presentation	1. Select the Page Header 2. Set "CTA List › CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-PAGE-HEADER-005	Component variation	CTA List › CTA Link Style	Page Header: each choice of "CTA List › CTA Link Style" gives its presentation	1. Select the Page Header 2. Set "CTA List › CTA Link Style" to each of: Text link, Primary Button, Secondary Button 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary)	Not Run	—	—	—	—	—	—
TC-PAGE-HEADER-006	Component variation	CTA Link Type	CTA: each choice of "CTA Link Type" gives its presentation	1. Select the CTA 2. Set "CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—
TC-PAGE-HEADER-007	Component variation	CTA Link Style	CTA: each choice of "CTA Link Style" gives its presentation	1. Select the CTA 2. Set "CTA Link Style" to each of: Text link, Primary Button, Secondary Button 3. Preview after each change	The rendering matches the variation (class or attribute tertiary, primary, secondary)	Not Run	—	—	—	—	—	—
TC-PAGE-HEADER-008	Component variation	Button background	CTA: each choice of "Button background" gives its presentation	1. Select the CTA 2. Set "Button background" to each of: Style default, Blue 3. Preview after each change	The rendering matches the variation (class or attribute button-bg-blue)	Not Run	—	—	—	—	—	—
TC-PAGE-HEADER-009	Component variation	Button shape	CTA: each choice of "Button shape" gives its presentation	1. Select the CTA 2. Set "Button shape" to each of: Style default, Round 3. Preview after each change	The rendering matches the variation (class or attribute button-round)	Not Run	—	—	—	—	—	—
TC-QUOTE-003	Component variation	Title Type	Quote: each choice of "Title Type" gives its presentation	1. Select the Quote 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	Not Run	—	—	—	—	—	—
TC-QUOTE-004	Component variation	Image Position (Desktop)	Quote: each choice of "Image Position (Desktop)" gives its presentation	1. Select the Quote 2. Set "Image Position (Desktop)" to each of: Right, Left 3. Preview after each change	The rendering matches the variation (class or attribute right, left)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-QUOTE-005	Component variation	Image Position (Mobile)	Quote: each choice of "Image Position (Mobile)" gives its presentation	1. Select the Quote 2. Set "Image Position (Mobile)" to each of: Top, Bottom 3. Preview after each change	The rendering matches the variation (class or attribute top, bottom)	Not Run	—	—	—	—	—	—
TC-QUOTE-006	Component variation	BG Color	Quote: each choice of "BG Color" gives its presentation	1. Select the Quote 2. Set "BG Color" to each of: Default, Grey 3. Preview after each change	The rendering matches the variation (class or attribute grey)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-003	Component variation	Accessibility mode	Separator: each choice of "Accessibility mode" gives its presentation	1. Select the Separator 2. Set "Accessibility mode" to each of: Decorative (visual only), Semantic (a thematic break) 3. Preview after each change	The rendering matches the variation (class or attribute decorative, semantic)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-004	Component variation	Separator variant	Separator: each choice of "Separator variant" gives its presentation	1. Select the Separator 2. Set "Separator variant" to each of: Default, Subtle, Strong, Inset, Full width, Dotted, Dashed, Gradient, Branded 3. Preview after each change	The rendering matches the variation (class or attribute default, subtle, strong, inset, full-width, dotted, ...)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-005	Component variation	Theme	Separator: each choice of "Theme" gives its presentation	1. Select the Separator 2. Set "Theme" to each of: Auto (as the section), Light background, Dark background, Brand background 3. Preview after each change	The rendering matches the variation (class or attribute auto, light, dark, brand)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-006	Component variation	Line style	Separator: each choice of "Line style" gives its presentation	1. Select the Separator 2. Set "Line style" to each of: As the variant, Solid, Dashed, Dotted, Gradient, None (spacing only) 3. Preview after each change	The rendering matches the variation (class or attribute solid, dashed, dotted, gradient, none)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-007	Component variation	Line thickness	Separator: each choice of "Line thickness" gives its presentation	1. Select the Separator 2. Set "Line thickness" to each of: As the variant, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change	The rendering matches the variation (class or attribute thin, medium, thick)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-SEPARATOR-008	Component variation	Line colour	Separator: each choice of "Line colour" gives its presentation	1. Select the Separator 2. Set "Line colour" to each of: As the variant, Default, Subtle, Neutral, Strong, Primary (brand), Secondary (light brand), Accent, Inverse (on dark) 3. Preview after each change	The rendering matches the variation (class or attribute default, subtle, neutral, strong, primary, secondary, ...)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-009	Component variation	Line opacity	Separator: each choice of "Line opacity" gives its presentation	1. Select the Separator 2. Set "Line opacity" to each of: 25%, 50%, 75%, 100% 3. Preview after each change	The rendering matches the variation (class or attribute 25, 50, 75, 100)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-010	Component variation	Separator width	Separator: each choice of "Separator width" gives its presentation	1. Select the Separator 2. Set "Separator width" to each of: As the variant, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change	The rendering matches the variation (class or attribute 25-percent, 50-percent, 75-percent, 100-percent, content-width, full-bleed, ...)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-011	Component variation	Maximum width	Separator: each choice of "Maximum width" gives its presentation	1. Select the Separator 2. Set "Maximum width" to each of: None, Small (320px), Medium (640px), Large (960px), Extra large (1280px), Content container 3. Preview after each change	The rendering matches the variation (class or attribute none, small, medium, large, extra-large, content-container)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-012	Component variation	Alignment	Separator: each choice of "Alignment" gives its presentation	1. Select the Separator 2. Set "Alignment" to each of: Start, Center, End 3. Preview after each change	The rendering matches the variation (class or attribute start, center, end)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-013	Component variation	Start decoration	Separator: each choice of "Start decoration" gives its presentation	1. Select the Separator 2. Set "Start decoration" to each of: None, Dot, Square, Diamond 3. Preview after each change	The rendering matches the variation (class or attribute none, dot, square, diamond)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-014	Component variation	Center decoration	Separator: each choice of "Center decoration" gives its presentation	1. Select the Separator 2. Set "Center decoration" to each of: None, Dot, Square, Diamond 3. Preview after each change	The rendering matches the variation (class or attribute none, dot, square, diamond)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-SEPARATOR-015	Component variation	End decoration	Separator: each choice of "End decoration" gives its presentation	1. Select the Separator 2. Set "End decoration" to each of: None, Dot, Square, Diamond 3. Preview after each change	The rendering matches the variation (class or attribute none, dot, square, diamond)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-016	Component variation	Background contrast	Separator: each choice of "Background contrast" gives its presentation	1. Select the Separator 2. Set "Background contrast" to each of: Standard, High (stronger line) 3. Preview after each change	The rendering matches the variation (class or attribute standard, high)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-017	Component variation	Desktop width	Separator: each choice of "Desktop width" gives its presentation	1. Select the Separator 2. Set "Desktop width" to each of: As Appearance, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change	The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-018	Component variation	Desktop thickness	Separator: each choice of "Desktop thickness" gives its presentation	1. Select the Separator 2. Set "Desktop thickness" to each of: As Appearance, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change	The rendering matches the variation (class or attribute inherit, thin, medium, thick)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-019	Component variation	Desktop alignment	Separator: each choice of "Desktop alignment" gives its presentation	1. Select the Separator 2. Set "Desktop alignment" to each of: As Appearance, Start, Center, End 3. Preview after each change	The rendering matches the variation (class or attribute inherit, start, center, end)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-020	Component variation	Tablet width	Separator: each choice of "Tablet width" gives its presentation	1. Select the Separator 2. Set "Tablet width" to each of: As Appearance, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change	The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-021	Component variation	Tablet thickness	Separator: each choice of "Tablet thickness" gives its presentation	1. Select the Separator 2. Set "Tablet thickness" to each of: As Appearance, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change	The rendering matches the variation (class or attribute inherit, thin, medium, thick)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-SEPARATOR-022	Component variation	Tablet alignment	Separator: each choice of "Tablet alignment" gives its presentation	1. Select the Separator 2. Set "Tablet alignment" to each of: As Appearance, Start, Center, End 3. Preview after each change	The rendering matches the variation (class or attribute inherit, start, center, end)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-023	Component variation	Mobile width	Separator: each choice of "Mobile width" gives its presentation	1. Select the Separator 2. Set "Mobile width" to each of: As Appearance, 25%, 50%, 75%, 100%, Content width, Full bleed (section edge to edge) 3. Preview after each change	The rendering matches the variation (class or attribute inherit, 25-percent, 50-percent, 75-percent, 100-percent, content-width, ...)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-024	Component variation	Mobile thickness	Separator: each choice of "Mobile thickness" gives its presentation	1. Select the Separator 2. Set "Mobile thickness" to each of: As Appearance, Thin (1px), Medium (2px), Thick (3px) 3. Preview after each change	The rendering matches the variation (class or attribute inherit, thin, medium, thick)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-025	Component variation	Mobile alignment	Separator: each choice of "Mobile alignment" gives its presentation	1. Select the Separator 2. Set "Mobile alignment" to each of: As Appearance, Start, Center, End 3. Preview after each change	The rendering matches the variation (class or attribute inherit, start, center, end)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-026	Component variation	Desktop top spacing	Separator: each choice of "Desktop top spacing" gives its presentation	1. Select the Separator 2. Set "Desktop top spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-027	Component variation	Desktop bottom spacing	Separator: each choice of "Desktop bottom spacing" gives its presentation	1. Select the Separator 2. Set "Desktop bottom spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	NotRun	—	—	—	—	—	—
TC-SEPARATOR-028	Component variation	Tablet top spacing	Separator: each choice of "Tablet top spacing" gives its presentation	1. Select the Separator 2. Set "Tablet top spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-SEPARATOR-029	Component variation	Tablet bottom spacing	Separator: each choice of "Tablet bottom spacing" gives its presentation	1. Select the Separator 2. Set "Tablet bottom spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-030	Component variation	Mobile top spacing	Separator: each choice of "Mobile top spacing" gives its presentation	1. Select the Separator 2. Set "Mobile top spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-031	Component variation	Mobile bottom spacing	Separator: each choice of "Mobile bottom spacing" gives its presentation	1. Select the Separator 2. Set "Mobile bottom spacing" to each of: Default, None, 2XS (4px), XS (8px), Small (16px), Medium (24px), Large (40px), XL (64px), 2XL (80px) 3. Preview after each change	The rendering matches the variation (class or attribute default, none, 2xs, xs, small, medium, ...)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-032	Component variation	Animate on view	Separator: each choice of "Animate on view" gives its presentation	1. Select the Separator 2. Set "Animate on view" to each of: None, Fade, Draw from start, Draw from center 3. Preview after each change	The rendering matches the variation (class or attribute none, fade, draw-from-start, draw-from-center)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-033	Component variation	Reduced motion fallback	Separator: each choice of "Reduced motion fallback" gives its presentation	1. Select the Separator 2. Set "Reduced motion fallback" to each of: Show immediately, Short fade 3. Preview after each change	The rendering matches the variation (class or attribute static, fade)	Not Run	—	—	—	—	—	—
TC-SEPARATOR-034	Component variation	Print	Separator: each choice of "Print" gives its presentation	1. Select the Separator 2. Set "Print" to each of: Show when printed, Hide when printed 3. Preview after each change	The rendering matches the variation (class or attribute show, hide)	Not Run	—	—	—	—	—	—
TC-TAB-003	Component variation	Columns per row	Tab: each choice of "Columns per row" gives its presentation	1. Select the Tab 2. Set "Columns per row" to each of: Automatic, 1, 2, 3, 4 3. Preview after each change	The rendering matches the variation (class or attribute per-row-1, per-row-2, per-row-3, per-row-4)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABLE-003	Component variation	Options	Table: each choice of "Options" gives its presentation	1. Select the Table 2. Set "Options" to each of: Border, Header 3. Preview after each change	The rendering matches the variation (class or attribute)	Not Run	—	—	—	—	—	—
TC-TABLE-004	Component variation	Columns	Table: each choice of "Columns" gives its presentation	1. Select the Table 2. Set "Columns" to each of: 1 Column, 2 Columns, 3 Columns, 4 Columns, 5 Columns, 6 Columns, 7 Columns, 8 Columns, 9 Columns 3. Preview after each change	The rendering matches the variation (class or attribute table, table-2-columns, table-3-columns, table-4-columns, table-5-columns, table-6-columns, ...)	Not Run	—	—	—	—	—	—
TC-TABLE-LIST-003	Component variation	Variation	Table List: each choice of "Variation" gives its presentation	1. Select the Table List 2. Set "Variation" to each of: Variation 1 - Title, description, arrow, Variation 2 - Description, large title, button, Variation 3 - Description, number, large title, arrow, Variation 4 - Wide title, grey description, arrow (row hover), Variation 5 - Label, large description (steps), Variation 6 - Description, right-aligned title, small arrow 3. Preview after each change	The rendering matches the variation (class or attribute industries, solutions, products, segments, approach, platforms)	Not Run	—	—	—	—	—	—
TC-TABLE-LIST-004	Component variation	Background color	Table List: each choice of "Background color" gives its presentation	1. Select the Table List 2. Set "Background color" to each of: White (default), Black, Dark Green, Navy 3. Preview after each change	The rendering matches the variation (class or attribute white, black, dark-green, navy)	Not Run	—	—	—	—	—	—
TC-TABLE-LIST-005	Component variation	Heading Type	Table List: each choice of "Heading Type" gives its presentation	1. Select the Table List 2. Set "Heading Type" to each of: H2, H3, H4 3. Preview after each change	The rendering matches the variation (class or attribute h2, h3, h4)	Not Run	—	—	—	—	—	—
TC-TABLE-LIST-006	Component variation	Heading position	Table List: each choice of "Heading position" gives its presentation	1. Select the Table List 2. Set "Heading position" to each of: Above the list, Beside the list 3. Preview after each change	The rendering matches the variation (class or attribute beside)	Not Run	—	—	—	—	—	—
TC-TABLE-LIST-007	Component variation	Style	Table List: each choice of "Style" gives its presentation	1. Select the Table List 2. Set "Style" to each of: Variation default, Filled button, Outline button, Text link 3. Preview after each change	The rendering matches the variation (class or attribute primary, secondary, tertiary)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABLE-LIST-008	Component variation	Numbers	Table List: each choice of "Numbers" gives its presentation	1. Select the Table List 2. Set "Numbers" to each of: Variation default, Show, Show on mobile only, Hide 3. Preview after each change	The rendering matches the variation (class or attribute show, mobile, hide)	NotRun	—	—	—	—	—	—
TC-TABLE-LIST-009	Component variation	Item link	Table List: each choice of "Item link" gives its presentation	1. Select the Table List 2. Set "Item link" to each of: Variation default, Arrow, Diagonal arrow, Circled arrow, Button 3. Preview after each change	The rendering matches the variation (class or attribute arrow, arrow-up-right, arrow-circle, button)	NotRun	—	—	—	—	—	—
TC-TABLE-LIST-010	Component variation	Trademark	Table List Item: each choice of "Trademark" gives its presentation	1. Select the Table List Item 2. Set "Trademark" to each of: None, ™ Trademark, ® Registered 3. Preview after each change	The rendering matches the variation (class or attribute tm, r)	NotRun	—	—	—	—	—	—
TC-TABS-003	Component variation	Component	Tabs Container: each choice of "Component" gives its presentation	1. Select the Tabs Container 2. Set "Component" to each of: Tabs 3. Preview after each change	The rendering matches the variation (class or attribute tabs-section)	NotRun	—	—	—	—	—	—
TC-TABS-004	Component variation	Width Type	Tabs Container: each choice of "Width Type" gives its presentation	1. Select the Tabs Container 2. Set "Width Type" to each of: Full Width, Fixed Width 3. Preview after each change	The rendering matches the variation (class or attribute full-width, fixed-width)	NotRun	—	—	—	—	—	—
TC-TABS-005	Component variation	Style	Tabs Container: each choice of "Style" gives its presentation	1. Select the Tabs Container 2. Set "Style" to each of: Underline, Boxed, Pills 3. Preview after each change	The rendering matches the variation (class or attribute underline, boxed, pills)	NotRun	—	—	—	—	—	—
TC-TABS-006	Component variation	Alignment	Tabs Container: each choice of "Alignment" gives its presentation	1. Select the Tabs Container 2. Set "Alignment" to each of: Left, Center, Full width (stretch) 3. Preview after each change	The rendering matches the variation (class or attribute left, center, stretch)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABS-007	Component variation	Orientation	Tabs Container: each choice of "Orientation" gives its presentation	1. Select the Tabs Container 2. Set "Orientation" to each of: Horizontal, Vertical 3. Preview after each change	The rendering matches the variation (class or attribute horizontal, vertical)	NotRun	—	—	—	—	—	—
TC-TABS-008	Component variation	Animation Type	Tabs Container: each choice of "Animation Type" gives its presentation	1. Select the Tabs Container 2. Set "Animation Type" to each of: None, Fade in, Fade up, Fade down, Fade left, Fade right, Slide up, Slide down, Slide left, Slide right, Scale in 3. Preview after each change	The rendering matches the variation (class or attribute motion-fade-in, motion-fade-up, motion-fade-down, motion-fade-left, motion-fade-right, motion-slide-up, ...)	NotRun	—	—	—	—	—	—
TC-TABS-009	Component variation	Motion Speed	Tabs Container: each choice of "Motion Speed" gives its presentation	1. Select the Tabs Container 2. Set "Motion Speed" to each of: Medium, Fast, Slow 3. Preview after each change	The rendering matches the variation (class or attribute motion-fast, motion-slow)	NotRun	—	—	—	—	—	—
TC-TABS-010	Component variation	Animation Trigger	Tabs Container: each choice of "Animation Trigger" gives its presentation	1. Select the Tabs Container 2. Set "Animation Trigger" to each of: On Scroll / Viewport Entry, On Page Load 3. Preview after each change	The rendering matches the variation (class or attribute motion-on-load)	NotRun	—	—	—	—	—	—
TC-TABS-011	Component variation	Padding left	Tabs Container: each choice of "Padding left" gives its presentation	1. Select the Tabs Container 2. Set "Padding left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pl-0, pl-100, pl-200, pl-300, pl-400, pl-500, ...)	NotRun	—	—	—	—	—	—
TC-TABS-012	Component variation	Padding right	Tabs Container: each choice of "Padding right" gives its presentation	1. Select the Tabs Container 2. Set "Padding right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pr-0, pr-100, pr-200, pr-300, pr-400, pr-500, ...)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABS-013	Component variation	Padding top	Tabs Container: each choice of "Padding top" gives its presentation	1. Select the Tabs Container 2. Set "Padding top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pt-0, pt-100, pt-200, pt-300, pt-400, pt-500, ...)	Not Run	—	—	—	—	—	—
TC-TABS-014	Component variation	Padding bottom	Tabs Container: each choice of "Padding bottom" gives its presentation	1. Select the Tabs Container 2. Set "Padding bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute pb-0, pb-100, pb-200, pb-300, pb-400, pb-500, ...)	Not Run	—	—	—	—	—	—
TC-TABS-015	Component variation	Margin left	Tabs Container: each choice of "Margin left" gives its presentation	1. Select the Tabs Container 2. Set "Margin left" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute ml-0, ml-100, ml-200, ml-300, ml-400, ml-500, ...)	Not Run	—	—	—	—	—	—
TC-TABS-016	Component variation	Margin right	Tabs Container: each choice of "Margin right" gives its presentation	1. Select the Tabs Container 2. Set "Margin right" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mr-0, mr-100, mr-200, mr-300, mr-400, mr-500, ...)	Not Run	—	—	—	—	—	—
TC-TABS-017	Component variation	Margin top	Tabs Container: each choice of "Margin top" gives its presentation	1. Select the Tabs Container 2. Set "Margin top" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mt-0, mt-100, mt-200, mt-300, mt-400, mt-500, ...)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABS-018	Component variation	Margin bottom	Tabs Container: each choice of "Margin bottom" gives its presentation	1. Select the Tabs Container 2. Set "Margin bottom" to each of: Default, 0 (none), 0.25rem (space-100), 0.5rem (space-200), 0.75rem (space-300), 1rem (space-400), 1.25rem (space-500), 1.5rem (space-600), 2rem (space-800), 2.5rem (space-1000), 3rem (space-1200), 4rem (space-1600), 5rem (space-2000), 6rem (space-2400), 7.5rem (space-3000) 3. Preview after each change	The rendering matches the variation (class or attribute mb-0, mb-100, mb-200, mb-300, mb-400, mb-500, ...)	Not Run	—	—	—	—	—	—
TC-TABS-019	Component variation	Style	Tabs: each choice of "Style" gives its presentation	1. Select the Tabs 2. Set "Style" to each of: Underline, Boxed, Pills 3. Preview after each change	The rendering matches the variation (class or attribute underline, boxed, pills)	Not Run	—	—	—	—	—	—
TC-TABS-020	Component variation	Alignment	Tabs: each choice of "Alignment" gives its presentation	1. Select the Tabs 2. Set "Alignment" to each of: Left, Center, Full width (stretch) 3. Preview after each change	The rendering matches the variation (class or attribute left, center, stretch)	Not Run	—	—	—	—	—	—
TC-TABS-021	Component variation	Orientation	Tabs: each choice of "Orientation" gives its presentation	1. Select the Tabs 2. Set "Orientation" to each of: Horizontal, Vertical 3. Preview after each change	The rendering matches the variation (class or attribute horizontal, vertical)	Not Run	—	—	—	—	—	—
TC-TCS-HEADER-003	Component variation	Header over the first block	TCS Header: each choice of "Header over the first block" gives its presentation	1. Select the TCS Header 2. Set "Header over the first block" to each of: Auto (over a light Hero), Always (over the first block), Never (the page starts below the header) 3. Preview after each change	The rendering matches the variation (class or attribute always, never)	Not Run	—	—	—	—	—	—
TC-TEASER-003	Component variation	Title Type	Teaser: each choice of "Title Type" gives its presentation	1. Select the Teaser 2. Set "Title Type" to each of: H1 (64px), H2 (48px), H3 (40px), H4 (28px), H5 (24px), H6 (20px) 3. Preview after each change	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	Not Run	—	—	—	—	—	—
TC-TEASER-004	Component variation	Date Format	Teaser: each choice of "Date Format" gives its presentation	1. Select the Teaser 2. Set "Date Format" to each of: DD-MM-YYYY, MM-DD-YYYY, MMM d, yyyy, DD/MM/YY 3. Preview after each change	The rendering matches the variation (class or attribute dd-mm-yyyy, mm-dd-yyyy, mmm-d-yyyy, dd/mm/yy)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TEASER-005	Component variation	Image type	Teaser: each choice of "Image type" gives its presentation	1. Select the Teaser 2. Set "Image type" to each of: Default, Lottie 3. Preview after each change	The rendering matches the variation (class or attribute lottie)	NotRun	—	—	—	—	—	—
TC-TEASER-006	Component variation	Image position	Teaser: each choice of "Image position" gives its presentation	1. Select the Teaser 2. Set "Image position" to each of: Left, Right, Top, Bottom 3. Preview after each change	The rendering matches the variation (class or attribute left, right, top, bottom)	NotRun	—	—	—	—	—	—
TC-TEASER-007	Component variation	Image position (mobile)	Teaser: each choice of "Image position (mobile)" gives its presentation	1. Select the Teaser 2. Set "Image position (mobile)" to each of: Default, Top, Bottom 3. Preview after each change	The rendering matches the variation (class or attribute mobile-image-top, mobile-image-bottom)	NotRun	—	—	—	—	—	—
TC-TEASER-008	Component variation	Image ratio	Teaser: each choice of "Image ratio" gives its presentation	1. Select the Teaser 2. Set "Image ratio" to each of: Default (10:9; 16:9 above or below the text; original in Text split), Portrait (8:9), Square (1:1), Original 3. Preview after each change	The rendering matches the variation (class or attribute ratio-8-9, ratio-1-1, ratio-original)	NotRun	—	—	—	—	—	—
TC-TEASER-009	Component variation	Image corners	Teaser: each choice of "Image corners" gives its presentation	1. Select the Teaser 2. Set "Image corners" to each of: Rounded, Square 3. Preview after each change	The rendering matches the variation (class or attribute square)	NotRun	—	—	—	—	—	—
TC-TEASER-010	Component variation	Links (authored before Link items) › CTA Link Type	Teaser: each choice of "Links (authored before Link items) › CTA Link Type" gives its presentation	1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	NotRun	—	—	—	—	—	—
TC-TEASER-011	Component variation	Links (authored before Link items) › CTA Link Style	Teaser: each choice of "Links (authored before Link items) › CTA Link Style" gives its presentation	1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change	The rendering matches the variation (class or attribute list, primary, primary-no-arrow, secondary, secondary-no-arrow)	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TEASER-012	Component variation	Links (authored before Link items) › CTA Background	Teaser: each choice of "Links (authored before Link items) › CTA Background" gives its presentation	1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	Not Run	—	—	—	—	—	—
TC-TEASER-013	Component variation	Links (authored before Link items) › CTA Shape	Teaser: each choice of "Links (authored before Link items) › CTA Shape" gives its presentation	1. Select the Teaser 2. Set "Links (authored before Link items) › CTA Shape" to each of: Style default, Rectangle 3. Preview after each change	The rendering matches the variation (class or attribute button-rectangle)	Not Run	—	—	—	—	—	—
TC-TEASER-014	Component variation	List arrow	Teaser: each choice of "List arrow" gives its presentation	1. Select the Teaser 2. Set "List arrow" to each of: Right, Down right, None 3. Preview after each change	The rendering matches the variation (class or attribute arrow-down-right, arrow-none)	Not Run	—	—	—	—	—	—
TC-TEASER-015	Component variation	Primary CTA Link Type	Teaser: each choice of "Primary CTA Link Type" gives its presentation	1. Select the Teaser 2. Set "Primary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—
TC-TEASER-016	Component variation	Primary CTA Link Style	Teaser: each choice of "Primary CTA Link Style" gives its presentation	1. Select the Teaser 2. Set "Primary CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change	The rendering matches the variation (class or attribute tertiary, list, primary, primary-no-arrow, secondary, secondary-no-arrow)	Not Run	—	—	—	—	—	—
TC-TEASER-017	Component variation	Primary CTA Background	Teaser: each choice of "Primary CTA Background" gives its presentation	1. Select the Teaser 2. Set "Primary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TEASER-018	Component variation	Primary CTA Shape	Teaser: each choice of "Primary CTA Shape" gives its presentation	1. Select the Teaser 2. Set "Primary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change	The rendering matches the variation (class or attribute button-rectangle)	Not Run	—	—	—	—	—	—
TC-TEASER-019	Component variation	Secondary CTA Link Type	Teaser: each choice of "Secondary CTA Link Type" gives its presentation	1. Select the Teaser 2. Set "Secondary CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—
TC-TEASER-020	Component variation	Secondary CTA Link Style	Teaser: each choice of "Secondary CTA Link Style" gives its presentation	1. Select the Teaser 2. Set "Secondary CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change	The rendering matches the variation (class or attribute tertiary, list, primary, primary-no-arrow, secondary, secondary-no-arrow)	Not Run	—	—	—	—	—	—
TC-TEASER-021	Component variation	Secondary CTA Background	Teaser: each choice of "Secondary CTA Background" gives its presentation	1. Select the Teaser 2. Set "Secondary CTA Background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	Not Run	—	—	—	—	—	—
TC-TEASER-022	Component variation	Secondary CTA Shape	Teaser: each choice of "Secondary CTA Shape" gives its presentation	1. Select the Teaser 2. Set "Secondary CTA Shape" to each of: Style default, Rectangle 3. Preview after each change	The rendering matches the variation (class or attribute button-rectangle)	Not Run	—	—	—	—	—	—
TC-TEASER-023	Component variation	Layout	Teaser: each choice of "Layout" gives its presentation	1. Select the Teaser 2. Set "Layout" to each of: Image & Text, Text split (title left, text right), Background image, Card, Image collage 3. Preview after each change	The rendering matches the variation (class or attribute no-image, background, card, image-collage)	Not Run	—	—	—	—	—	—
TC-TEASER-024	Component variation	BG Color	Teaser: each choice of "BG Color" gives its presentation	1. Select the Teaser 2. Set "BG Color" to each of: Default, Grey, Dark, Dark green, Navy 3. Preview after each change	The rendering matches the variation (class or attribute grey, dark, dark-green, navy)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TEASER-025	Component variation	Text alignment	Teaser: each choice of "Text alignment" gives its presentation	1. Select the Teaser 2. Set "Text alignment" to each of: Layout default, Left, Center, Right, Justify 3. Preview after each change	The rendering matches the variation (class or attribute text-left, text-center, text-right, text-justify)	Not Run	—	—	—	—	—	—
TC-TEASER-026	Component variation	Vertical alignment	Teaser: each choice of "Vertical alignment" gives its presentation	1. Select the Teaser 2. Set "Vertical alignment" to each of: Layout default, Top, Center, Bottom 3. Preview after each change	The rendering matches the variation (class or attribute valign-top, valign-middle, valign-bottom)	Not Run	—	—	—	—	—	—
TC-TEASER-027	Component variation	Title weight	Teaser: each choice of "Title weight" gives its presentation	1. Select the Teaser 2. Set "Title weight" to each of: Layout default, Regular, Semibold 3. Preview after each change	The rendering matches the variation (class or attribute title-regular, title-semibold)	Not Run	—	—	—	—	—	—
TC-TEASER-028	Component variation	Title color	Teaser: each choice of "Title color" gives its presentation	1. Select the Teaser 2. Set "Title color" to each of: Style default, Dark, White, Light blue 3. Preview after each change	The rendering matches the variation (class or attribute title-dark, title-white, title-light-blue)	Not Run	—	—	—	—	—	—
TC-TEASER-029	Component variation	Description size	Teaser: each choice of "Description size" gives its presentation	1. Select the Teaser 2. Set "Description size" to each of: Layout default, Regular (18px), Large (24px) 3. Preview after each change	The rendering matches the variation (class or attribute text-regular, text-large)	Not Run	—	—	—	—	—	—
TC-TEASER-030	Component variation	Eyebrow Style	Teaser: each choice of "Eyebrow Style" gives its presentation	1. Select the Teaser 2. Set "Eyebrow Style" to each of: Brand, Label (uppercase, grey), Grey, White 3. Preview after each change	The rendering matches the variation (class or attribute eyebrow-label, eyebrow-grey, eyebrow-white)	Not Run	—	—	—	—	—	—
TC-TEASER-031	Component variation	Top spacing	Teaser: each choice of "Top spacing" gives its presentation	1. Select the Teaser 2. Set "Top spacing" to each of: Default, Page header (extra space above) 3. Preview after each change	The rendering matches the variation (class or attribute spacing-header)	Not Run	—	—	—	—	—	—
TC-TEASER-032	Component variation	CTA Link Type	Link: each choice of "CTA Link Type" gives its presentation	1. Select the Link 2. Set "CTA Link Type" to each of: Default, Open in New Window 3. Preview after each change	The rendering matches the variation (class or attribute new-window)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TEASER-033	Component variation	CTA Link Style	Link: each choice of "CTA Link Style" gives its presentation	1. Select the Link 2. Set "CTA Link Style" to each of: Text link, List, Primary Button, Primary Button (no arrow), Secondary Button, Secondary Button (no arrow) 3. Preview after each change	The rendering matches the variation (class or attribute list, primary, primary-no-arrow, secondary, secondary-no-arrow)	Not Run	—	—	—	—	—	—
TC-TEASER-034	Component variation	Button background	Link: each choice of "Button background" gives its presentation	1. Select the Link 2. Set "Button background" to each of: Style default, White, Blue, Translucent white 3. Preview after each change	The rendering matches the variation (class or attribute button-bg-white, button-bg-blue, button-bg-translucent)	Not Run	—	—	—	—	—	—
TC-TEASER-035	Component variation	Button shape	Link: each choice of "Button shape" gives its presentation	1. Select the Link 2. Set "Button shape" to each of: Style default, Rectangle 3. Preview after each change	The rendering matches the variation (class or attribute button-rectangle)	Not Run	—	—	—	—	—	—
TC-TEASER-036	Component variation	Image treatment	Collage image: each choice of "Image treatment" gives its presentation	1. Select the Collage image 2. Set "Image treatment" to each of: Black and white, Normal 3. Preview after each change	The rendering matches the variation (class or attribute black-white, normal)	Not Run	—	—	—	—	—	—
TC-TESTIMONIAL-003	Component variation	Title Type	Testimonial: each choice of "Title Type" gives its presentation	1. Select the Testimonial 2. Set "Title Type" to each of: H1, H2, H3, H4, H5, H6 3. Preview after each change	The rendering matches the variation (class or attribute h1, h2, h3, h4, h5, h6)	Not Run	—	—	—	—	—	—
TC-TESTIMONIAL-004	Component variation	BG Color	Testimonial: each choice of "BG Color" gives its presentation	1. Select the Testimonial 2. Set "BG Color" to each of: Default, Grey, Navy 3. Preview after each change	The rendering matches the variation (class or attribute grey, navy)	Not Run	—	—	—	—	—	—
TC-VIDEO-003	Component variation	Playback	Video: each choice of "Playback" gives its presentation	1. Select the Video 2. Set "Playback" to each of: Play button (on the poster image), Autoplay when in view (muted), Background video (autoplay, muted, loop, no controls) 3. Preview after each change	The rendering matches the variation (class or attribute click, autoplay, background)	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-VIDEO-004	Component variation	Aspect Ratio	Video: each choice of "Aspect Ratio" gives its presentation	1. Select the Video 2. Set "Aspect Ratio" to each of: 16:9 (widescreen), 4:3, 1:1 (square), 21:9 (cinema), 9:16 (vertical) 3. Preview after each change	The rendering matches the variation (class or attribute 16-9, 4-3, 1-1, 21-9, 9-16)	Not Run	—	—	—	—	—	—
TC-VIDEO-005	Component variation	Size	Video: each choice of "Size" gives its presentation	1. Select the Video 2. Set "Size" to each of: Full width, Large (900px), Medium (640px), Small (420px) 3. Preview after each change	The rendering matches the variation (class or attribute full, large, medium, small)	Not Run	—	—	—	—	—	—
TC-VIDEO-006	Component variation	Alignment	Video: each choice of "Alignment" gives its presentation	1. Select the Video 2. Set "Alignment" to each of: Center, Left, Right 3. Preview after each change	The rendering matches the variation (class or attribute center, left, right)	Not Run	—	—	—	—	—	—

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Cross-Browser Test Cases

Attribute	Value
Document ID	QA-011
Audience	QA lead, testers, release lead
Purpose	Browser and device matrix
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Browser / device	Scope	Status
TC-XB-001	Chrome (desktop)	Reference pages smoke	Passed (Chromium automated, see the test summary)
TC-XB-002	Safari (macOS)	Reference pages smoke	Not Run
TC-XB-003	Firefox	Reference pages smoke	Not Run
TC-XB-004	Edge	Reference pages smoke	Not Run
TC-XB-005	Safari (iOS)	Reference pages smoke	Not Run
TC-XB-006	Chrome (Android)	Reference pages smoke	Not Run

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Curated Page Test Cases

Attribute	Value
Document ID	QA-009
Audience	QA lead, testers, release lead
Purpose	Cases of the curated design pages
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CDP-001	Curated page	—	Curated page case-study renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-002	Curated page	—	Curated page collection renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-003	Curated page	—	Curated page ar-landing renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-004	Curated page	—	Curated page csr renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CDP-005	Curated page	—	Curated page csr-form renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-006	Curated page	—	Curated page global-contact-us renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-007	Curated page	—	Curated page inquizitive renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-008	Curated page	—	Curated page media-form renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-009	Curated page	—	Curated page talk-to-an-expert-retail renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at 375, 768, 1024, 1440; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-010	Curated page	—	Curated page website-feedback-form renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-011	Curated page	—	Curated page home renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Passed	ok; overflow at none; 3 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-012	Curated page	—	Curated page industry-landing-page renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 3 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CDP-013	Curated page	—	Curated page insights renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-014	Curated page	—	Curated page media-and-investor renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 2 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-015	Curated page	—	Curated page news-and-events renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-016	Curated page	—	Curated page product renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 1 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-017	Curated page	—	Curated page services renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 1 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-018	Curated page	—	Curated page story renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	8 console errors, 8 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-019	Curated page	—	Curated page what-we-do renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	4 console errors, 4 failed requests; overflow at none; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026
TC-CDP-020	Curated page	—	Curated page who-we-are renders and is accessible	1. Open the page at 375, 768, 1024, 1440 px 2. Check console, network, overflow, headings, alt text	200 everywhere, no console error or failed request, no overflow	Failed	12 console errors, 12 failed requests; overflow at 1024; 0 empty lists	Edge Delivery live, Chromium (Playwright)	evidence.json, page screenshots	—	Automated (documentation program)	8 November 2026

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Functional Test Cases

Attribute	Value
Document ID	QA-007
Audience	QA lead, testers, release lead
Purpose	Smoke and functional cases of every block
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-ACCORDION-001	Functional (smoke)	—	Accordion renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	2 of 2 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-ANCHOR-LIST-001	Functional (smoke)	—	Anchor List renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	3 of 3 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-BUTTON-BLOCK-001	Functional (smoke)	—	Button renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Blocked	No block library page for this block	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-CARDS-001	Functional (smoke)	—	Cards renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	7 of 7 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/cards/images-panels-style-options	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001, DEF-003	Automated (documentation program)	8 November 2026
TC-COLUMN-BREAK-001	Functional (smoke)	—	Column Break renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Blocked	No block library page for this block	—	—	—	—	—
TC-COLUMNS-001	Functional (smoke)	—	Columns renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	3 of 3 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-COLUMNS-CONTAINER-001	Functional (smoke)	—	Columns Container renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	4 of 4 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-CONVERSATION-CANVAS-001	Functional (smoke)	—	Conversation Canvas renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	5 of 6 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-EMBED-001	Functional (smoke)	—	Embed renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	2 of 2 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/embed/embed	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001, DEF-005	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-FILTER-LIST-001	Functional (smoke)	—	Filter List renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	7 of 7 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-FOOTER-001	Functional (smoke)	—	Footer renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	4 of 8 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-FORM-VARIATIONS-001	Functional (smoke)	—	Form Variations renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	3 of 3 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-FRAGMENT-001	Functional (smoke)	—	Fragment renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	4 of 4 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-GEN-CAROUSEL-001	Functional (smoke)	—	Gen Carousel renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	6 of 6 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-HEADER-001	Functional (smoke)	—	Header renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	5 of 5 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-HERO-001	Functional (smoke)	—	Hero renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	5 of 5 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/hero/hero-overview	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001, DEF-006	Automated (documentation program)	8 November 2026
TC-IMAGE-COLLAGE-001	Functional (smoke)	—	Image Collage renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Blocked	No block library page for this block	—	—	—	—	—
TC-INTERACTIVE-DASHBOARD-001	Functional (smoke)	—	Interactive Dashboard renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	2 of 2 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-LIST-001	Functional (smoke)	—	List renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	15 of 15 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-MEDIA-CONTACTS-001	Functional (smoke)	—	Media Contacts renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Blocked	No block library page for this block	—	—	—	—	—
TC-MODAL-001	Functional (smoke)	—	Modal renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	10 of 10 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-PAGE-HEADER-001	Functional (smoke)	—	Page Header renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	17 of 17 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-QUOTE-001	Functional (smoke)	—	Quote renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	2 of 2 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-SEPARATOR-001	Functional (smoke)	—	Separator renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	4 of 4 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-TAB-001	Functional (smoke)	—	Tab renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Blocked	No block library page for this block	—	—	—	—	—
TC-TABLE-001	Functional (smoke)	—	Table renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	2 of 2 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-TABLE-LIST-001	Functional (smoke)	—	Table List renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	6 of 6 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABS-001	Functional (smoke)	—	Tabs renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	14 of 14 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-TCS-HEADER-001	Functional (smoke)	—	TCS Header renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Blocked	No block library page for this block	—	—	—	—	—
TC-TEASER-001	Functional (smoke)	—	Teaser renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	11 of 11 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/teaser/layouts	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001, DEF-008	Automated (documentation program)	8 November 2026
TC-TESTIMONIAL-001	Functional (smoke)	—	Testimonial renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	2 of 2 pages fail: shared failed request (DEF-002, DEF-001)	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001	Automated (documentation program)	8 November 2026
TC-VIDEO-001	Functional (smoke)	—	Video renders on its block library page	1. Open the block library page of the block on the live site 2. Wait for the page to load	The page answers 200, every example renders, no console error, no failed request	Failed	3 of 3 pages fail: shared failed request (DEF-002, DEF-001); own failures on /design-block-master/en/block-library/video/video	Edge Delivery live, Chromium (Playwright)	execution-results evidence.json	DEF-002, DEF-001, DEF-010	Automated (documentation program)	8 November 2026
TC-ACCORDION-003	Boundary	—	Accordion with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-ANCHOR-LIST-003	Boundary	—	Anchor List with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-BUTTON-BLOCK-008	Boundary	—	Button with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-CARDS-022	Boundary	—	Cards with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-COLUMN-BREAK-003	Boundary	—	Column Break with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-COLUMNS-003	Boundary	—	Columns with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-021	Boundary	—	Columns Container with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-013	Boundary	—	Conversation Canvas with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-EMBED-003	Boundary	—	Embed with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-FILTER-LIST-013	Boundary	—	Filter List with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-FOOTER-005	Boundary	—	Footer with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-FORM-VARIATIONS-005	Boundary	—	Form Variations with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-FRAGMENT-003	Boundary	—	Fragment with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-GEN-CAROUSEL-016	Boundary	—	Gen Carousel with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-HERO-022	Boundary	—	Hero with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-IMAGE-COLLAGE-016	Boundary	—	Image Collage with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-INTERACTIVE-DASHBOARD-003	Boundary	—	Interactive Dashboard with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-LIST-026	Boundary	—	List with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-MEDIA-CONTACTS-004	Boundary	—	Media Contacts with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-MODAL-003	Boundary	—	Modal with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-PAGE-HEADER-010	Boundary	—	Page Header with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-QUOTE-007	Boundary	—	Quote with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-SEPARATOR-035	Boundary	—	Separator with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-TAB-004	Boundary	—	Tab with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-TABLE-005	Boundary	—	Table with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-TABLE-LIST-011	Boundary	—	Table List with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABS-022	Boundary	—	Tabs with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-TCS-HEADER-004	Boundary	—	TCS Header with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-TEASER-037	Boundary	—	Teaser with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-TESTIMONIAL-005	Boundary	—	Testimonial with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-VIDEO-007	Boundary	—	Video with optional fields left empty	1. Add the block and fill in only the required fields 2. Preview	The block renders without empty wrappers or broken layout	NotRun	—	—	—	—	—	—
TC-ACCORDION-004	Negative	—	Accordion with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-ANCHOR-LIST-004	Negative	—	Anchor List with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-BUTTON-BLOCK-009	Negative	—	Button with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-CARDS-023	Negative	—	Cards with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-COLUMN-BREAK-004	Negative	—	Column Break with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-COLUMNS-004	Negative	—	Columns with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-022	Negative	—	Columns Container with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-014	Negative	—	Conversation Canvas with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-EMBED-004	Negative	—	Embed with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-FILTER-LIST-014	Negative	—	Filter List with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-FOOTER-006	Negative	—	Footer with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-FORM-VARIATIONS-006	Negative	—	Form Variations with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-FRAGMENT-004	Negative	—	Fragment with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-GEN-CAROUSEL-017	Negative	—	Gen Carousel with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-HERO-023	Negative	—	Hero with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-IMAGE-COLLAGE-017	Negative	—	Image Collage with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-INTERACTIVE-DASHBOARD-004	Negative	—	Interactive Dashboard with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-LIST-027	Negative	—	List with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-MEDIA-CONTACTS-005	Negative	—	Media Contacts with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-MODAL-004	Negative	—	Modal with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-PAGE-HEADER-011	Negative	—	Page Header with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-QUOTE-008	Negative	—	Quote with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-SEPARATOR-036	Negative	—	Separator with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-TAB-005	Negative	—	Tab with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-TABLE-006	Negative	—	Table with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—
TC-TABLE-LIST-012	Negative	—	Table List with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TABS-023	Negative	—	Tabs with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-TCS-HEADER-005	Negative	—	TCS Header with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-TEASER-038	Negative	—	Teaser with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-TESTIMONIAL-006	Negative	—	Testimonial with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-VIDEO-008	Negative	—	Video with invalid content (very long text, missing image, broken link)	1. Enter a 300-character title 2. Remove the image 3. Link to a missing page 4. Preview	Text wraps, no broken image icon, the link is flagged in the link check	Not Run	—	—	—	—	—	—
TC-ACCORDION-007	Error recovery	—	Accordion when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-ANCHOR-LIST-007	Error recovery	—	Anchor List when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-BUTTON-BLOCK-012	Error recovery	—	Button when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-CARDS-026	Error recovery	—	Cards when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-COLUMN-BREAK-007	Error recovery	—	Column Break when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-COLUMNS-007	Error recovery	—	Columns when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-COLUMNS-CONTAINER-025	Error recovery	—	Columns Container when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-CONVERSATION-CANVAS-017	Error recovery	—	Conversation Canvas when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-EMBED-007	Error recovery	—	Embed when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-FILTER-LIST-017	Error recovery	—	Filter List when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-FOOTER-009	Error recovery	—	Footer when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-FORM-VARIATIONS-009	Error recovery	—	Form Variations when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-FRAGMENT-007	Error recovery	—	Fragment when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-GEN-CAROUSEL-020	Error recovery	—	Gen Carousel when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-HEADER-004	Error recovery	—	Header when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-HERO-026	Error recovery	—	Hero when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-IMAGE-COLLAGE-020	Error recovery	—	Image Collage when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-INTERACTIVE-DASHBOARD-007	Error recovery	—	Interactive Dashboard when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-LIST-030	Error recovery	—	List when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-MEDIA-CONTACTS-008	Error recovery	—	Media Contacts when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-MODAL-007	Error recovery	—	Modal when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—
TC-PAGE-HEADER-014	Error recovery	—	Page Header when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	NotRun	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-QUOTE-011	Error recovery	—	Quote when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-SEPARATOR-039	Error recovery	—	Separator when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-TAB-008	Error recovery	—	Tab when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-TABLE-009	Error recovery	—	Table when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-TABLE-LIST-015	Error recovery	—	Table List when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-TABS-026	Error recovery	—	Tabs when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-TCS-HEADER-008	Error recovery	—	TCS Header when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TEASER-041	Error recovery	—	Teaser when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-TESTIMONIAL-009	Error recovery	—	Testimonial when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—
TC-VIDEO-011	Error recovery	—	Video when a dependency fails (sheet, index, media)	1. Block the placeholders or query index request in the browser 2. Reload	The block shows its English fallback or empty state and the page keeps working	Not Run	—	—	—	—	—	—

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Localization Test Cases

Attribute	Value
Document ID	QA-017
Audience	QA lead, testers, release lead
Purpose	Locales and placeholders
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Check	Status
TC-L10N-001	Each review root reads its own placeholders and taxonomy	Passed for /design-block-master/en and /language-master/en (network evidence)
TC-L10N-002	Locale pages read their locale sheets	Blocked (/en removed; other locales without content)
TC-L10N-003	UI text falls back to English	Not Run

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Performance Test Cases

Attribute	Value
Document ID	QA-013
Audience	QA lead, testers, release lead
Purpose	PageSpeed and Core Web Vitals
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Page	Target	Status
TC-PERF-001	Home of each root	PageSpeed 100 (AGENTS.md)	Not Run
TC-PERF-002	Curated pages	LCP < 2.5 s, CLS < 0.1, INP < 200 ms	Not Run
TC-PERF-003	Migrated press release	Same	Not Run

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Publishing Test Cases

Attribute	Value
Document ID	QA-020
Audience	QA lead, testers, release lead
Purpose	Publishing and indexing
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Check	Status	Actual
TC-PUB-001	Publish and index /design-block-master/en	Failed	344 of 345 published, 335 indexed; not published: /design-block-master/en/error-pages/404 (the root has no error pages)
TC-PUB-002	Publish and index /language-master/en	Passed	3566 of 3567 published, 3557 indexed
TC-PUB-003	Publish and index /language-masters/en	Not Run (in progress)	0 of 8442 published, 0 indexed

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Regression Test Cases

Attribute	Value
Document ID	QA-018
Audience	QA lead, testers, release lead
Purpose	Unit tests as the regression suite
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

File	Tests
`test/cards/cards-data.test.mjs`	16
`test/conversation-canvas/canvas-journey.test.mjs`	36
`test/docs/block-docs.test.mjs`	5
`test/items/item-rows.test.mjs`	6
`test/list/display-precedence.test.mjs`	16
`test/list/list-data.test.mjs`	69
`test/list/query-index-tags.test.mjs`	4
`test/media-contacts/media-contacts-data.test.mjs`	8
`test/media/delivery-url.test.mjs`	8
`test/media/vimeo-url.test.mjs`	5
`test/models/block-names.test.mjs`	1
`test/modules/module-graph.test.mjs`	4
`test/motion/motion.test.mjs`	15
`test/privacy/privacy.test.mjs`	7
`test/separator/separator-config.test.mjs`	21
`test/site/index-root.test.mjs`	23
`test/site/page-tree.test.mjs`	5
`test/site/paths.test.mjs`	5

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Requirement to Test Traceability

Attribute	Value
Document ID	QA-023
Audience	QA lead, business analysts
Purpose	Every inferred story and its test cases with their status
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

Story	Feature	Block	Test case	Status
US-F-E01-01-01	F-E01-01	—	No test case (gap)	Not Run
US-F-E01-01-02	F-E01-01	header	TC-HEADER-001	Failed
US-F-E01-01-02	F-E01-01	header	TC-HEADER-002	Requires Manual Validation
US-F-E01-01-02	F-E01-01	header	TC-HEADER-003	Passed
US-F-E01-01-02	F-E01-01	header	TC-HEADER-004	Not Run
US-F-E01-02-01	F-E01-02	tcs-header	TC-TCS-HEADER-002	Not Run
US-F-E01-02-01	F-E01-02	tcs-header	TC-TCS-HEADER-004	Not Run
US-F-E01-02-01	F-E01-02	tcs-header	TC-TCS-HEADER-005	Not Run
US-F-E01-02-02	F-E01-02	tcs-header	TC-TCS-HEADER-001	Blocked
US-F-E01-02-02	F-E01-02	tcs-header	TC-TCS-HEADER-006	Requires Manual Validation
US-F-E01-02-02	F-E01-02	tcs-header	TC-TCS-HEADER-007	Blocked
US-F-E01-02-02	F-E01-02	tcs-header	TC-TCS-HEADER-008	Not Run
US-F-E01-02-03	F-E01-02	tcs-header	TC-TCS-HEADER-003	Not Run
US-F-E01-03-01	F-E01-03	footer	TC-FOOTER-002	Not Run
US-F-E01-03-01	F-E01-03	footer	TC-FOOTER-005	Not Run
US-F-E01-03-01	F-E01-03	footer	TC-FOOTER-006	Not Run
US-F-E01-03-02	F-E01-03	footer	TC-FOOTER-001	Failed
US-F-E01-03-02	F-E01-03	footer	TC-FOOTER-007	Requires Manual Validation
US-F-E01-03-02	F-E01-03	footer	TC-FOOTER-008	Passed
US-F-E01-03-02	F-E01-03	footer	TC-FOOTER-009	Not Run
US-F-E01-03-03	F-E01-03	footer	TC-FOOTER-003	Not Run

Story	Feature	Block	Test case	Status
US-F-E01-03-03	F-E01-03	footer	TC-FOOTER-004	Not Run
US-F-E01-04-01	F-E01-04	fragment	TC-FRAGMENT-002	Not Run
US-F-E01-04-01	F-E01-04	fragment	TC-FRAGMENT-003	Not Run
US-F-E01-04-01	F-E01-04	fragment	TC-FRAGMENT-004	Not Run
US-F-E01-04-02	F-E01-04	fragment	TC-FRAGMENT-001	Failed
US-F-E01-04-02	F-E01-04	fragment	TC-FRAGMENT-005	Requires Manual Validation
US-F-E01-04-02	F-E01-04	fragment	TC-FRAGMENT-006	Passed
US-F-E01-04-02	F-E01-04	fragment	TC-FRAGMENT-007	Not Run
US-F-E01-05-01	F-E01-05	modal	TC-MODAL-002	Not Run
US-F-E01-05-01	F-E01-05	modal	TC-MODAL-003	Not Run
US-F-E01-05-01	F-E01-05	modal	TC-MODAL-004	Not Run
US-F-E01-05-02	F-E01-05	modal	TC-MODAL-001	Failed
US-F-E01-05-02	F-E01-05	modal	TC-MODAL-005	Requires Manual Validation
US-F-E01-05-02	F-E01-05	modal	TC-MODAL-006	Passed
US-F-E01-05-02	F-E01-05	modal	TC-MODAL-007	Not Run
US-F-E02-01-01	F-E02-01	hero	TC-HERO-002	Not Run
US-F-E02-01-01	F-E02-01	hero	TC-HERO-022	Not Run
US-F-E02-01-01	F-E02-01	hero	TC-HERO-023	Not Run
US-F-E02-01-02	F-E02-01	hero	TC-HERO-001	Failed
US-F-E02-01-02	F-E02-01	hero	TC-HERO-024	Requires Manual Validation
US-F-E02-01-02	F-E02-01	hero	TC-HERO-025	Passed
US-F-E02-01-02	F-E02-01	hero	TC-HERO-026	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-003	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-004	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-005	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-006	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-007	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-008	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-009	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-010	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-011	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-012	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-013	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-014	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-015	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-016	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-017	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-018	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-019	Not Run
US-F-E02-01-03	F-E02-01	hero	TC-HERO-020	Not Run

Story	Feature	Block	Test case	Status
US-F-E02-01-03	F-E02-01	hero	TC-HERO-021	Not Run
US-F-E02-02-01	F-E02-02	page-header	TC-PAGE-HEADER-002	Not Run
US-F-E02-02-01	F-E02-02	page-header	TC-PAGE-HEADER-010	Not Run
US-F-E02-02-01	F-E02-02	page-header	TC-PAGE-HEADER-011	Not Run
US-F-E02-02-02	F-E02-02	page-header	TC-PAGE-HEADER-001	Failed
US-F-E02-02-02	F-E02-02	page-header	TC-PAGE-HEADER-012	Requires Manual Validation
US-F-E02-02-02	F-E02-02	page-header	TC-PAGE-HEADER-013	Passed
US-F-E02-02-02	F-E02-02	page-header	TC-PAGE-HEADER-014	Not Run
US-F-E02-02-03	F-E02-02	page-header	TC-PAGE-HEADER-003	Not Run
US-F-E02-02-03	F-E02-02	page-header	TC-PAGE-HEADER-004	Not Run
US-F-E02-02-03	F-E02-02	page-header	TC-PAGE-HEADER-005	Not Run
US-F-E02-02-03	F-E02-02	page-header	TC-PAGE-HEADER-006	Not Run
US-F-E02-02-03	F-E02-02	page-header	TC-PAGE-HEADER-007	Not Run
US-F-E02-02-03	F-E02-02	page-header	TC-PAGE-HEADER-008	Not Run
US-F-E02-02-03	F-E02-02	page-header	TC-PAGE-HEADER-009	Not Run
US-F-E03-01-01	F-E03-01	teaser	TC-TEASER-002	Not Run
US-F-E03-01-01	F-E03-01	teaser	TC-TEASER-037	Not Run
US-F-E03-01-01	F-E03-01	teaser	TC-TEASER-038	Not Run
US-F-E03-01-02	F-E03-01	teaser	TC-TEASER-001	Failed
US-F-E03-01-02	F-E03-01	teaser	TC-TEASER-039	Requires Manual Validation
US-F-E03-01-02	F-E03-01	teaser	TC-TEASER-040	Passed
US-F-E03-01-02	F-E03-01	teaser	TC-TEASER-041	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-003	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-004	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-005	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-006	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-007	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-008	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-009	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-010	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-011	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-012	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-013	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-014	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-015	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-016	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-017	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-018	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-019	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-020	Not Run

Story	Feature	Block	Test case	Status
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-021	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-022	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-023	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-024	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-025	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-026	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-027	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-028	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-029	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-030	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-031	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-032	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-033	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-034	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-035	Not Run
US-F-E03-01-03	F-E03-01	teaser	TC-TEASER-036	Not Run
US-F-E03-02-01	F-E03-02	cards	TC-CARDS-002	Not Run
US-F-E03-02-01	F-E03-02	cards	TC-CARDS-022	Not Run
US-F-E03-02-01	F-E03-02	cards	TC-CARDS-023	Not Run
US-F-E03-02-02	F-E03-02	cards	TC-CARDS-001	Failed
US-F-E03-02-02	F-E03-02	cards	TC-CARDS-024	Requires Manual Validation
US-F-E03-02-02	F-E03-02	cards	TC-CARDS-025	Passed
US-F-E03-02-02	F-E03-02	cards	TC-CARDS-026	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-003	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-004	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-005	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-006	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-007	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-008	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-009	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-010	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-011	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-012	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-013	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-014	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-015	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-016	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-017	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-018	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-019	Not Run

Story	Feature	Block	Test case	Status
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-020	Not Run
US-F-E03-02-03	F-E03-02	cards	TC-CARDS-021	Not Run
US-F-E03-03-01	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-002	Not Run
US-F-E03-03-01	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-021	Not Run
US-F-E03-03-01	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-022	Not Run
US-F-E03-03-02	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-001	Failed
US-F-E03-03-02	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-023	Requires Manual Validation
US-F-E03-03-02	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-024	Failed
US-F-E03-03-02	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-025	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-003	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-004	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-005	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-006	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-007	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-008	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-009	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-010	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-011	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-012	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-013	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-014	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-015	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-016	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-017	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-018	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-019	Not Run
US-F-E03-03-03	F-E03-03	columns-container	TC-COLUMNS-CONTAINER-020	Not Run
US-F-E03-04-01	F-E03-04	columns	TC-COLUMNS-002	Not Run
US-F-E03-04-01	F-E03-04	columns	TC-COLUMNS-003	Not Run
US-F-E03-04-01	F-E03-04	columns	TC-COLUMNS-004	Not Run
US-F-E03-04-02	F-E03-04	columns	TC-COLUMNS-001	Failed
US-F-E03-04-02	F-E03-04	columns	TC-COLUMNS-005	Requires Manual Validation
US-F-E03-04-02	F-E03-04	columns	TC-COLUMNS-006	Passed
US-F-E03-04-02	F-E03-04	columns	TC-COLUMNS-007	Not Run
US-F-E03-05-01	F-E03-05	column-break	TC-COLUMN-BREAK-002	Not Run
US-F-E03-05-01	F-E03-05	column-break	TC-COLUMN-BREAK-003	Not Run
US-F-E03-05-01	F-E03-05	column-break	TC-COLUMN-BREAK-004	Not Run
US-F-E03-05-02	F-E03-05	column-break	TC-COLUMN-BREAK-001	Blocked
US-F-E03-05-02	F-E03-05	column-break	TC-COLUMN-BREAK-005	Requires Manual Validation
US-F-E03-05-02	F-E03-05	column-break	TC-COLUMN-BREAK-006	Blocked

Story	Feature	Block	Test case	Status
US-F-E03-05-02	F-E03-05	column-break	TC-COLUMN-BREAK-007	Not Run
US-F-E03-06-01	F-E03-06	quote	TC-QUOTE-002	Not Run
US-F-E03-06-01	F-E03-06	quote	TC-QUOTE-007	Not Run
US-F-E03-06-01	F-E03-06	quote	TC-QUOTE-008	Not Run
US-F-E03-06-02	F-E03-06	quote	TC-QUOTE-001	Failed
US-F-E03-06-02	F-E03-06	quote	TC-QUOTE-009	Requires Manual Validation
US-F-E03-06-02	F-E03-06	quote	TC-QUOTE-010	Passed
US-F-E03-06-02	F-E03-06	quote	TC-QUOTE-011	Not Run
US-F-E03-06-03	F-E03-06	quote	TC-QUOTE-003	Not Run
US-F-E03-06-03	F-E03-06	quote	TC-QUOTE-004	Not Run
US-F-E03-06-03	F-E03-06	quote	TC-QUOTE-005	Not Run
US-F-E03-06-03	F-E03-06	quote	TC-QUOTE-006	Not Run
US-F-E03-07-01	F-E03-07	testimonial	TC-TESTIMONIAL-002	Not Run
US-F-E03-07-01	F-E03-07	testimonial	TC-TESTIMONIAL-005	Not Run
US-F-E03-07-01	F-E03-07	testimonial	TC-TESTIMONIAL-006	Not Run
US-F-E03-07-02	F-E03-07	testimonial	TC-TESTIMONIAL-001	Failed
US-F-E03-07-02	F-E03-07	testimonial	TC-TESTIMONIAL-007	Requires Manual Validation
US-F-E03-07-02	F-E03-07	testimonial	TC-TESTIMONIAL-008	Failed
US-F-E03-07-02	F-E03-07	testimonial	TC-TESTIMONIAL-009	Not Run
US-F-E03-07-03	F-E03-07	testimonial	TC-TESTIMONIAL-003	Not Run
US-F-E03-07-03	F-E03-07	testimonial	TC-TESTIMONIAL-004	Not Run
US-F-E03-08-01	F-E03-08	separator	TC-SEPARATOR-002	Not Run
US-F-E03-08-01	F-E03-08	separator	TC-SEPARATOR-035	Not Run
US-F-E03-08-01	F-E03-08	separator	TC-SEPARATOR-036	Not Run
US-F-E03-08-02	F-E03-08	separator	TC-SEPARATOR-001	Failed
US-F-E03-08-02	F-E03-08	separator	TC-SEPARATOR-037	Requires Manual Validation
US-F-E03-08-02	F-E03-08	separator	TC-SEPARATOR-038	Passed
US-F-E03-08-02	F-E03-08	separator	TC-SEPARATOR-039	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-003	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-004	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-005	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-006	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-007	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-008	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-009	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-010	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-011	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-012	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-013	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-014	Not Run

Story	Feature	Block	Test case	Status
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-015	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-016	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-017	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-018	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-019	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-020	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-021	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-022	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-023	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-024	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-025	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-026	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-027	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-028	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-029	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-030	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-031	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-032	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-033	Not Run
US-F-E03-08-03	F-E03-08	separator	TC-SEPARATOR-034	Not Run
US-F-E03-09-01	F-E03-09	image-collage	TC-IMAGE-COLLAGE-002	Not Run
US-F-E03-09-01	F-E03-09	image-collage	TC-IMAGE-COLLAGE-016	Not Run
US-F-E03-09-01	F-E03-09	image-collage	TC-IMAGE-COLLAGE-017	Not Run
US-F-E03-09-02	F-E03-09	image-collage	TC-IMAGE-COLLAGE-001	Blocked
US-F-E03-09-02	F-E03-09	image-collage	TC-IMAGE-COLLAGE-018	Requires Manual Validation
US-F-E03-09-02	F-E03-09	image-collage	TC-IMAGE-COLLAGE-019	Blocked
US-F-E03-09-02	F-E03-09	image-collage	TC-IMAGE-COLLAGE-020	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-003	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-004	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-005	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-006	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-007	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-008	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-009	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-010	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-011	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-012	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-013	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-014	Not Run
US-F-E03-09-03	F-E03-09	image-collage	TC-IMAGE-COLLAGE-015	Not Run

Story	Feature	Block	Test case	Status
US-F-E03-10-01	F-E03-10	accordion	TC-ACCORDION-002	Not Run
US-F-E03-10-01	F-E03-10	accordion	TC-ACCORDION-003	Not Run
US-F-E03-10-01	F-E03-10	accordion	TC-ACCORDION-004	Not Run
US-F-E03-10-02	F-E03-10	accordion	TC-ACCORDION-001	Failed
US-F-E03-10-02	F-E03-10	accordion	TC-ACCORDION-005	Requires Manual Validation
US-F-E03-10-02	F-E03-10	accordion	TC-ACCORDION-006	Passed
US-F-E03-10-02	F-E03-10	accordion	TC-ACCORDION-007	Not Run
US-F-E03-11-01	F-E03-11	tabs	TC-TABS-002	Not Run
US-F-E03-11-01	F-E03-11	tabs	TC-TABS-022	Not Run
US-F-E03-11-01	F-E03-11	tabs	TC-TABS-023	Not Run
US-F-E03-11-02	F-E03-11	tabs	TC-TABS-001	Failed
US-F-E03-11-02	F-E03-11	tabs	TC-TABS-024	Requires Manual Validation
US-F-E03-11-02	F-E03-11	tabs	TC-TABS-025	Passed
US-F-E03-11-02	F-E03-11	tabs	TC-TABS-026	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-003	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-004	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-005	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-006	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-007	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-008	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-009	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-010	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-011	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-012	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-013	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-014	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-015	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-016	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-017	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-018	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-019	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-020	Not Run
US-F-E03-11-03	F-E03-11	tabs	TC-TABS-021	Not Run
US-F-E03-12-01	F-E03-12	tab	TC-TAB-002	Not Run
US-F-E03-12-01	F-E03-12	tab	TC-TAB-004	Not Run
US-F-E03-12-01	F-E03-12	tab	TC-TAB-005	Not Run
US-F-E03-12-02	F-E03-12	tab	TC-TAB-001	Blocked
US-F-E03-12-02	F-E03-12	tab	TC-TAB-006	Requires Manual Validation
US-F-E03-12-02	F-E03-12	tab	TC-TAB-007	Blocked
US-F-E03-12-02	F-E03-12	tab	TC-TAB-008	Not Run

Story	Feature	Block	Test case	Status
US-F-E03-12-03	F-E03-12	tab	TC-TAB-003	Not Run
US-F-E03-13-01	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-002	Not Run
US-F-E03-13-01	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-016	Not Run
US-F-E03-13-01	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-017	Not Run
US-F-E03-13-02	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-001	Failed
US-F-E03-13-02	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-018	Requires Manual Validation
US-F-E03-13-02	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-019	Passed
US-F-E03-13-02	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-020	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-003	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-004	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-005	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-006	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-007	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-008	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-009	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-010	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-011	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-012	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-013	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-014	Not Run
US-F-E03-13-03	F-E03-13	gen-carousel	TC-GEN-CAROUSEL-015	Not Run
US-F-E03-14-01	F-E03-14	table	TC-TABLE-002	Not Run
US-F-E03-14-01	F-E03-14	table	TC-TABLE-005	Not Run
US-F-E03-14-01	F-E03-14	table	TC-TABLE-006	Not Run
US-F-E03-14-02	F-E03-14	table	TC-TABLE-001	Failed
US-F-E03-14-02	F-E03-14	table	TC-TABLE-007	Requires Manual Validation
US-F-E03-14-02	F-E03-14	table	TC-TABLE-008	Failed
US-F-E03-14-02	F-E03-14	table	TC-TABLE-009	Not Run
US-F-E03-14-03	F-E03-14	table	TC-TABLE-003	Not Run
US-F-E03-14-03	F-E03-14	table	TC-TABLE-004	Not Run
US-F-E03-15-01	F-E03-15	anchor-list	TC-ANCHOR-LIST-002	Not Run
US-F-E03-15-01	F-E03-15	anchor-list	TC-ANCHOR-LIST-003	Not Run
US-F-E03-15-01	F-E03-15	anchor-list	TC-ANCHOR-LIST-004	Not Run
US-F-E03-15-02	F-E03-15	anchor-list	TC-ANCHOR-LIST-001	Failed
US-F-E03-15-02	F-E03-15	anchor-list	TC-ANCHOR-LIST-005	Requires Manual Validation
US-F-E03-15-02	F-E03-15	anchor-list	TC-ANCHOR-LIST-006	Passed
US-F-E03-15-02	F-E03-15	anchor-list	TC-ANCHOR-LIST-007	Not Run
US-F-E03-16-01	F-E03-16	button-block	TC-BUTTON-BLOCK-002	Not Run
US-F-E03-16-01	F-E03-16	button-block	TC-BUTTON-BLOCK-008	Not Run
US-F-E03-16-01	F-E03-16	button-block	TC-BUTTON-BLOCK-009	Not Run

Story	Feature	Block	Test case	Status
US-F-E03-16-02	F-E03-16	button-block	TC-BUTTON-BLOCK-001	Blocked
US-F-E03-16-02	F-E03-16	button-block	TC-BUTTON-BLOCK-010	Requires Manual Validation
US-F-E03-16-02	F-E03-16	button-block	TC-BUTTON-BLOCK-011	Blocked
US-F-E03-16-02	F-E03-16	button-block	TC-BUTTON-BLOCK-012	Not Run
US-F-E03-16-03	F-E03-16	button-block	TC-BUTTON-BLOCK-003	Not Run
US-F-E03-16-03	F-E03-16	button-block	TC-BUTTON-BLOCK-004	Not Run
US-F-E03-16-03	F-E03-16	button-block	TC-BUTTON-BLOCK-005	Not Run
US-F-E03-16-03	F-E03-16	button-block	TC-BUTTON-BLOCK-006	Not Run
US-F-E03-16-03	F-E03-16	button-block	TC-BUTTON-BLOCK-007	Not Run
US-F-E04-01-01	F-E04-01	video	TC-VIDEO-002	Not Run
US-F-E04-01-01	F-E04-01	video	TC-VIDEO-007	Not Run
US-F-E04-01-01	F-E04-01	video	TC-VIDEO-008	Not Run
US-F-E04-01-02	F-E04-01	video	TC-VIDEO-001	Failed
US-F-E04-01-02	F-E04-01	video	TC-VIDEO-009	Requires Manual Validation
US-F-E04-01-02	F-E04-01	video	TC-VIDEO-010	Passed
US-F-E04-01-02	F-E04-01	video	TC-VIDEO-011	Not Run
US-F-E04-01-03	F-E04-01	video	TC-VIDEO-003	Not Run
US-F-E04-01-03	F-E04-01	video	TC-VIDEO-004	Not Run
US-F-E04-01-03	F-E04-01	video	TC-VIDEO-005	Not Run
US-F-E04-01-03	F-E04-01	video	TC-VIDEO-006	Not Run
US-F-E04-02-01	F-E04-02	embed	TC-EMBED-002	Not Run
US-F-E04-02-01	F-E04-02	embed	TC-EMBED-003	Not Run
US-F-E04-02-01	F-E04-02	embed	TC-EMBED-004	Not Run
US-F-E04-02-02	F-E04-02	embed	TC-EMBED-001	Failed
US-F-E04-02-02	F-E04-02	embed	TC-EMBED-005	Requires Manual Validation
US-F-E04-02-02	F-E04-02	embed	TC-EMBED-006	Passed
US-F-E04-02-02	F-E04-02	embed	TC-EMBED-007	Not Run
US-F-E04-03-01	F-E04-03	interactive-dashboard	TC-INTERACTIVE-DASHBOARD-002	Not Run
US-F-E04-03-01	F-E04-03	interactive-dashboard	TC-INTERACTIVE-DASHBOARD-003	Not Run
US-F-E04-03-01	F-E04-03	interactive-dashboard	TC-INTERACTIVE-DASHBOARD-004	Not Run
US-F-E04-03-02	F-E04-03	interactive-dashboard	TC-INTERACTIVE-DASHBOARD-001	Failed
US-F-E04-03-02	F-E04-03	interactive-dashboard	TC-INTERACTIVE-DASHBOARD-005	Requires Manual Validation
US-F-E04-03-02	F-E04-03	interactive-dashboard	TC-INTERACTIVE-DASHBOARD-006	Passed
US-F-E04-03-02	F-E04-03	interactive-dashboard	TC-INTERACTIVE-DASHBOARD-007	Not Run
US-F-E05-01-01	F-E05-01	list	TC-LIST-002	Not Run
US-F-E05-01-01	F-E05-01	list	TC-LIST-026	Not Run
US-F-E05-01-01	F-E05-01	list	TC-LIST-027	Not Run
US-F-E05-01-02	F-E05-01	list	TC-LIST-001	Failed
US-F-E05-01-02	F-E05-01	list	TC-LIST-028	Requires Manual Validation
US-F-E05-01-02	F-E05-01	list	TC-LIST-029	Passed

Story	Feature	Block	Test case	Status
US-F-E05-01-02	F-E05-01	list	TC-LIST-030	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-003	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-004	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-005	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-006	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-007	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-008	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-009	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-010	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-011	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-012	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-013	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-014	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-015	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-016	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-017	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-018	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-019	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-020	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-021	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-022	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-023	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-024	Not Run
US-F-E05-01-03	F-E05-01	list	TC-LIST-025	Not Run
US-F-E05-02-01	F-E05-02	filter-list	TC-FILTER-LIST-002	Not Run
US-F-E05-02-01	F-E05-02	filter-list	TC-FILTER-LIST-013	Not Run
US-F-E05-02-01	F-E05-02	filter-list	TC-FILTER-LIST-014	Not Run
US-F-E05-02-02	F-E05-02	filter-list	TC-FILTER-LIST-001	Failed
US-F-E05-02-02	F-E05-02	filter-list	TC-FILTER-LIST-015	Requires Manual Validation
US-F-E05-02-02	F-E05-02	filter-list	TC-FILTER-LIST-016	Passed
US-F-E05-02-02	F-E05-02	filter-list	TC-FILTER-LIST-017	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-003	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-004	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-005	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-006	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-007	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-008	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-009	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-010	Not Run
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-011	Not Run

Story	Feature	Block	Test case	Status
US-F-E05-02-03	F-E05-02	filter-list	TC-FILTER-LIST-012	Not Run
US-F-E05-03-01	F-E05-03	table-list	TC-TABLE-LIST-002	Not Run
US-F-E05-03-01	F-E05-03	table-list	TC-TABLE-LIST-011	Not Run
US-F-E05-03-01	F-E05-03	table-list	TC-TABLE-LIST-012	Not Run
US-F-E05-03-02	F-E05-03	table-list	TC-TABLE-LIST-001	Failed
US-F-E05-03-02	F-E05-03	table-list	TC-TABLE-LIST-013	Requires Manual Validation
US-F-E05-03-02	F-E05-03	table-list	TC-TABLE-LIST-014	Passed
US-F-E05-03-02	F-E05-03	table-list	TC-TABLE-LIST-015	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-003	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-004	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-005	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-006	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-007	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-008	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-009	Not Run
US-F-E05-03-03	F-E05-03	table-list	TC-TABLE-LIST-010	Not Run
US-F-E05-04-01	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-002	Not Run
US-F-E05-04-01	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-004	Not Run
US-F-E05-04-01	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-005	Not Run
US-F-E05-04-02	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-001	Blocked
US-F-E05-04-02	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-006	Requires Manual Validation
US-F-E05-04-02	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-007	Blocked
US-F-E05-04-02	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-008	Not Run
US-F-E05-04-03	F-E05-04	media-contacts	TC-MEDIA-CONTACTS-003	Not Run
US-F-E06-01-01	F-E06-01	form-variations	TC-FORM-VARIATIONS-002	Not Run
US-F-E06-01-01	F-E06-01	form-variations	TC-FORM-VARIATIONS-005	Not Run
US-F-E06-01-01	F-E06-01	form-variations	TC-FORM-VARIATIONS-006	Not Run
US-F-E06-01-02	F-E06-01	form-variations	TC-FORM-VARIATIONS-001	Failed
US-F-E06-01-02	F-E06-01	form-variations	TC-FORM-VARIATIONS-007	Requires Manual Validation
US-F-E06-01-02	F-E06-01	form-variations	TC-FORM-VARIATIONS-008	Passed
US-F-E06-01-02	F-E06-01	form-variations	TC-FORM-VARIATIONS-009	Not Run
US-F-E06-01-03	F-E06-01	form-variations	TC-FORM-VARIATIONS-003	Not Run
US-F-E06-01-03	F-E06-01	form-variations	TC-FORM-VARIATIONS-004	Not Run
US-F-E07-01-01	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-002	Not Run
US-F-E07-01-01	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-013	Not Run
US-F-E07-01-01	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-014	Not Run
US-F-E07-01-02	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-001	Failed
US-F-E07-01-02	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-015	Requires Manual Validation
US-F-E07-01-02	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-016	Passed
US-F-E07-01-02	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-017	Not Run

Story	Feature	Block	Test case	Status
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-003	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-004	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-005	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-006	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-007	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-008	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-009	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-010	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-011	Not Run
US-F-E07-01-03	F-E07-01	conversation-canvas	TC-CONVERSATION-CANVAS-012	Not Run
US-F-E08-01-01	F-E08-01	—	No test case (gap)	Not Run
US-F-E08-02-01	F-E08-02	—	No test case (gap)	Not Run
US-F-E08-03-01	F-E08-03	—	No test case (gap)	Not Run
US-F-E08-04-01	F-E08-04	—	No test case (gap)	Not Run
US-F-E09-01-01	F-E09-01	—	No test case (gap)	Not Run
US-F-E09-02-01	F-E09-02	—	No test case (gap)	Not Run
US-F-E09-03-01	F-E09-03	—	No test case (gap)	Not Run
US-F-E09-04-01	F-E09-04	—	No test case (gap)	Not Run
US-F-E10-01-01	F-E10-01	—	No test case (gap)	Not Run
US-F-E10-02-01	F-E10-02	—	No test case (gap)	Not Run
US-F-E10-03-01	F-E10-03	—	No test case (gap)	Not Run
US-F-E10-04-01	F-E10-04	—	No test case (gap)	Not Run

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Responsive Test Cases

Attribute	Value
Document ID	QA-010
Audience	QA lead, testers, release lead
Purpose	Responsive cases of every block
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-ACCORDION-006	Responsive	—	Accordion at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-ANCHOR-LIST-006	Responsive	—	Anchor List at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-BUTTON-BLOCK-011	Responsive	—	Button at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Blocked	No block library page for this block	—	—	—	—	—
TC-CARDS-025	Responsive	—	Cards at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 7 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-COLUMN-BREAK-006	Responsive	—	Column Break at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Blocked	No block library page for this block	—	—	—	—	—
TC-COLUMNS-006	Responsive	—	Columns at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-COLUMNS-CONTAINER-024	Responsive	—	Columns Container at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Failed	Horizontal overflow on /design-block-master/en/block-library/columns-container/columns-of-blocks (1024 px)	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	DEF-004	Automated (documentation program)	8 November 2026
TC-CONVERSATION-CANVAS-016	Responsive	—	Conversation Canvas at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 6 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-EMBED-006	Responsive	—	Embed at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-FILTER-LIST-016	Responsive	—	Filter List at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 7 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-FOOTER-008	Responsive	—	Footer at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 8 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-FORM-VARIATIONS-008	Responsive	—	Form Variations at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-FRAGMENT-006	Responsive	—	Fragment at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 4 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-GEN-CAROUSEL-019	Responsive	—	Gen Carousel at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 6 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-HEADER-003	Responsive	—	Header at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 5 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-HERO-025	Responsive	—	Hero at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 5 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-IMAGE-COLLAGE-019	Responsive	—	Image Collage at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Blocked	No block library page for this block	—	—	—	—	—
TC-INTERACTIVE-DASHBOARD-006	Responsive	—	Interactive Dashboard at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-LIST-029	Responsive	—	List at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 15 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-MEDIA-CONTACTS-007	Responsive	—	Media Contacts at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Blocked	No block library page for this block	—	—	—	—	—

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-MODAL-006	Responsive	—	Modal at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 10 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-PAGE-HEADER-013	Responsive	—	Page Header at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 17 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-QUOTE-010	Responsive	—	Quote at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 2 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-SEPARATOR-038	Responsive	—	Separator at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 4 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-TAB-007	Responsive	—	Tab at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Blocked	No block library page for this block	—	—	—	—	—
TC-TABLE-008	Responsive	—	Table at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Failed	Horizontal overflow on /design-block-master/en/block-library/table/table (375, 768, 1024, 1440 px)	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	DEF-007	Automated (documentation program)	8 November 2026
TC-TABLE-LIST-014	Responsive	—	Table List at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 6 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-TABS-025	Responsive	—	Tabs at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 14 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026

ID	Kind	Variation	Objective	Steps	Expected	Status	Actual	Environment	Evidence	Defect	Tester	Date
TC-TCS-HEADER-007	Responsive	—	TCS Header at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Blocked	No block library page for this block	—	—	—	—	—
TC-TEASER-040	Responsive	—	Teaser at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 11 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026
TC-TESTIMONIAL-008	Responsive	—	Testimonial at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Failed	Horizontal overflow on /design-block-master/en/block-library/testimonial/testimonial-variations (375, 768, 1024 px)	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	DEF-009	Automated (documentation program)	8 November 2026
TC-VIDEO-010	Responsive	—	Video at 375, 768, 1024 and 1440 px	1. Open the block library page at each width	No horizontal overflow; layout follows the responsive rules of the README	Passed	No horizontal overflow at 375, 768, 1024, 1440 px on 3 pages	Edge Delivery live, Chromium (Playwright)	screenshots in the block folder	—	Automated (documentation program)	8 November 2026

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Security and Privacy Test Cases

Attribute	Value
Document ID	QA-016
Audience	QA lead, testers, release lead
Purpose	Privacy and link safety
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Check	Status
TC-SEC-001	redactSearchTerm and contactLinkKind (unit tests)	Passed
TC-SEC-002	External links opening a new tab announce it	Not Run
TC-SEC-003	No secrets or environment ids in the repository	Passed (validate-block-docs, review)

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

SEO Test Cases

Attribute	Value
Document ID	QA-014
Audience	QA lead, testers, release lead
Purpose	Titles, headings, language, metadata
Scope	—
Prerequisites	—
Owner	QA Lead (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	8 November 2026
Last validated	8 November 2026
Source files	—
Related documents	—
Related AEM paths	—

ID	Check	Status	Actual
TC-SEO-001	Every reference page has a title	Passed	0 pages without a title
TC-SEO-002	Exactly one H1 per page	Failed	43 pages with 0 or several H1
TC-SEO-003	html lang set	Passed	0 pages without lang
TC-SEO-004	Canonical and social metadata of migrated pages	Not Run	—

1. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

2. Known limitations

- None recorded for this document.

3. Open items

- None.

4. Change history

Version	Date	Author	Change
1.0	8 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages