TCS Corporate — AEM Edge Delivery Services

BYOG environment setup: GitHub (SaaS and Enterprise), Cloud Manager and AEM Edge Delivery

Reference document: GitHub SaaS (github.com, GitHub Enterprise Cloud), GitHub Enterprise Server and other Git vendors through Cloud Manager (Bring Your Own Git), AEM as a Cloud Service, Configuration Service, Sidekick, Admin API validation

Organisation: Ultimatix · Repository: tcs-corp · Site content: /content/tcs-corp · Edge Delivery site: ultimatix/tcs-corp

Version 1.0 · 26 October 2026 · Rechecked against Adobe documentation (section 17)

Source: docs/setup/BYOG-ENVIRONMENT-SETUP.md; the same content as BYOG-ENVIRONMENT-SETUP.docx. Ids, emails, hosts and secrets are placeholders; the values are kept outside the repository (byog.env).

Contents

1. Choose the Git model

2. Values

3. How it fits together

4. Prerequisites and roles (all models)

5. Model A: GitHub SaaS (github.com, GitHub Enterprise Cloud)

- 5.1 Repository
- 5.2 Enterprise Cloud policies
- 5.3 AEM Code Sync
- 5.4 Site configuration
- 5.5 Cloud Manager (recommended)

6. Model B: GitHub Enterprise Server through Cloud Manager (BYOG)

- 6.1 Repository on GitHub Enterprise Server
- 6.2 Register the Edge Delivery org
- 6.3 Cloud Manager: add the repository
- 6.4 Cloud Manager: the webhook
- 6.5 Configuration Service: create the site
- 6.6 Cloud Manager: the Edge Delivery site and ownership
- 6.7 Cloud Manager: Bring Your Own Git and the secret
- 6.8 First sync
- 6.9 Model C: other vendors

7. Configuration Service (all models)

8. AEM author (all models)

9. Publish the content to the new site

10. Validate with Admin API commands

- 10.1 The admin token
- 10.2 All checks at once
- 10.3 The commands (read-only)
- 10.4 Manual checks

11. After the setup: repository changes (a separate pull request)

12. Cut-over and go-live

13. More sites from the same repository (repoless)

14. Sidekick customisation

15. Troubleshooting

16. Security and responsibilities

17. Recheck against Adobe's documentation (26 October 2026)

18. References

The reference for running the TCS Corporate site from the **Ultimatix** organisation: the code in the repository `tcs-corp` (GitHub SaaS with AEM Code Sync, or GitHub Enterprise Server and other Git vendors through Cloud Manager, "Bring Your Own Git"), the content in AEM as a Cloud Service (`/content/tcs-corp`, Universal Editor), the site in the AEM Configuration Service. Every step was checked against Adobe's documentation on 26 October 2026 (section 17). The configuration is built from this repository by byog/site-config.mjs (./byog/site-config.mjs) and validated by byog/validate-site.mjs (./byog/validate-site.mjs). Decision: KB-D-058 (Proposed) in the decision log (handover/knowledge-base/decision-log.md).

Attribute	Value
Audience	Site Administrator, Cloud Manager administrator (Business Owner / Deployment Manager), Git administrator, AEM administrator, developers
Edge Delivery site	Org `ultimatix`, site `tcs-corp`; configuration `https://admin.hlx.page/config/ultimatix/sites/tcs-corp.json`
Code	Repository `tcs-corp` of Ultimatix, branch `main` (production); feature branches for previews
Content	AEM author `/content/tcs-corp` (13 locales and the language master), assets `/content/dam/tcs-corp`
URLs	Preview `https://main--tcs-corp--ultimatix.aem.page/`, live `https://main--tcs-corp--ultimatix.aem.live/`, branch preview `https://{branch}--tcs-corp--ultimatix.aem.page/`
Today	Site `sradha-tcs/tcs-corp` (github.com, AEM Code Sync); configuration partly in the repository (`fstab.yaml`, `paths.json`, `helix-query.yaml`, `helix-sitemap.yaml`, `tools/sidekick/config.json`), partly in the Configuration Service (`public.json`, `metadata.json`)
State (26 October 2026)	Not set up: `ultimatix/tcs-corp` doesn't exist in the Configuration Service (404) and its URLs answer 404 (validator: 0 of 9 public checks); the github.com org `Ultimatix` exists, the repository isn't publicly visible. The validator passes all 9 public checks on today's site. No write call to the Admin API, Cloud Manager or AEM was made for this document

1. Choose the Git model

Adobe's FAQ: "Edge Delivery Services supports GitHub Enterprise Cloud through the AEM Code Sync app. AEM customers can also use GitHub Enterprise Server (self-hosted) with Bring your own Git." Bitbucket Cloud, GitLab (cloud and self-hosted) and Azure DevOps (cloud) also go through Bring Your Own Git; Adobe's hosted repository too; other vendors are in alpha (cloudmanager_byog@adobe.com).

	Model A: GitHub SaaS	Model B: GitHub Enterprise Server (BYOG)	Model C: other vendors (BYOG)
Repository host	github.com: GitHub Free / Team, GitHub Enterprise Cloud	Self-hosted GitHub Enterprise Server (`https://{ghe-host}/Ultimatix/tcs-corp.git`)	GitLab, Bitbucket Cloud, Azure DevOps

	Model A: GitHub SaaS	Model B: GitHub Enterprise Server (BYOG)	Model C: other vendors (BYOG)
Code sync	AEM Code Sync GitHub app: every push to every branch syncs	Webhook → Cloud Manager → `cm-repo.adobe.io`; first sync from Cloud Manager	As B
Site `code`	`{"owner":"Ultimatix","repo":"tcs-corp","source":{"type":"github","url":"https://github.com/Ultimatix/tcs-corp"}}`	`{"source":{"type":"byogit","url":"https://cm-repo.adobe.io/api","raw_url":"https://cm-repo.adobe.io/api/raw","owner":"{programId}","repo":"{repositoryId}","secretId":"cm-byog"}}`	As B
Cloud Manager	Optional, recommended by Adobe (Edge Delivery site: domains, CDN)	Required: external repository, webhook, Edge Delivery site with BYOG, secret	As B
CI (`.github/workflows`: lint, cleanup)	Unchanged (GitHub Actions)	GitHub Actions on GHE Server (needs runners)	The vendor's pipeline
Setup	Section 5	Section 6	Section 6 with the vendor table (6.9)

Everything else is the same for all models: the Configuration Service (section 7), AEM (section 8), publishing (section 9), validation (section 10).

About the values given for this setup. The path given in the request, `admin.hlx.page/config/{programId}/sites/{repositoryId}/*`, puts the Cloud Manager ids where the Edge Delivery org and site belong; that configuration doesn't exist (404). In Adobe's BYOG setup the program id is `code.source.owner`, the repository id `code.source.repo`, and the configuration path is the Edge Delivery org and site: `admin.hlx.page/config/ultimatix/sites/tcs-corp`. The ids are in `docs/setup/byog/byog.env` (git-ignored): AGENTS.md allows no program, environment or repository ids and no author host in the repository.

2. Values

Value	Where it comes from	Kept in
Edge Delivery org / site: `ultimatix` / `tcs-corp`	Chosen; the org must also exist as a github.com org with an owner from the customer (it does: `Ultimatix`)	This document; `byog.env` (`AEM_ORG`, `AEM_SITE`)
Model: `github` (A) or `byog` (B, C)	Section 1	`byog.env` (`CODE_MODE`)

Value	Where it comes from	Kept in
Code owner / repository (A): `Ultimatix` / `tcs-corp`	github.com	`byog.env` (`GITHUB_OWNER`, `GITHUB_REPO`)
Program id `{programId}`, repository id `{repositoryId}` (B, C)	Cloud Manager → Repositories → `tcs-corp` → Config Webhook	`byog.env` only (`CM_PROGRAM_ID`, `CM_REPOSITORY_ID`)
AEM author host `{aem-author}`	Cloud Manager → environments; today in `fstab.yaml`	`fstab.yaml` (recorded exception, KB-D-056); the scripts read it
Technical account `{id}@techacct.adobe.com`	AEM → Tools → Cloud Services → Edge Delivery Services Configuration → Authentication	`byog.env` (`TECH_ACCOUNT`)
Site admins (emails)	Owner	`byog.env` (`ADMIN_EMAILS`)
BYOG secret (B, C)	Cloud Manager, shown **once** when BYOG is selected on the site	Vault; the shell (`CM_BYOG_SECRET`) only while configuring
Admin token	Section 10.1	The shell (`ADMIN_TOKEN`) only
Vendor access token (PAT) (B, C)	The Git vendor, for Cloud Manager's ownership validation	Cloud Manager (Manage Access Tokens); vault
Webhook URL and secret (B, C)	Cloud Manager → Config Webhook (URL; secret: Generate)	The vendor's webhook settings; vault
Cloud Manager API key (B, C)	Adobe Developer Console project with the Cloud Manager API	The webhook URL's `api_key`; vault

```
cp docs/setup/byog/byog.env.example docs/setup/byog/byog.env   # git-ignored; fill in the values
```

3. How it fits together

Flow	From	To	Through
Code (A)	Push to github.com	Code bus	AEM Code Sync app
Code (B, C)	Push to the vendor	Code bus	Webhook (URL with the Cloud Manager API key, signed with the webhook secret) → Cloud Manager → `cm-repo.adobe.io` (the site's `cm-byog` secret)
Content	Preview / publish in AEM	Content bus	`https://{aem-author}/bin/franklin.delivery/ultimatix/tcs-corp/main` (`content.source`, `.html` suffix); path mapping from `public.json`
Configuration	Site Administrator	Configuration Service	Admin API (`admin.hlx.page/config/ultimatix/sites/tcs-corp`)
Delivery	Code and content bus	Visitors	`*.aem.page` / `*.aem.live`, later the production CDN

4. Prerequisites and roles (all models)

Item	Who	Check
AEM as a Cloud Service program with an Edge Delivery Services licence; the author environment of `/content/tcs-corp`	AEM administrator	Universal Editor opens `/content/tcs-corp/us/en`
Cloud Manager access as Business Owner or Deployment Manager	Cloud Manager administrator	Program → Repositories and Edge Delivery Sites visible
github.com org `Ultimatix` with an owner from the customer's organisation (claims the Edge Delivery org name)	Git administrator	`https://github.com/Ultimatix` exists (yes, 26 October 2026)
The Edge Delivery org `ultimatix` with an admin (created when AEM Code Sync is installed on a github.com repository of the org)	Site Administrator	Section 5.3 / 6.2
The code of this repository on `main` of `tcs-corp` (Edge Delivery requires `main`)	Git administrator	`main` exists
(B, C) Adobe Developer Console project with the Cloud Manager API (the API key)	Cloud Manager administrator	API key available
(B, C) A vendor token with the permissions of 6.3	Git administrator	Token created
(B, C) A private Git server reachable by Cloud Manager	Git administrator	Cloud Manager's IPs requested from cloudmanager_byog@adobe.com (from the Adobe ID's email: vendor; private, public or enterprise) and allowed
Don't create the site with Cloud Manager's one-click setup: it gives no admin rights on the site	All	—

5. Model A: GitHub SaaS (github.com, GitHub Enterprise Cloud)

5.1 Repository

1. In the github.com org `Ultimatix`, create the repository `tcs-corp` (private is supported).
2. Push the code:

```
git clone https://github.com/sradha-tcs/tcs-corp.git && cd tcs-corp
git remote add ultimatix https://github.com/Ultimatix/tcs-corp.git
git push ultimatix main
```

1. Protect `main` (pull request reviews, the `Build` check of `.github/workflows/main.yaml`).

5.2 Enterprise Cloud policies

With GitHub Enterprise Cloud, allow the **AEM Code Sync** GitHub App in the enterprise / org policies (third-party GitHub Apps, IP allow lists) before installing it.

5.3 AEM Code Sync

Install `https://github.com/apps/aem-code-sync` on `Ultimatix`, for the repository `tcs-corp` only. This registers the Edge Delivery org `ultimatix` with the installing user as admin (Adobe can set another admin) and syncs every push of every branch.

5.4 Site configuration

`CODE_MODE=github` in `byog.env`, then section 7.

5.5 Cloud Manager (recommended)

Add the Edge Delivery site in Cloud Manager for domains and the CDN (section 6.6: site name `tcs-corp`, origin `https://main--tcs-corp--ultimatix.aem.live`, ownership file); no repository, webhook or BYOG for github.com (Cloud Manager integrates with github.com through the GitHub app).

6. Model B: GitHub Enterprise Server through Cloud Manager (BYOG)

6.1 Repository on GitHub Enterprise Server

```
git clone https://github.com/sradha-tcs/tcs-corp.git && cd tcs-corp
git remote add ultimatix https://{ghe-host}/Ultimatix/tcs-corp.git
git push ultimatix main
```

Protect `main`; run the checks of `.github/workflows/main.yaml` (`npm ci`, `npm run lint`, plus `npm test` as AGENTS.md asks) with GitHub Actions runners on the server.

6.2 Register the Edge Delivery org

The org name must be claimed on github.com and registered in the Configuration Service with an admin: install AEM Code Sync on a github.com repository of `Ultimatix` (Adobe: the developer tutorial). This creates the org `ultimatix` and makes the installing user its admin.

6.3 Cloud Manager: add the repository

1. Cloud Manager (`my.cloudmanager.adobe.com`) → the organisation → the program → **Repositories** → **Add Repository** → **Private Repository**.
2. Repository Name `tcs-corp`; Repository URL `https://{ghe-host}/Ultimatix/tcs-corp.git` (must end in `.git`); type **GitHub** (GitHub Enterprise, self-hosted); description → **Save**.
3. **Private Repository Ownership Validation**: Add new Access Token → a token name → a personal access token of GitHub Enterprise with the repository permissions **Pull requests (read and write)**, **Commit statuses (read and write)**, **Metadata (read-only)** → **Validate**.
4. The repository's status becomes **Ready**.

6.4 Cloud Manager: the webhook

1. Repositories → the `tcs-corp` row → **…** → **Config Webhook**.

2. Copy the **Webhook URL**; next to Webhook Secret click **Generate** and copy the secret (vault). Note the program id and repository id shown for the repository (into `byog.env`).
3. GitHub Enterprise → `Ultimatix/tcs-corp` → Settings → Webhooks → **Add webhook**: Payload URL = the Webhook URL with its `api_key` query parameter replaced by the Cloud Manager API key; content type `application/json`; Secret = the generated secret; events: **Pull requests**, **Pushes**, **Issue comments**; Active.
4. Check the webhook's Recent Deliveries (2xx) after a push.

6.5 Configuration Service: create the site

Create the site before Cloud Manager checks it (its origin must answer): section 7, step `site` (`CODE_MODE=byog`; the secret follows in 6.7).

6.6 Cloud Manager: the Edge Delivery site and ownership

1. Cloud Manager → the program → **Edge Delivery** tab (or Services → Edge Delivery Sites) → **Add Edge Delivery site**: Site Name `tcs-corp`; Edge Delivery origin `https://main--tcs-corp--ultimatix.aem.live`; description → **Add**.
2. **Verify repository ownership**: add the file `well-known/adobe/cloudmanager-challenge.txt` (no leading dot) with the code Cloud Manager shows to `main` of the repository the site serves, by a pull request; merge; **Verify**. The site must not require authentication meanwhile.
3. The site's status shows a green check.

6.7 Cloud Manager: Bring Your Own Git and the secret

1. On the Edge Delivery site choose **Bring Your Own Git** (offered once a repository is Ready) and select `tcs-corp`.
2. Copy the **secret** into the vault: it isn't shown again; configuring the site again creates a new one.
3. Store it in the site: section 7, step `secret` (`CM_BYOG_SECRET` in the shell).

6.8 First sync

Cloud Manager → the Edge Delivery site → **…** → **Sync Code** → branch `main`. Later pushes sync through the webhook. Follow the job: section 10 (`code sync: latest job`).

6.9 Model C: other vendors

The same as 6.1 to 6.8, with the vendor's token permissions and webhook events (Cloud Manager: external repositories).

Vendor	Repository URL	Token permissions	Webhook events
GitHub Enterprise Server	`https://{ghe-host}/Ultimatix/tcs-corp.git`	Pull requests (read and write), Commit statuses (read and write), Metadata (read)	Pull requests, Pushes, Issue comments
GitLab (gitlab.com or self-hosted)	`https://gitlab.com/ultimatix/tcs-corp.git`	Scopes `api`, `read_user`	Push events, Merge request events, Note events

Vendor	Repository URL	Token permissions	Webhook events
Bitbucket Cloud	`https://bitbucket.org/ultimatix/tcs-corp.git`	Repository (read), Pull requests (read and write), Webhooks (read and write)	Pull request Created, Updated, Merged, Comment; Repository Push
Azure DevOps	`https://dev.azure.com/ultimatix/{project}/_git/tcs-corp`	Code (Read), Code (Status), Pull Request Threads (Read and write)	Code Pushed, Pull request created, updated, commented on; basic authentication user `cloudmanager`, password = the webhook secret

7. Configuration Service (all models)

The script builds every request from this repository (`paths.json`, `utils/site.js`, `tools/sidekick/config.json`, `helix-query.yaml`, `helix-sitemap.yaml`, `fstab.yaml`) and `byog.env`; without `--apply` it only prints them. The UI alternative is `https://tools.aem.live/tools/admin-edit/index.html`.

```
node docs/setup/byog/site-config.mjs                          # dry run: review every request
export ADMIN_TOKEN='…'                                        # section 10.1; the shell only
node docs/setup/byog/site-config.mjs --apply site             # create the site (PUT)
export CM_BYOG_SECRET='…'                                     # B, C: after 6.7
node docs/setup/byog/site-config.mjs --apply secret
node docs/setup/byog/site-config.mjs --apply access public metadata sidekick query sitemap
```

Step	Request	Payload (from)
`site`	`PUT /config/ultimatix/sites/tcs-corp.json`	`code` (section 1) and `content.source`: `https://{aem-author}/bin/franklin.delivery/ultimatix/tcs-corp/main`, `type: markup`, `suffix: .html`
`secret` (B, C)	`POST …/secrets/cm-byog.json`	`{"value": "<secret from Cloud Manager>"}`
`access`	`POST …/access.json`	`admin.role.admin`: the admins; `admin.role.config_admin`: the AEM technical account; `requireAuth: auto` (optional `author`, `publish`)
`public`	`POST …/public.json`	`paths`: paths.json (paths.json) (42 mappings, 15 includes, 28 excludes) plus `/content/tcs-corp/configuration:/.helix/config.json` (the configuration page, 8.3)
`metadata`	`POST …/metadata.json`	`source`: the 13 locales' `/{locale}/metadata.json` and `/language-master/en/metadata.json`
`sidekick`	`POST …/sidekick.json`	`project: TCS Corporate`, `editUrlLabel: AEM Editor`, `editUrlPattern: {{contentSourceUrl}}{{pathname}}?cmd=open`, publish confirmation (section 14)
`query`	`POST …/content/query.yaml`	helix-query.yaml (helix-query.yaml)
`sitemap`	`POST …/content/sitemap.yaml`	helix-sitemap.yaml (helix-sitemap.yaml) with origin `https://main--tcs-corp--ultimatix.aem.live` (or `PROD_HOST`)

The same by hand (Adobe's form):

```
# B, C: code source (Adobe: Bring Your Own Git, step 4)
curl -X POST https://admin.hlx.page/config/ultimatix/sites/tcs-corp/code.json \
  -H 'content-type: application/json' -H "x-auth-token: $ADMIN_TOKEN" \
  --data '{"source":{"url":"https://cm-repo.adobe.io/api","raw_url":"https://cm-
repo.adobe.io/api/raw","owner":"{programId}","repo":"{repositoryId}","type":"byogit","secretId":"cm-
byog"}}'
# B, C: the secret
curl -X POST https://admin.hlx.page/config/ultimatix/sites/tcs-corp/secrets/cm-byog.json \
  -H 'content-type: application/json' -H "x-auth-token: $ADMIN_TOKEN" \
  --data "{\"value\":\"$CM_BYOG_SECRET\"}"
# A: code source
curl -X POST https://admin.hlx.page/config/ultimatix/sites/tcs-corp/code.json \
  -H 'content-type: application/json' -H "x-auth-token: $ADMIN_TOKEN" \
  --data '{"owner":"Ultimatix","repo":"tcs-corp","source":
{"type":"github","url":"https://github.com/Ultimatix/tcs-corp"}}'
# content location (Adobe: config-service-setup, update content location)
curl -X POST https://admin.hlx.page/config/ultimatix/sites/tcs-corp/content.json \
  -H 'content-type: application/json' -H "x-auth-token: $ADMIN_TOKEN" \
  --data '{"source":{"url":"https://{aem-author}/bin/franklin.delivery/ultimatix/tcs-
corp/main","type":"markup","suffix":".html"}}'
```

Changing the content location of an existing site creates a new content bus (everything must be previewed and published again; the index and sitemap configuration recreated), and changing the code of a production site affects the CDN caches. That is why `ultimatix/tcs-corp` is a **new** site next to `sradha-tcs/tcs-corp`.

8. AEM author (all models)

1. **Tools → Cloud Services → Edge Delivery Services Configuration** → the configuration of `/conf/tcs-corp` → **Properties**: Organization `ultimatix`, Site name `tcs-corp`, Branch `main`, Project type **aem.live with repoless config setup** → Save & Close.
2. **Authentication** tab: copy the technical account id into `byog.env` (`TECH_ACCOUNT`) and run the `access` step (AEM publishes as this account; it is the same for all sites of the author environment).
3. Create the page `/content/tcs-corp/configuration` with the **Configuration** template (only the predefined key / value columns) and publish it; the `public` step maps it to `/.helix/config.json` (`CONFIG_PAGE`: another page, or `none`).
4. Open `/content/tcs-corp/us/en` in Universal Editor: it renders with the site's scripts and component definitions (a white page: section 15).

9. Publish the content to the new site

The new site's content bus is empty: from AEM (Manage Publication, with child pages) publish the locale trees `/content/tcs-corp/{country}/{lang}` and `/content/tcs-corp/language-master/en`, their references (nav, footer), error pages, sheets (placeholders, metadata, redirects, taxonomy, `data/*`), the configuration page and the DAM assets used by pages (videos, PDFs and Lottie files are served only once published). Until a page is previewed, aem.page answers 404 for it.

10. Validate with Admin API commands

10.1 The admin token

Sign in with the Sidekick on a page of the site; in the browser's developer tools (Network), copy the value of the `x-auth-token` header of a Sidekick request to `admin.hlx.page` (Adobe: Configuring Authentication for Authors). Use it in the shell only:

```
export ADMIN_TOKEN='…'     # never in a file, a ticket or a chat
```

10.2 All checks at once

```
node docs/setup/byog/validate-site.mjs                   # public checks (no token)
ADMIN_TOKEN="$ADMIN_TOKEN" node docs/setup/byog/validate-site.mjs   # + Admin API checks
```

It prints PASS / FAIL / SKIP with the curl command of each check, changes nothing and exits with 1 when a check fails. On 26 October 2026: today's site (`AEM_ORG=sradha-tcs`) 9 of 9 public checks pass; `ultimatix/tcs-corp` 0 of 9 (not set up).

10.3 The commands (read-only)

```
ORG=ultimatix; SITE=tcs-corp; A=https://admin.hlx.page; H="x-auth-token: $ADMIN_TOKEN"
# site configuration: code and content sources
curl -s -H "$H" "$A/config/$ORG/sites/$SITE.json"
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/code.json"
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/content.json"
# path mapping (must equal paths.json), bulk metadata sources (14), access, Sidekick
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/public.json"
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/metadata.json"
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/access.json"
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/sidekick.json"
# index and sitemap configuration
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/content/query.yaml"
curl -s -H "$H" "$A/config/$ORG/sites/$SITE/content/sitemap.yaml"
# code sync jobs (B, C: "Unable to fetch hlxignore: 401" = wrong cm-byog secret)
curl -s -H "$H" "$A/job/$ORG/$SITE/main/code"
# a page's preview / live status and its AEM edit URL
curl -s -H "$H" "$A/status/$ORG/$SITE/main/en/?editUrl=auto"
# public (no token)
curl -s -o /dev/null -w '%{http_code}\n' "https://main--$SITE--$ORG.aem.page/en/"
curl -s "https://main--$SITE--$ORG.aem.live/config.json"
curl -s "https://main--$SITE--$ORG.aem.page/query-index.json?limit=5"
curl -s "https://main--$SITE--$ORG.aem.live/sitemap.xml" | head
curl -s -o /dev/null -w '%{http_code}\n' "https://main--$SITE--$ORG.aem.page/scripts/scripts.js"
```

Check	Expected
`config/…/tcs-corp.json`	`code.source.type` `byogit` with the program and repository ids (B, C) or `code.owner` `Ultimatix`, `repo` `tcs-corp` (A); `content.source.url` ends in `/bin/franklin.delivery/ultimatix/tcs-corp/main`, `suffix` `.html`
`public.json`	`paths.mappings` contains every mapping of `paths.json` (42) and the configuration page
`metadata.json`	`source` lists 14 sheets
`access.json`	`admin.role.admin` and `admin.role.config_admin` set

Check	Expected
`job/…/main/code`	The latest job finished without error
`status/…/main/en/`	`preview.status` and `live.status` 200
`config.json` (public)	The paths mapping
Pages, `query-index.json`, `sitemap.xml`, `scripts/scripts.js`	200; index rows; sitemap URLs on the configured origin; the code is synced

10.4 Manual checks

Check	Expected
Universal Editor	Opens, edits and publishes a page; the change appears on aem.page / aem.live
Code change	A visible change pushed to `main` appears after the sync (private window or no cache)
Feature branch	`https://{branch}--tcs-corp--ultimatix.aem.page/en/` shows the branch's code after its push / sync
Sidekick	Project "TCS Corporate", Edit opens "AEM Editor", Publish asks for confirmation
Bulk metadata	A page's head has its sheet values (`publish-date`, `content-type`, ...)
Old site `sradha-tcs/tcs-corp`	Unchanged until the cut-over

11. After the setup: repository changes (a separate pull request)

File	Change
`fstab.yaml`	Remove (the content source is `content.source`); ends the author host exception of KB-D-056
`tools/sidekick/config.json`	Remove (now `sidekick.json`)
`helix-query.yaml`, `helix-sitemap.yaml`	Remove, or keep as the source of the `query` / `sitemap` steps and re-run them after a change
`paths.json`	Keep (`npm run build:paths`, `test/site/paths.test.mjs`); AEM reads `public.json`: re-run the `public` step after a change
AGENTS.md, the knowledge base, `.migration/project.json`	Preview / live / branch URLs `{branch}--tcs-corp--ultimatix.aem.page`, the model, the CI
`.github/workflows`	B: GHE Server runners; C: the vendor's pipeline

Adobe: once the Configuration Service is used, its settings override the repository files; remove them, check that the old document-based configuration is gone, then remove `.helix/config` and `.helix/headers` from the content if they exist.

12. Cut-over and go-live

1. Keep `sradha-tcs/tcs-corp` until `ultimatix/tcs-corp` passes section 10.

2. Production domain: `POST …/cdn/prod.json` (host, CDN type, push invalidation credentials), or the domain mapping in Cloud Manager; then `PROD_HOST` and the `sitemap` step again (O-03, KB-D-008).
3. Redirects at the CDN (KB-D-055, `docs/proposals/redirects-cdn.md`).
4. Switch the CDN origin to `main--tcs-corp--ultimatix.aem.live`; retire the old site.

13. More sites from the same repository (repoless)

A repository onboarded in Cloud Manager serves **one** site at a time: connecting it to another site revokes the first site's configuration and secret. For more sites (stage, `tcs-corp-dev` for Sidekick work) use repoless: the same `code.source` (same program and repository ids) without `secretId` and without the `cm-byog` secret:

```
AEM_SITE=tcs-corp-dev BYOG_SECRET=none node docs/setup/byog/site-config.mjs site          # dry run
AEM_SITE=tcs-corp-dev BYOG_SECRET=none node docs/setup/byog/site-config.mjs --apply site public
sidekick
```

14. Sidekick customisation

The `sidekick` step writes the site configuration's `sidekick` object (schema):

```
{
  "project": "TCS Corporate",
  "editUrlLabel": "AEM Editor",
  "editUrlPattern": "{{contentSourceUrl}}{{pathname}}?cmd=open",
  "plugins": [{ "id": "publish", "confirm": true }]
}
```

Option	Use for this site
`editUrlLabel`, `editUrlPattern`	Edit opens the page in AEM (the content source isn't SharePoint / Google Drive)
`plugins[].id: publish`, `confirm: true`	Confirmation before publishing (whole site)
`excludePaths` / `includePaths`, `environments` (`dev`, `edit`, `admin`, `preview`, `live`, `prod`) on a default plugin	E.g. no Publish below **`/block-library/`**
`host`, `previewHost`, `liveHost`, `reviewHost`, `trustedHosts`	Only to override the CDN settings (`cdn.prod.host` and so on)
Custom plugins: `url` (`passConfig`, `passReferrer`), `event` (`custom:<name>` on `aem-sidekick`; dev, preview, live, prod only), `isPalette` / `paletteRect`, `isPopover` / `popoverRect`, `isContainer` / `containerId`, `isBadge` / `badgeVariant`, `titleI18n`, `pinned`	Project tools; none today
`specialViews` (`path`, `viewer`, `title`)	Custom viewers (e.g. `**.json`); none today

Option	Use for this site
Events (`sidekick-ready` on document; `previewed`, `published`, `env-switched`, `status-fetched`, … on `aem-sidekick`)	Project code only if needed; none today

Test changes on a site copy (`tcs-corp-dev`, section 13), then copy the `sidekick` object to `tcs-corp`.

15. Troubleshooting

Symptom	Check
New commits don't appear	A: the AEM Code Sync app on the repository; B, C: the webhook's deliveries (2xx), the `api_key` in its URL, the job (`job/…/main/code`)
Job error `Unable to fetch hlxignore: 401`	The `cm-byog` secret is wrong or was regenerated: run the `secret` step with the current one
Cloud Manager ownership check fails	`well-known/adobe/cloudmanager-challenge.txt` (no leading dot) on `main` of the code the site serves, synced; the site doesn't require authentication
Universal Editor shows a white page or an AEM error	`config.json` (the `public` step) or `component-definition.json` doesn't load; the Edge Delivery Services Configuration (section 8); the author's error.log
Every page 404 on the new site	The content isn't published to the new content bus (section 9)
Pages at the wrong path	`public.json` differs from `paths.json`: the `public` step
Bulk metadata missing	`metadata.json` sources; the sheet published
Admin API 401 / 403	The token's user isn't in `access` (admin / config_admin), or the token expired
The first site lost its code after another site was connected	One repository per site in Cloud Manager: reconnect it; use repoless for the other (section 13)

16. Security and responsibilities

- Tokens, the BYOG secret, the vendor token, the webhook secret and the Cloud Manager API key are never committed, pasted into tickets or chats, or printed (the scripts mask the secret and read tokens from the shell); keep them in a vault, rotate them when people leave.
- Program, environment and repository ids, emails and the author host stay out of the repository (`byog.env` is git-ignored; AGENTS.md, KB-D-056). No secrets in `public.json` (served as `/config.json`).
- Don't change `code` or `content` of a production site in place: create a new site, validate, switch the CDN origin.

Task	Owner
Choose the model; approve KB-D-058	Product owner, technical lead
github.com org, the repository, branch protection, CI; (B, C) token, webhook	Git administrator
(B, C) Cloud Manager repository, webhook URL and secret, Edge Delivery site, BYOG secret, Sync Code; (A) Edge Delivery site	Cloud Manager administrator

Task	Owner
Configuration Service (`site-config.mjs --apply`), access, validation	Site Administrator
Edge Delivery Services Configuration, configuration page, publishing	AEM administrator, authors
Repository clean-up PR, docs	Developers

17. Recheck against Adobe's documentation (26 October 2026)

Item	Source	Result
GitHub Enterprise Cloud via AEM Code Sync; GitHub Enterprise Server via BYOG	aem.live FAQ	Confirmed (section 1)
BYOG vendors; `main` required; org on github.com; no one-click site; webhook, API key, IP list	aem.live Bring Your Own Git	Confirmed
`code.json` (`byogit`, `cm-repo.adobe.io`, `secretId`), `secrets/cm-byog.json`, Sync Code, `job/…/code`, repoless without secret, one repository per site, `hlxignore: 401`	aem.live Bring Your Own Git	Confirmed (sections 6, 7, 13, 15)
Repository URL ending in `.git`; repository type GitHub for GHE; token permissions per vendor	Experience League: add external repositories	Confirmed; added (6.3, 6.9)
Webhook secret generated in Cloud Manager; `api_key` replaced in the webhook URL; events per vendor; no webhook for github.com	Experience League: configure a webhook	Confirmed; the first draft said "a secret of your choice" and "push": corrected (6.4)
Edge Delivery site fields (Site Name, Edge Delivery origin); ownership file `well-known/adobe/cloudmanager-challenge.txt` by pull request; authentication off during the check	Experience League: add an Edge Delivery site	Confirmed; added (6.6)
Site PUT with `code` and `content` (`suffix: .html`), technical account, `config_admin`, project type "aem.live with repoless config setup", configuration page mapped to `/.helix/config.json`	aem.live repoless authoring	Confirmed (sections 7, 8)
Update content location creates a new content bus; code changes on production sites; config files to remove	aem.live Configuration Service setup	Confirmed (sections 7, 11)
`public.json` `paths` with mappings / includes / excludes; admin-edit tool	aem.live path mapping	Confirmed

Item	Source	Result
Admin token from the Sidekick's `x-auth-token`; `status/…?editUrl=auto`	aem.live authentication for authors	Confirmed (10.1, 10.3)
Sidekick options, plugin types, events, special views, development on a site copy	aem.live Sidekick development	Confirmed (section 14)
Order of 6.5 / 6.6 for BYOG (the site must answer before Cloud Manager checks it; which repository holds the challenge file while the site isn't synced yet)	Not stated by Adobe	Blocked: confirm with Adobe (cloudmanager_byog@adobe.com) if the check fails; the file can live in the github.com repository of 6.2 until the BYOG sync
GitHub Enterprise Cloud with data residency (`*.ghe.com`)	Not covered	Not recorded: confirm with Adobe before choosing Model A for it

18. References

- https://www.aem.live/developer/byo-git (Bring Your Own Git)
- https://www.aem.live/docs/config-service-setup (Configuration Service; update content location)
- https://www.aem.live/developer/sidekick-development (customising the Sidekick)
- https://www.aem.live/developer/repoless-authoring (repoless with AEM authoring)
- https://www.aem.live/developer/authoring-path-mapping (path mapping)
- https://www.aem.live/docs/authentication-setup-authoring (authors, Admin API token)
- https://www.aem.live/docs/faq (GitHub Enterprise)
- https://www.aem.live/docs/admin.html (Admin API)
- https://experienceleague.adobe.com/en/docs/experience-manager-cloud-manager/content/managing-code/external-repositories
- https://experienceleague.adobe.com/en/docs/experience-manager-cloud-service/content/implementing/using-cloud-manager/edge-delivery-sites/add-edge-delivery-site
- This repository: site-config.mjs (./byog/site-config.mjs), validate-site.mjs (./byog/validate-site.mjs), byog.env.example (./byog/byog.env.example), AGENTS.md, administration-and-operations.md (handover/knowledge-base/administration-and-operations.md)