TCS CORPORATE WEBSITE

Table List Block — Developer Guide

Role / audience	Development — Developers, technical leads, block owners, AI coding agents
Version	1.0
Status	Draft for review
Owner	Technical Lead / Block Owner (proposed)
Last validated	2026-11-13
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Table List Block — Developer Guide
- Summary
- Overview
- Source files
- Components, models and filters
- Fields
- Dependencies
- For Developers
- Extending the Block
- Responsive Behavior
- Accessibility
- Data Layer and Analytics
- Performance Considerations
- Security and Privacy
- For Architects
- Troubleshooting
- Known limitations of the block
- Change history of the block
- Reference pages
- Coverage of the required topics
- Screenshots
- Known limitations
- Open items
- Change history

Table List Block — Developer Guide

Attribute	Value
Document ID	DEV-B-table-list
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	How the Table List block is built: files, model, structure, behaviour, variations, tests and limitations
Scope	blocks/table-list/ and its components table-list, table-list-card
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	13 November 2026
Last validated	2026-11-13 (model, files, imports from the code; reference pages from the live site)
Source files	blocks/table-list/README.md, blocks/table-list/_table-list.json, blocks/table-list/table-list.css, blocks/table-list/table-list.js
Related documents	Variations, Test coverage, Authoring guide
Related AEM paths	/content/tcs-corp/design-block-master/en/block-library/table-list, /content/tcs-corp/design-block-master/en/block-library/table-list/item-actions, /content/tcs-corp/design-block-master/en/block-library/table-list/motion

1. Summary

Attribute	Value
Block	Table List
Folder	`blocks/table-list`
Type	Container
Category	listing
Status	Active
Purpose	A numbered list of linked items (industries, services)
Variations (summary)	Variations, item actions, numbers
Children	table-list-card (Table List Item)
Code size	1190 lines of JS and CSS

2. Overview

- **Business purpose:** presents a short, scannable list of offerings (industries served, transformation solutions, products and platforms) with a strong typographic style and a clear path to each detail page, without images.
- **User experience:** a heading with a call to action (filled button, outline button or text link) on the right (below it when they don't fit), then rows separated by dividers. Variation 1: title, description and

an arrow; Variation 2: description, a large title and an outline button; Variation 3: description, a number with a very large title and a diagonal arrow; Variation 4: a wide title, a narrow grey description and an arrow, the row highlighted on hover and keyboard focus. With an arrow the whole row is clickable.

- **Templates / page types:** any page (allowed in every section); typically the home page and landing pages (the curated design pages `home`, `what-we-do`, `product`, `industry-landing-page`, `case-study`, `collection` use it).
- **Data source:** authored fields only; UI text (View all, Explore, accessible names) from the locale's placeholders. No page metadata, tags, query index or images.
- **Related blocks:** Cards and List (image cards), Filter List (metadata-driven lists), Table (tabular data), Accordion, Anchor List.
- **When to use:** up to 10 items that each link to a page, where typography, not imagery, carries the design.
- **When not to use:** more than 10 items or lists that should update from page metadata (List, Filter List); image cards (Cards, List); tabular data with columns (Table); expandable content (Accordion).
- **Realistic use cases:** a home page "Industries we serve" list with a "View all industries" button; "Our transformation solutions" with an outline "Explore" button per row; "Products & Platforms" with numbered product names and trademark signs (TwinX™, ignio®).

3. Source files

File	Link
`README.md`	GitHub
`_table-list.json`	GitHub
`table-list.css`	GitHub
`table-list.js`	GitHub

4. Components, models and filters

Component	Title	Resource type	Template name	Model	Children allowed
`table-list`	Table List	`core/franklin/components/block/v1/block`	Table List	`table-list`	table-list-card
`table-list-card`	Table List Item	`core/franklin/components/block/v1/block/item`	Table List Item	`table-list-card`	—

5. Fields

The Additional tab fields (anchor, hide, padding, margin, animation) are common to the blocks and described in the content modeling guide.

5.1 Table List (`table-list`)

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Content	Variation	`variations`	select	No	`industries`	6 options	—
Content	Background color	`backgroundColor`	select	No	`white`	4 options	—
Content	Heading	`listHeading`	text	No	`""`	—	—
Content	Heading Type	`listHeadingType`	select	No	h2	3 options	—
Content	Eyebrow	`listEyebrow`	text	No	`""`	—	—

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Content	Heading position	`headerPosition`	select	No	`""`	2 options	—
Content	Maximum items	`maxCards`	number	No	4	—	—
Content	Text	`viewAllLabel`	text	No	`""`	—	—
Content	Link	`viewAllLink`	aem-content	No	—	—	—
Content	Style	`ctaStyle`	select	No	`""`	4 options	—
Content	Hide button	`hideButton`	boolean	No	`false`	—	—
Items	Numbers	`numbers`	select	No	`""`	4 options	—
Items	Item link	`itemAction`	select	No	`""`	5 options	—
Items	Button text	`itemButtonLabel`	text	No	—	—	Conditional
Items	Gray descriptions	`grayDescriptions`	boolean	No	`false`	—	Conditional

5.2 Table List Item (`table-list-card`)

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
—	Number	`number`	text	No	`""`	—	—
—	Title	`title`	text	No	—	—	—
—	Trademark	`trademark`	select	No	`""`	3 options	—
—	Description	`description`	richtext	No	—	—	—
—	Link	`link`	aem-content	No	`""`	—	—
—	Button text	`linkText`	text	No	`""`	—	—

"Required in model" is the model's `required` flag; whether a field is required in practice is stated in the authoring guide where it is known.

6. Dependencies

Import
`../../scripts/scripts.js`
`../../decorators/button-decorator.js`
`../../utils/buttons.js`
`../../utils/environment.js`
`../../utils/cells.js`
`../../utils/properties.js`
`../../utils/urls.js`
`../../utils/placeholders.js`
`../../utils/motion.js`

7. For Developers

```
blocks/table-list/
├── README.md
├── _table-list.json
```

```
├── table-list.css
└── table-list.js
```

Decorator/Utility	Purpose	Execution or dependency point
scripts/scripts.js	Page decoration (moveInstrumentation and shared page helpers)	table-list.js: { moveInstrumentation }
decorators/button-decorator.js	decorateButton (option newTabHint: a link opening a new tab says so), createButton, setButtonDisabled, setButtonAlignment, removeButtonDecoration	table-list.js: { decorateButton }
utils/buttons.js	BUTTON_VIEWS, BUTTON_TYPES, BUTTON_ALIGNMENTS, pick, readButtonOptions	table-list.js: { pick }
utils/environment.js	prefersReducedMotion, scrollBehavior, isEditing, isInEditor, isAuthor (the page is rendered by AEM author, which has no query index)	table-list.js: { isEditing }
utils/cells.js	itemRows, KEY_VALUE_ITEM, FIELD_ROW_ITEM (the item rows of a block: by model in the editor, by their cells on the page), withoutTabCells (drops the empty cell AEM renders for each dialog tab of an item model), `m	table-list.js: { matchCells }
utils/properties.js	readProperties, textOf, isOn, isOnByDefault (a toggle that defaults to on), optionOf, normalizeKey, textSource (key-value block properties)	table-list.js: { isOn, normalizeKey, textOf }
utils/urls.js	toSitePath (AEM content paths to published paths, e.g. /content/tcs-corp/de/de-de/x.html → /de-de/x)	table-list.js: { toSitePath }
utils/placeholders.js	getPlaceholders, loadPlaceholders, fillPlaceholder (UI text from the locale's placeholders, with English fallbacks)	table-list.js: { fillPlaceholder, getPlaceholders }
utils/motion.js	CONTENT_MOTIONS, BACKGROUND_MOTIONS, contentMotionOf, backgroundMotionOf (the Content animation / Background animation of the Additional tab, read from the block classes motion-* / bg-motion-*; unknown values	table-list.js: { addLegacyMotion }

- **JavaScript (`table-list.js`):** `decorate` loads the placeholders, reads the block (`readBlock`), adds the classes `{variation}` and `numbers-{value}`, maps a stored Motion Type (`addLegacyMotion`), builds the header (`buildHeader`) and the items (`decorateItem`), and replaces the block's children with the header and `div.table-list-items`.
- **CSS (`table-list.css`):** grid areas per variation, mobile first with `min-width` 600px and 1200px; arrows as CSS masks; the arrow link's `::after` covers the row; description links raised above it.
- **Input DOM:** key-value rows (`name | value`, keys compared by `normalizeKey` against `FIELDS`); when no row is keyed, single-cell rows are matched to the fields in model order by content (`matchCells` with `PROPERTY_MATCHERS`). Item rows: in the editor `data-aue-model="table-list-card"`; on the page rows with more than two cells. Item cells (number, title, trademark, description, link) are matched by content (`ITEM_MATCHERS`: a 1–3 digit number, `tm` / `r`, a link), so fields AEM leaves out don't shift the others. A two-cell row that isn't a property (or `data-aue-model="table-list-header"`) is the legacy header.
- **Rendered DOM:** `div.table-list.{variation}.numbers-{show|mobile|hide}` > `div.table-list-header` (`h2|h3|h4.table-list-heading`, `p.table-list-cta > a.button`) and `div.table-list-items[role=list]` > `div.table-list-item[role=listitem]` (the authored row, kept for its instrumentation) > `div.table-list-main` (`span.table-list-number`, `hN.table-list-title` with `sup.table-list-trademark`), `div.table-list-description`, `div.table-list-action` (`a.table-list-arrow.{arrow|arrow-up-right}`, `span.table-list-arrow` or `a.button.secondary`). Editor only: `table-list-item-hidden`.
- **Decoration flow:** synchronous after the placeholders are loaded; no observers or listeners besides the click guard on editor-only previews.
- **Error handling:** invalid select values fall back to the variation defaults; unsupported links are ignored; missing cells render nothing.
- **Exports:** default `decorate` only.
- **Parent / child contracts:** item rows are reused (`row.className = 'table-list-item'`), the header row's and cells' instrumentation is moved (`moveInstrumentation`), so Universal Editor selection keeps

working.
- **Data-layer hooks:** none of its own (central tracking).

8. Extending the Block

1. **A dialog field or value:** edit `blocks/table-list/_table-list.json`, run `npm run build:json` and `npm run lint`.
2. **Map it to rendering:** add the normalized key to `FIELDS` (in model order) and a matcher to `PROPERTY_MATCHERS`; read it in `readBlock`. A new variation needs `VARIATIONS`, `VARIATION_DEFAULTS` and its CSS (scoped to `.table-list.{variation}`, mobile first, rem).
3. **A new item field:** add it to `ITEM_FIELDS` and `ITEM_MATCHERS`; keep the matchers distinct so unset fields don't shift the cells.
4. **Delivery rules:** names ending in Text, Title, Type, Alt or MimeType collapse into their base field (as `listHeadingType` and `linkText` do on purpose); Additional tab values arrive as `classes_*` block classes; adding dialog tabs to the item model adds empty tab cells to its rows.
5. **Accessibility and data layer:** names from placeholders (add keys to all locale sheets); describe new interactions with `data-cmp-interaction` if they need their own name.
6. **Tests:** no unit tests exist for this block; add pure helpers under `test/` if logic grows.
7. **Backward compatibility:** keep reading `motion` and the legacy header row.
8. **Docs:** update the block library pages (`block-library/table-list/…`) and this README (`npm run build:docs`); run `npm run build:modules` after changing imports.

9. Responsive Behavior

Viewport	Layout	Image behavior	Interaction behavior
Mobile (below 600px)	Heading 2rem (Variation 4: 1.75rem); call to action wraps below the heading when it doesn't fit (Variation 4: always below); Variation 1: number and title above the description, arrow on the right; Variation 2: description, title and button stacked; Variation 3: description above number and title, arrow on the right; Variation 4: title, description and arrow stacked	No images; SVG arrow masks	Numbers shown with Show and Show on mobile only
Tablet (600–1199px)	Heading 2.5rem; rows side by side: `main description action` (Variations 1 and 4) or `description main action` (Variations 2 and 3, title right-aligned); Variation 4 description column at most 21.15rem from 900px	—	Show on mobile only hides the numbers
Desktop (1200px and wider)	Heading 3rem (Variation 4: 2.5rem); Variation 1 inset by `--space-2000` with emphasised titles; Variation 2 title 4rem; Variation 3 title 5.625rem in 476 : 695 : auto columns; Variation 4 `1fr : 21.15rem : auto`	—	Hover on a row (any width) moves its arrow and turns it brand coloured; Variation 4: the row turns light grey and the arrow dark (also on keyboard focus), the arrow doesn't move
By list width (Variations 4 and 5)	Rows switch on the width of the list, not the screen (container query `table-list-items`): Variation 4 stacked below 25.5rem, title above description with the arrow beside from 25.5rem, three columns from 44.5rem; Variation 5 label above description below 44rem, beside it from 44rem. Variations 4–6 keep the Figma gutter (1 / 2.5 / 5rem); Heading position Beside: two columns from 900px	—	Variation 6: 24px arrow centred on the title

10. Accessibility

- **Semantic HTML:** the items container is `role="list"`, each row `role="listitem"`; item titles are headings one level below the list heading.
- **Headings:** the list heading at Heading Type (H2–H4); items one level lower (`h2` without a heading).

- **Keyboard and focus:** arrows are links with a visible focus outline; on focus and hover the arrow turns brand coloured and moves; buttons follow the button decorator; links inside descriptions stay reachable and clickable.
- **Accessible names:** arrows "Explore {title}" (else "Explore"); item buttons "{text}: {title}"; the call to action uses its text. The name uses the title, else the description, else the link text.
- **Unlinked states:** an arrow without a Link is `aria-hidden`; button and call to action previews without a Link (editor only) are `aria-hidden` with `tabindex="-1"`.
- **Reduced motion:** the arrow transition is off; the Additional tab animation doesn't play.
- **Contrast:** the products number uses `--slate-500` (3:1 for large text, per the CSS comment); text uses the theme tokens (`--color-text-default`).
- **Empty states:** no empty headings on the page; no loading state (authored content).
- **Reflow:** single column stacks below 600px.

Author responsibilities: a Link on every item; Heading Type without skipped levels; Trademark instead of typed signs; descriptions meaningful on their own; specific call to action text.

Developer responsibilities: keep `role="list"` / `role="listitem"`, the heading levels and the accessible names from placeholders; keep the focus outline and the description links above the arrow overlay.

Key	Expected behavior
Tab / Shift+Tab	Moves through the call to action, description links and each item's arrow or button
Enter	Follows the focused link (arrows, buttons and the call to action are links)

11. Data Layer and Analytics

- **Component:** registered centrally by `decorators/data-layer-decorator.js` (`trackBlocks`): `@type: tcs-corp/components/table-list`, `parentId` the page, `dc:title` the block's first heading. The id is the block id (Anchor ID), else `table-list-{n}`; items have no component id of their own.
- **Interactions:** the block sets no `data-cmp-*` attributes and makes no `pushComponentEvent` call; link clicks are captured as `cmp:click` with `interaction: link` and the block's path, without a position.
- **Path:** Adobe Client Data Layer → Adobe Data Collection (Tags) → AEP Web SDK → Edge Network → Analytics / CJA is the intended path, but Tags and the Web SDK aren't configured yet (blocked: measurement plan). No consent mechanism is implemented.

Trigger	Data-layer event	Required properties	Analytics behavior
Block decorated	`component` state	`@type`, `parentId`, `dc:title`	Impression of the block
Item arrow	`cmp:click`	`path: component.{block id}`, `interaction: link`, `dc:title` ("Explore {title}"), `xdm:linkURL`, `xdm:linkType` (`other`, `exit`, `download`), `breakpoint`	Item click (no position)
Item button	`cmp:click`	as above, `dc:title` "{text}: {title}"	Item click
Call to action	`cmp:click`	as above, `dc:title` the link text	CTA click
Link inside a description	`cmp:click`	as above	Inline link click

12. Performance Considerations

- **Initialization:** decorated with its section; waits for the placeholders sheet (shared by all blocks, cached).
- **Images:** none; arrows are CSS masks of SVG icons.


- **Dynamic imports / requests:** none of its own.
- **DOM size:** at most 10 rows on the page; the authored rows are reused.
- **Listeners / observers:** none on the page (a click guard only on editor previews); the motion decorator observes the block when an animation is set.
- **Layout shift risks:** the block rebuilds its children on decoration; items above Maximum items are left out.
- **High-cost configurations:** none identified.

13. Security and Privacy

- Link values are accepted only as `#anchor`, `/path` or `http(s)://…`; anything else (e.g. `javascript:`, `mailto:`) is ignored. Same-origin paths are normalized with `toSitePath`.
- Headings, titles, numbers and button texts are set with `textContent`; the description is the AEM-delivered rich text moved as is.
- No external content, query string handling or personal data.

14. For Architects

- **Role:** a text-led, curated list with six Figma layouts.
- **Content model:** key-value container (`table-list`) with item children (`table-list-card`).
- **Rendering and data source:** client-side decoration of authored HTML; only the placeholders sheet is fetched.
- **Dependencies:** `decorators/button-decorator.js`, `utils/buttons.js`, `utils/cells.js`, `utils/properties.js`, `utils/urls.js`, `utils/environment.js`, `utils/placeholders.js`, `utils/motion.js`, `scripts/scripts.js` (`moveInstrumentation`).
- **Data layer / Web SDK / Target:** central tracking only; Tags, Web SDK and Target aren't configured.
- **Consent and identity:** none implemented; no personal data.
- **Caching:** the content is part of the page HTML cached by the Edge Delivery CDN; the placeholders sheet is fetched once per page.
- **Performance:** no images, light DOM work; suitable for the first section.
- **Security:** only `/`, `#` and `http(s)` destinations; text via `textContent`.
- **Scalability:** at most 10 rows rendered.



15. Troubleshooting

Symptom	Likely cause	Diagnostic steps	Resolution	Verification
Some items are missing	Maximum items (default 4) lower than the item count	Check Content › Maximum items; dimmed items in the editor	Raise it (up to 10) or remove items	All items appear
Call to action missing	Link empty or unsupported	Check the Link value	Pick a page or a full URL	Call to action renders
Arrow not clickable / no button	Item Link empty or unsupported	Select the item, check Link	Set the Link	Arrow or button navigates
Wrong button text	Item Button text empty or equal to the URL; Item link not Button	Check item and block Button text	Set the texts; Item link Button	Expected text
Heading Type has no effect	Heading delivered without a heading element	Inspect the page's `.plain.html` listHeading cell	Re-select Heading Type and re-enter the Heading; escalate if it persists	Heading at the chosen level
Item visible in the editor, missing on the page	A two-cell row read as the legacy header	Count the row's cells in `.plain.html`	Fill the item's other fields; escalate to development	Item renders on preview
Unexpected numbers	Show on mobile only or Hide default; Number not 1–3 digits	Check Items › Numbers and item Numbers	Set Numbers Show; use values like 01	Numbers as intended
Rows appear late	An Animation Type (or a stored Motion Type) is set	Check the Additional tab	Animation Type None	Rows visible at once

Evidence to collect: page URL (preview / live), viewport width, the block's `.plain.html` rows, the block classes, console messages, the relevant `window.adobeDataLayer` entries. No credentials or tokens.

16. Known limitations of the block

Limitation	Impact	Workaround	Planned correction
At most 10 items	Longer lists need another block	List or Filter List	Not planned
Titles and headings are plain text	Formatting is dropped	—	Not recorded
Only `/`, `#` and `http(s)` links	No `mailto:` / `tel:`	—	Not recorded
No images	Text-led only	Cards or List	Not planned
A two-cell row without editor instrumentation is read as the legacy header	An item may disappear on the published page	Fill the item's other fields	To be confirmed (handover 6.18.13 Issue 6)
The legacy header item can't be added any more but is still read	Old lists keep their header	Move it into the block fields	Not recorded
Item clicks carry no position or item id	Item-level reporting only by `dc:title` / URL	—	Not recorded
No unit tests	Regressions found only by manual checks	QA table above	Not recorded

17. Change history of the block

Version	Change	Source	Date
Not recorded	README generated from verified implementation and approved handover documentation	Repository review	Not recorded
Handover 2.8	Dialog tabs Content / Items / Additional	docs/handover revision history	17 October 2026
Handover 2.18	Additional tab Content animation; Table List Motion Type kept, replaced by the new fields when set	docs/handover revision history	18 October 2026
Handover 2.27	Block ecosystem audit: Table List Motion Type removed from the dialog (it duplicated Animation Type); library content migrated	docs/handover revision history	19 October 2026
Handover 2.31	Verified on aem.live: Table List items without sample text	docs/handover revision history	20 October 2026
Handover 2.43	Variation 5 - Approach (`approach`) and Variation 6 - Platforms (`platforms`); Eyebrow (`listEyebrow`), Heading position (`headerPosition`), Background color Navy and Item link Circled arrow (`icons/arrow-right-circle.svg`), for the prototypes Figma Case Study, Product and What we do sections; Variation 4 rows follow the list width, keep the Figma gutter and the Figma dark colours; Variations 1–3 unchanged (computed styles compared at 375, 1024 and 1440px)	docs/handover revision history	23 October 2026
Handover 2.42	Variation 4 - Segments (`segments`) from the TCS Designs - Prototypes Figma "List Item - Industry"; Variations 1–3, fields and stored values unchanged (computed styles compared before / after at 375, 1024 and 1440px)	docs/handover revision history	23 October 2026

18. Reference pages

Kind	Page	Live URL
Block library	/design-block-master/en/block-library/table-list	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/table-list
Block library	/design-block-master/en/block-library/table-list/item-actions	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/table-list/item-actions
Block library	/design-block-master/en/block-library/table-list/motion	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/table-list/motion
Block library	/design-block-master/en/block-library/table-list/numbers	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/table-list/numbers
Block library	/design-block-master/en/block-library/table-list/numbers-on-mobile	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/table-list/numbers-on-mobile
Block library	/design-block-master/en/block-library/table-list/table-list	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/table-list/table-list
Curated design page	/design-block-master/en/curated-design-pages/case-study	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/case-study
Curated design page	/design-block-master/en/curated-design-pages/collection	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/collection
Curated design page	/design-block-master/en/curated-design-pages/home	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/home

Kind	Page	Live URL
Curated design page	/design-block-master/en/curated-design-pages/industry-landing-page	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/industry-landing-page
Curated design page	/design-block-master/en/curated-design-pages/product	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/product
Curated design page	/design-block-master/en/curated-design-pages/what-we-do	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/what-we-do

19. Coverage of the required topics

Topic	Where
Purpose	Overview
Source files	generated: Files
Model, definition, filters, children	generated: Components
Dependencies	generated: Dependencies
Authored input / rendered output / DOM transformation	For Developers
Configuration fields, defaults, required fields	generated: Fields
Variations	TABLE-LIST-VARIATIONS.md
Responsive behaviour	Responsive Behavior
Accessibility and keyboard	Accessibility
Analytics / data layer	Data Layer and Analytics
Performance	Performance Considerations
Security	Security and Privacy
Extending	Extending the Block
Known limitations	Known Limitations
Troubleshooting	Troubleshooting
Tests	TABLE-LIST-TEST-COVERAGE.md
SEO behaviour	Not recorded
Caching considerations	Not recorded (Edge Delivery default caching; no block-specific rule)
Ownership	Technical Lead / Block Owner (proposed)

20. Screenshots




Figure: Table List block library page — desktop 1440 × 900 (/design-block-master/en/block-library/table-list/item-actions, captured 2026-11-08).




Figure: Table List block library page — mobile 375 × 812 (/design-block-master/en/block-library/table-list/item-actions, captured 2026-11-08).




Figure: Desktop rendering — The Table List (Variation 1) at 1440 px, inset 5rem: the 3rem heading Industries we serve with a filled View all button at the right, then four rows Banking, Retail, Manufacturing and Insurance with the description in the middle column and a grey arrow, thin dividers between rows, no numbers. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-desktop-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Tablet rendering — The same Table List at 768 px: the 2.5rem heading with the View all button beside it, four rows in three columns (title, description, arrow) and no numbers. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-tablet-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Mobile rendering — The Table List at 375 px: the 2rem heading with the View all button below it, then rows 01 Banking to 04 Insurance with the number and title on the first line, the description below and the arrow at the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-mobile-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation 1 (industries) — Close-up of the Variation 1 items at 1440 px: four rows with the semibold titles Banking, Retail, Manufacturing and Insurance, the description in the middle column and a grey right arrow; no numbers and no divider under the last row. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-industries.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation 2 (solutions) — The Variation 2 Table List at 1440 px: the heading Our transformation solutions with an outline All solutions button, then four rows (Cognitive operations, Enterprise cloud, Cybersecurity, AI and data) with the description at the left, the 4rem title right-aligned and an outline Explore button; no numbers. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-solutions.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Variation 3 (products) — The Variation 3 Table List at 1440 px: the regular-weight heading Products & Platforms with the text link All Products & Platforms, then rows with the description at the left, a grey number and a 5.625rem name (01 TwinX™, 02 ignio®, 03 TCS BaNCS®, 04 Quartz™) and a diagonal arrow, with 2px light grey dividers. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-products.jpg) (handover screenshot; rendering at the time it was taken).



Figure: Filled button call to action — Close-up of the header at 1440 px: the heading Industries we serve with a filled brand button View all industries at the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-cta-filled.jpg) (handover screenshot; rendering at the time it was taken).



Figure: Outline button call to action — Close-up of the header at 1440 px: the heading Our transformation solutions with an outline button All solutions at the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-cta-outline.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Text link call to action — Close-up of the header at 1440 px: the regular-weight heading Products & Platforms with the text link All Products & Platforms at the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-cta-text-link.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Numbers shown — The Variation 1 Table List at 1440 px with Numbers Show: the heading and View all button, then three rows 01 Banking, 02 Retail and 03 Manufacturing with descriptions and arrows. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-numbers-show.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Numbers on mobile only — Two frames side by side: at 375 px the rows read 01 Banking, 02 Retail and 03 Manufacturing with the View all button under the heading; at 1024 px the same rows show Banking, Retail and Manufacturing without numbers. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-numbers-mobile.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Numbers hidden — The Variation 3 Table List at 1440 px with Numbers Hide: the heading and text link, then three rows TwinX™, ignio® and TCS BaNCS® with descriptions and diagonal arrows and no numbers. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-numbers-hide.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Arrow item link — The Variation 1 Table List at 1440 px with only the heading Industries we serve (no call to action) and three rows Banking, Retail and Manufacturing; the pointer is on Banking, whose arrow is brand blue and moved slightly right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-item-arrow.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Diagonal arrow item link — Close-up of the first product row at 1440 px: the description Risk free business experimentation and decision intelligence at the left, 01 and the large title TwinX™, and an up-right arrow at the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-item-diagonal-arrow.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Button item link — Close-up of the first solution row at 1440 px: the description Run operations that sense and respond to change. at the left, the 4rem title Cognitive operations and an outline Explore button at the right. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-item-button.jpg) (handover screenshot; rendering at the time it was taken).




Figure: No motion — The Variation 1 Table List at 1440 px with Motion None: the heading with the filled View all button and the four rows Banking, Retail, Manufacturing and Insurance all fully visible. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-motion-none.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Fade motion — The Variation 1 Table List at 1440 px during Fade, captured slowed and staggered: Banking fully visible, Retail and Manufacturing partly faded in and Insurance still nearly transparent below the heading and View all button. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-motion-fade.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Slide motion — The Variation 1 Table List at 1440 px during Slide, captured slowed and staggered: the upper rows in place, the lower rows up to 1.25rem lower and partly transparent while rising. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-motion-slide.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Reveal motion — The Variation 1 Table List at 1440 px during Reveal, captured slowed and staggered: Banking fully revealed, the next rows partly uncovered from the top down and Insurance still clipped. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-motion-reveal.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Trademark sign — Close-up of the product items at 1440 px: 01 TwinX™, 02 ignio®, 03 TCS BaNCS® and 04 Quartz™ with the signs raised at title size after each name, descriptions at the left and diagonal arrows. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/table-list-trademark.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Universal Editor canvas — The Variation 3 Table List selected in Universal Editor at 1440 px, annotated: A the heading Products & Platforms, B the text link All Products & Platforms, C the number 01, D the title TwinX™, E its description, F the diagonal arrow, with three rows (TwinX, ignio, TCS BaNCS) and G the content tree with three Table List Item children. (Annotated preview in editor mode with sample content; letters as in the annotations list, not a Universal Editor screenshot; file screenshots/table-list-authoring-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Properties panel — The properties panel of the Table List with the tabs Content, Call to action, Items and Additional, and, for a selected item, the Table List Item panel with Number, Title, Trademark, Description, Link and Button text. (Dialog reference generated from the component model, not a Universal Editor screenshot; file screenshots/table-list-properties-panel.jpg) (handover screenshot; rendering at the time it was taken).

21. Known limitations

- Universal Editor dialogs were not captured: no author access in this program (see the access blockers).

22. Open items

- None.

23. Change history

Version	Date	Author	Change
1.0	13 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages