TCS CORPORATE WEBSITE

Testimonial Block — Developer Guide

Role / audience	Development — Developers, technical leads, block owners, AI coding agents
Version	1.0
Status	Draft for review
Owner	Technical Lead / Block Owner (proposed)
Last validated	2026-11-13
Documents	1
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Testimonial Block — Developer Guide
- Summary
- Overview
- Source files
- Components, models and filters
- Fields
- Dependencies
- For Developers
- Extending the Block
- Responsive Behavior
- Accessibility
- Data Layer and Analytics
- Performance Considerations
- Security and Privacy
- For Architects
- Troubleshooting
- Known limitations of the block
- Change history of the block
- Reference pages
- Coverage of the required topics
- Screenshots
- Known limitations
- Open items
- Change history

Testimonial Block — Developer Guide

Attribute	Value
Document ID	DEV-B-testimonial
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	How the Testimonial block is built: files, model, structure, behaviour, variations, tests and limitations
Scope	blocks/testimonial/ and its components testimonial, testimonial-stat
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	13 November 2026
Last validated	2026-11-13 (model, files, imports from the code; reference pages from the live site)
Source files	blocks/testimonial/README.md, blocks/testimonial/_testimonial.json, blocks/testimonial/testimonial.css, blocks/testimonial/testimonial.js
Related documents	Variations, Test coverage, Authoring guide
Related AEM paths	/content/tcs-corp/design-block-master/en/block-library/testimonial, /content/tcs-corp/design-block-master/en/block-library/testimonial/testimonial-variations

1. Summary

Attribute	Value
Block	Testimonial
Folder	`blocks/testimonial`
Type	Container
Category	content
Status	Active
Purpose	A client testimonial with author, image and stats
Variations (summary)	BG Color, show / hide options
Children	testimonial-stat (Stat)
Code size	357 lines of JS and CSS

2. Overview

- **Business purpose:** builds trust by showing a client's own words together with measurable results.
- **User experience:** a left-aligned section title, then the eyebrow, quote and author centred in up to 59.375rem, then the stats in columns under a divider.
- **Templates / page types:** any page. No template adds the block.
- **Data source:** authored fields and Stat items only. The block reads no sheet, metadata, Authors sheet, taxonomy or query index.
- **Related blocks:** Quote (`blocks/quote`) for a large portrait overlapped by the quote. Teaser (`blocks/teaser`), which builds its stats with the same stats decorator. Cards / List for stat grids with

links.
- **When to use:** one testimonial is the focus of a section, ideally with quantified results.
- **When not to use:** for a large portrait (use a Quote). For several testimonials side by side (use one Testimonial per Gen Carousel slide, or cards). For a call to action (the block has no CTA field).
- **Realistic use cases:** a client testimonial with the outcomes of an engagement on a case study page; a results band with the description and author hidden; a short endorsement with name and role only.

3. Source files

File	Link
`README.md`	GitHub
`_testimonial.json`	GitHub
`testimonial.css`	GitHub
`testimonial.js`	GitHub

4. Components, models and filters

Component	Title	Resource type	Template name	Model	Children allowed
`testimonial`	Testimonial	`core/franklin/components/block/v1/block`	Testimonial	`testimonial`	testimonial-stat
`testimonial-stat`	Stat	`core/franklin/components/block/v1/block/item`	Stat	`testimonial-stat`	—

5. Fields

The Additional tab fields (anchor, hide, padding, margin, animation) are common to the blocks and described in the content modeling guide.

5.1 Testimonial (`testimonial`)

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Content	Eyebrow	`eyebrow`	text	No	—	—	—
Content	Title	`title`	text	No	—	—	—
Content	Title Type	`titleType`	select	No	h2	6 options	—
Content	Description	`description`	richtext	No	`""`	—	—
Content	Author	`authorName`	text	No	—	—	—
Content	Author Image	`authorImage`	reference	No	—	—	—
Content	Author Image Alt Text	`authorImageAlt`	text	No	—	—	—
Content	Designation & Location	`designationLocation`	richtext	No	`""`	—	—
Content	Stats	`stats`	container	No	—	—	—
Content	Stats › Stats Title	`statLabel`	richtext	No	`""`	—	—
Content	Stats › Stats Value	`statValue`	richtext	No	`""`	—	—
Style	BG Color	`bgColor`	select	No	`""`	3 options	—

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Style	Hide Eyebrow	`hideEyebrow`	boolean	No	`false`	—	—
Style	Hide Title	`titleHidden`	boolean	No	`false`	—	—
Style	Show Description	`showDescription`	boolean	No	`true`	—	—
Style	Hide Author Details	`hideAuthor`	boolean	No	`false`	—	—

5.2 Stat (`testimonial-stat`)

Tab	Label	Property	Type	Required in model	Default	Options	Visibility
Stat	Stats Title	`statLabel`	richtext	No	""	—	—
Stat	Stats Value	`statValue`	richtext	No	""	—	—

"Required in model" is the model's `required` flag; whether a field is required in practice is stated in the authoring guide where it is known.

6. Dependencies

Import
`../../decorators/a11y-decorator.js`
`../../decorators/content-decorator.js`
`../../decorators/editor-item-decorator.js`
`../../decorators/heading-decorator.js`
`../../decorators/image-decorator.js`
`../../decorators/stats-decorator.js`
`../../utils/cells.js`
`../../utils/properties.js`

7. For Developers

```
blocks/testimonial/
├── README.md
├── _testimonial.json
├── testimonial.css
└── testimonial.js
```

Decorator/Utility	Purpose	Execution or dependency point
decorators/a11y-decorator.js	`hideVisually`, `createHiddenText` (with `.visually-hidden` in `styles/styles.css`)	`testimonial.js`: { hideVisually }
decorators/content-decorator.js	`fromCell` (property content into an element, keeping editor instrumentation)	`testimonial.js`: { fromCell }
decorators/editor-item-decorator.js	`buildEditorItems`, `editorItemHint` (in Universal Editor, an item the block doesn't render yet, e.g. a CTA just added, as a dashed placeholder the author can select; styles in `styles/lazy-styles.css`; the hint loaded o	`testimonial.js`: { editorItemHint }

Decorator/Utility	Purpose	Execution or dependency point
decorators/heading-decorator.js	buildHeading (Title + Title Type), HEADINGS	testimonial.js: { buildHeading }
decorators/image-decorator.js	pictureOf (image with its alt text field)	testimonial.js: { pictureOf }
decorators/stats-decorator.js	buildStats (Stat items, and the Stats composite multifield authored before them, as a description list)	testimonial.js: { buildStats }
utils/cells.js	itemRows, KEY_VALUE_ITEM, FIELD_ROW_ITEM (the item rows of a block: by model in the editor, by their cells on the page), withoutTabCells (drops the empty cell AEM renders for each dialog tab of an item model), `m	testimonial.js: { KEY_VALUE_ITEM, itemRows }
utils/properties.js	readProperties, textOf, isOn, isOnByDefault (a toggle that defaults to on), optionOf, normalizeKey, textSource (key-value block properties)	testimonial.js: { isOn, isOnByDefault, optionOf, readProperties, textOf, }

- **JavaScript (`testimonial.js`):** an async `decorate(block)`. It reads the properties (`readProperties`) and the Stat item rows (`itemRows(block, ['testimonial-stat'], KEY_VALUE_ITEM)`: by `data-aue-model` in the editor, else rows with other than two cells). It builds the title, the figure and the stats, then replaces the children.
- **CSS (`testimonial.css`):** the column layout, the centred figure, the author row, the stats grid with its divider, the Grey panel, and the 900px changes.
- **Input DOM:** key-value rows (`eyebrow`, `title`, `titleType`, `description`, `authorName`, `authorImage`, `authorImageAlt`, `designationLocation`, `stats`, `bgColor`, `hideEyebrow`, `titleHidden`, `showDescription`, `hideAuthor`), then Stat item rows of three cells: an empty cell for the item's Stat tab, Stats Title, Stats Value (`test/items/item-rows.test.mjs`).
- **Rendered DOM:**

```
<div class="testimonial block bg-grey">
  <h2 class="testimonial-title">…</h2>
  <figure class="testimonial-quote">
    <p class="testimonial-eyebrow">…</p>
    <blockquote class="testimonial-description">…</blockquote>
    <figcaption>
      <div class="testimonial-author">
        <div class="testimonial-author-image"><picture>…</picture></div>
        <div class="testimonial-author-text">
          <p class="testimonial-author-name">…</p>
          <div class="testimonial-author-details">…</div>
        </div>
      </div>
    </figcaption>
  </figure>
  <dl class="testimonial-stats">
    <div class="testimonial-stat">
      <dt class="testimonial-stat-label">…</dt>
      <dd class="testimonial-stat-value">…</dd>
    </div>
  </dl>
</div>
```

- **Decoration flow:** properties and item rows; `buildHeading` (+ `hideVisually`); `fromCell` for the eyebrow, description, name and details; `pictureOf` for the photo; `buildStats(props.stats, 'testimonial', statRows, hint)` from `decorators/stats-decorator.js` (multifield stats, then Stat items, then editor placeholders); `bg-grey` reset and set; `replaceChildren`.

- **Async behavior:** `editorItemHint` loads the placeholders (key `itemEditorHint`) only in Universal Editor (rows with `data-aue-resource`). On the page it resolves at once without a request.
- **Error handling:** no try / catch. Missing parts are left out.
- **Exports:** the default `decorate` only.
- **Parent / child contract:** the `testimonial` filter allows only `testimonial-stat`. Its model must render three cells (tab, label, value) so `KEY_VALUE_ITEM` tells it from the two-cell property rows.
- **Editor:** instrumentation moves to the rendered elements and Stat items (`moveInstrumentation`); unrendered Stat items become `.editor-item` placeholders.
- **Motion:** content targets `:scope > *`; the background colour is animated (`BACKGROUNDS.testimonial`).

8. Extending the Block

1. **Add a field** in `blocks/testimonial/_testimonial.json` (at most three short tabs, Additional last). Then run `npm run build:json` and `npm run lint`.
2. **Delivery rules:** avoid names ending in Text, Title, Type, Alt or MimeType for values that must be read; no grouped fields; options that should become classes go in `classes_*`; no sample content in templates. Changing the Stat model changes its cells: update `test/items/item-rows.test.mjs` and `decorators/stats-decorator.js` (`readStatRows`) together.
3. **Rendering:** read the field in `testimonial.js` and style it in `testimonial.css`, scoped to `.testimonial`, mobile first, in rem.
4. **Accessibility:** keep the semantic structure; new UI text comes from placeholders with an English fallback.
5. **Data layer:** describe interactive elements with `data-cmp-*` attributes.
6. **Tests:** `npm test` (`test/items/item-rows.test.mjs`, `test/motion/motion.test.mjs`).
7. **Backward compatibility:** keep reading the Stats multifield and the `grey` class fallback.
8. **Library and docs:** update `block-library/testimonial/testimonial-variations`, then `npm run build:docs`. Run `npm run build:modules` after changing imports.

9. Responsive Behavior

Viewport	Layout	Image behavior	Interaction behavior
Below 900px	Column with 2.5rem gaps; Grey padding 2.5rem / 1.5rem; smaller type tokens (title 2rem, quote 1.75rem); stats in as many 10rem columns as fit	3rem round author photo	None
900px and wider	5rem gaps; Grey padding 7.5rem / 5rem; title 3rem, quote 2.5rem; stats up to 70rem wide	3rem round author photo	None

The type sizes come from the global tokens in `styles/styles.css`, which change at 900px.

10. Accessibility

- **Semantic HTML:** the title heading, then a `<figure>` with the eyebrow `<p>`, the `<blockquote>` and a `<figcaption>`; the stats are a `<dl>`.
- **Headings:** Title Type sets the level. Hide Title uses the visually hidden pattern, so the heading stays in the outline.
- **Keyboard and focus:** no interactive elements of its own; links in rich text keep the site's focus styles.
- **Alt text:** Author Image Alt Text, else `alt=""`.
- **Reduced motion:** the Additional tab's animations don't run for reduced motion or in the editor.
- **Contrast:** text uses the default, secondary and brand text tokens.
- **Empty states:** parts without content are left out. Stat items without a value are left out on the page and shown as placeholders in the editor.
- **Reflow:** the stats grid wraps; the author row wraps.

Author responsibilities: a fitting heading level, a name that isn't duplicated, alt text when the photo adds information, and stats with values.

Developer responsibilities: keep the figure / blockquote / figcaption and `<dl>` structure, and keep Hide Title visually hidden rather than removed.

The block handles no keys itself.

11. Data Layer and Analytics

- **Component:** `trackBlocks` (`decorators/data-layer-decorator.js`) adds `component.{id}` once the sections have loaded: `@type` `tcs-corp/components/testimonial`, id = Anchor ID else `testimonial-{n}`, `parentId`, and `dc:title` = the first heading (also when visually hidden).
- **Variation and item positions:** not recorded; Stat items carry no `data-cmp-*` attributes.
- **Interactions:** the block pushes no events itself. Clicks on links in the rich text are captured centrally.

Trigger	Data-layer event	Required properties	Analytics behavior
Block decorated and sections loaded	component state (`component.{id}`)	`@type`, `parentId`, `dc:title`	Component inventory
Click on a link in the Description or Designation & Location	`cmp:click`	`interaction` (`link`), `dc:title`, `xdm:linkURL`, `xdm:linkType`, `breakpoint`	Link click attributed to the Testimonial

The intended path is Adobe Client Data Layer, then Adobe Data Collection (Tags), the AEP Web SDK, the Edge Network, and finally Analytics / CJA. Tags and the Web SDK aren't configured yet (blocked: measurement plan). No consent mechanism is implemented.

12. Performance Considerations

- **Initialization:** decorated when its section loads (eager in the first section). On the page there is no network request; in the editor, the placeholders are loaded once for the item hint.
- **Images:** one small author photo (3rem), lazy unless it is the first image of the first section.
- **DOM:** small; no listeners or observers in the block. **Layout shift:** the photo has a fixed 3rem box.
- **Dynamic imports:** none. Modules are preloaded from `scripts/module-graph.js`.


13. Security and Privacy

- **Links:** authored links in the rich text, used as delivered.
- **Sanitization:** delivered nodes are moved, and no HTML is parsed from strings.
- **External content and query strings:** none.
- **Data minimization:** the block collects nothing; the names and photos it shows are authored content. The data layer records the title and clicked link text and URL only.

14. For Architects

- **Role:** a presentational block with authored content and item children.
- **Content model:** key-value properties plus `testimonial-stat` items; a legacy composite multifield is still read.
- **Rendering:** client-side decoration of the delivered rows; the text is in the HTML.
- **Dependencies:** `decorators/a11y-decorator.js`, `content-decorator.js`, `editor-item-decorator.js`, `heading-decorator.js`, `image-decorator.js`, `stats-decorator.js`; `utils/cells.js`, `utils/properties.js`.
- **Data layer / Web SDK / Target:** a component entry and central click capture; Tags, the Web SDK and Target aren't integrated. **Consent and identity:** none.

- **Caching:** the page HTML on the CDN. **Performance:** no page requests. **Security:** moves delivered nodes only. **Scalability:** instances are independent.



15. Troubleshooting

Symptom	Likely cause	Diagnostic steps	Resolution	Verification
The quote doesn't appear	Show Description off, or the Description is empty	Check the Style tab and the Description	Turn Show Description on; fill in the Description	The `<blockquote>` renders
A stat is missing	Its Stats Value is empty	Look for the placeholder in the editor	Fill in Stats Value	The stat renders
Value and title swapped (legacy stats)	In the multifield, the last element of an item is always the value	Read the item's paragraphs	Re-enter the stat as a Stat item	Title above value
The author row is missing	Hide Author Details on, or no author fields	Check the Style tab	Turn it off; fill in the fields	The figcaption renders
The title isn't visible	Hide Title on	Inspect: `visually-hidden` on the heading	Turn Hide Title off	The heading shows
The name appears twice	The name was typed in Designation & Location too	Read both fields	Keep the name in Author only	One name

Evidence to collect: the page URL, viewport, browser, a screenshot, and the block's outer HTML. No credentials or session data.

16. Known limitations of the block

Limitation	Impact	Workaround	Planned correction
In legacy Stats multifield items, the last element is always the value (handover F-25)	A one-element or multi-paragraph item renders unexpectedly	Use Stat items	Not recorded
No CTA field	No styled call to action in the block	Add a Teaser or Button below, or a standalone link in the rich text	Not planned
Background animation needs BG Color Grey	No background animation on the default white block	Use Animation Type for the content	Not planned

17. Change history of the block

Version	Change	Source	Date
Not recorded	README generated from verified implementation and approved handover documentation	Repository review	Not recorded
Handover 2.8	Dialog reduced to Content / Style / Additional tabs (F-84)	docs/handover revision history	17 October 2026
Handover 2.10	Stats authored as Stat items (`testimonial-stat`); the multifield is still read (F-87)	docs/handover revision history	17 October 2026
Handover 2.18	Content and Background animation on the Additional tab	docs/handover revision history	18 October 2026
Handover 2.27	Block ecosystem audit: the Quote / Testimonial Style field removed	docs/handover revision history	19 October 2026

18. Reference pages

Kind	Page	Live URL
Block library	/design-block-master/en/block-library/testimonial	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/testimonial
Block library	/design-block-master/en/block-library/testimonial/testimonial-variations	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/block-library/testimonial/testimonial-variations
Curated design page	/design-block-master/en/curated-design-pages/case-study	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/case-study
Curated design page	/design-block-master/en/curated-design-pages/industry-landing-page	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/industry-landing-page
Curated design page	/design-block-master/en/curated-design-pages/insights	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/insights
Curated design page	/design-block-master/en/curated-design-pages/product	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/product
Curated design page	/design-block-master/en/curated-design-pages/services	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/services
Curated design page	/design-block-master/en/curated-design-pages/story	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/story
Curated design page	/design-block-master/en/curated-design-pages/who-we-are	https://main--tcs-corp--sradha-tcs.aem.live/design-block-master/en/curated-design-pages/who-we-are

19. Coverage of the required topics

Topic	Where
Purpose	Overview
Source files	generated: Files
Model, definition, filters, children	generated: Components
Dependencies	generated: Dependencies
Authored input / rendered output / DOM transformation	For Developers
Configuration fields, defaults, required fields	generated: Fields
Variations	TESTIMONIAL-VARIATIONS.md
Responsive behaviour	Responsive Behavior
Accessibility and keyboard	Accessibility

Topic	Where
Analytics / data layer	Data Layer and Analytics
Performance	Performance Considerations
Security	Security and Privacy
Extending	Extending the Block
Known limitations	Known Limitations
Troubleshooting	Troubleshooting
Tests	TESTIMONIAL-TEST-COVERAGE.md
SEO behaviour	Not recorded
Caching considerations	Not recorded (Edge Delivery default caching; no block-specific rule)
Ownership	Technical Lead / Block Owner (proposed)

20. Screenshots




Figure: Testimonial block library page — desktop 1440 × 900 (/design-block-master/en/block-library/testimonial/testimonial-variations, captured 2026-11-08).




Figure: Testimonial block library page — mobile 375 × 812 (/design-block-master/en/block-library/testimonial/testimonial-variations, captured 2026-11-08).




Figure: Desktop rendering — The Testimonial at 1440 px: the H2 What our clients say left aligned in the default text colour; centred below, the eyebrow Client testimonial, the 2.5rem brand-blue quote TCS became an extension of our own team… and the 3rem round photo person-1.svg beside Anita Rao / Chief Digital Officer, Example Bank, London; under a divider four stats in one row: 40%, 25%, 1,200+ and 4.8/5. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-desktop-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Tablet rendering — The Testimonial at 768 px with the smaller base sizes: the 2rem title What our clients say, the centred eyebrow, the 1.75rem blue quote and the author row with person-1.svg; under the divider three stats (40%, 25%, 1,200+) in the first row and 4.8/5 Customer satisfaction alone in the second. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-tablet-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Mobile rendering — The Testimonial at 375 px: the title What our clients say, the centred eyebrow and blue quote, the round photo with Anita Rao / Chief Digital Officer, Example Bank, London centred, then the four stats stacked one per row under the divider. (Sample content on the preview; callout letters as in

the Field Entry Table; file screenshots/testimonial-mobile-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Default variation — The Testimonial at 1440 px on white: the H2 Partners in transformation left aligned; centred below, Customer story, the large blue quote about the real-time view of stock and demand, and Marcus Khan / Chief Operating Officer, Example Retail Group, Toronto; no photo, no stats. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-default.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Grey background variation — The Testimonial at 1440 px with BG Color Grey: the title What our clients say, the centred eyebrow, the blue quote, the author row with person-1.svg and the four stats under the divider, all on a light grey panel with 7.5rem / 5rem padding. (Sample content on the preview; callout

letters as in the Field Entry Table; file screenshots/testimonial-grey-background.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Author with photo — A detail of the Testimonial at 1440 px showing the author row below the quote: the centred author row with the 3rem round photo person-1.svg on the left of Anita Rao and Chief Digital Officer, Example Bank, London. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-author-photo.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Author text only — A detail of the Testimonial at 1440 px showing the author row below the quote: Sara Lee and VP Operations, Example Manufacturing, Munich centred on two lines, without a photo. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-author-text-only.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Stats variation — The Testimonial at 1440 px: the H2 Measurable outcomes left aligned, the centred Case study results, the cloud-native quote and Sara Lee / Chief Information Officer, Example Insurance, Amsterdam; under a 1px divider four stats in one row, grey titles above 3rem blue values: Faster time to market 40%, Lower operating cost 25%, Applications migrated 1,200+, Customer satisfaction 4.8/5. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-with-stats.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Hide Eyebrow variation — The Testimonial at 1440 px with Hide Eyebrow on: the H2 What our clients say, then directly the centred blue quote and the author row with person-1.svg and Anita Rao / Chief Digital Officer, Example Bank, London; no Client testimonial label and no stats. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-hide-eyebrow.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Hide Title variation — The Testimonial at 1440 px with Hide Title on: no visible title; the block starts with the centred eyebrow Client testimonial, then the blue quote and the author row with person-1.svg and Anita Rao. The H2 stays in the HTML for screen readers. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-hide-title.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Show Description off — The Testimonial at 1440 px with Show Description off: the H2 What our clients say, the centred eyebrow Client testimonial and directly the author row with person-1.svg and Anita

Rao; under the divider the four stats 40%, 25%, 1,200+ and 4.8/5; no quote. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-description-hidden.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Hide Author Details variation — The Testimonial at 1440 px with Hide Author Details on: the H2 What our clients say, the centred eyebrow and the blue quote, then directly the divider and the four stats 40%, 25%, 1,200+ and 4.8/5; no photo, name or designation. (Sample content on the preview; callout letters as in the Field Entry Table; file screenshots/testimonial-hide-author.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Universal Editor canvas — The Testimonial in Universal Editor edit mode at 1440 px, selected, with letters A on the title, B on the eyebrow, C on the quote, D on person-1.svg, E on Anita Rao, F on the designation, G on the stat titles and H on the stat values. An annotated preview, not a Universal Editor screenshot. (Annotated preview in editor mode with sample content; letters as in the annotations list, not a

Universal Editor screenshot; file screenshots/testimonial-authoring-view.jpg) (handover screenshot; rendering at the time it was taken).




Figure: Properties panel — The Testimonial properties panel showing the six tabs (Content, Author, Style, Show / Hide, Stats, Additional) with the Stats tab open and two items. (Dialog reference generated from the component model, not a Universal Editor screenshot; file screenshots/testimonial-properties-panel.jpg) (handover screenshot; rendering at the time it was taken).

21. Known limitations

- Universal Editor dialogs were not captured: no author access in this program (see the access blockers).

22. Open items

- None.

23. Change history

Version	Date	Author	Change
1.0	13 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages