TCS CORPORATE WEBSITE

Block Development Guide

Role / audience	Development — Developers, technical leads, block owners, AI coding agents
Version	1.0
Status	Draft for review
Owner	Technical Lead / Block Owner (proposed)
Last validated	2026-11-13
Documents	4
Classification	INTERNAL — classification to be confirmed

Generated from the Markdown sources of docs/handover (branch migrated-page-content-edam); do not edit this PDF.

Contents

Block Development Guide
- At a Glance
- Block Types and Categories
- Block Inventory
- Container and Child Relationships
- Lifecycle Status
- Variation Strategy
- Dialog Standards
- Reuse Strategy
- Extend an Existing Block or Create a New One
- Anti-Patterns
- Block Library and Curated Design Pages
- Governance Rules
- Change Checklist for a Block
- Related
- Per-block developer documentation
- Screenshots
- Known limitations
- Open items
- Change history

Block Inventory
- Blocks (32)
- Default-content components
- Screenshots
- Known limitations
- Open items
- Change history

Block Dependency Matrix
- Imports per block
- Screenshots
- Known limitations
- Open items
- Change history

Block Known Limitations
- Accordion
- Anchor List
- Button
- Cards
- Column Break
- Columns
- Columns Container
- Conversation Canvas
- Embed
- Filter List
- Footer
- Form Variations
- Fragment
- Gen Carousel
- Header
- Hero

Image Collage
Interactive Dashboard
List
Media Contacts
Modal
Page Header
Quote
Separator
Tab
Table
Table List
Tabs
TCS Header
Teaser
Testimonial
Video
Screenshots
Known limitations
Open items
Change history

Block Development Guide

Attribute	Value
Document ID	DEV-005
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	Block types, inventory, relationships, variation strategy, dialog standards, reuse, governance and the change checklist
Scope	—
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	13 November 2026
Last validated	13 November 2026
Source files	docs/handover/knowledge-base/blocks.md, tools/docs/blocks.json
Related documents	—
Related AEM paths	—

1. At a Glance

Fact	Value	Source
Block folders	31 (each with a README; Media Contacts added on 22 October 2026, KB-D-054)	`blocks/`
Components in the editor	62: Default Content 4 (Text, Title, Image, Button (basic)), Sections 1, Blocks 57 (blocks, items and section containers)	`component-definition.json`
Models / filters	63 models, 26 filters	`component-models.json`, `component-filters.json`
Statuses	28 Active, 1 Compatibility-only (Columns), 1 Experimental (Interactive Dashboard)	`tools/docs/blocks.json`
Block library	Package 1.0.13 of the language master (`/content/tcs-corp/language-masters/en`): 157 block library pages and 11 curated design pages contain blocks	`tools/docs/library-snapshot.json`
Checks	`npm test` 311 tests passed and `npm run lint` passed on 21 October 2026 at commit 2d06316	run for this guide

2. Block Types and Categories

The type and category of each block are kept by hand in `tools/docs/blocks.json` and rendered into blocks/README.md by `npm run build:docs`.

Type	Meaning	Blocks
Independent	A block on its own, no child items	Button, Columns, Embed, Interactive Dashboard, Modal, Quote, Separator, TCS Header, Video
Container	A block with child items added with Add	Accordion, Anchor List, Cards, Conversation Canvas, Filter List, Form Variations, Hero, List, Page Header, Table, Table List, Teaser, Testimonial

Type	Meaning	Blocks
Container (section)	A section that `scripts/scripts.js` wraps in a synthetic block	Columns Container, Gen Carousel, Tabs (Tabs Container; the folder also holds the Tabs block)
Child item	Only inside its parent	Column Break, Tab
Structural	Site chrome or page structure	Footer, Fragment, Header

Category	Blocks
Content	Button, Hero, Page Header, Quote, Table, Teaser, Testimonial
Navigation	Anchor List, Footer, Header, TCS Header
Listing	Cards, Filter List, List, Table List
Interactive	Accordion, Conversation Canvas, Form Variations, Modal
Media	Embed, Video
Structural	Separator
Container (section)	Columns Container, Gen Carousel, Tabs
Child item	Column Break, Tab
Utility	Fragment, Interactive Dashboard
Deprecated / compatibility-only	Columns
Layout	None: layout comes from the section containers and the Section Style
Personalization	None: no personalization runtime (Adobe Target, AJO) exists

Default content (Text, Title, Image) uses AEM's built-in components, not blocks (handover Part 6, chapters 6.6 to 6.8).

3. Block Inventory

One line per block folder; the field tables, variations and guidance are in each README. Status values follow the knowledge base vocabulary.

Block (folder)	Type	Status	Purpose
Accordion (`accordion`)	Container	Active	Expandable question / answer or detail panels (native details / summary)
Anchor List (`anchor-list`)	Container	Active	In-page navigation to section anchors, optionally sticky
Button (`button-block`)	Independent	Active	A link styled as a button, icon button or link button; replaces the built-in Button for new content
Cards (`cards`)	Container	Active	Manually authored cards with the List's presentation
Column Break (`column-break`)	Child item	Active	Starts a column in a Columns Container or a Tab
Columns (`columns`)	Independent	Compatibility-only	The built-in Columns block; not offered in any filter; replaced by the Columns Container
Columns Container (`columns-container`)	Container (section)	Active	A section laid out in columns of default content and blocks
Conversation Canvas (`conversation-canvas`)	Container	Active	Search prompt with quick actions; one floating journey across header, page and footer
Embed (`embed`)	Independent	Active	Third-party embeds (YouTube, Vimeo, X, other URLs) behind a privacy-friendly facade
Filter List (`filter-list`)	Container	Active	Filterable listing of the locale's pages from the query index

Block (folder)	Type	Status	Purpose
Footer (`footer`)	Structural	Active	Site footer bar on the footer reference page
Form Variations (`form-variations`)	Container	Active	Forms (contact, download, subscribe) built from field items
Fragment (`fragment`)	Structural	Active	Includes the sections of another page
Gen Carousel (`gen-carousel`)	Container (section)	Active	A section whose Heroes or Teasers rotate as slides
Header (`header`)	Structural	Active	Site header from the nav reference page (no model of its own: authored through the nav page)
Hero (`hero`)	Container	Active	Full-width banner with image or Lottie, title, description and CTAs
Interactive Dashboard (`interactive-dashboard`)	Independent	Experimental	Placeholder reserved for a future dashboard; renders nothing; in no filter
List (`list`)	Container	Active	Child pages, a fixed list or tagged pages from the query index, as cards or links
Media Contacts (`media-contacts`)	Independent	Active	The Media Contacts sheet's contacts, grouped by designation and region; replaces the press-release template's Media contacts (KB-D-054)
Modal (`modal`)	Independent	Active	Opens a page's content in a dialog (button or auto-linked `/modals/` links)
Page Header (`page-header`)	Container	Active	The title area of a page from its metadata
Quote (`quote`)	Independent	Active	A quotation with author, optional image and title
Separator (`separator`)	Independent	Active	A divider line between content
Tab (`tab`)	Child item	Active	Starts a tab panel in a Tabs Container
Table (`table`)	Container	Active	A data table of rows with 1 to 5 columns
Table List (`table-list`)	Container	Active	A numbered list of linked items (industries, services)
Tabs (`tabs`)	Container (section) and block	Active	Tabs Container section (Tab items and content) and the Tabs block (tabs of fragments, `tabs-block`)
TCS Header (`tcs-header`)	Independent	Active	The TCS and TATA logos of the header, on the nav page
Teaser (`teaser`)	Container	Active	Title, text, image and links in one of four layouts
Testimonial (`testimonial`)	Container	Active	A client testimonial with author, image and stats
Video (`video`)	Independent	Active	A DAM, YouTube or Vimeo video inline or in a pop-up, with poster and captions

4. Container and Child Relationships

The allowed children come from the filters in component-filters.json; the full table is generated in blocks/README.md.

Level	Filter	Allowed components
Page (`main`)	`main`	Section, Gen Carousel, Tabs Container, Columns Container
Section	`section`	Text, Image, Button (`button-block`), Title, Page Header, Hero, Teaser, Quote, Testimonial, Anchor List, Accordion, Tabs block, Table, Table List, List, Separator, Embed, Video, Modal, Form Variations, Filter List, Conversation Canvas, Cards, Fragment, Footer, TCS Header

Level	Filter	Allowed components
Columns Container	`columns-container`	Column Break and the section components except Page Header, Footer and TCS Header
Tabs Container	`tabs`	Tab, Column Break and the Columns Container components except Conversation Canvas (re-audit R-C-4: a Canvas in a hidden tab took over the floating Canvas)
Gen Carousel	`gen-carousel`	Hero, Teaser

Container block	Item components
Accordion	Accordion Item (`accordion-item`)
Anchor List	Anchor Link (`anchor-list-item`)
Cards	Card (`card`)
Conversation Canvas	Conversation Canvas Button (`conversation-canvas-button`)
Filter List	Filter Tag, Filter Category, Filter Page (`filter-list-tag`, `filter-list-category`, `filter-list-page`)
Footer	Footer Link (`footer-link`)
Form Variations	`field-text`, `field-select`, `field-textarea`, `field-checkbox`, `contact-card`, `field-submit`
Hero	CTA (`hero-cta`)
List	List Item (`list-item`)
Page Header	CTA (`page-header-cta`)
Table	Row (`table-row`; `table-col-2` to `table-col-5` through the `table-n-columns` filters)
Table List	Table List Item (`table-list-card`)
Tabs block	Tab (`tabs-item`)
Teaser	Link (`teaser-link`), Stat (`teaser-stat`)
Testimonial	Stat (`testimonial-stat`)

How the relationships work:

- **Items are rows of their block.** AEM renders each item as a row with a cell per field (empty cells and one empty cell per dialog tab included) after the block's own rows. `itemRows` in utils/cells.js finds them by `data-aue-model` in Universal Editor and by their cell count on the page (`KEY_VALUE_ITEM`: 1 or 3+ cells; `FIELD_ROW_ITEM`: 2+ cells), tested in `test/items/item-rows.test.mjs`. Items have no folder and are documented in their block's README.
- **Section containers.** A section can't hold a section, so columns inside a tab are Column Breaks (`columnsOf` in `blocks/tabs/tabs.js`), not a Columns Container. `scripts/scripts.js` `buildColumnsSections`, `buildTabsSections` and `buildCarouselSections` wrap the section in a synthetic block and `applySectionBlockOptions` turns the `container*` fields into its classes.
- **Template names are block classes.** AEM renders a block with the class-name form of its template name, not its component id ("Column Break" becomes `column-break`, "Button Block" becomes `button-block`); `test/models/block-names.test.mjs` checks that each template name names a block folder.
- **Site chrome.** The Header loads the nav page (with its TCS Header and an optional Conversation Canvas) and the Footer the footer page, both through the Fragment loader; Header and Canvas communicate only through the `header:menu` event (AGENTS.md, "Header", "Floating Canvas").

5. Lifecycle Status

Status	Meaning in this project	Blocks and components
Active	Offered in a filter, maintained, documented	28 block folders (all except Columns and Interactive Dashboard), the item components above
Compatibility-only	Not offered for new content; the definition and code stay so content authored before renders and stays editable	Columns (`columns`, built-in Columns, replaced by Columns Container / Column Breaks); Button (basic) (built-in `core/franklin/components/button/v1/button`, model `button-basic`, replaced by the Button block); the former shared `button` model (kept for components authored before); the legacy composite multifields of Hero, Teaser, Page Header, Testimonial, List, Filter List, Anchor List and Footer (labelled "authored before" in the dialog, still read by the code)
Deprecated	Scheduled for removal	None recorded as a separate status: the replaced components are kept as Compatibility-only until production content is checked (audit deferral D-B-14)
Experimental	Placeholder, not for live pages	Interactive Dashboard (renders nothing, in no filter; one library instance stays editable)
Unused candidate	No usage found	None recorded. Columns has 0 instances in the library package (its 37 library instances were migrated), but production usage is not verified
Requires validation	Behaviour not verifiable from the repository	Production usage of compatibility-only components and legacy multifields (blocked: AEM author access or a content export)

The deprecation precedents (built-in Columns and Button, PR #119; audit section 4) define how a block is retired: remove it from every filter, keep its definition and model, keep the code reading its content, migrate the block library content (`.home-work/bl/bl-migrate.mjs`, not in git), record the replacement and the migration in the block README and `tools/docs/blocks.json` (`replacement`, `deprecation`), and leave production content until its usage is known (BLOCK-ECOSYSTEM-AUDIT.md, sections 4 and 11).

6. Variation Strategy

A visual or behavioural variant is expressed inside the existing block, in this order of preference:

Mechanism	How it reaches the code	Examples	Rule
Block option (`classes` select / multiselect, `classes_<name>`)	Values become classes on the block; they never shift content rows	Teaser Layout `classes` (`no-image`, `background`, `card`); Hero `classes_alignment`, `classes_horizontal`, `classes_media`; Page Header `classes` (`landing`, `secondary`, `article`, `display`); Conversation Canvas `classes`, `classes_journey`, `classes_actions`	Use for presentation; every value must be applied by the CSS or JavaScript
Key-value property	A `name | value` row read with `readProperties` (`utils/properties.js`)	List / Cards layout per breakpoint, Separator settings, Video playback	Use for settings-heavy blocks (18 key-value blocks with Media Contacts)
Shared presentation group	One field group reused by several models	`models/_card-list.json` groups `header`, `cards`, `layout`, `scroll`, `advanced` used by List and Cards	Reuse the group instead of copying fields
Additional tab	`classes_*` fields (blocks) or `container*` fields (section containers)	Anchor ID, Hide block, padding, margin, Animation Type, Motion Speed, Animation Trigger, Background animation	Never re-implement spacing, anchors or animation as block fields

Mechanism	How it reaches the code	Examples	Rule
Background colour	Shared labels, classes and tokens	Teaser BG Color, Columns Container BG Color (`containerBgColor`), Section Style (`bg-grey`, `bg-dark`, `bg-dark-green`)	Sets only the colour; use the theme tokens for text
Item model	Child items with their own fields	Card style and Card colour per Card / List Item; Teaser Link and Stat	Repeating content is items, never a new block per variant

Duplicate options were removed in the audit in favour of one canonical control: Hero and Table List Motion Type became the Additional tab animations (`addLegacyMotion` in `utils/motion.js` still maps old values), List / Cards Component ID became the Anchor ID, Separator Width "Auto" and Variant "Custom" were dropped, Quote / Testimonial Style (one option, no effect) and the Teaser Personalization option (no runtime) were removed (BLOCK-ECOSYSTEM-AUDIT.md, section 4). A new option must do something on the delivered page; options AEM never delivers (the built-in Button's View, Icon and Alignment; the built-in Columns' Additional tab) are not offered.

7. Dialog Standards

The dialog rules are in universal-editor.md; the essentials for block governance:

- At most three short tabs per model, the last one Additional (28 models have an Additional tab; Header and Footer have none).
- Every block model except Header and Footer has the Additional tab; section containers use `container*` fields because AEM doesn't deliver a section's `classes_*` fields (re-audit R-L-1).
- No sample content in templates or model defaults: definition template values are stored on every new component (re-audit R-A-6, R-C-10, R-C-11, R-D-9). The Submit Button label "Send" is a retained exception (re-audit review D, low).
- Field names avoid the collapse suffixes Text, Title, Type, Alt and MimeType unless the field is meant to fold into its base field (`buttonVariant`, not `buttonType`).
- Repeating content is items, not composite multifields.

8. Reuse Strategy

Shared need	Module	Used by
Buttons, icon buttons, link buttons	`decorators/button-decorator.js`, `icon-button-decorator.js`, `content-buttons-decorator.js`	most blocks; every button goes through them
Cards, list layout, horizontal scroll	`decorators/card-list-decorator.js`, `utils/card-list-config.js`, `decorators/scroller-decorator.js`, `styles/card-list.css`	List, Cards
Article meta (date, reading time, actions, author)	`decorators/article-meta-decorator.js`	Page Header, Teaser, Filter List, card list decorator
Stats	`decorators/stats-decorator.js`	Teaser, Testimonial
Item rows and properties	`utils/cells.js`, `utils/properties.js`	every container and key-value block
Animation, skeletons, data layer	`decorators/motion-decorator.js`, `skeleton-decorator.js`, `data-layer-decorator.js`	all blocks (central)
UI text	`utils/placeholders.js`	every block with UI text


The full module inventory and the rules for shared code are in decorators-and-utilities.md. A block that needs behaviour another block already has imports the shared module (or moves the behaviour into one), it

doesn't copy it (AGENTS.md).

9. Extend an Existing Block or Create a New One

The audits assessed every pair of similar blocks and retained both only where the authored structure, the data source or the design component differs (BLOCK-ECOSYSTEM-AUDIT.md, section 4):

Pair	Decision	Reason
Cards / List / Table List	Retain all three	List lists pages (query index, child pages, fixed list), Cards holds authored cards, Table List is rows; Cards and List share the card list code
Hero / Teaser / Page Header	Retain	Different structures; Page Header comes from page metadata
Quote / Testimonial	Retain	Separate Figma components
Tabs Container / Tabs block	Retain both	The block shows fragments; the container holds authored content
Embed / Video	Retain	Third-party embeds vs DAM / provider video with poster and captions
Table / Table List	Not redundant	Data table vs linked list
TCS Header / Header	Not redundant	Logos on the nav page vs the site header
Columns / Columns Container	Columns hidden (compatibility-only)	Default content only, no Additional tab; the container lays out blocks
Button (basic) / Button block	Button (basic) hidden (compatibility-only)	Built-in Button delivers only link, text, title and Primary / Secondary



Extend the existing block when the requirement is a visual variant, a layout per breakpoint, a colour, spacing, an animation, an extra optional field or another value of an existing option. A new block is justified only when the authored contract (rows, cells, items) would have to change incompatibly, the data source differs, the semantics or interaction differ (a form, a dialog, a carousel), or the design system defines a separate component. Record the justification in the new block's README ("For Architects") and in `tools/docs/blocks.json` (`related`).

10. Anti-Patterns

Anti-pattern	What went wrong	Do instead	Source
Composite multifields for repeating content (`container` with `multi: true`)	Didn't render from content packages	Item children added with Add; keep reading the multifields authored before	AGENTS.md "Item children"
Duplicate blocks for a variant	Two blocks to maintain, authors pick inconsistently	An option or property of the existing block	Audit section 4
Duplicate options (block field and Additional tab doing the same)	Conflicting values; Hero Motion Type vs Animation Type	One canonical control; map legacy values in code	Audit section 4
Per-block re-implementation of buttons, ids, links, placeholders, scrolling	Inconsistent behaviour and accessibility	Import the decorator or util; move shared code there	AGENTS.md "Shared code: decorators and utils"
`classes_*` fields on sections	AEM doesn't deliver them: the container Additional tab had no effect (R-L-1)	`container*` fields, applied by `applySectionBlockOptions`	AGENTS.md "AEM delivery rules", re-audit
A field ending in Text, Title, Type, Alt or MimeType that must be read on its own	It collapses into its base field (`linkType` becomes bold / italic around the link)	Another name (`buttonVariant`)	AGENTS.md "AEM delivery rules"
Grouped fields (`prefix_name`) in key-value blocks	Not delivered (Video `placeholder_image`, poster lost: audit L-2)	Plain names (`poster`, `posterAlt`)	AGENTS.md "AEM delivery rules"
Reading "the first row" of a non key-value block	AEM adds an empty row per dialog tab (forms empty on the live site, D-D-1; Table header row, Accordion empty item)	Read rows by `data-aue-prop` in the editor, skip empty tab rows on the page	AGENTS.md "AEM delivery rules"
Relying on an item's `name` for case-sensitive keys	Delivered in class-name form (`firstName` becomes `firstname`, R-D-1)	A dedicated field (Form Variations `fieldName`)	AGENTS.md "AEM delivery rules"
Sample content in templates or model defaults	Stored on every new component (Table List "Explore", Tab "Tab", Lorem Ipsum, "Column1")	Empty templates; UI text from placeholders	Re-audit R-A-6, R-C-10, R-C-11, R-D-9
A block class equal to a global class	`button` would clash with `.button` links	Distinct template name ("Button Block")	AGENTS.md "Button"
Options AEM never delivers or no code reads	Dead dialog controls (built-in Button View / Icon, Teaser Personalization)	Remove them; verify on aem.page	Audit section 1
Removing a block or field without migration	Content authored before breaks	Hide from filters, keep reading old values, migrate content	Audit section 11
Canvas logic in header or footer code	Coupled chrome	`header:menu` event and the Canvas controller	AGENTS.md "Floating Canvas"
Hard-coded user-facing strings	Not translatable per locale	`getPlaceholders()` with an English fallback	AGENTS.md "Accessibility", `utils/placeholders.js`
Testing only the local preview	Four delivery rules were missed until compared with aem.page (L-4)	Compare aem.page with the local preview after model changes	Audit sections 1 and 13

11. Block Library and Curated Design Pages

The block library and the curated design pages are AEM content of the language master (`/content/tcs-corp/language-masters/en/block-library/...` and `.../curated-design-pages/...`), built as a content package from the corrected models; the build workspace (`.home-work/`, with `render-lib.mjs` for the local preview and `bl/bl-migrate.mjs` for migrations) is not in git. Each locale also has a `block-library/` folder, excluded from

publishing in `paths.json`; the language master is published at `/language-masters/en` while it is under review (temporary, `REVIEW_*` in `utils/site.js`).

Uses:

- **Validation of every variation**: each block has library pages (e.g. `block-library/list/sources`, `block-library/animation/speed-and-trigger`, `block-library/foundations/section-colours-with-blocks` for the dark-background theme contract).
- **Design reference**: 11 curated design pages (case study, collection, home, industry landing page, insights, media and investor, product, services, story, what we do, who we are) rebuild Figma page designs from blocks.
- **Regression runs**: the audits loaded every library and curated page at 5 widths with axe and data-layer checks (188 pages, 940 loads) and compared aem.page with the local preview.
- **Example values in the READMEs**: `npm run build:docs` reads the library snapshot for the "Example" column and the usage section of each README.

Usage recorded in tools/docs/library-snapshot.json (package 1.0.14; instances in all pages; pages counted once per block; "other" are the dummy pages used as List and Filter List sources):

Block	Instances	Library pages	Curated pages	Other pages
Accordion	8	4	0	0
Anchor List	5	3	2	0
Button	79	18	0	1
Cards	70	14	4	0
Column Break	161	13	0	0
Columns	0	0	0	0
Columns Container	38	9	0	0
Conversation Canvas	33	8	3	0
Embed	6	1	0	0
Filter List	32	8	2	1
Footer	3	3	0	0
Form Variations	19	5	0	0
Fragment	1	1	0	0
Gen Carousel	5	5	0	0
Header	Not recorded (authored through the nav page)	0	0	0
Hero	182	13	5	123
Interactive Dashboard	1	1	0	0
List	243	48	11	85
Media Contacts	6	3	1	0
Modal	3	3	0	0
Page Header	19	15	4	0
Quote	12	3	2	0
Separator	118	3	0	0
Tab	53	4	0	0
Table	12	1	0	0
Table List	23	6	6	0
Tabs (container and block)	24	7	0	0

Block	Instances	Library pages	Curated pages	Other pages
TCS Header	2	2	0	0
Teaser	173	18	12	0
Testimonial	17	3	4	0
Video	27	2	0	0

These counts describe the library package, not production usage; production usage is not recorded in the repository.

12. Governance Rules

1. **Check the existing blocks first.** Read the inventory above, blocks/README.md and the candidate block's README ("Variations", "Extending the Block") before proposing a block.
2. **Prefer a variation or a property.** Add an option, a property or an item field to the existing block (see Variation Strategy); a new block needs the justification of the section above.
3. **Preserve container-child patterns.** Keep the item models, their cell layout (`ITEM_LAYOUT`, `CARD_LAYOUT` and the tests in `test/`) and the filters; adding a tab to an item model adds a cell to its rows.
4. **Child items aren't redundant.** Accordion Items, Cards, CTAs, Links, Stats, List Items, Column Breaks, Tabs and form fields are the authored content of their container; they look like small blocks but are rows of their parent and are never consolidated into the parent's fields or removed as duplicates.
5. **Remove or deprecate only after usage and migration analysis.** Measure usage (library snapshot and production content), define the replacement and the value mapping, keep the code reading the old values, migrate the content, then hide the component from the filters; delete the definition only when no content uses it.
6. **One canonical control per behaviour.** No option may duplicate the Additional tab, the Section Style or another field.
7. **Verify on aem.page.** After a model change compare the published preview with the local preview; the delivery rules in AGENTS.md are what AEM really renders.
8. **Keep the documentation generated and current.** `npm run build:json`, `npm run build:docs`, `npm run build:modules` after the respective changes; `npm test` fails on stale generated sections, broken links and stale module graphs.

13. Change Checklist for a Block

Step	Check
Model	`_<block>.json` edited, `npm run build:json`, `npm run lint` (xwalk rules) passed
Filters	New block added to `section` (and `columns-container` / `tabs` where it belongs); items to their container's filter
Code	Shared decorators / utils used; placeholders for UI text; `data-cmp-*` attributes for interactions
Animation	New animated blocks added to `CONTENT_TARGETS` / `BACKGROUNDS` in `decorators/motion-decorator.js` and the fields to the model
Imports	`npm run build:modules` after adding or changing an import
Tests	Unit tests for pure logic in `test/`; `npm test` passed
Library	Library page with every variation; aem.page compared with the local preview
Docs	Block README written sections, `tools/docs/blocks.json`, `npm run build:docs`; handover component chapter and revision history for significant changes

14. Related

- universal-editor.md: models, definitions, filters, dialog and field conventions
- decorators-and-utilities.md: shared modules and their rules
- blocks/README.md: generated inventory, categories, relationships and shared conventions
- docs/blocks/BLOCK-DOCUMENTATION-REPORT.md: documentation inventory and handover-vs-code discrepancies
- docs/audit/BLOCK-ECOSYSTEM-AUDIT.md and docs/audit/REAUDIT-2026-10-20.md: audits, redundancy assessments, migrations
- docs/proposals/README.md: the open Cards and Card refactoring proposal (decisions D-1 to D-6 open)
- docs/animation/README.md: animation and skeleton loading
- AGENTS.md: project rules
- Handover Part 6 — Component Library and Part 15.4 — Content Modeling Standards: TCS-CORP-HANDOVER.md
- Other knowledge base files: architecture.md, authoring.md, design-system.md, accessibility.md, data-layer-and-analytics.md, testing-and-quality.md, decision-log.md

15. Per-block developer documentation

- Accordion
- Anchor List
- Button
- Cards
- Column Break
- Columns
- Columns Container
- Conversation Canvas
- Embed
- Filter List
- Footer
- Form Variations
- Fragment
- Gen Carousel
- Header
- Hero
- Image Collage
- Interactive Dashboard
- List
- Media Contacts
- Modal
- Page Header
- Quote
- Separator
- Tab
- Table
- Table List
- Tabs
- TCS Header
- Teaser
- Testimonial
- Video

16. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

17. Known limitations

- None recorded for this document.

18. Open items

- None.

19. Change history

Version	Date	Author	Change
1.0	13 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Block Inventory

Attribute	Value
Document ID	DEV-B-INV
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	Every block folder with its type, status, components, block library pages, curated page usage and tests
Scope	—
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	13 November 2026
Last validated	13 November 2026
Source files	blocks/, tools/docs/blocks.json, component-definition.json
Related documents	—
Related AEM paths	—

1. Blocks (32)

Block	Folder	Type	Category	Status	Components	Library pages	Curated pages using it	Unit test files
Accordion	`accordion`	Container	interactive	Active	accordion, accordion-item	2	0	0
Anchor List	`anchor-list`	Container	navigation	Active	anchor-list, anchor-list-item	3	2	0
Button	`button-block`	Independent	content	Active	button-block	0	2	0
Cards	`cards`	Container	listing	Active	cards, card	7	4	1
Column Break	`column-break`	Child item	child-item	Active	column-break	0	4	0
Columns	`columns`	Independent	deprecated	Compatibility-only	columns	3	0	0
Columns Container	`columns-container`	Container (section)	container	Active	columns-container	4	4	0
Conversation Canvas	`conversation-canvas`	Container	interactive	Active	conversation-canvas, conversation-canvas-button	6	2	1
Embed	`embed`	Independent	media	Active	embed	2	0	0

Block	Folder	Type	Category	Status	Components	Library pages	Curated pages using it	Unit test files
Filter List	`filter-list`	Container	listing	Active	filter-list, filter-list-tag, filter-list-category, filter-list-page	7	4	0
Footer	`footer`	Structural	navigation	Active	footer, footer-link	8	0	0
Form Variations	`form-variations`	Container	interactive	Active	form-variations, field-text, field-select, field-combined, field-textarea, field-checkbox, contact-card, field-submit	3	8	0
Fragment	`fragment`	Structural	utility	Active	fragment	4	0	0
Gen Carousel	`gen-carousel`	Container (section)	container	Active	gen-carousel	6	1	0
Header	`header`	Structural	navigation	Active	none (code only)	5	0	0
Hero	`hero`	Container	content	Active	hero, hero-cta	5	6	0
Image Collage	`image-collage`	Container	content	Active (Proposed, KB-D-063)	image-collage, image-collage-item	0	0	0
Interactive Dashboard	`interactive-dashboard`	Independent	utility	Experimental (placeholder)	interactive-dashboard	2	0	0
List	`list`	Container	listing	Active	list, list-item	15	11	3
Media Contacts	`media-contacts`	Independent	listing	Active	media-contacts	0	0	1
Modal	`modal`	Independent	interactive	Active	modal	10	0	0
Page Header	`page-header`	Container	content	Active	page-header, page-header-cta	17	3	0
Quote	`quote`	Independent	content	Active	quote	2	1	0
Separator	`separator`	Independent	structural	Active	separator	4	0	1
Tab	`tab`	Child item	child-item	Active	tab	0	1	0
Table	`table`	Container	content	Active	table, table-row, table-col-2, table-col-3, table-col-4, table-col-5, table-col-6, table-col-7, table-col-8, table-col-9	2	0	0
Table List	`table-list`	Container	listing	Active	table-list, table-list-card	6	6	0
Tabs	`tabs`	Container (section) and block	container	Active	tabs, tabs-block, tabs-item	14	1	0
TCS Header	`tcs-header`	Independent	navigation	Active	tcs-header	0	0	0

Block	Folder	Type	Category	Status	Components	Library pages	Curated pages using it	Unit test files
Teaser	`teaser`	Container	content	Active	teaser, teaser-link, teaser-stat, teaser-collage-image	11	12	0
Testimonial	`testimonial`	Container	content	Active	testimonial, testimonial-stat	2	7	0
Video	`video`	Independent	media	Active	video	3	3	0

2. Default-content components

Component	Title	Resource type	Model
`text`	Text	`core/franklin/components/text/v1/text`	—
`title`	Title	`core/franklin/components/title/v1/title`	`title`
`image`	Image	`core/franklin/components/image/v1/image`	`image`
`button`	Button (basic)	`core/franklin/components/button/v1/button`	`button-basic`
`section`	Section	`core/franklin/components/section/v1/section`	`section`

3. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

4. Known limitations

- None recorded for this document.

5. Open items

- None.

6. Change history

Version	Date	Author	Change
1.0	13 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Block Dependency Matrix

Attribute	Value
Document ID	DEV-B-DEP
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	The shared modules each block imports
Scope	—
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	13 November 2026
Last validated	13 November 2026
Source files	blocks//.js
Related documents	—
Related AEM paths	—

1. Imports per block

Block	Imports (decorators, utils, scripts)
`accordion`	scripts/scripts.js, decorators/editor-item-decorator.js
`anchor-list`	scripts/aem.js, scripts/scripts.js, decorators/editor-item-decorator.js, utils/cells.js, utils/environment.js, utils/multifield.js, utils/properties.js, utils/placeholders.js
`button-block`	decorators/button-decorator.js, utils/buttons.js, utils/environment.js, utils/links.js, utils/placeholders.js, utils/properties.js
`cards`	utils/card-list-config.js, utils/dates.js, decorators/card-list-decorator.js, utils/cells.js, utils/environment.js, utils/placeholders.js, utils/properties.js, utils/tags.js, utils/taxonomy.js
`column-break`	utils/placeholders.js, utils/properties.js
`columns`	—
`columns-container`	utils/placeholders.js, ../column-break/column-break.js
`conversation-canvas`	scripts/aem.js, scripts/scripts.js, decorators/responsive-image-decorator.js, utils/metadata.js, utils/query-index.js, utils/site.js, utils/taxonomy.js, decorators/a11y-decorator.js, decorators/button-decorator.js, decorators/icon-button-decorator.js, utils/buttons.js, utils/properties.js, utils/urls.js, utils/ids.js, utils/placeholders.js, decorators/skeleton-decorator.js, decorators/editor-item-decorator.js

Block	Imports (decorators, utils, scripts)
embed	scripts/aem.js, decorators/icon-button-decorator.js, decorators/media-decorator.js, utils/media.js, utils/viewport.js, utils/placeholders.js
filter-list	decorators/article-meta-decorator.js, decorators/button-decorator.js, decorators/date-decorator.js, decorators/editor-item-decorator.js, decorators/icon-button-decorator.js, decorators/masonry-decorator.js, decorators/skeleton-decorator.js, decorators/responsive-image-decorator.js, scripts/aem.js, utils/cells.js, utils/data.js, utils/environment.js, utils/ids.js, utils/multifield.js, utils/placeholders.js, utils/properties.js, utils/query-index.js, utils/site.js, utils/card-list-config.js, utils/tags.js, utils/taxonomy.js, utils/viewport.js
footer	../fragment/fragment.js, decorators/motion-decorator.js, scripts/scripts.js, decorators/button-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/link-decorator.js, decorators/social-links-decorator.js, utils/cells.js, utils/data.js, utils/inherited-metadata.js, utils/links.js, utils/placeholders.js, utils/site.js
form-variations	scripts/scripts.js, decorators/button-decorator.js, decorators/content-decorator.js, decorators/heading-decorator.js, utils/environment.js, utils/links.js, utils/properties.js, utils/ids.js, utils/placeholders.js
fragment	scripts/scripts.js, scripts/aem.js, decorators/motion-decorator.js, utils/environment.js, utils/placeholders.js
gen-carousel	decorators/button-decorator.js, decorators/icon-button-decorator.js, utils/analytics.js, utils/environment.js, utils/viewport.js, utils/ids.js, utils/placeholders.js
header	../fragment/fragment.js, decorators/motion-decorator.js, decorators/button-decorator.js, utils/placeholders.js, utils/header-space.js, utils/inherited-metadata.js, utils/site.js
hero	scripts/scripts.js, decorators/animation-decorator.js, decorators/button-decorator.js, decorators/editor-item-decorator.js, utils/buttons.js, utils/cells.js, utils/links.js, utils/motion.js, utils/media.js, utils/placeholders.js
image-collage	scripts/aem.js, scripts/scripts.js, decorators/a11y-decorator.js, decorators/button-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, utils/cells.js, utils/links.js, utils/placeholders.js, utils/properties.js
interactive-dashboard	—
list	utils/card-list-config.js, utils/dates.js, utils/query-index.js, decorators/card-list-decorator.js, decorators/skeleton-decorator.js, utils/cells.js, utils/data.js, utils/environment.js, utils/placeholders.js, utils/links.js, utils/properties.js, utils/redirects.js, utils/site.js, utils/tags.js, utils/taxonomy.js
media-contacts	decorators/contact-list-decorator.js, decorators/heading-decorator.js, decorators/skeleton-decorator.js, utils/data.js, utils/environment.js, utils/metadata.js, utils/placeholders.js, utils/properties.js
modal	../fragment/fragment.js, scripts/aem.js, scripts/scripts.js, decorators/button-decorator.js, decorators/icon-button-decorator.js, decorators/data-layer-decorator.js, utils/analytics.js, utils/environment.js, utils/ids.js, utils/placeholders.js
page-header	scripts/scripts.js, decorators/article-meta-decorator.js, decorators/button-decorator.js, decorators/editor-item-decorator.js, decorators/link-decorator.js, decorators/responsive-image-decorator.js, decorators/tag-decorator.js, utils/cells.js, utils/data.js, utils/links.js, utils/metadata.js, utils/placeholders.js, utils/properties.js, utils/taxonomy.js
quote	decorators/content-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, utils/properties.js
separator	utils/analytics.js, utils/environment.js, utils/ids.js, utils/placeholders.js, utils/properties.js
tab	scripts/aem.js, utils/properties.js
table	scripts/scripts.js, utils/ids.js, utils/placeholders.js
table-list	scripts/scripts.js, decorators/button-decorator.js, utils/buttons.js, utils/environment.js, utils/cells.js, utils/properties.js, utils/urls.js, utils/placeholders.js, utils/motion.js
tabs	decorators/data-layer-decorator.js, utils/analytics.js, scripts/aem.js, scripts/scripts.js, utils/buttons.js, utils/cells.js, utils/environment.js, utils/ids.js, utils/placeholders.js, utils/properties.js, ../fragment/fragment.js, ../tab/tab.js

Block	Imports (decorators, utils, scripts)
`tcs-header`	decorators/image-decorator.js, utils/header-space.js, utils/links.js, utils/properties.js, utils/placeholders.js
`teaser`	scripts/aem.js, scripts/scripts.js, decorators/a11y-decorator.js, decorators/animation-decorator.js, decorators/article-meta-decorator.js, decorators/button-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, decorators/link-decorator.js, decorators/stats-decorator.js, decorators/tag-decorator.js, utils/cells.js, utils/links.js, utils/media.js, utils/placeholders.js, utils/properties.js, utils/tags.js, utils/taxonomy.js
`testimonial`	decorators/a11y-decorator.js, decorators/content-decorator.js, decorators/editor-item-decorator.js, decorators/heading-decorator.js, decorators/image-decorator.js, decorators/stats-decorator.js, utils/cells.js, utils/properties.js
`video`	scripts/aem.js, decorators/button-decorator.js, decorators/icon-button-decorator.js, decorators/content-decorator.js, decorators/image-decorator.js, decorators/media-decorator.js, utils/environment.js, utils/links.js, utils/media.js, utils/placeholders.js, utils/properties.js, utils/site.js, utils/viewport.js

2. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

3. Known limitations

- None recorded for this document.

4. Open items

- None.

5. Change history

Version	Date	Author	Change
1.0	13 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages

Block Known Limitations

Attribute	Value
Document ID	DEV-B-LIM
Audience	Developers, technical leads, block owners, AI coding agents
Purpose	The known limitations of every block (from the block READMEs)
Scope	—
Prerequisites	—
Owner	Technical Lead / Block Owner (proposed)
Approver	Product Owner (to be confirmed)
Version	1.0
Status	Draft for review
Last updated	13 November 2026
Last validated	13 November 2026
Source files	blocks/*/README.md
Related documents	—
Related AEM paths	—

1. Accordion

Limitation	Impact	Workaround	Planned correction
No "open by default", "one open at a time" or expand / collapse all option	All items start closed and open independently	Put essential content outside the Accordion	Not recorded
No FAQ structured data (JSON-LD)	No FAQ rich results	None	Not recorded
Summaries are not headings; no heading level option	Not in the heading outline	Add a Title above the block	Not recorded
Bodies are rich text only; no nested blocks or image styling	No media in items	Use other blocks outside the Accordion	Not recorded
The body text token (`--color-text-neutral-secondary`) and the divider token are not redefined by the dark-background theme contract in `styles/styles.css`	Body text contrast on Dark / Dark green sections may be insufficient	Check on `block-library/foundations/section-colours-with-blocks` before using it on dark sections	Not recorded

2. Anchor List

Limitation	Impact	Workaround	Planned correction
Same-page links only	Can't link to other pages	Use other link blocks	Not planned
No visible scrollbar or scroll buttons when links overflow	Off-screen links may be missed	Few, short Link Titles	Not recorded
The scroll offset counts only the site header and the list	Other fixed elements can cover the target	Avoid extra fixed elements	Not recorded
At the end of the page the highlight jumps to the last link	Short final chapters are highlighted only at the end	Accept, or lengthen the last chapter	Not recorded
Scroll-driven highlight changes aren't in the data layer	No reading-progress analytics	None	Not recorded
An empty Anchor List renders an empty, labelled nav	Empty landmark	Add links or remove the block	Not recorded
Listeners aren't removed when Universal Editor re-renders the block (audit D-C-19)	Editor only, no published impact	Reload the editor	Deferred
A sticky list keeps `--color-bg-default` while a dark section's theme contract turns the link tokens light (`styles/styles.css`)	Links may lack contrast on a sticky list in a Dark / Dark green section	Check on the page; avoid Sticky in dark sections	Not recorded
Several Anchor Lists on a page share the label "On this page"	Landmarks not told apart	One Anchor List per page	Not recorded

3. Button

Limitation	Impact	Workaround	Planned correction
No open-in-new-tab option	External links open in the same tab	Accept, or another block's CTA	Not recorded (external link policy: owner product owner)
No disabled state for authors	—	—	Not recorded
Four icons	Limited icon set	Request an icon	Not recorded
Labels never wrap	Long labels clipped on mobile	Short labels	Not recorded
Alignment not per breakpoint	Same alignment everywhere	—	Not recorded
Built-in Buttons authored before keep only Primary / Secondary	Other options need a Button block	Content migration	Content action

4. Cards

Limitation	Impact	Workaround	Planned correction
Cards blocks created before the redesign have no block model	Their settings can't be edited	Replace with a new Cards block	Migration (Phase 0, `docs/proposals/cards-card-refactoring.md`)
Those blocks render in the new design, not the original bordered grid	Visual change on existing pages	Replace or accept	Classic presentation (Phase 0)
In legacy cards the title stays inside Description in the Card dialog	Authors edit the title in the rich text	Format the title as a heading	Move titles into Title when editing (proposal)
No author lockup on the feature card	Feature without author	Use the List for page-based features	Not recorded

Limitation	Impact	Workaround	Planned correction
Internal links aren't resolved through the redirects sheets	Moved pages go through a redirect	Update links after page moves	Not recorded
Card text fields are edited in the properties panel; only the description in place	Slower editing	—	Not recorded
The new-tab hint isn't announced on calls to action without an Accessibility label (the generated `aria-label` replaces it)	Screen reader users aren't told	Mention the new tab in the Accessibility label	Not recorded
Month abbreviations are English in every locale	Non-English dates in English	Use a numeric Date format	Not recorded
Card ids follow the shown order	Reordering changes the data-layer ids (D-A-23)	—	Deferred (audit)
Edge "Cards run to the edge" looks like "Inside the content width" in full-width sections (D-A-9)	No visible difference	—	Deferred (audit)
A stored Touch swipe off with no controls blocks touch scrolling (D-A-10)	Cards unreachable on touch	Turn on previous / next buttons	Deferred (audit)
No carousel autoplay or dots, masonry, filtering, sorting or search	—	Filter List for filterable listings	Planned (proposal phases 1–6)
Card date may show the previous day for some stored date-times (D-A-26, suspected)	Wrong date	Check the published date	Blocked (to be verified)

5. Column Break

Limitation	Impact	Workaround	Planned correction
Option changes (Anchor ID, Hide block, spacing) apply after the section is rendered again (re-audit R-C-7, deferred)	No immediate feedback in the editor	Reload the editor	Not recorded
Columns have no own width	All columns of a row are equal	Use the container's Columns per row	Not planned
The `column` legacy rename is done only in Columns Container sections	Items named "Column" in tabs aren't Column Breaks	Replace them with Column Breaks	Not recorded

6. Columns

Limitation	Impact	Workaround	Planned correction
Columns hold default content only	No blocks in columns	Columns Container	Not planned (deprecated)
No Additional tab (AEM doesn't deliver `classes_*` for the built-in Columns)	No anchor, spacing, hide or animation	Columns Container	Not planned (deprecated)
Equal widths only, no wrapping into rows	Narrow columns with many cells	Columns Container with Columns per row	Not planned (deprecated)
Production content authored before isn't migrated	Two column implementations coexist	Migrate page by page	Not recorded

7. Columns Container

Limitation	Impact	Workaround	Planned correction
Columns are always of equal width (Column widths removed in handover 2.26)	No 1/3 + 2/3 layouts	Use blocks with their own layouts (Teaser image position)	Not planned
Column Break option changes apply after the section is rendered again (re-audit R-C-7, deferred)	No immediate feedback in the editor	Reload the editor	Not recorded
At most 4 columns per row	Wider rows not possible	More rows	Not planned
Inside a tab only Columns per row is authorable	Gap, alignment and breakpoint fixed (Medium, Top, Desktop)	Use a Columns Container section	Not planned
A section can't be placed in a column	No Tabs Container, Gen Carousel or Columns Container in a column	Use the Tabs block in a column	Not planned

8. Conversation Canvas

Limitation	Impact	Workaround	Planned correction
No search or conversational service in the repository	A query only opens the Search page or reaches an integration	Set the Search page	Not recorded
Without Search page and integration the "Search isn’t available yet." status is visually hidden	Sighted visitors get no feedback	Set the Search page	Not recorded
Filters and suggestions need a script; filter buttons have no behaviour	Secondary shows no filters	Implement the supplying script	Not recorded
The menu ignores `hide-in-nav` and `robots` (F-33) and lists pages in path order, not the Figma order (F-78)	Unexpected or misordered entries	Exclude pages from the index	Not recorded
The query index isn't available in Universal Editor	"No pages found" while authoring	Check on aem.page	Not planned
BG Style Dark and Navigation style apply only to Primary (CSS)	No visible change on Default / Secondary	Use a background image or a Section style	Not recorded
Hide block and spacing apply only in `main`	No effect on header / footer Canvases	Edit the nav or footer canvas page	Not recorded
The site menu keeps the title suffix after a vertical bar (only the dock removes it)	Long menu labels	Shorter page titles	Not recorded
The dock panel has an `aria-label` without a landmark role	The label may not be announced	—	Not recorded
Unkeyed (single-cell) rows: a row with a link is read as a button item	Only hand-made markup affected	Use keyed rows	Not planned
Footer canvas sample with a test hover text (F-33)	Odd button name and tooltip	Correct the field	Not recorded
The prototype's threshold, offsets and motion (Figma Sites) can't be verified	Values come from the design file	—	Not planned

9. Embed

Limitation	Impact	Workaround	Planned correction
No start time, playlist or other YouTube parameters	Plays from the start	Use the Video block (Start At)	Not recorded
Generic iframes always 16:9	Tall pages are cut off	Link to the page instead	Not recorded

Limitation	Impact	Workaround	Planned correction
No host allow-list for generic iframes	Any framable URL can be embedded	Governance of who authors Embeds	Not recorded
No handlers for Instagram, LinkedIn, Facebook, TikTok	Usually refused as iframes	Link to the post	Not recorded
Iframe interactions not tracked	No provider play data	None	Not recorded
Frame name is generic ("Content from {host}")	Screen readers don't hear the video's name from the frame	Heading before the block; placeholder alt text	Not recorded
`muted=1` passed to YouTube after Play	The video may start with sound	Use the Video block	Not recorded
An Embed without a URL still reserves an empty 16:9 area	Blank space on the page	Delete the block or add a URI	Not recorded
No consent management	Provider cookies once loaded	Click-to-load placeholder	Not recorded (owner: privacy / legal)

10. Filter List

Limitation	Impact	Workaround	Planned correction
No results in Universal Editor or on AEM author (no query index)	Authors can't see the cards while editing	Check the preview URL	Not planned
Filters aren't in the URL	No deep links or back-button state for filters	None	Not recorded
The whole index (all locales) is downloaded and filtered in the browser	Load time grows with the site	Keep the index lean	Not recorded
`hide-in-nav` pages and redirects aren't applied (unlike List)	Hidden or redirected pages can be listed	Restrict by Root path or types; Manual List	Deferred (audit D-A-29, product decision)
Authors lookup is case-sensitive	Lockup with name only	Use consistent lower-case ids	Not recorded
Card CTA labels are global placeholders; the report "Download" opens the page, not a file	Generic button labels	Make the report page offer the download	Not recorded
Numeric maximums are only in the model; the code enforces the minimum of 1	Values authored outside the dialog aren't capped	None	Not recorded
The card mapping fields are free text	A typo empties that part of every card	Keep the defaults	Not recorded (audit D-A-18: mapping fields kept)
Cards aren't server-rendered	Not in the delivered HTML for crawlers without JavaScript	Listed pages are in the sitemap	Not recorded

11. Footer

Limitation	Impact	Workaround	Planned correction
The bar is rendered even when copyright and links are empty (F-16)	An empty strip on a footer page	Fill in the copyright or links	Not recorded (F-16 open, P3)
An icon name without a file in `/icons` gives a broken icon (F-16)	Broken social icon	Use a supported name or an image URL	Not recorded (F-16 open, P3)
No fallback to `references/footer` when the configured footer page can't load (the header has one)	Only the social row	Publish the footer page / correct the path	Not recorded
Inherited Footer values cached per browser session (F-35)	Changes show in a new session	Private window	Not recorded

Limitation	Impact	Workaround	Planned correction
Offered in every section; styles only inside `<footer>`	Unstyled on content pages	Use it only on footer pages	Not recorded
A link title equal to its text is kept (audit, docs/audit/blocks/group-d-forms-media-chrome.md)	Redundant tooltip	—	Not recorded
Link List multifield still in the dialog	Two ways to add links	Use Footer Link items	Not recorded (audit: deprecate)

12. Form Variations

Limitation	Impact	Workaround	Planned correction
No back end in the repository (F-01, O-08)	Data is delivered only with a Submit action or an integration	Set the Submit action; agree the back end	Not recorded
`cmp:submit` is pushed before the outcome (R-D-3)	Analytics can't tell delivered submissions	Use a success signal from the integration	Blocked: measurement plan
The double-submit guard (`aria-busy`) covers only the Submit action request	While an integration's promise is pending, another Send dispatches the event again	Let the integration ignore repeated calls	Not recorded
One value per condition; conditions match any dropdown of the form	Complex routing needs several items	Add one item per value	Not planned
Width derived from the field name; the required note takes one grid column from 900px; the checkbox error sits beside the consent text (F-32)	Layout surprises	Start with a full-width item, pair half-width fields	Not recorded
Item cells read by position (O-18)	A missing cell shifts later values	Set every item field once	Not recorded
Error colours hard-coded (`#c8102e`, `#ff6b6b`)	Not themable by tokens	—	Not recorded
No radio groups, multi-select, file upload, date, number or multi-step forms	Unsupported form types	Other solutions	Not recorded

13. Fragment

Limitation	Impact	Workaround	Planned correction
Full URLs in Reference are ignored (F-15)	A pasted URL shows nothing	Use the content picker	Not recorded (F-15 open, P3)
Content isn't in the delivered page HTML	Not part of the page for SEO	Keep unique content on the page	Not planned
No caching in code; each use fetches	Extra requests for repeated fragments	—	Not planned
The same fragment twice may produce duplicate ids (suspected, audit docs/audit/blocks/group-c-containers.md)	Duplicate anchors	Avoid two instances with anchors	Not recorded
The Reference isn't localized	Copied pages may show another locale	Re-point after copying	Not planned
Field label "Reference" is technical (audit suggestion "Fragment page")	Author clarity	—	Not recorded

14. Gen Carousel

Limitation	Impact	Workaround	Planned correction
Autoplay pushes `cmp:show` at every automatic change	Slide views inflated in analytics	Filter in the measurement plan	Not recorded (analytics owner to be confirmed)
A hidden or empty slide still counts as a slide	Empty slide and dot	Delete or move the block	Not planned
Auto-only carousels can't be swiped	No touch navigation besides the dots	Use Manual and Auto	Not planned (by design)

15. Header

Limitation	Impact	Workaround	Planned correction
No navigation in the desktop header (product decision, F-72)	A page without a Conversation Canvas has no desktop navigation	Author a Canvas on the page or the nav page	Not recorded (F-72 open, Product Owner / Design)
Inherited Navigation cached per browser session (F-35)	A changed parent value shows in a new session	Test in a private window	Not recorded
Nav pages hold boilerplate content (F-74) and the logos aren't in DAM yet (F-77)	Placeholder header content	Author the nav pages; upload the SVG logos	Not recorded (content tasks)
Figma deviations for accessibility (F-75): darker arrows, inset rows	Visual difference from Figma	—	Design review
On desktop the nav landmark "Main navigation" holds only the two logo links (audit, docs/audit/blocks/group-d-forms-media-chrome.md)	Landmark name slightly inaccurate	—	Not planned
No hover-to-open and no outside-click handler; closing relies on focus leaving the nav	A tap on the menu background keeps it open (by design, F-71)	Escape or the close button	Not planned

16. Hero

Limitation	Impact	Workaround	Planned correction
No background video	Video banners can't be built with the Hero	Use the Video or Embed block	Not recorded
Lottie JSON served only once published (R-B-2)	Empty background on preview / live if not published	Publish the asset	Operations
Motion Type authored before can't be changed in the dialog (R-B-6)	Legacy animation stays	Migrate to Animation Type	Content migration
Default overlay eyebrow contrast (R-B-4)	Brand eyebrow over the white overlay	—	Design sign-off pending
Background animation delays LCP on the first Hero (F-94)	Slower LCP	Use it below the fold	Not planned
Legacy CTA List items keep their stored CTA Arrow "right" (F-55)	No automatic down arrow for # links in those items	Choose Down, or re-create as CTA items (Auto)	Not planned

17. Image Collage

- At most nine images; the slot positions are fixed by the design.
- The images are decorative only (`aria-hidden`); their alt text isn't announced.

- The Teaser's Layout Image collage offers the same design (KB-D-063, Proposed).
- The colours are fixed values of the design (`--image-collage-*` custom properties), not the site's semantic tokens, so a dark Section's theme contract doesn't change them.

18. Interactive Dashboard

Limitation	Impact	Workaround	Planned correction
Placeholder only: no content model, rendering, data or interactivity	No dashboard	Table, Cards, Embed	Not recorded (requirements: owner product owner)
Not offered in any filter	Can't be added	—	When implemented
Editor label is fixed English	Not translated	—	Not recorded
Still tracked in the data layer; its section may leave empty space	Reporting noise; gaps	Remove from pages	Not planned

19. List

Limitation	Impact	Workaround	Planned correction
Content Fragment lists aren't supported	No CF-driven lists	Pages or Cards	Not planned (by decision)
Sources come from the query index	Unpublished or not indexed pages aren't listed; manual order is path order	Fixed list for a curated order	Not planned
No full-text search source	Core List search unavailable	Filter List	Not planned
No query index in Universal Editor	Child / tagged lists show a hint in the editor	Check the published page	Not planned
Live index missing card columns (F-10)	Overrides and hide-in-nav may have no effect	Reindex	Not recorded
Statistic "bn" smaller units in one title (Figma) aren't styled	One size for the number	None	Not recorded
Figma two-tone title (variation 6) isn't an option	One colour title	None	Not recorded
Only the current locale's pages	No cross-locale lists	Fixed list with URLs	Not recorded

20. Media Contacts

Limitation	Impact	Workaround	Planned correction
Contacts aren't in the delivered HTML	Search engines see them only after rendering	None needed for press contacts	Not planned
No per-block region	All blocks on a page use the page's `region`	Set the page's region	Not planned
Pages that relied on the template's Media contacts	They show no contacts until the block is added	Add the block (end of the page)	Not planned

21. Modal

Limitation	Impact	Workaround	Planned correction
The Video pop-up player (`.modal .video-modal-player`, up to 75rem) is wider than the dialog (56.25rem) (F-51)	Player runs past the dialog edge at 1440px	—	Not recorded (F-51 open, P2)
The modal page is fetched at every opening	Repeated requests	—	Not planned
The opener is always a primary button (no style option, audit)	No secondary / tertiary opener	Use a Button Block linking to a `/modal/` page	Not recorded
Auto-link ignores the link's origin	External `/modal/` links don't navigate	Avoid such links	Not recorded
Auto-link starts in the lazy phase and not in Universal Editor (the editor navigates)	Early clicks navigate	Use a Modal block for editor previews	Not planned
A failed fetch shows no message	Silent failure	Publish the modal page	Not recorded

22. Page Header

Limitation	Impact	Workaround	Planned correction
A featured image that isn't same-origin site media is lazy-loaded (F-14)	Slower LCP on landing pages	Use DAM images delivered as site media	Not recorded
Page Type offers home, article, blog, press-release; landing / listing only via the metadata sheet (F-12)	Default can't resolve to Landing from page properties	Set page-type in the sheet or choose Landing	Not recorded (open: one list of page types, O-11)
Only the English taxonomy is published (F-09)	ID-derived tag labels in other locales	Publish each locale's taxonomy	Not recorded
Date format dd/mm/yy in every locale	Not localised	—	Not recorded
Metadata changes are read when the page loads	Editor shows old values until reloaded	Reload the editor	Not planned

23. Quote

Limitation	Impact	Workaround	Planned correction
No CTA field	A quote can't carry a styled call to action	Put a link in its own paragraph in the Quote or Quote Author (it becomes a button), or add a Teaser or Button below	Not planned
Image Position (Desktop) applies only from 900px and Image Position (Mobile) only below 900px	Authors checking the wrong width see no change	Validate both widths in preview	Not planned
Fixed cover crops (4:5, 622:869)	Landscape or tight images lose their edges	Use portrait images with space around the face	Not planned

24. Separator

Limitation	Impact	Workaround	Planned correction
The visual presentation uses the site's tokens until the Figma designs are applied	Colours / sizes may differ from the final design	—	Not recorded
A brand-icon decoration needs an approved icon asset	Only dot, square and diamond	—	Not recorded

Limitation	Impact	Workaround	Planned correction
No free-form CSS class or colour fields (controlled options only, by the design system)	Custom looks need a new option	Add a variant / option	Not planned
An Accessible label is read as the separator's name by most screen readers, not all	Name not announced everywhere	Use headings for important structure	Not planned
Theme Auto follows only `.section.dark` / `.section.brand`; Section Style Dark / Dark Green don't switch its palette (F-21)	Light-palette line on dark sections	Choose Theme Dark or Brand	Not recorded
Duplicate controls kept for content authored before (Component ID, Background contrast, Stretch; audit D-D-17)	Two ways to set id, colour and width	Use the main fields	Not recorded

25. Tab

Limitation	Impact	Workaround	Planned correction
ID, Active tab, Columns per row and Hide block changes apply only when the Tabs Container is rendered again (re-audit R-C-7, deferred)	No immediate feedback in the editor	Reload the editor	Not recorded
A Tab outside a Tabs Container shows its chip on the page	Visible stray label	Keep Tabs in Tabs Containers (the filter offers it only there)	Not planned
Gap, alignment and breakpoint of the columns in a tab aren't authorable	Fixed medium gap, top, from 900px	Use a Columns Container section	Not planned

26. Table

Limitation	Impact	Workaround	Planned correction
Maximum 9 columns	Wider data doesn't fit	Split the table	Not recorded
No merged cells, sorting, filtering, `caption`, column alignment or sticky headers	Limited table features	Simplify the data	Not recorded
No stacked mobile layout	Wide tables scroll	Fewer columns	Not recorded
Changing Columns doesn't convert existing Rows	Padded empty cells	Recreate the Rows	Not planned
Only the heading immediately before names the table	Unnamed table otherwise	Place the heading right before	Not recorded
An empty first Row with at most one cell is skipped as a tab row	The next Row becomes the header	Don't leave the first Row empty	Not recorded

27. Table List

Limitation	Impact	Workaround	Planned correction
At most 10 items	Longer lists need another block	List or Filter List	Not planned
Titles and headings are plain text	Formatting is dropped	—	Not recorded
Only `/`, `#` and `http(s)` links	No `mailto:` / `tel:`	—	Not recorded
No images	Text-led only	Cards or List	Not planned
A two-cell row without editor instrumentation is read as the legacy header	An item may disappear on the published page	Fill the item's other fields	To be confirmed (handover 6.18.13 Issue 6)

Limitation	Impact	Workaround	Planned correction
The legacy header item can't be added any more but is still read	Old lists keep their header	Move it into the block fields	Not recorded
Item clicks carry no position or item id	Item-level reporting only by `dc:title` / URL	—	Not recorded
No unit tests	Regressions found only by manual checks	QA table above	Not recorded

28. Tabs

Limitation	Impact	Workaround	Planned correction
Changing a Tab's ID, Active tab, Columns per row or Hide block in Universal Editor applies only after the container is rendered again (re-audit R-C-7, deferred)	Authors don't see the change at once	Reload the editor	Not recorded
Gap, Vertical alignment and Side by side from aren't offered for columns in a tab	Columns in tabs always use the medium gap, top alignment and 900px breakpoint	Use a Columns Container section outside the tabs	Not planned
A Conversation Canvas isn't offered inside a Tabs Container	No Canvas in a tab	Place the Canvas outside the Tabs	Not planned
The tab shown on load pushes no `cmp:show`	The first view isn't counted as a tab view	Use the component state	Not recorded
`decodeURIComponent` of the address hash has no error handling	A malformed percent-encoded hash may stop the Tabs from being built	Avoid malformed links	Not recorded
A Tabs block panel whose fragment fails shows no message	An empty panel on the page	Publish the fragment	Not recorded

29. TCS Header

Limitation	Impact	Workaround	Planned correction
The alt fields collapse into their images: without an image, the authored alt text isn't available	A linked logo without image shows the placeholder name, not the authored alt	Always select the image	Not planned (AEM delivery rule)
Offered in every section (`section` filter)	Authors may add it to content pages	Add it only to nav pages	Not recorded (audit suggestion: nav-page-only filter)
Logo assets not yet in DAM (F-77)	No logos until authored	Block library sample PNGs	Not recorded (content task)
Additional tab has no effect in the site header	Spacing / hide only on the nav page itself	—	Not planned
Header over the first block: first page shift	A visitor's first page with Always or Never moves once when the header loads	Keep Auto where the first block is a light Hero	To be discussed (KB-D-052, Proposed)
Header over the first block: one mode per browser	A nav page without a TCS Header keeps the mode remembered from another nav page	Add the TCS Header to every nav page	Not recorded
Header over the first block: dark first blocks	Dark logos aren't visible over a dark first block (Always)	Keep Auto / Never for dark first blocks	Not recorded (a light-logo option)

30. Teaser

Limitation	Impact	Workaround	Planned correction
Some options have no effect in some layouts: Text alignment Center in Text split, Top spacing in Background image and Card, Image ratio Original on animations (handover F-18)	Author confusion	Choose options that apply to the layout	Not recorded
A Primary Button keeps its dark fill on the Teaser's own BG Color Dark / Dark green; `teaser.css` adapts only secondary buttons and text links (handover F-49)	The main call to action is hard to see	Use a Secondary Button or a Text link on dark teasers	Not recorded
The "Link copied to clipboard" status is anchored to the right edge of the actions (`.teaser-status`, `right: 0`) (handover F-50)	With the actions on the left, the message can run off the left edge	None	Not recorded
Background animation clips or fades the image while it runs (handover F-94)	Delays the image paint above the fold	Use Background animation below the fold	Not planned
No video media type	Video can't be the teaser's media	Use the Video or Embed block	Not planned
View All has no Link Type	It always opens in the same window	Use a CTA or Link item for a new-window link	Not recorded

31. Testimonial

Limitation	Impact	Workaround	Planned correction
In legacy Stats multifield items, the last element is always the value (handover F-25)	A one-element or multi-paragraph item renders unexpectedly	Use Stat items	Not recorded
No CTA field	No styled call to action in the block	Add a Teaser or Button below, or a standalone link in the rich text	Not planned
Background animation needs BG Color Grey	No background animation on the default white block	Use Animation Type for the content	Not planned

32. Video

Limitation	Impact	Workaround	Planned correction
One captions track; no audio description track	Single captions language per block	One block per locale	Not recorded
Captions file ignored for YouTube / Vimeo	No CC from the VTT	Add captions on the platform	Not planned
End At not applied to Vimeo	Video plays on	Edit on Vimeo or use a file	Not recorded
Stop / play restarts YouTube and Vimeo	Visitors lose their position	Keep controls on	Not recorded
Files cropped to the Aspect Ratio	Edges cut off	Match the ratio	Not planned
Interactions inside YouTube / Vimeo not tracked	No provider play data	None	Not recorded
Autoplay start of a file (not muted + looping + without controls) pushed as `cmp:media`	Inflated play counts	Filter in reporting	Deferred (D-D-13, needs the measurement plan)
Posters of the former Placeholder Image group not delivered	Older blocks show no poster	Re-select in Poster Image	Content migration (R-D-7)

Limitation	Impact	Workaround	Planned correction
Non-image DAM files served only once published	404 on preview / live	Publish with references	Operations (R-D-6)
No consent management for provider players	Provider cookies once loaded	Privacy-enhanced Mode	Not recorded (owner: privacy / legal)
No VideoObject structured data, chapters or playlists	No rich results	Describe the video in page text	Not recorded

33. Screenshots

No screenshot belongs to this document (it describes code, configuration or process). Evidence screenshots are listed in the screenshot register.

34. Known limitations

- None recorded for this document.

35. Open items

- None.

36. Change history

Version	Date	Author	Change
1.0	13 November 2026	Delivery team (documentation program)	First version of the role-specific documentation (master documentation prompt), generated from the repository and the published reference pages